Sample: KIMBERLEY SEXUAL CONTACT INTERVIEW AND TRACING FORM

Name	DOB/Age	Partner	Address	Date of last sexual contact & location	Attempts to locate (dates, details) & date last seen in clinic	Epidemiological Rx given	Results of lab tests Gono Chlam Syph
		Regular Casual Sex Worker				ZAP Y N N N N N N N N N N N N N N N N N N	pos □ pos □ new □ neg □ pos □ old □ Other neg □
		Regular Casual Sex Worker				ZAP Y□ N□ LA Bicillin Y□ N□ Date:	pos □ pos □ new □ neg □ pos □ old □ Other neg □
		Regular Casual Sex Worker				ZAP Y□ N□ LA Bicillin Y□ N□ Date:	pos □ pos □ new □ neg □ pos □ old □ Other neg □
		Regular Casual Sex Worker		10		ZAP Y□ N□ LA Bicillin Y□ N□ Date:	pos □ pos □ new □ neg □ pos □ old □ Other neg □
		Regular Casual Sex Worker				ZAP Y□ N□ LA Bicillin Y□ N□ Date:	pos □ pos □ new □ neg □ pos □ old □ Other neg □
		Regular Casual Sex Worker				ZAP Y□ N□ LA Bicillin Y□ N□ Date:	pos □ pos □ new □ neg □ pos □ old □ Other neg □

Tips for Interviewing	Contact Tracing	To jog patient's memory	To jog patient's memory	Inform the patient
 Take your time Be non-judgemental Use plain English Ask direct questions, e.g. Who did you have sex with? DO NOT use ambiguous terms, e.g. sleep with 	Disease M F Gonorrhoea 3 Mnths 3 Mnths Chlamydia 3 Mnths 3 Mnths If lesions present 3 Mnths 3 Mnths If contact of positive syphilis 24 Mnths 24 Mnths	Link sexual encounters with events significant to the patient, e.g. rodeos, Easter, Xmas, visits to relatives. Start with the most recent sexual encounter and work backwards	Stress the importance of an accurate contact history (prevents re-infection of the patient, female infertility, congenital STI in babies, STI spreading in their community) Get a description of the contact - Where does s/he live? What does s/he look like? Who does s/he associate with? Ask patient (if literate) to write names of contacts on paper	All information re sexual history and lab tests is confidential Lab test results will go to their doctor and Kimberley Population Health Unit.