



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

#### Epidemiology & Surveillance Program Communicable Disease Control Directorate

Report for eight week period 29-APR-16 to 23-JUN-16

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: [http://www.public.health.wa.gov.au/3/573/3/statewide\\_notif.pm](http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm)

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 25			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	05/05	12/05	19/05	26/05	02/06	09/06	16/06	23/06	2016	2015	2014			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	2		1	1			2	1	14	16	11	3	2.1	1.4
Hepatitis B (unspecified)	17	18	10	16	45	10	32	46	350	261	283	133	60.1	2.2
Hepatitis C (newly acquired)	2	6	2	1	1	2	7		59	75	79	10	11.3	0.9
Hepatitis C (unspecified)	26	13	28	31	26	10	23	28	549	488	472	87	80.8	1.1
<b>Enteric diseases</b>														
Botulism									0	0	0	0	0.0	0.0
Campylobacteriosis	58	55	56	56	72	41	54	18	1382	1322	1304	185	163.0	1.1
Cryptosporidiosis	6	4	5	6	4	4	3		149	169	199	11	16.8	0.7
Hepatitis A	1								8	13	11	0	1.1	0.0
Hepatitis E									1	2	0	0	0.1	0.0
Listeriosis									2	1	3	0	0.3	0.0
Paratyphoid fever									8	7	7	0	0.5	0.0
Rotavirus	4	2		3	1	1	2		73	287	180	4	43.0	0.1
STEC/VTEC infection	1		1	1	1				12	0	1	1	0.3	3.0
Salmonellosis	38	47	37	28	25	23	36	3	1044	925	694	87	90.8	1.0
Shigellosis	3	1	1	2	1		3		46	64	20	4	4.1	1.0
Typhoid		1							3	7	7	0	0.7	0.0
Vibrio parahaemolyticus	1			1	1				17	6	5	1	0.8	1.3
Yersiniosis		1							6	16	0	0	0.5	0.0
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	262	261	252	259	219	198	205	60	5777	5653	5769	682	918.9	0.7
Gonorrhoea	79	64	50	79	73	53	50	14	1482	1014	1121	190	155.3	1.2
Syphilis - Infectious	7	5		6	8	8	5		141	62	48	21	9.1	2.3
Syphilis - Non-Infectious		3		1	1	3	1		25	32	31	5	9.9	0.5
<b>Vaccine preventable diseases</b>														
H. influenzae type b									1	0	1	0	0.1	0.0
Influenza	46	63	65	62	54	51	66	12	1108	1529	799	183	337.3	0.5
Mumps	8	9	16	12	8	6	4	1	415	58	7	19	5.6	3.4
Pertussis	16	16	23	17	16	13	11	4	615	698	714	44	146.2	0.3
Pneumococcal infection	4	5	2	2	6	4	3	2	54	59	79	15	23.1	0.6
Tetanus									1	0	0	0	0.1	0.0
Varicella (chicken pox)	17	7	12	9	10	9	8	2	217	205	200	29	32.9	0.9
Varicella (shingles)	26	27	34	19	23	21	18	3	734	738	645	65	96.4	0.7
Varicella (unspecified)	24	21	35	35	45	22	48	15	772	636	608	130	88.3	1.5
<b>Vector-borne diseases</b>														
Arboviral encephalitis									8	0	0	0	0.3	0.0
Barmah Forest virus				1					7	24	37	0	22.3	0.0
Chikungunya									3	8	16	0	2.1	0.0
Dengue fever	12	11	11	13	5	8	8	6	346	437	283	27	30.3	0.9
Malaria	1	1	3	1	1				27	23	27	1	4.4	0.2
Ross River virus	7	7	9	6	8	4	5		220	690	1032	17	58.7	0.3
Schistosomiasis	7	4	7	7	5	1	5		89	112	78	11	10.8	1.0
Typhus	2	1		1					15	11	9	0	2.6	0.0
<b>Zoonotic diseases</b>														
Leptospirosis	1								3	0	1	0	0.1	0.0
Psittacosis					1				1	0	2	1	0.1	15.0
<b>Other diseases</b>														
Creutzfeldt-Jakob disease	1								3	1	2	0	0.3	0.0
Legionellosis	1	1	2	4	3	1	4		29	37	41	8	6.6	1.2
Leprosy									1	0	4	0	0.2	0.0
Melioidosis									2	2	4	0	0.2	0.0
Meningococcal infection							1		5	5	9	1	1.7	0.6
Tuberculosis	6	3		1	1	6	2	1	61	67	64	10	12.3	0.8
<b>Grand Total</b>	<b>686</b>	<b>657</b>	<b>662</b>	<b>681</b>	<b>664</b>	<b>499</b>	<b>605</b>	<b>217</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 25			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	05/05	12/05	19/05	26/05	02/06	09/06	16/06	23/06	2016	2015	2014			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	2		1	1			2	1	14	12	11	3	2.0	1.5
Hepatitis B (unspecified)	11	16	9	14	38	6	31	44	299	212	229	119	33.6	3.5
Hepatitis C (newly acquired)		5	2	1		2	4		45	52	61	6	8.5	0.7
Hepatitis C (unspecified)	16	11	20	22	21	5	18	16	384	334	346	60	56.8	1.1
<b>Enteric diseases</b>														
Botulism									0	0	0	0	0.0	0.0
Campylobacteriosis	42	45	47	50	58	34	44	15	1109	1033	1018	151	124.7	1.2
Cryptosporidiosis	5	3	1	4	4	4	3		99	60	150	11	10.5	1.1
Hepatitis A	1								7	12	6	0	0.8	0.0
Hepatitis E									1	1	0	0	0.1	0.0
Listeriosis									1	1	3	0	0.3	0.0
Paratyphoid fever									7	6	6	0	0.3	0.0
Rotavirus	2	2		2	1	1	2		64	223	142	4	30.9	0.1
STEC/VTEC infection					1				3	0	1	1	0.3	3.8
Salmonellosis	29	34	27	21	18	15	23	3	782	654	474	59	61.8	1.0
Shigellosis	1	1	1	2			1		26	26	14	1	1.9	0.5
Typhoid									2	6	7	0	0.7	0.0
Vibrio parahaemolyticus	1			1	1				16	4	4	1	0.6	1.7
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	198	188	183	200	163	159	177	50	4425	4356	4348	549	697.8	0.8
Gonorrhoea	52	37	29	53	49	31	39	11	984	619	617	130	76.5	1.7
Syphilis - Infectious	7	5		4	6	6	5		118	36	40	17	6.7	2.5
Syphilis - Non-Infectious		3		1	1	2		1	20	27	23	4	4.4	0.9
<b>Vaccine preventable diseases</b>														
Influenza	35	53	56	56	49	36	52	12	911	1189	651	149	268.5	0.6
Mumps			1	3	1	1	1		12	16	7	3	2.0	1.5
Pertussis	14	15	21	13	15	12	10	4	452	555	530	41	110.6	0.4
Pneumococcal infection	3	4	1	1	4	3	2	1	28	33	38	10	13.5	0.7
Varicella (chicken pox)	14	7	10	7	8	7	6	1	172	153	129	22	24.1	0.9
Varicella (shingles)	21	20	25	16	18	18	13	2	555	536	505	51	72.7	0.7
Varicella (unspecified)	20	18	29	31	39	19	41	14	656	609	524	113	77.9	1.4
<b>Vector-borne diseases</b>														
Arboviral encephalitis									7	0	0	0	0.1	0.0
Barmah Forest virus									2	8	15	0	14.7	0.0
Chikungunya									2	6	13	0	1.8	0.0
Dengue fever	7	5	9	11	5	5	7	5	279	352	225	22	24.2	0.9
Malaria	1		2	1					20	20	22	0	3.7	0.0
Ross River virus	4	5	6	2	1	3	2		122	397	593	6	28.7	0.2
Schistosomiasis	7	4	7	7	5	1	5		87	108	77	11	10.3	1.1
Typhus				1					8	7	7	0	1.8	0.0
<b>Zoonotic diseases</b>														
Leptospirosis									2	0	0	0	0.1	0.0
Psittacosis					1				1	0	0	1	0.1	15.0
Q Fever									1	2	1	0	0.1	0.0
<b>Other diseases</b>														
Legionellosis			2	4	3	1	4		22	25	29	8	4.9	1.6
Meningococcal infection							1		3	2	5	1	1.0	1.0
Tuberculosis	6	3		1	1	5	1		51	50	59	7	9.5	0.7
<b>Grand Total</b>	<b>499</b>	<b>484</b>	<b>489</b>	<b>530</b>	<b>511</b>	<b>376</b>	<b>494</b>	<b>180</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Southwest		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)	1	2 (2)	0.6		1 (2)	0.8			
Hepatitis B (unspecified)	20	54 (10)	12.1	24	65 (17)	16.7		1	5.7
Hepatitis C (newly acquired)		2 (6)	1.8		4 (4)	2.5		1	0.6
Hepatitis C (unspecified)	6	29 (27)	17.1	10	31 (26)	19.8	1	6 (7)	22.8
<b>Enteric diseases</b>									
Campylobacteriosis	9	86 (88)	51.9	6	65 (69)	54.4	1	11 (13)	49.1
Cryptosporidiosis		7 (1)	5.3		4 (3)	4.1			4.0
Hepatitis A		(2)	0.3		(1)	0.4			
Hepatitis E						0.1			
Listeriosis						0.1			
Paratyphoid fever			0.3			0.4			
Rotavirus		3 (34)	3.7		1 (51)	2.4		(5)	0.6
STEC/VTEC infection			0.2		1	0.1			1.1
Salmonellosis	2	36 (37)	37.6	1	23 (17)	37.3		8 (3)	42.2
Shigellosis		1 (1)	1.7		(1)	0.8		1	1.7
Typhoid						0.2			
Vibrio parahaemolyticus			0.7		1	0.8			
Yersiniosis			0.2		(1)	0.2			
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	22	281 (353)	208.8	28	268 (324)	215.4	4	34 (32)	159.1
Gonorrhoea	4	65 (46)	47.8	7	65 (42)	46.4	1	9 (4)	27.4
Syphilis - Infectious		12 (4)	6.9		5 (3)	4.3			1.7
Syphilis - Non-Infectious		2 (2)	0.9	1	2	1.0			0.6
<b>Vaccine preventable diseases</b>									
H. influenzae type b									0.6
Influenza	5	75 (209)	43.9	7	74 (176)	43.4		4 (26)	24.5
Mumps		2 (6)	0.7		1 (1)	0.4			0.6
Pertussis	2	18 (56)	17.8	2	23 (42)	25.8		(13)	51.3
Pneumococcal infection	1	5 (5)	1.1		5 (2)	1.6			3.4
Tetanus									0.6
Varicella (chicken pox)		12 (22)	9.0	1	10 (8)	7.4	1	2 (2)	3.4
Varicella (shingles)	1	18 (39)	27.3	1	33 (46)	25.8		4 (12)	28.0
Varicella (unspecified)	5	54 (54)	31.7	9	59 (49)	31.1		4	30.8
<b>Vector-borne diseases</b>									
Arboviral encephalitis			0.1			0.6			
Barmah Forest virus			0.2						
Chikungunya			0.1			0.1			
Dengue fever	3	12 (10)	13.4	2	10 (8)	13.3	1	4 (2)	16.5
Malaria		(3)	0.9			1.0		1	1.7
Ross River virus		5 (13)	5.4		1 (19)	6.3		4 (4)	20.5
Schistosomiasis		8 (28)	5.7		3 (6)	2.5		(1)	1.1
Typhus			0.2			0.6		(1)	1.1
<b>Zoonotic diseases</b>									
Leptospirosis			0.1			0.1			0.6
Psittacosis		1	0.1						
Q Fever			0.1						
<b>Other diseases</b>									
Creutzfeldt-Jakob disease									1.1
Legionellosis		6 (2)	1.4		2 (1)	0.7			
Leprosy									
Melioidosis									
Meningococcal infection			0.1		1 (1)	0.2			
Tuberculosis		2 (1)	2.2		5 (3)	2.7			1.1
<b>Grand Total</b>	<b>81</b>	<b>798 *****</b>		<b>99</b>	<b>763 (923)</b>		<b>9</b>	<b>94 (125)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Great Southern			Coastal and Wheatbelt			Midwest		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			1.7		2	12.9		(2)	1.4
Hepatitis B (unspecified)					1	1.3			4.3
Hepatitis C (newly acquired)		(1)	6.6						
Hepatitis C (unspecified)	3	6 (6)	29.9	1	5 (9)	35.0	1	2 (9)	37.5
<b>Enteric diseases</b>									
Campylobacteriosis		6 (5)	59.7	1	6 (2)	44.0		4 (6)	46.2
Cryptosporidiosis			5.0			7.8			2.9
Hepatitis A									
Hepatitis E									
Listeriosis						1.3			
Paratyphoid fever									
Rotavirus					(5)	2.6		(3)	4.3
STEC/VTEC infection			1.7						
Salmonellosis		1 (2)	38.2		4 (5)	25.9		2 (5)	41.8
Shigellosis		1	3.3			1.3		(1)	7.2
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.3			1.4
<b>Sexually transmissible infections</b>									
Chlamydia (genital)		7 (14)	127.8		13 (14)	121.7	5	18 (24)	265.5
Gonorrhoea			5.0		1 (1)	12.9	2	11 (4)	85.1
Syphilis - Infectious						1.3			4.3
Syphilis - Non-Infectious									
<b>Vaccine preventable diseases</b>									
H. influenzae type b									
Influenza		1 (9)	23.2		7 (3)	36.3		1 (28)	18.8
Mumps					(1)	10.4		1	56.3
Pertussis		2 (2)	23.2			9.1		1 (2)	24.5
Pneumococcal infection					1 (1)	3.9		1 (1)	1.4
Tetanus									
Varicella (chicken pox)		2	18.3		(2)	2.6		(2)	5.8
Varicella (shingles)		1 (3)	63.1		4 (5)	31.1	1	1 (2)	10.1
Varicella (unspecified)	1	2 (2)	16.6		2	7.8		6 (3)	49.1
<b>Vector-borne diseases</b>									
Arboviral encephalitis									1.4
Barmah Forest virus			1.7						
Chikungunya									
Dengue fever			8.3			12.9			5.8
Malaria									1.4
Ross River virus		2 (3)	13.3		2	22.0		(25)	4.3
Schistosomiasis									
Typhus			1.7						2.9
<b>Zoonotic diseases</b>									
Leptospirosis									
Psittacosis									
Q Fever		(1)	1.7			5.2			
<b>Other diseases</b>									
Creutzfeldt-Jakob disease			1.7						
Legionellosis			1.7			2.6		(1)	4.3
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis		2	3.3				1	1	1.4
<b>Grand Total</b>	<b>4</b>	<b>33 (48)</b>		<b>2</b>	<b>48 (48)</b>		<b>10</b>	<b>49 (118)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Goldfields			Pilbara			Kimberley		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		2 (2)	11.6		2 (1)	7.4	1	3 (2)	21.1
Hepatitis C (newly acquired)		1 (2)	5.0		1	2.5			
Hepatitis C (unspecified)	1	1	19.8	1	1 (4)	17.2	4	5 (2)	53.8
<b>Enteric diseases</b>									
Campylobacteriosis		2 (2)	43.0	1	1 (5)	30.7		4 (2)	37.5
Cryptosporidiosis			11.6			18.4		(3)	18.7
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									2.3
Rotavirus		(6)	1.7		(5)	1.2		(3)	2.3
STEC/VTEC infection			3.3			1.2			4.7
Salmonellosis		5 (5)	36.3		2 (5)	34.4		4 (13)	121.7
Shigellosis		(2)	3.3		1	2.5		(3)	9.4
Typhoid									
Vibrio parahaemolyticus			1.7						
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)		14 (20)	343.7	1	13 (27)	226.1		33 (63)	643.7
Gonorrhoea		1 (7)	87.6		8 (12)	114.3		27 (38)	498.6
Syphilis - Infectious		(1)	1.7			2.5		4 (5)	28.1
Syphilis - Non-Infectious		(1)	1.7		1	1.2			2.3
<b>Vaccine preventable diseases</b>									
H. influenzae type b									
Influenza		1 (5)	19.8		15 (5)	41.8		4 (15)	70.2
Mumps		4 (5)	47.9			66.4	1	10 (8)	634.3
Pertussis			23.1			2.5			35.1
Pneumococcal infection		(2)	5.0		1 (2)	12.3	1	2 (2)	7.0
Tetanus									
Varicella (chicken pox)		1 (1)	5.0		(2)	3.7		1	30.4
Varicella (shingles)		2 (1)	23.1		(5)	14.7		2 (1)	46.8
Varicella (unspecified)			1.7		1	2.5			2.3
<b>Vector-borne diseases</b>									
Arboviral encephalitis									
Barmah Forest virus			1.7			1.2		(1)	4.7
Chikungunya			1.7						
Dengue fever		(1)	9.9		1 (1)	9.8			
Malaria			3.3						
Ross River virus		2 (2)	14.9		1 (2)	7.4		(2)	39.8
Schistosomiasis									
Typhus						1.2			2.3
<b>Zoonotic diseases</b>									
Leptospirosis									
Psittacosis									
Q Fever									
<b>Other diseases</b>									
Creutzfeldt-Jakob disease									
Legionellosis			1.7						
Leprosy									2.3
Melioidosis						1.2			2.3
Meningococcal infection									
Tuberculosis			1.7						
<b>Grand Total</b>	<b>1</b>	<b>36 (65)</b>		<b>3</b>	<b>49 (76)</b>		<b>7</b>	<b>99 (163)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>			
Hepatitis B (newly acquired)	1	3 (4)	0.5
Hepatitis B (unspecified)	46	133 (34)	13.0
Hepatitis C (newly acquired)	0	10 (13)	2.1
Hepatitis C (unspecified)	28	87 (92)	20.6
<b>Enteric diseases</b>			
Campylobacteriosis	18	185 (194)	52.1
Cryptosporidiosis	0	11 (7)	5.6
Hepatitis A	0	0 (3)	0.3
Hepatitis E	0	0 (0)	0.0
Listeriosis	0	0 (0)	0.1
Paratyphoid fever	0	0 (1)	0.3
Rotavirus	0	4 (114)	2.8
STEC/VTEC infection	0	1 (0)	0.5
Salmonellosis	3	87 (94)	39.3
Shigellosis	0	4 (8)	1.7
Typhoid	0	0 (1)	0.1
Vibrio parahaemolyticus	0	1 (1)	0.6
Yersiniosis	0	0 (1)	0.2
<b>Sexually transmissible infections</b>			
Chlamydia (genital)	60	682 (881)	217.6
Gonorrhoea	14	190 (158)	55.8
Syphilis - Infectious	0	21 (14)	5.3
Syphilis - Non-Infectious	1	5 (4)	0.8
<b>Vaccine preventable diseases</b>			
H. influenzae type b	0	0 (0)	0.0
Influenza	12	183 (479)	41.7
Mumps	1	19 (21)	15.6
Pertussis	4	44 (115)	23.2
Pneumococcal infection	2	15 (15)	2.0
Tetanus	0	0 (0)	0.0
Varicella (chicken pox)	2	29 (39)	8.2
Varicella (shingles)	3	65 (115)	27.7
Varicella (unspecified)	15	130 (109)	29.1
<b>Vector-borne diseases</b>			
Arboviral encephalitis	0	0 (0)	0.3
Barmah Forest virus	0	0 (4)	0.3
Chikungunya	0	0 (0)	0.1
Dengue fever	6	27 (22)	13.0
Malaria	0	1 (3)	1.0
Ross River virus	0	17 (72)	8.3
Schistosomiasis	0	11 (35)	3.4
Typhus	0	0 (1)	0.6
<b>Zoonotic diseases</b>			
Leptospirosis	0	0 (0)	0.1
Psittacosis	0	1 (0)	0.0
Q Fever	0	0 (2)	0.2
<b>Other diseases</b>			
Creutzfeldt-Jakob disease	0	0 (0)	0.1
Legionellosis	0	8 (5)	1.1
Leprosy	0	0 (0)	0.0
Melioidosis	0	0 (0)	0.1
Meningococcal infection	0	1 (1)	0.2
Tuberculosis	1	10 (7)	1.9
<b>Grand Total</b>	<b>217</b>	<b>1985 (2672)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 25	
	05/05	12/05	19/05	26/05	02/06	09/06	16/06	23/06	2016	2015
	<b>Salmonella Total</b>	<b>38</b>	<b>47</b>	<b>37</b>	<b>28</b>	<b>25</b>	<b>23</b>	<b>36</b>	<b>3</b>	<b>1044</b>
<b>Serotype/Phage</b>										
Salmonella Aberdeen	1	1							6	3
Salmonella Adelaide			2						2	3
Salmonella Agona				1	2				8	4
Salmonella Albany									1	2
Salmonella Anatum						1			9	5
Salmonella Anatum var 15+									1	0
Salmonella Arizonae									1	0
Salmonella Bahrenfeld									2	0
Salmonella Bareilly					1		1		3	2
Salmonella Birkenhead									4	6
Salmonella Blukwa	1								1	0
Salmonella Bonn									1	0
Salmonella Bovismorbificans	1			1	1				11	5
Salmonella Braenderup		1					2		7	6
Salmonella Bredeney		1							2	2
Salmonella Charity									1	0
Salmonella Chester		3			1		1		18	16
Salmonella Choleraesuis bv Decatur					1				3	7
Salmonella Choleraesuis bv Kunzendorf Australia		2							5	9
Salmonella Corvallis					1				7	5
Salmonella Derby	1								1	0
Salmonella Eastbourne									7	3
Salmonella Enteritidis	3	4	7	4	1	1	4		105	103
Salmonella Fremantle subsp II									1	1
Salmonella Give									1	8
Salmonella Glostrup									1	0
Salmonella Hadar					1				7	3
Salmonella Havana									4	4
Salmonella Heidelberg									1	5
Salmonella Houten subsp IV		1							1	0
Salmonella Hvittingfoss		1							5	4
Salmonella Infantis		1	1						26	25
Salmonella Javiana									4	2
Salmonella Johannesburg									1	3
Salmonella Kentucky		2	1		1				9	0
Salmonella Kiambu	2		1	1					21	34
Salmonella Kirkee									0	0
Salmonella Kisarawe			1						2	0
Salmonella Kottbus									4	4
Salmonella Lansing									2	2
Salmonella Litchfield									2	1
Salmonella Liverpool		2				1			4	0
Salmonella Livingstone									1	1
Salmonella London									1	0
Salmonella Mbandaka	1	2	1						18	20
Salmonella Mgulani									1	0
Salmonella Mississippi									1	0
Salmonella Montevideo			1						3	1
Salmonella Muenchen							1		10	13



Weekly Report for period 29-APR-16 to 23-JUN-16

	05/05	12/05	19/05	26/05	02/06	09/06	16/06	23/06	Cumulative Total to end of Week 25	
									2016	2015
<b>Salmonella Total</b>	<b>38</b>	<b>47</b>	<b>37</b>	<b>28</b>	<b>25</b>	<b>23</b>	<b>36</b>	<b>3</b>	<b>1044</b>	<b>891</b>
<b>Serotype/Phage</b>										
Salmonella Muenster									1	0
Salmonella Newport	1	2	2	3			1		16	17
Salmonella Ohlstedt					1	1			5	0
Salmonella Oranienburg		2					1		5	4
Salmonella Orientalis									3	2
Salmonella Orion									5	6
Salmonella Oslo						1			1	2
Salmonella Paratyphi B bv Java	5			2					39	24
Salmonella Poona						1			3	1
Salmonella Potsdam	1								2	6
Salmonella Reading									2	3
Salmonella Richmond	1								1	1
Salmonella Rissen									1	4
Salmonella Rubislaw		1							1	2
Salmonella Saintpaul	2	1		1	2	1			25	46
Salmonella Schwarzengrund									4	1
Salmonella Senftenberg							1		9	6
Salmonella Singapore		1			1		1		12	7
Salmonella Stanley									15	28
Salmonella Thompson									1	2
Salmonella Treforest									2	1
Salmonella Typhimurium	16	14	14	12	10	9	9		438	331
Salmonella Urbana						1			1	4
Salmonella Virchow						1	2	1	23	28
Salmonella Wandsbek subsp II									2	4
Salmonella Welikade						1	2		6	5
Salmonella Weltevreden	1	2		2					12	16
Salmonella Weltevreden var 15+									1	1
Salmonella species	1	3	6	1	1	2	12	2	68	27
Salmonella subsp I ser 16:i,v:-									3	0