



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program Communicable Disease Control Directorate

Report for eight week period 06-MAY-16 to 30-JUN-16

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 26			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]	
	12/05	19/05	26/05	02/06	09/06	16/06	23/06	30/06	2016	2015	2014				
	Blood-borne diseases[2]														
Hepatitis B (newly acquired)			1	1			2	1	1	15	17	12	4	2.2	1.8
Hepatitis B (unspecified)	18	10	16	44	10	32	50	11		364	280	293	103	59.9	1.7
Hepatitis C (newly acquired)	6	2	1	1	1	7	1			59	77	83	9	10.9	0.8
Hepatitis C (unspecified)	13	28	31	26	10	23	32	19		572	506	492	84	80.7	1.0
Enteric diseases															
Botulism										0	0	0	0	0.0	0.0
Campylobacteriosis	55	57	55	72	45	61	45	17		1437	1367	1353	168	161.9	1.0
Cryptosporidiosis	6	5	6	4	4	4	4	1		156	170	201	13	15.5	0.8
Hepatitis A										8	13	11	0	1.1	0.0
Hepatitis E										1	2	0	0	0.1	0.0
Listeriosis										2	1	3	0	0.3	0.0
Paratyphoid fever	1									9	7	7	0	0.5	0.0
Rotavirus	2		3	1	1	3	2			76	321	185	6	45.2	0.1
STEC/VTEC infection			1	1	1					12	0	1	0	0.3	0.0
Salmonellosis	47	40	28	26	24	37	17	2		1066	951	710	80	86.8	0.9
Shigellosis	1	1	2	1		4				47	66	22	4	3.7	1.1
Typhoid	1									3	7	7	0	0.8	0.0
Vibrio parahaemolyticus			1	1			1			18	6	5	1	0.8	1.3
Yersiniosis	1									6	18	0	0	0.5	0.0
Sexually transmissible infections															
Chlamydia (genital)	261	252	258	232	201	203	214	67		6013	5886	5993	685	898.9	0.8
Gonorrhoea	64	50	79	75	55	58	64	9		1553	1052	1171	186	152.0	1.2
Syphilis - Infectious	5		6	8	7	7	3			145	64	51	17	9.1	1.9
Syphilis - Non-Infectious	3		1	1	3		1			25	32	32	4	10.9	0.4
Vaccine preventable diseases															
H. influenzae type b										1	0	1	0	0.1	0.0
Influenza	63	65	63	55	53	71	64	9		1177	1710	891	197	402.9	0.5
Mumps	9	16	13	9	6	4	6			422	64	8	16	5.9	2.7
Pertussis	16	22	18	18	17	11	5	4		625	742	751	37	143.3	0.3
Pneumococcal infection	5	2	2	6	4	3	4			56	65	84	11	23.5	0.5
Tetanus										1	0	0	0	0.1	0.0
Varicella (chicken pox)	7	12	9	10	9	12	8			229	212	203	29	33.5	0.9
Varicella (shingles)	27	32	19	23	28	34	11	1		762	766	676	74	93.7	0.8
Varicella (unspecified)	20	37	35	46	19	33	38	18		798	671	635	108	87.2	1.2
Vector-borne diseases															
Arboviral encephalitis										8	0	0	0	0.1	0.0
Barmah Forest virus				1						7	26	37	0	19.4	0.0
Chikungunya										3	8	17	0	2.3	0.0
Dengue fever	11	11	15	5	9	9	13	5		362	443	295	36	28.7	1.3
Malaria	1	3	1	1						27	24	28	0	4.5	0.0
Ross River virus	7	10	6	7	4	5	5	2		228	707	1060	16	50.6	0.3
Schistosomiasis	4	7	7	5	1	10	3			97	121	80	14	12.1	1.2
Typhus	1		1		1		1	1		17	13	9	3	2.3	1.3
Zoonotic diseases															
Leptospirosis										3	0	1	0	0.1	0.0
Psittacosis				1						1	0	2	0	0.1	0.0
Q Fever								1		8	5	3	1	0.4	2.5
Other diseases															
Creutzfeldt-Jakob disease										4	2	2	0	0.4	0.0
Legionellosis	1	2	4	3	1	5	1			31	38	46	7	7.1	1.0
Leprosy										1	0	4	0	0.2	0.0
Melioidosis										2	2	4	0	0.2	0.0
Meningococcal infection								1		5	6	9	1	1.9	0.5
Tuberculosis	3		1	1	6	2	1	1		62	67	65	10	11.9	0.8
Grand Total	659	666	684	683	519	641	596	168							

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 26			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]	
	12/05	19/05	26/05	02/06	09/06	16/06	23/06	30/06	2016	2015	2014				
	Blood-borne diseases[2]														
Hepatitis B (newly acquired)			1	1			2	1	1	15	13	12	4	1.9	2.1
Hepatitis B (unspecified)	16	9	14	37	6	31	48	10		312	227	238	95	34.0	2.8
Hepatitis C (newly acquired)	5	2	1		1	4	1			45	54	65	6	8.1	0.7
Hepatitis C (unspecified)	11	20	22	21	5	18	19	12		399	349	359	54	56.5	1.0
Enteric diseases															
Botulism										0	0	0	0	0.0	0.0
Campylobacteriosis	45	48	49	58	36	49	37	14		1152	1067	1054	136	123.6	1.1
Cryptosporidiosis	4	1	5	4	4	3	3			103	61	152	10	10.1	1.0
Hepatitis A										7	12	6	0	0.9	0.0
Hepatitis E										1	1	0	0	0.1	0.0
Listeriosis										1	1	3	0	0.3	0.0
Paratyphoid fever	1									8	6	6	0	0.3	0.0
Rotavirus	2		2	1	1	3	2			67	245	145	6	32.2	0.2
STEC/VTEC infection				1						3	0	1	0	0.3	0.0
Salmonellosis	34	28	21	18	16	25	13	1		797	670	486	55	59.1	0.9
Shigellosis	1	1	2			1				26	27	14	1	1.8	0.6
Typhoid										2	6	7	0	0.7	0.0
Vibrio parahaemolyticus				1	1			1		17	4	4	1	0.5	1.9
Yersiniosis										4	14	0	0	0.4	0.0
Sexually transmissible infections															
Chlamydia (genital)	188	183	199	175	162	174	161	59		4608	4538	4521	556	681.0	0.8
Gonorrhoea	37	29	53	51	33	43	39	8		1028	640	647	123	74.3	1.7
Syphilis - Infectious	5		3	6	6	7	2			121	38	42	15	6.5	2.3
Syphilis - Non-Infectious	3		1	1	2		1			20	27	24	3	4.6	0.7
Vaccine preventable diseases															
Influenza	53	55	57	50	37	58	56	7		969	1339	719	158	318.9	0.5
Mumps		1	3	1	1	1				12	17	8	2	1.9	1.0
Pertussis	15	20	13	16	16	10	5	4		460	593	559	35	108.5	0.3
Pneumococcal infection	4	1	1	4	3	2	3			30	36	41	8	13.4	0.6
Varicella (chicken pox)	7	10	7	8	7	10	6			182	159	131	23	24.5	0.9
Varicella (shingles)	20	25	17	19	24	29	9	1		588	553	526	63	71.0	0.9
Varicella (unspecified)	17	29	30	39	16	27	33	15		670	638	543	91	76.7	1.2
Vector-borne diseases															
Arboviral encephalitis										7	0	0	0	0.1	0.0
Barmah Forest virus										2	9	15	0	12.9	0.0
Chikungunya										2	6	14	0	1.9	0.0
Dengue fever	5	9	13	5	6	7	12	5		294	357	237	30	23.3	1.3
Malaria		2	1							20	21	22	0	3.7	0.0
Ross River virus	5	6	2	1	3	1	3	1		125	409	610	8	26.0	0.3
Schistosomiasis	4	7	7	5	1	10	3			95	117	79	14	10.7	1.3
Typhus			1		1		1			10	8	7	2	1.7	1.2
Zoonotic diseases															
Leptospirosis										2	0	0	0	0.1	0.0
Psittacosis				1						1	0	0	0	0.1	0.0
Q Fever										2	2	1	0	0.2	0.0
Other diseases															
Creutzfeldt-Jakob disease										1	2	2	0	0.3	0.0
Legionellosis		2	4	3	1	5				23	26	33	6	5.2	1.2
Meningococcal infection						1				3	3	5	1	1.2	0.8
Tuberculosis	3		1	1	5	1		1		52	50	59	7	9.2	0.8
Grand Total	485	489	531	527	393	522	459	139							

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Southwest		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		2 (3)	0.6	1	2 (2)	0.9			
Hepatitis B (unspecified)	5	47 (16)	12.8	5	48 (22)	17.3			5.7
Hepatitis C (newly acquired)		2 (5)	1.8		4 (5)	2.5			0.6
Hepatitis C (unspecified)	7	25 (28)	17.8	5	29 (30)	20.5	1	4 (5)	23.4
Enteric diseases									
Campylobacteriosis	8	80 (74)	53.9	6	56 (72)	56.6	1	12 (15)	51.9
Cryptosporidiosis		7 (1)	5.7		3 (3)	4.1		1	4.6
Hepatitis A		(2)	0.3		(1)	0.4			
Hepatitis E						0.1			
Listeriosis						0.1			
Paratyphoid fever			0.3			0.5			
Rotavirus		4 (33)	3.9		2 (50)	2.5		(8)	0.6
STEC/VTEC infection			0.2			0.1			1.1
Salmonellosis		35 (36)	38.5	1	20 (21)	37.8	1	6 (5)	43.4
Shigellosis		1 (1)	1.7		(2)	0.8		2	2.3
Typhoid						0.2			
Vibrio parahaemolyticus		1	0.8			0.8			
Yersiniosis			0.2		(2)	0.2			
Sexually transmissible infections									
Chlamydia (genital)	30	272 (359)	216.6	29	284 (345)	225.2	5	32 (39)	166.0
Gonorrhoea	1	52 (57)	49.4	7	71 (36)	49.1	1	9 (3)	29.1
Syphilis - Infectious		10 (4)	7.1		5 (3)	4.4			1.7
Syphilis - Non-Infectious		1 (1)	0.9		2	1.0			0.6
Vaccine preventable diseases									
H. influenzae type b									0.6
Influenza	1	77 (261)	46.3	6	81 (207)	46.6	1	7 (28)	26.2
Mumps		1 (7)	0.7		1 (1)	0.4			0.6
Pertussis	2	14 (70)	18.4	2	21 (38)	26.0		(14)	51.9
Pneumococcal infection		3 (5)	1.1		5 (3)	1.8			3.4
Tetanus									0.6
Varicella (chicken pox)		12 (24)	9.2		11 (7)	8.2		1 (1)	4.0
Varicella (shingles)	1	27 (36)	28.7		36 (41)	27.6		2 (11)	29.1
Varicella (unspecified)	9	49 (59)	32.8	6	42 (56)	31.3		4 (1)	29.7
Vector-borne diseases									
Arboviral encephalitis			0.1			0.6			
Barmah Forest virus			0.2						
Chikungunya			0.1			0.1			
Dengue fever	1	15 (11)	14.0	4	15 (8)	14.2		4 (2)	16.5
Malaria		(3)	0.9		(1)	1.0			1.7
Ross River virus		5 (16)	5.5	1	3 (21)	6.5	1	1 (4)	21.1
Schistosomiasis		9 (32)	6.1		5 (8)	2.8			1.1
Typhus		2	0.4		(1)	0.6		(1)	1.1
Zoonotic diseases									
Leptospirosis			0.1			0.1			0.6
Psittacosis			0.1						
Q Fever			0.1		(1)	0.1			
Other diseases									
Creutzfeldt-Jakob disease						0.1			1.1
Legionellosis		5 (2)	1.5		1 (2)	0.7		1	0.6
Leprosy									
Melioidosis									
Meningococcal infection			0.1		1 (2)	0.2			
Tuberculosis		1 (1)	2.2	1	6 (3)	2.8			1.1
Grand Total	65	759 *****		74	754 (994)		11	86 (137)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Great Southern			Coastal and Wheatbelt			Midwest		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			1.7		1	12.9		(3)	1.4
Hepatitis B (unspecified)					1	1.3			4.3
Hepatitis C (newly acquired)		(1)	6.6		1				
Hepatitis C (unspecified)	1	6 (3)	31.5	1	6 (6)	36.3	1	2 (6)	39.0
Enteric diseases									
Campylobacteriosis		6 (4)	63.1		4 (4)	44.0	1	2 (5)	49.1
Cryptosporidiosis			5.0			7.8			2.9
Hepatitis A									
Hepatitis E									
Listeriosis						1.3			
Paratyphoid fever									
Rotavirus					(3)	2.6		(4)	4.3
STEC/VTEC infection			1.7						
Salmonellosis		1 (3)	39.8		3 (5)	25.9		4 (6)	44.7
Shigellosis			3.3			1.3		(1)	7.2
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.3			1.4
Sexually transmissible infections									
Chlamydia (genital)		9 (13)	136.1	1	10 (12)	125.6		18 (26)	272.7
Gonorrhoea		2	8.3		3 (1)	16.8		9 (1)	88.0
Syphilis - Infectious					1	2.6			4.3
Syphilis - Non-Infectious									
Vaccine preventable diseases									
H. influenzae type b									
Influenza		2 (10)	24.9		7 (8)	37.5		2 (15)	20.2
Mumps					(1)	10.4			56.3
Pertussis		1 (1)	23.2		(1)	9.1		1 (2)	24.5
Pneumococcal infection					1 (1)	3.9		(2)	1.4
Tetanus									
Varicella (chicken pox)		2	18.3		(2)	2.6		(2)	5.8
Varicella (shingles)		2 (3)	64.7		3 (6)	25.9		1 (2)	10.1
Varicella (unspecified)	1	2 (3)	16.6		2	12.9	2	4 (6)	51.9
Vector-borne diseases									
Arboviral encephalitis									1.4
Barmah Forest virus			1.7						
Chikungunya									
Dengue fever		1	10.0			12.9			5.8
Malaria									1.4
Ross River virus		3 (3)	16.6		1	22.0		(19)	4.3
Schistosomiasis									
Typhus	1	1	1.7					(1)	2.9
Zoonotic diseases									
Leptospirosis									
Psittacosis									
Q Fever		(1)	1.7		1	6.5			
Other diseases									
Creutzfeldt-Jakob disease			1.7						
Legionellosis			1.7			2.6		(1)	4.3
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis		2	3.3					1	1.4
Grand Total	3	40 (45)		2	44 (50)		4	44 (102)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Goldfields			Pilbara			Kimberley		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	2 (1)	13.2		1 (4)	7.4		2 (1)	21.1
Hepatitis C (newly acquired)		1 (1)	5.0		1	2.5			
Hepatitis C (unspecified)	2	3 (1)	23.1		1 (5)	17.2	1	7 (1)	58.5
Enteric diseases									
Campylobacteriosis		2 (1)	44.6	1	3 (2)	33.2		3 (3)	37.5
Cryptosporidiosis			11.6	1	1	19.7		1 (1)	21.1
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									2.3
Rotavirus		(2)	1.7		(9)	1.2		(4)	2.3
STEC/VTEC infection			3.3			1.2			4.7
Salmonellosis		3 (5)	36.3		1 (4)	34.4		6 (9)	126.4
Shigellosis		(1)	3.3		1	2.5		(4)	9.4
Typhoid									
Vibrio parahaemolyticus			1.7						
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	1	17 (25)	358.5	1	15 (29)	235.9		27 (63)	664.8
Gonorrhoea		3 (8)	90.9		8 (9)	119.2		27 (39)	524.3
Syphilis - Infectious			1.7			2.5		1 (4)	28.1
Syphilis - Non-Infectious			1.7		1	1.2			2.3
Vaccine preventable diseases									
H. influenzae type b									
Influenza		1 (6)	19.8		15 (6)	46.7		3 (21)	70.2
Mumps		5 (4)	54.5		1	67.6		7 (12)	639.0
Pertussis			24.8			2.5			35.1
Pneumococcal infection		(2)	5.0		1 (1)	12.3		1 (3)	7.0
Tetanus									
Varicella (chicken pox)		(1)	5.0		1 (1)	4.9		1	30.4
Varicella (shingles)		(2)	21.5		1 (5)	16.0		(3)	32.8
Varicella (unspecified)		2	5.0			1.2		1	16.4
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus			1.7			1.2			4.7
Chikungunya			1.7						
Dengue fever		(1)	9.9		1 (1)	9.8			
Malaria			3.3						
Ross River virus		2	16.5		(3)	7.4		1	42.1
Schistosomiasis									
Typhus						1.2			2.3
Zoonotic diseases									
Leptospirosis									
Psittacosis									
Q Fever									
Other diseases									
Creutzfeldt-Jakob disease									
Legionellosis			1.7						
Leprosy									2.3
Melioidosis						1.2			2.3
Meningococcal infection									
Tuberculosis			1.7						
Grand Total	4	41 (61)		3	53 (79)		1	88 (168)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]			
Hepatitis B (newly acquired)	1	4 (5)	0.6
Hepatitis B (unspecified)	11	103 (47)	13.5
Hepatitis C (newly acquired)	0	9 (12)	2.1
Hepatitis C (unspecified)	19	84 (87)	21.4
Enteric diseases			
Campylobacteriosis	17	168 (182)	54.1
Cryptosporidiosis	1	13 (5)	5.9
Hepatitis A	0	0 (3)	0.3
Hepatitis E	0	0 (0)	0.0
Listeriosis	0	0 (0)	0.1
Paratyphoid fever	0	0 (0)	0.3
Rotavirus	0	6 (116)	2.9
STEC/VTEC infection	0	0 (0)	0.5
Salmonellosis	2	80 (98)	40.2
Shigellosis	0	4 (9)	1.8
Typhoid	0	0 (1)	0.1
Vibrio parahaemolyticus	0	1 (1)	0.7
Yersiniosis	0	0 (3)	0.2
Sexually transmissible infections			
Chlamydia (genital)	67	685 (923)	226.5
Gonorrhoea	9	186 (157)	58.5
Syphilis - Infectious	0	17 (12)	5.5
Syphilis - Non-Infectious	0	4 (1)	0.8
Vaccine preventable diseases			
H. influenzae type b	0	0 (0)	0.0
Influenza	9	197 (566)	44.3
Mumps	0	16 (25)	15.9
Pertussis	4	37 (126)	23.5
Pneumococcal infection	0	11 (17)	2.1
Tetanus	0	0 (0)	0.0
Varicella (chicken pox)	0	29 (38)	8.6
Varicella (shingles)	1	74 (111)	28.7
Varicella (unspecified)	18	108 (126)	30.1
Vector-borne diseases			
Arboviral encephalitis	0	0 (0)	0.3
Barmah Forest virus	0	0 (2)	0.3
Chikungunya	0	0 (0)	0.1
Dengue fever	5	36 (24)	13.6
Malaria	0	0 (4)	1.0
Ross River virus	2	16 (68)	8.6
Schistosomiasis	0	14 (40)	3.7
Typhus	1	3 (3)	0.6
Zoonotic diseases			
Leptospirosis	0	0 (0)	0.1
Psittacosis	0	0 (0)	0.0
Q Fever	0	1 (2)	0.3
Other diseases			
Creutzfeldt-Jakob disease	0	0 (1)	0.2
Legionellosis	0	7 (6)	1.2
Leprosy	0	0 (0)	0.0
Melioidosis	0	0 (0)	0.1
Meningococcal infection	0	1 (2)	0.2
Tuberculosis	1	10 (6)	1.9
Grand Total	168	1925 (2831)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 26	
	12/05	19/05	26/05	02/06	09/06	16/06	23/06	30/06	2016	2015
	Salmonella Total	47	40	28	26	24	37	17	2	1066
Serotype/Phage										
Salmonella Aberdeen	1								6	3
Salmonella Adelaide		2							2	3
Salmonella Agona			1	2					8	4
Salmonella Albany									1	2
Salmonella Anatum		1							9	5
Salmonella Anatum var 15+									1	0
Salmonella Arizonae									1	0
Salmonella Bahrenfeld									2	0
Salmonella Bareilly				1	1				3	2
Salmonella Birkenhead									4	6
Salmonella Blukwa									1	0
Salmonella Bonn									1	0
Salmonella Bovismorbificans			1	1					11	5
Salmonella Braenderup	1					2			7	6
Salmonella Bredeney	1								2	2
Salmonella Charity									1	0
Salmonella Chester	3			1		1			18	16
Salmonella Choleraesuis bv Decatur				1					3	7
Salmonella Choleraesuis bv Kunzendorf Australia	2								5	9
Salmonella Corvallis		1		1					8	5
Salmonella Derby									1	0
Salmonella Eastbourne							1	1	9	3
Salmonella Enteritidis	4	7	4	1	1	6			107	106
Salmonella Fremantle subsp II									1	1
Salmonella Give	1								2	8
Salmonella Glostrup									1	0
Salmonella Hadar				1					7	3
Salmonella Havana									4	5
Salmonella Heidelberg									1	6
Salmonella Houten subsp IV	1								1	0
Salmonella Hvittingfoss	1							1	6	4
Salmonella Infantis	1	1						1	27	25
Salmonella Javiana									4	2
Salmonella Johannesburg									1	3
Salmonella Kentucky	1	1		1		1			9	0
Salmonella Kiambu		1	1					1	22	34
Salmonella Kirkee									0	0
Salmonella Kisarawe		1							2	0
Salmonella Kottbus									4	4
Salmonella Lansing									2	2
Salmonella Litchfield									2	1
Salmonella Liverpool	2				1				4	0
Salmonella Livingstone									1	1
Salmonella London									1	0
Salmonella Mbandaka	2	1						1	19	20
Salmonella Mgulani									1	0
Salmonella Mississippi									1	0
Salmonella Montevideo		1							3	1
Salmonella Muenchen							1		10	13

Weekly Report for period 06-MAY-16 to 30-JUN-16

	12/05	19/05	26/05	02/06	09/06	16/06	23/06	30/06	Cumulative Total to end of Week 26	
									2016	2015
Salmonella Total	47	40	28	26	24	37	17	2	1066	917
Serotype/Phage										
Salmonella Muenster									1	0
Salmonella Newport	2	2	3			1			16	17
Salmonella Ohlstedt				1	1				5	0
Salmonella Oranienburg	2					1			5	5
Salmonella Orientalis									3	2
Salmonella Orion									5	6
Salmonella Oslo					1				1	2
Salmonella Paratyphi B bv Java			2			1			40	28
Salmonella Poona					1				3	1
Salmonella Potsdam									2	6
Salmonella Reading									2	3
Salmonella Richmond									1	1
Salmonella Rissen									1	4
Salmonella Rubislaw	1								1	2
Salmonella Saintpaul	1		1	2	1	1			26	47
Salmonella Schwarzengrund						1			5	1
Salmonella Senftenberg						1	1		10	6
Salmonella Singapore	1			1		1			12	7
Salmonella Stanley							2		17	29
Salmonella Thompson									1	2
Salmonella Treforest									2	1
Salmonella Typhimurium	16	15	12	11	10	12	3		449	340
Salmonella Urbana					1				1	5
Salmonella Virchow					1	2	1		23	30
Salmonella Wandsbek subsp II									2	4
Salmonella Welikade					1	2			6	5
Salmonella Weltevreden	2		2			1			13	17
Salmonella Weltevreden var 15+									1	1
Salmonella species	1	6	1	1	2	3	5	2	62	28
Salmonella subsp I ser 16:i,v:-									3	0