



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program Communicable Disease Control Directorate

Report for eight week period 05-AUG-16 to 29-SEP-16

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 39			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]	
	11/08	18/08	25/08	01/09	08/09	15/09	22/09	29/09	2016	2015	2014				
	Blood-borne diseases[2]														
Hepatitis B (newly acquired)			1	1						19	23	16	0	2.4	0.0
Hepatitis B (unspecified)	16	12	12	12	9	9	7	6	517	435	479	31	57.1	0.5	
Hepatitis C (newly acquired)	1	1	2	5	4	2	2		93	125	129	8	12.3	0.7	
Hepatitis C (unspecified)	16	26	26	33	22	27	20	17	858	722	724	86	83.3	1.0	
Enteric diseases															
Botulism									0	0	0	0	0.0	0.0	
Campylobacteriosis	67	67	73	78	75	63	63	17	2383	2025	2096	218	188.6	1.2	
Cryptosporidiosis	6	1	3	3	2	1	3		203	190	242	6	9.3	0.6	
Hepatitis A				2	2				13	17	16	0	1.0	0.0	
Hepatitis E									2	2	0	0	0.1	0.0	
Listeriosis					1				3	5	3	0	0.6	0.0	
Paratyphoid fever						1			12	10	8	1	0.4	2.5	
Rotavirus	7	4	2	4	3	1	3		114	513	288	7	27.3	0.3	
STEC/VTEC infection	1	1			1	2			20	0	2	3	0.0	0.0	
Salmonellosis	30	33	19	21	24	27	12	7	1432	1251	964	70	85.9	0.8	
Shigellosis	2	2	2	2	3	2			78	83	34	5	3.9	1.3	
Typhoid			1	1	1				9	8	10	0	1.0	0.0	
Vibrio parahaemolyticus									19	6	9	0	1.0	0.0	
Yersiniosis	1	2							12	25	2	0	1.1	0.0	
Sexually transmissible infections															
Chlamydia (genital)	228	247	221	210	222	226	217	43	8907	8583	8675	708	884.0	0.8	
Gonorrhoea	77	69	72	63	67	59	54	7	2392	1658	1700	187	163.7	1.1	
Syphilis - Infectious	11	11	10	10	7	6	6		251	118	73	19	8.3	2.3	
Syphilis - Non-Infectious		1				1			37	53	47	1	9.4	0.1	
Vaccine preventable diseases															
H. influenzae type b									1	1	1	0	0.1	0.0	
Influenza	498	558	585	706	669	513	431	67	6485	5367	4670	1680	668.7	2.5	
Measles									4	6	39	0	0.7	0.0	
Mumps		1	3	3	7	1	1		466	218	18	9	14.4	0.6	
Pertussis	40	33	40	37	48	25	26	2	1067	1228	1217	101	215.6	0.5	
Pneumococcal infection	1	15	10	5	5	8	6		147	134	155	19	22.0	0.9	
Tetanus									1	0	0	0	0.0	0.0	
Varicella (chicken pox)	9	20	12	13	14	2	6	3	409	352	320	25	40.5	0.6	
Varicella (shingles)	36	33	28	26	29	26	9	1	1160	1050	1021	65	94.7	0.7	
Varicella (unspecified)	35	37	30	43	30	30	55	11	1212	1081	926	126	93.9	1.3	
Vector-borne diseases															
Arboviral encephalitis						4			13	2	0	4	0.0	0.0	
Barmah Forest virus									8	35	48	0	14.7	0.0	
Chikungunya		2							5	10	20	0	0.9	0.0	
Dengue fever	10	7	7	7	4	3	3		483	506	378	10	20.3	0.5	
Malaria	1	2	1	2	3				44	36	37	3	3.6	0.8	
Ross River virus	3	6	6	1	1	7	1	1	277	830	1253	10	39.3	0.3	
Schistosomiasis	6	4	6	9	3	5	4		168	165	133	12	7.7	1.6	
Typhus		1	1	3	1		1		26	17	10	2	1.3	1.5	
Zoonotic diseases															
Leptospirosis									3	1	2	0	0.3	0.0	
Q Fever				1			1		9	8	4	1	0.7	1.4	
Other diseases															
Creutzfeldt-Jakob disease									4	2	3	0	0.1	0.0	
Haemolytic Uraemic Syndrome									1	1	1	0	0.1	0.0	
Legionellosis	1	2	2		2	1			44	58	75	3	9.1	0.3	
Leprosy						1			4	2	4	1	0.3	3.8	
Melioidosis									2	4	6	0	0.5	0.0	
Meningococcal infection	3		1		1	1			13	14	13	2	1.6	1.3	
Tuberculosis	4	2	2	6	3	3	4	2	102	92	111	12	10.8	1.1	
Grand Total	1110	1202	1180	1306	1260	1056	935	184							

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 39			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	11/08	18/08	25/08	01/09	08/09	15/09	22/09	29/09	2016	2015	2014			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1	1					18	18	15	0	1.7	0.0
Hepatitis B (unspecified)	13	10	9	12	6	8	7	4	438	357	391	25	39.0	0.6
Hepatitis C (newly acquired)	1	1		5	2	2	2		73	91	98	6	9.7	0.6
Hepatitis C (unspecified)	7	16	18	25	19	20	11	14	594	500	530	64	57.5	1.1
Enteric diseases														
Botulism									0	0	0	0	0.0	0.0
Campylobacteriosis	55	59	55	65	60	46	49	12	1901	1581	1648	167	143.6	1.2
Cryptosporidiosis	6	1	1	3	1	1	1		139	75	174	3	4.9	0.6
Hepatitis A				2	2				12	16	11	0	1.0	0.0
Hepatitis E									2	1	0	0	0.1	0.0
Listeriosis				1					2	5	3	0	0.5	0.0
Paratyphoid fever					1				11	9	7	1	0.3	3.0
Rotavirus	6	3	1	3	2	1	3		95	372	214	6	17.7	0.3
STEC/VTEC infection	1	1			1	2			9	0	1	3	0.0	0.0
Salmonellosis	22	25	17	19	14	16	11	4	1075	897	661	45	61.2	0.7
Shigellosis	2	1		2	1	1			49	31	24	2	1.9	1.1
Typhoid		1		1					6	7	9	0	0.5	0.0
Vibrio parahaemolyticus									17	4	7	0	0.9	0.0
Yersiniosis	1	2							9	19	1	0	0.6	0.0
Sexually transmissible infections														
Chlamydia (genital)	163	191	157	169	157	180	173	40	6815	6578	6545	550	664.8	0.8
Gonorrhoea	47	50	47	42	40	40	39	7	1575	1033	970	126	85.6	1.5
Syphilis - Infectious	9	10	7	7	3	6	4		200	78	59	13	6.2	2.1
Syphilis - Non-Infectious						1			28	45	36	1	5.5	0.2
Vaccine preventable diseases														
Influenza	393	438	452	557	487	355	304	51	5066	4165	3291	1197	491.2	2.4
Measles									3	5	30	0	0.5	0.0
Mumps					1		1		21	21	16	2	2.0	1.0
Pertussis	34	30	30	35	41	22	20	2	834	964	938	85	162.9	0.5
Pneumococcal infection	1	12	6	3	2	5	3		84	81	86	10	12.4	0.8
Varicella (chicken pox)	7	16	9	13	12	2	4	3	333	277	212	21	28.9	0.7
Varicella (shingles)	28	26	21	17	22	20	5	1	880	831	778	48	71.2	0.7
Varicella (unspecified)	31	33	29	37	21	26	42	10	1026	928	789	99	81.5	1.2
Vector-borne diseases														
Arboviral encephalitis					4				12	2	0	4	0.0	0.0
Barmah Forest virus									3	12	18	0	10.7	0.0
Chikungunya		2							4	7	17	0	0.7	0.0
Dengue fever	7	5	6	5	4	3	3		391	408	301	10	15.1	0.7
Malaria	1	1	1	2	2				32	31	30	2	2.8	0.7
Ross River virus	3		5			6	1		149	487	742	7	26.8	0.3
Schistosomiasis	6	4	6	7	3	5	4		162	159	109	12	7.3	1.6
Typhus			1	3	1		1		18	9	8	2	0.7	2.7
Zoonotic diseases														
Leptospirosis									2	1	1	0	0.3	0.0
Q Fever				1			1		4	2	2	1	0.1	7.5
Other diseases														
Creutzfeldt-Jakob disease									1	2	2	0	0.1	0.0
Legionellosis	1	2	1			1			31	37	59	1	6.3	0.2
Leprosy									2	2	2	0	0.1	0.0
Meningococcal infection	1		1			1			7	10	7	1	1.1	0.9
Tuberculosis	4	2	1	6	3	3	4	1	85	71	100	11	9.1	1.2
Grand Total	850	943	884	1042	906	777	693	149						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Southwest		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		(1)	0.7		(1)	1.0			
Hepatitis B (unspecified)	1	11 (18)	18.4	3	14 (19)	23.7	1	2 (1)	9.1
Hepatitis C (newly acquired)		2 (4)	3.0		4 (6)	4.0		(1)	1.1
Hepatitis C (unspecified)	5	32 (28)	26.7	9	32 (19)	30.4		5 (8)	33.7
Enteric diseases									
Campylobacteriosis	8	101 (89)	92.4	4	66 (83)	89.6	1	22 (15)	102.7
Cryptosporidiosis		2 (2)	8.2		1 (1)	5.0		1	5.7
Hepatitis A			0.5		(1)	0.7			
Hepatitis E			0.1			0.1			
Listeriosis			0.1		(1)	0.1			
Paratyphoid fever		1 (1)	0.5			0.6			
Rotavirus		5 (8)	5.1		1 (8)	3.9		1 (6)	2.3
STEC/VTEC infection		3	0.6			0.3			1.1
Salmonellosis	1	26 (39)	53.3	3	19 (31)	49.5	2	13 (4)	58.8
Shigellosis		(1)	2.9		2	1.7		1 (1)	2.9
Typhoid			0.1			0.5			
Vibrio parahaemolyticus			0.8			0.8			
Yersiniosis		(1)	0.5			0.4			
Sexually transmissible infections									
Chlamydia (genital)	23	288 (292)	316.1	17	262 (332)	337.7	1	33 (45)	241.3
Gonorrhoea	3	56 (58)	70.5	4	70 (59)	80.9		10 (2)	43.4
Syphilis - Infectious		8 (9)	11.9		5 (3)	7.0			2.3
Syphilis - Non-Infectious		(1)	1.3		1 (1)	1.4		(1)	0.6
Vaccine preventable diseases									
H. influenzae type b									0.6
Influenza	25	653 (488)	253.5	26	544 (411)	230.8	1	79 (63)	145.5
Measles			0.3						
Mumps		1	1.2		1	0.8			0.6
Pertussis	1	55 (41)	38.0	1	30 (47)	42.1		3 (47)	59.9
Pneumococcal infection		5 (8)	3.3		5 (1)	4.8		3	8.0
Tetanus									0.6
Varicella (chicken pox)	1	14 (12)	17.0	2	7 (19)	14.8		3 (4)	8.6
Varicella (shingles)	1	25 (37)	43.9		23 (41)	40.3		3 (7)	46.2
Varicella (unspecified)	5	55 (56)	51.9	5	44 (50)	46.1	1	9 (3)	44.5
Vector-borne diseases									
Arboviral encephalitis		4	0.6			0.6			
Barmah Forest virus			0.3						
Chikungunya			0.3			0.1			
Dengue fever		7 (3)	19.7		3 (4)	17.6		(2)	23.4
Malaria		1 (2)	1.4		1 (2)	1.7			2.9
Ross River virus		1 (5)	6.4		6 (16)	7.9	1	2 (3)	27.4
Schistosomiasis		8 (9)	9.5		4 (1)	5.9			1.7
Typhus		1	0.8		1	0.9			1.1
Zoonotic diseases									
Leptospirosis			0.1			0.1			0.6
Q Fever		1	0.3			0.1			
Other diseases									
Creutzfeldt-Jakob disease						0.1			1.1
Haemolytic Uraemic Syndrome									
Legionellosis		1 (2)	1.5		(4)	1.5		(1)	2.3
Leprosy			0.1			0.1			
Melioidosis									
Meningococcal infection		1 (2)	0.3			0.4		1	0.6
Tuberculosis		5 (4)	3.5	1	6 (4)	4.7			2.3
Grand Total	74	1373	*****	75	1152	*****	8	191 (214)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Great Southern			Coastal and Wheatbelt			Midwest		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)						1.3			
Hepatitis B (unspecified)			5.0	1	1	20.7		1 (3)	4.3
Hepatitis C (newly acquired)			8.3			2.6		1	5.8
Hepatitis C (unspecified)		3 (1)	61.4		2 (2)	53.1	1	2 (2)	56.3
Enteric diseases									
Campylobacteriosis	1	5 (7)	99.6		3 (2)	69.9	2	10 (12)	83.7
Cryptosporidiosis			5.0			7.8			5.8
Hepatitis A									
Hepatitis E									
Listeriosis						1.3			
Paratyphoid fever									
Rotavirus			1.7			5.2			5.8
STEC/VTEC infection			3.3						1.4
Salmonellosis	1	3	51.4		1 (5)	35.0		1 (2)	53.4
Shigellosis			3.3			2.6		(1)	7.2
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.3			1.4
Sexually transmissible infections									
Chlamydia (genital)		15 (15)	230.7	1	11 (6)	170.9		26 (20)	424.2
Gonorrhoea		1	14.9		1	25.9		9 (7)	148.6
Syphilis - Infectious						6.5			7.2
Syphilis - Non-Infectious									
Vaccine preventable diseases									
H. influenzae type b									
Influenza		55 (43)	257.2		40 (23)	146.3	2	71 (50)	259.7
Measles									
Mumps			3.3			10.4			56.3
Pertussis		9 (2)	89.6		(1)	14.2		2	27.4
Pneumococcal infection		2	5.0		1	5.2		1 (2)	11.5
Tetanus									
Varicella (chicken pox)		(1)	26.5		(1)	3.9			13.0
Varicella (shingles)		2 (5)	96.2		2 (2)	36.3		1 (1)	27.4
Varicella (unspecified)		5 (1)	24.9		1 (3)	14.2		2 (3)	66.4
Vector-borne diseases									
Arboviral encephalitis									1.4
Barmah Forest virus			1.7						
Chikungunya									
Dengue fever			14.9			12.9			8.7
Malaria								(1)	1.4
Ross River virus		1 (2)	21.6		(1)	28.5		(3)	5.8
Schistosomiasis			5.0						
Typhus			1.7			1.3			2.9
Zoonotic diseases									
Leptospirosis									
Q Fever		(1)	1.7			5.2			
Other diseases									
Creutzfeldt-Jakob disease			1.7						
Haemolytic Uraemic Syndrome									1.4
Legionellosis			1.7		1 (1)	3.9		(1)	4.3
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis			3.3	1	1	2.6			2.9
Grand Total	2	101 (78)		3	65 (47)		5	127 (108)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Goldfields			Pilbara			Kimberley		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		(2)	18.2		(3)	13.5	2		28.1
Hepatitis B (unspecified)		1 (2)	6.6			3.7			
Hepatitis C (newly acquired)		4 (2)	34.7	2	5 (3)	27.0	1 (2)		81.9
Hepatitis C (unspecified)									
Enteric diseases									
Campylobacteriosis		1 (3)	62.8		3 (4)	46.7	3 (2)		53.8
Cryptosporidiosis			13.2		1	23.3	1		25.7
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									2.3
Rotavirus			1.7			2.5	(1)		4.7
STEC/VTEC infection			3.3			1.2			4.7
Salmonellosis		2 (3)	52.9		3 (3)	46.7	2 (5)		156.8
Shigellosis		1 (1)	6.6		(1)	6.1	(1)		9.4
Typhoid									
Vibrio parahaemolyticus			1.7			1.2			
Yersiniosis						1.2			
Sexually transmissible infections									
Chlamydia (genital)		14 (22)	479.1	1	14 (35)	339.2	35 (48)		1062.7
Gonorrhoea		3 (7)	143.7		16 (13)	197.8	19 (29)		784.2
Syphilis - Infectious		(2)	1.7			2.5	5 (3)		65.5
Syphilis - Non-Infectious			3.3			2.5			2.3
Vaccine preventable diseases									
H. influenzae type b									
Influenza		30 (30)	125.6	13	121 (30)	439.9	61 (34)		444.7
Measles									
Mumps		(2)	69.4		(42)	68.8	7 (12)		692.9
Pertussis		1 (4)	28.1			4.9			39.8
Pneumococcal infection			8.3		1	22.1	1 (2)		25.7
Tetanus									
Varicella (chicken pox)		(3)	14.9		(1)	4.9	1 (1)		35.1
Varicella (shingles)		4	36.3		(3)	27.0	4 (1)		67.9
Varicella (unspecified)			9.9		3	6.1	3 (1)		25.7
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus			1.7			1.2	(1)		4.7
Chikungunya			1.7						
Dengue fever			11.6		(1)	11.1			2.3
Malaria			5.0			1.2	1		2.3
Ross River virus		(1)	18.2		(4)	8.6			46.8
Schistosomiasis									
Typhus						1.2	(1)		2.3
Zoonotic diseases									
Leptospirosis									
Q Fever									
Other diseases									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis			1.7						
Leprosy							1		4.7
Melioidosis						1.2			2.3
Meningococcal infection			1.7						4.7
Tuberculosis			1.7			1.2			
Grand Total		61 (84)		16	167 (143)		147 (144)		

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]			
Hepatitis B (newly acquired)	0	0 (3)	0.7
Hepatitis B (unspecified)	6	31 (46)	19.3
Hepatitis C (newly acquired)	0	8 (13)	3.4
Hepatitis C (unspecified)	17	86 (70)	32.2
Enteric diseases			
Campylobacteriosis	17	218 (219)	89.8
Cryptosporidiosis	0	6 (3)	7.6
Hepatitis A	0	0 (1)	0.5
Hepatitis E	0	0 (0)	0.1
Listeriosis	0	0 (1)	0.1
Paratyphoid fever	0	1 (1)	0.5
Rotavirus	0	7 (23)	4.3
STEC/VTEC infection	0	3 (0)	0.8
Salmonellosis	7	70 (92)	53.9
Shigellosis	0	5 (6)	2.9
Typhoid	0	0 (0)	0.3
Vibrio parahaemolyticus	0	0 (0)	0.7
Yersiniosis	0	0 (1)	0.5
Sexually transmissible infections			
Chlamydia (genital)	43	708 (826)	335.6
Gonorrhoea	7	187 (175)	90.1
Syphilis - Infectious	0	19 (17)	9.5
Syphilis - Non-Infectious	0	1 (3)	1.2
Vaccine preventable diseases			
H. influenzae type b	0	0 (0)	0.0
Influenza	67	1680*****	244.3
Measles	0	0 (1)	0.2
Mumps	0	9 (56)	17.6
Pertussis	2	101 (143)	40.2
Pneumococcal infection	0	19 (13)	5.5
Tetanus	0	0 (0)	0.0
Varicella (chicken pox)	3	25 (43)	15.4
Varicella (shingles)	1	65 (97)	43.7
Varicella (unspecified)	11	126 (118)	45.7
Vector-borne diseases			
Arboviral encephalitis	0	4 (0)	0.5
Barmah Forest virus	0	0 (2)	0.3
Chikungunya	0	0 (0)	0.2
Dengue fever	0	10 (10)	18.2
Malaria	0	3 (5)	1.7
Ross River virus	1	10 (35)	10.4
Schistosomiasis	0	12 (10)	6.3
Typhus	0	2 (1)	1.0
Zoonotic diseases			
Leptospirosis	0	0 (0)	0.1
Q Fever	0	1 (1)	0.3
Other diseases			
Creutzfeldt-Jakob disease	0	0 (0)	0.2
Haemolytic Uraemic Syndrome	0	0 (0)	0.0
Legionellosis	0	3 (10)	1.7
Leprosy	0	1 (0)	0.1
Melioidosis	0	0 (2)	0.1
Meningococcal infection	0	2 (2)	0.5
Tuberculosis	2	12 (8)	3.4
Grand Total	184	3436 (3252)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 39	
	11/08	18/08	25/08	01/09	08/09	15/09	22/09	29/09	2016	2015
	Salmonella Total	30	33	19	21	24	27	12	7	1432
Serotype/Phage										
Salmonella Aberdeen	1								8	3
Salmonella Adelaide									2	4
Salmonella Agbeni									1	0
Salmonella Agona									10	7
Salmonella Albany									1	3
Salmonella Anatum									9	7
Salmonella Anatum var 15+									1	0
Salmonella Arizonae									1	0
Salmonella Bahrenfeld									2	1
Salmonella Bareilly								1	4	3
Salmonella Birkenhead									4	6
Salmonella Blukwa									1	0
Salmonella Bonn									1	0
Salmonella Bovismorbificans		1	1						16	5
Salmonella Braenderup	1								10	6
Salmonella Bredeney									3	4
Salmonella Cerro	2								3	0
Salmonella Charity									1	0
Salmonella Chester	1						2	1	23	21
Salmonella Choleraesuis bv Decatur									3	7
Salmonella Choleraesuis bv Kunzendorf Australia									6	9
Salmonella Corvallis		1	1						12	7
Salmonella Derby									2	0
Salmonella Eastbourne									11	4
Salmonella Emek									1	0
Salmonella Enteritidis	8	11	4	4	7	2			175	175
Salmonella Fremantle subsp II									1	2
Salmonella Give									3	10
Salmonella Give var 15+			1						1	0
Salmonella Glostrup									1	0
Salmonella Hadar	1							1	10	4
Salmonella Haifa				1					1	0
Salmonella Havana									4	8
Salmonella Heidelberg					1				2	8
Salmonella Houten subsp IV									1	1
Salmonella Hvittingfoss	1	1							16	5
Salmonella Infantis	2					1	1		38	31
Salmonella Javiana									5	2
Salmonella Johannesburg									1	3
Salmonella Kedougou									1	0
Salmonella Kentucky	1	1		1					22	2
Salmonella Kiambu				1	1				24	36
Salmonella Kirkee									0	0
Salmonella Kisarawe									2	0
Salmonella Kottbus									5	4
Salmonella Lansing									3	2
Salmonella Lexington				1					1	0
Salmonella Litchfield									3	1
Salmonella Liverpool									5	1

Weekly Report for period 05-AUG-16 to 29-SEP-16

	11/08	18/08	25/08	01/09	08/09	15/09	22/09	29/09	Cumulative Total to end of Week 39	
									2016	2015
Salmonella Total	30	33	19	21	24	27	12	7	1432	1217
Serotype/Phage										
Salmonella Livingstone									3	1
Salmonella London									1	1
Salmonella Matopeni				1					1	0
Salmonella Mbandaka									20	22
Salmonella Mgulani									1	0
Salmonella Mississippi									1	0
Salmonella Montevideo									4	2
Salmonella Muenchen					1	1			14	16
Salmonella Muenster									1	0
Salmonella Newport	1		1						19	23
Salmonella Ohlstedt									6	1
Salmonella Oranienburg									5	9
Salmonella Orientalis									3	3
Salmonella Orion									6	7
Salmonella Oslo									1	2
Salmonella Panama									1	1
Salmonella Papuana					1				1	2
Salmonella Paratyphi B bv Java	4	2			1				61	47
Salmonella Poona									4	4
Salmonella Potsdam				1					5	7
Salmonella Reading									2	4
Salmonella Richmond									1	1
Salmonella Rissen		1					1		3	5
Salmonella Rubislaw									2	2
Salmonella Saintpaul			1		2				32	50
Salmonella Schwarzengrund									7	1
Salmonella Senftenberg				2					14	9
Salmonella Singapore									12	7
Salmonella Sofia subsp II						1			1	0
Salmonella Stanley						1			23	35
Salmonella Tennessee	1								1	1
Salmonella Thompson			1						3	2
Salmonella Treforest									3	1
Salmonella Typhimurium	4	10	8	7	5	13	1		550	430
Salmonella Urbana									2	7
Salmonella Virchow		1	1						32	44
Salmonella Wandsbek subsp II									2	6
Salmonella Wangata									1	1
Salmonella Welikade	1								7	9
Salmonella Weltevreden		1				1			19	18
Salmonella Weltevreden var 15+									3	1
Salmonella species	1	2		2	4	4	8	7	83	42
Salmonella subsp 1 ser 4,5,12:-:-									2	0
Salmonella subsp 1 ser 4,5,12:i:-									3	1
Salmonella subsp 1 ser rough:-:-		1							1	0
Salmonella subsp I ser 16:l,v:-									3	0
Salmonella subsp IIIb 61:z52:z35									1	0