



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program Communicable Disease Control Directorate

Report for eight week period 15-JAN-17 to 11-MAR-17

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 10			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	21/01	28/01	04/02	11/02	18/02	25/02	04/03	11/03	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)								1	2	3	8	1	1.9	0.5
Hepatitis B (unspecified)	17	9	11	8	14	10	10	17	107	97	93	51	49.9	1.0
Hepatitis C (newly acquired)	3	5	2	3		4	3	1	22	24	26	8	9.7	0.8
Hepatitis C (unspecified)	25	23	21	16	24	28	30	22	229	181	195	104	79.3	1.3
Hepatitis D					1				1	0	0	1	0.0	0.0
Enteric diseases														
Campylobacteriosis	79	86	70	54	63	64	59	41	696	597	572	227	184.7	1.2
Cryptosporidiosis	20	17	19	16	16	11	19	8	149	65	79	54	34.5	1.6
Hepatitis A		1		1					2	6	8	0	2.2	0.0
Hepatitis E	1								1	0	1	0	0.3	0.0
Listeriosis									1	1	1	0	0.7	0.0
Paratyphoid fever				1					2	8	3	0	1.3	0.0
Rotavirus	7	9	6	7	4	10	3	1	67	33	68	18	18.6	1.0
STEC/VTEC infection		4	2		1	1	1		12	6	0	3	0.4	7.5
Salmonellosis	59	75	78	82	62	53	47	63	639	489	423	225	143.3	1.6
Shigellosis	1	4	4	3	7	5	4	2	38	25	36	18	6.7	2.7
Typhoid					1				1	2	4	1	1.3	0.8
Vibrio parahaemolyticus	1		1		1			1	4	6	4	2	1.5	1.4
Sexually transmissible infections														
Chlamydia (genital)	260	191	299	269	259	253	245	166	2434	2438	2334	923	953.8	1.0
Gonorrhoea	79	65	116	78	92	76	82	44	770	598	413	294	187.3	1.6
Syphilis - Infectious	2	4	11	9	7	9	8	5	72	69	22	29	10.3	2.8
Syphilis - Non-Infectious	1	5	6	2	2	2	1	1	24	12	17	6	7.5	0.8
Vaccine preventable diseases														
Influenza	35	25	31	32	28	30	25	11	296	404	394	94	127.7	0.7
Measles	4			1			1	1	9	0	1	2	1.1	1.9
Mumps	1	3	1				1	1	8	241	5	2	21.4	0.1
Pertussis	26	27	26	14	23	10	10	12	203	377	310	55	168.9	0.3
Pneumococcal infection	3	2		1	3	2	1	3	19	12	15	9	8.3	1.1
Varicella (chicken pox)	9	11	9	9	7	19	12	6	114	82	70	44	25.0	1.8
Varicella (shingles)	35	47	37	31	32	41	23	1	322	349	284	97	101.9	1.0
Varicella (unspecified)	31	36	41	30	44	41	41	43	368	320	283	169	104.9	1.6
Vector-borne diseases														
Barmah Forest virus				3	1	1	1		6	3	7	3	35.1	0.1
Chikungunya			1		1		2		5	1	6	3	1.5	2.0
Dengue fever	10	4	6	6	1	5	6	5	59	139	242	17	65.4	0.3
Malaria	2	2	1	1	2	4	1	3	21	17	13	10	4.1	2.5
Ross River virus	36	27	22	32	19	23	25	38	298	98	336	105	171.0	0.6
Schistosomiasis	4	11	1	7	9	5	5	7	67	32	32	26	9.4	2.8
Typhus		2	1	2			1	1	9	3	5	2	2.1	0.9
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Psittacosis		1							1	0	0	0	0.4	0.0
Q Fever				1			1		3	3	1	1	0.8	1.3
Other diseases														
Haemolytic Uraemic Syndrome									1	0	0	0	0.0	0.0
Legionellosis				1	2				6	7	19	0	5.1	0.0
Leprosy								1	1	0	0	1	0.1	7.5
Melioidosis				1					1	1	2	0	0.7	0.0
Meningococcal infection		2		1	1		3		7	2	2	4	0.9	4.6
Tuberculosis	2	1		2	4	1	7	1	22	29	28	13	9.5	1.4
Grand Total	753	699	826	723	729	708	679	506						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 10			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	21/01	28/01	04/02	11/02	18/02	25/02	04/03	11/03	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)								1	1	3	5	1	1.5	0.7
Hepatitis B (unspecified)	17	8	8	7	11	7	9	14	90	81	75	41	35.9	1.1
Hepatitis C (newly acquired)	3	2	1	2		3	2		14	20	16	5	7.7	0.6
Hepatitis C (unspecified)	20	15	16	11	16	21	23	19	174	132	148	79	56.6	1.4
Hepatitis D					1				1	0	0	1	0.0	0.0
Enteric diseases														
Campylobacteriosis	66	71	61	41	52	51	48	32	567	470	437	183	142.7	1.3
Cryptosporidiosis	18	11	14	16	12	11	13	6	118	43	33	42	19.5	2.2
Hepatitis A		1		1					2	5	8	0	1.6	0.0
Hepatitis E	1								1	0	1	0	0.2	0.0
Listeriosis									1	1	1	0	0.7	0.0
Paratyphoid fever			1						2	7	3	0	1.2	0.0
Rotavirus	7	9	4	5	2	4	1	1	48	30	57	8	14.9	0.5
STEC/VTEC infection		1				1	1		4	2	0	2	0.1	15.0
Salmonellosis	49	58	68	67	46	42	35	48	507	374	297	171	102.6	1.7
Shigellosis				2	2	1	1		6	17	18	4	4.1	1.0
Typhoid					1				1	2	4	1	0.9	1.1
Vibrio parahaemolyticus	1		1		1			1	4	6	4	2	1.3	1.5
Sexually transmissible infections														
Chlamydia (genital)	195	144	233	196	202	206	191	128	1895	1852	1795	727	718.4	1.0
Gonorrhoea	46	38	81	52	60	44	47	36	496	394	267	187	103.9	1.8
Syphilis - Infectious	1	4	9	7	6	7	5	3	53	54	14	21	8.5	2.5
Syphilis - Non-Infectious	1	5	4	2	2	2	1	1	20	9	14	6	5.1	1.2
Vaccine preventable diseases														
Influenza	28	21	27	25	22	23	19	9	239	335	329	73	95.6	0.8
Measles	4			1			1	1	9	0	1	2	1.0	2.0
Mumps	1	2	1				1	1	7	4	3	2	2.8	0.7
Pertussis	22	22	24	11	20	9	9	11	170	265	242	49	129.7	0.4
Pneumococcal infection	3	2			3	1	1	2	15	4	8	7	3.5	2.0
Varicella (chicken pox)	7	6	7	6	5	8	7	4	71	61	58	24	18.7	1.3
Varicella (shingles)	26	39	28	24	22	29	14	1	230	267	226	66	79.0	0.8
Varicella (unspecified)	28	32	37	28	38	38	39	39	337	276	254	154	90.3	1.7
Vector-borne diseases														
Barmah Forest virus				1					1	1	0	0	25.5	0.0
Chikungunya					1		2		3	1	5	3	1.5	2.0
Dengue fever	7	3	4	5	1	5	6	5	51	117	198	17	53.1	0.3
Malaria	2	2	1	1	2	4		2	18	14	11	8	3.8	2.1
Ross River virus	17	11	6	21	8	11	9	15	134	55	244	43	110.9	0.4
Schistosomiasis	4	11	1	6	9	5	5	7	66	30	32	26	8.9	2.9
Typhus		1		1			1	1	5	3	3	2	1.3	1.5
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Q Fever				1					1	1	0	0	0.3	0.0
Other diseases														
Haemolytic Uraemic Syndrome									1	0	0	0	0.0	0.0
Legionellosis			1	2					4	5	12	0	3.5	0.0
Melioidosis									0	0	0	0	0.1	0.0
Meningococcal infection		2		1	1		3		7	1	0	4	0.5	7.5
Tuberculosis	2	1		2	4	1	6	1	21	25	21	12	7.7	1.6
Grand Total	576	522	638	545	550	534	500	389						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)							1	1	0.1
Hepatitis B (unspecified)	6	13 (10)	3.5	3	11 (12)	3.4	5	17 (14)	5.5
Hepatitis C (newly acquired)		2 (2)	0.3		2 (4)	1.2		1 (3)	0.6
Hepatitis C (unspecified)		17 (11)	4.5	10	25 (18)	8.9	9	37 (23)	11.0
Hepatitis D		1	0.1						
Enteric diseases									
Campylobacteriosis	12	71 (54)	29.6	15	58 (59)	24.6	5	54 (49)	24.3
Cryptosporidiosis	2	9 (4)	3.3	2	21 (4)	8.6	2	12 (6)	4.8
Hepatitis A									0.3
Hepatitis E									0.1
Listeriosis			0.1						
Paratyphoid fever		(1)	0.1					(1)	0.1
Rotavirus	1	4 (6)	2.1		3 (6)	2.1		1 (7)	2.5
STEC/VTEC infection		2	0.4			0.1			
Salmonellosis	14	51 (47)	20.5	18	54 (52)	25.2	16	66 (59)	24.9
Shigellosis		1 (3)	0.1		(4)	0.3		3 (2)	0.4
Typhoid					1 (1)	0.1			
Vibrio parahaemolyticus	1	2	0.3			0.1			0.1
Sexually transmissible infections									
Chlamydia (genital)	35	242 (223)	83.8	40	217 (280)	87.0	53	268 (278)	92.5
Gonorrhoea	11	51 (63)	18.0	13	67 (54)	22.7	12	69 (75)	28.4
Syphilis - Infectious		5 (8)	1.4		3 (6)	1.5	3	13 (10)	4.4
Syphilis - Non-Infectious		2 (3)	0.5		(1)	0.7	1	4 (1)	1.5
Vaccine preventable diseases									
Influenza	1	34 (57)	11.7	4	19 (51)	11.9	4	20 (56)	9.6
Measles				1	1	1.2		1	0.1
Mumps	1	1	0.3		1	0.1		(1)	0.6
Pertussis	4	22 (14)	9.3	3	11 (33)	6.5	4	16 (26)	7.6
Pneumococcal infection	1	2	0.4		(1)	0.1	1	5 (1)	1.5
Varicella (chicken pox)	1	11 (10)	3.5		3 (10)	3.0	3	10 (12)	3.3
Varicella (shingles)		19 (37)	11.6		24 (41)	11.0	1	23 (35)	9.4
Varicella (unspecified)	12	56 (34)	16.6	17	50 (43)	15.9	10	48 (36)	14.3
Vector-borne diseases									
Barmah Forest virus						0.1			
Chikungunya					2	0.3		1	0.1
Dengue fever	2	6 (15)	2.0		6 (16)	2.5	3	5 (18)	2.6
Malaria	1	2 (2)	0.7		1	0.6	1	5 (2)	1.2
Ross River virus		7 (6)	4.5	9	19 (7)	8.3	6	17 (4)	6.1
Schistosomiasis	1	7 (5)	4.7	1	8 (1)	1.3	5	11 (4)	2.9
Typhus		1 (1)	0.1	1	1	0.4			0.1
Zoonotic diseases									
Psittacosis									
Q Fever					(1)	0.1			
Other diseases									
Haemolytic Uraemic Syndrome									0.1
Legionellosis		(3)	0.4			0.1			
Leprosy									
Melioidosis									
Meningococcal infection		1	0.4		1	0.3		2	0.3
Tuberculosis		4 (5)	0.8		4 (2)	1.2	1	4 (8)	1.0
Grand Total	106	646 (624)		137	613 (707)		146	714 (731)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)		1 (1)	1.6			1.6	1	2 (2)	5.1
Hepatitis C (newly acquired)				1 (2)		4.8			1.3
Hepatitis C (unspecified)	2	8 (4)	6.5			9.7		4 (5)	12.7
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	14 (11)	24.3	4 (7)		22.6	3	10 (11)	32.9
Cryptosporidiosis		(1)	1.6	(1)		1.6		2	6.3
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		4	3.8			1.6		1	3.8
STEC/VTEC infection		1	2.2			1.6			
Salmonellosis	2	9 (10)	12.4	3 (4)		17.8	1	7 (4)	16.4
Shigellosis			1.1						2.5
Typhoid									
Vibrio parahaemolyticus									
Sexually transmissible infections									
Chlamydia (genital)	7	46 (46)	61.1	2	11 (13)	64.6	6	14 (18)	48.1
Gonorrhoea	2	7 (6)	9.7	1 (1)		6.5	2	5 (3)	11.4
Syphilis - Infectious			0.5			1.6	1	1	1.3
Syphilis - Non-Infectious									
Vaccine preventable diseases									
Influenza		5 (2)	4.9	1 (7)		8.1	1	2 (7)	8.9
Measles									
Mumps									
Pertussis		(15)	4.9	2 (2)		14.5		(1)	1.3
Pneumococcal infection									
Varicella (chicken pox)		10	8.7	2	5 (2)	9.7			1.3
Varicella (shingles)		13 (11)	18.9	3 (7)		19.4		5 (3)	17.7
Varicella (unspecified)		4 (6)	4.3	1 (6)		3.2		(2)	1.3
Vector-borne diseases									
Barmah Forest virus		1	0.5	(1)		1.6			
Chikungunya			0.5						
Dengue fever		(1)	1.1					(1)	1.3
Malaria							1	1	1.3
Ross River virus	5	10 (1)	35.7	1	5 (2)	30.7		2 (5)	15.2
Schistosomiasis			0.5						
Typhus						1.6			
Zoonotic diseases									
Psittacosis									
Q Fever				1		1.6		(2)	1.3
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis									
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis				1		1.6			
Grand Total	20	133 (115)		5	39 (55)		16	56 (64)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	1	2.9	1	2 (2)	3.2		2 (1)	2.9
Hepatitis C (newly acquired)		1 (1)	2.9	1	1	1.6			1.4
Hepatitis C (unspecified)		4 (6)	15.7		1 (2)	6.5		1 (2)	2.9
Hepatitis D									
Enteric diseases									
Campylobacteriosis	3	5 (7)	20.0		7 (6)	19.4		(6)	7.2
Cryptosporidiosis		2	4.3	2	4 (1)	8.1		2 (2)	10.1
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		3 (1)	5.7		2	3.2			
STEC/VTEC infection			2.9						
Salmonellosis	2	6 (3)	25.7	1	4 (4)	21.1	2	10 (6)	30.4
Shigellosis	2	8 (2)	27.2			1.6		5	10.1
Typhoid									
Vibrio parahaemolyticus									
Sexually transmissible infections									
Chlamydia (genital)	8	29 (33)	81.5	4	20 (33)	90.7	6	29 (40)	108.7
Gonorrhoea		9 (8)	30.0	3	19 (6)	74.5	1	14 (18)	69.6
Syphilis - Infectious									
Syphilis - Non-Infectious					(1)	3.2			1.4
Vaccine preventable diseases									
Influenza		2 (4)	7.2	1	5 (1)	11.3		1 (4)	5.8
Measles									
Mumps								(17)	1.4
Pertussis		1 (1)	1.4	1	2 (3)	6.5			11.6
Pneumococcal infection	1	1	1.4		(1)	1.6		(2)	1.4
Varicella (chicken pox)			1.4					1	17.4
Varicella (shingles)		(1)	5.7		4 (1)	16.2		2 (2)	7.2
Varicella (unspecified)	2	6 (5)	15.7	1	1	1.6		1	1.4
Vector-borne diseases									
Barmah Forest virus									
Chikungunya						1.6			
Dengue fever					(1)	1.6			
Malaria					1 (1)	1.6			1.4
Ross River virus	1	1	1.4	4	4 (1)	16.2	4	12 (2)	21.7
Schistosomiasis									
Typhus			1.4			1.6			
Zoonotic diseases									
Psittacosis			1.4						
Q Fever									
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis			1.4						
Leprosy									
Melioidosis			1.4						
Meningococcal infection									
Tuberculosis									
Grand Total	20	79 (72)		19	77 (64)		13	80 (102)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				1	1 (1)	0.1
Hepatitis B (unspecified)		2	7.4	17	51 (43)	3.9
Hepatitis C (newly acquired)				1	8 (12)	0.8
Hepatitis C (unspecified)	1	7 (3)	24.8	22	104 (75)	8.4
Hepatitis D				0	1 (0)	0.0
Enteric diseases						
Campylobacteriosis		1 (1)	7.4	41	227 (216)	25.5
Cryptosporidiosis		2 (4)	17.4	8	54 (23)	5.5
Hepatitis A				0	0 (2)	0.1
Hepatitis E				0	0 (0)	0.0
Listeriosis				0	0 (0)	0.0
Paratyphoid fever				0	0 (3)	0.1
Rotavirus				1	18 (21)	2.5
STEC/VTEC infection			2.5	0	3 (0)	0.4
Salmonellosis	6	12 (4)	59.5	63	225 (196)	23.4
Shigellosis				2	18 (11)	1.4
Typhoid				0	1 (1)	0.0
Vibrio parahaemolyticus				1	2 (0)	0.1
Sexually transmissible infections						
Chlamydia (genital)	4	42 (56)	349.7	166	923*****	89.2
Gonorrhoea		50 (42)	305.0	44	294 (278)	28.2
Syphilis - Infectious	1	7 (3)	39.7	5	29 (29)	2.6
Syphilis - Non-Infectious				1	6 (6)	0.7
Vaccine preventable diseases						
Influenza		4 (12)	32.2	11	94 (206)	10.9
Measles				1	2 (0)	0.3
Mumps				1	2 (124)	0.3
Pertussis		1 (1)	2.5	12	55 (97)	7.4
Pneumococcal infection		1	2.5	3	9 (6)	0.7
Varicella (chicken pox)		4 (3)	14.9	6	44 (37)	4.2
Varicella (shingles)		3 (2)	19.8	1	97 (143)	11.8
Varicella (unspecified)		1	2.5	43	169 (133)	13.5
Vector-borne diseases						
Barmah Forest virus		2	7.4	0	3 (1)	0.2
Chikungunya				0	3 (0)	0.2
Dengue fever			2.5	5	17 (56)	2.2
Malaria				3	10 (5)	0.8
Ross River virus	8	28 (5)	99.2	38	105 (33)	10.9
Schistosomiasis				7	26 (10)	2.5
Typhus			2.5	1	2 (1)	0.3
Zoonotic diseases						
Psittacosis				0	0 (0)	0.0
Q Fever				0	1 (3)	0.1
Other diseases						
Haemolytic Uraemic Syndrome				0	0 (0)	0.0
Legionellosis			2.5	0	0 (4)	0.2
Leprosy		1	2.5	0	1 (0)	0.0
Melioidosis				0	0 (1)	0.0
Meningococcal infection				0	4 (0)	0.3
Tuberculosis				1	13 (17)	0.4
Grand Total	20	168 (136)		506	2622 (2824)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 10	
	21/01	28/01	04/02	11/02	18/02	25/02	04/03	11/03	2017	2016
	Salmonella Total	59	75	78	82	62	53	47	63	639
Serotype/Phage										
Salmonella Aberdeen				1					1	2
Salmonella Agona						1			2	1
Salmonella Anatum				1					1	4
Salmonella Anatum var 15+							1		1	1
Salmonella Ball						1			1	0
Salmonella Bareilly		1						1	2	0
Salmonella Bovismorbificans	2				1				4	5
Salmonella Chester	1						1	1	5	8
Salmonella Choleraesuis bv Kunzendorf Australia						1			3	2
Salmonella Corvallis						1			1	5
Salmonella Derby									1	0
Salmonella Eastbourne									1	5
Salmonella Enteritidis	3	2	3	5	2	3			27	33
Salmonella Fremantle subsp II				1					1	1
Salmonella Give		1							3	1
Salmonella Give var 15+									0	0
Salmonella Hadar		1							1	5
Salmonella Havana					1	1			2	1
Salmonella Hessarek					1				1	0
Salmonella Hvittingfoss		1	1	1					5	3
Salmonella Infantis	2	1							6	18
Salmonella Isangi									1	0
Salmonella Javiana	1		1	1		1			4	4
Salmonella Johannesburg			1						2	1
Salmonella Kentucky	1			1		1			5	4
Salmonella Kiambu	2		2						4	11
Salmonella Lansing									1	2
Salmonella Liverpool		1							1	1
Salmonella Mbandaka	1					1			2	8
Salmonella Meleagridis		1							1	0
Salmonella Montevideo	1				1				2	2
Salmonella Muenchen	1	1					2		6	7
Salmonella Newport			1		4	1			6	3
Salmonella Ohlstedt									1	1
Salmonella Orion var 15+							1		1	0
Salmonella Panama									0	0
Salmonella Paratyphi B bv Java	1	2			1	3			9	22
Salmonella Poona	1								1	2
Salmonella Potsdam							1		1	0
Salmonella Ramatgan		1							1	0
Salmonella Richmond	1								1	0
Salmonella Rubislaw									1	0
Salmonella Saintpaul	2		1	2	3	1	2		12	6
Salmonella Schwarzengrund	2	1	1						5	2
Salmonella Senftenberg			1						1	5
Salmonella Singapore		3		2	2	3	1	1	14	6
Salmonella Stanley	3	3	5	1			2		16	9
Salmonella Tennessee									1	0
Salmonella Typhimurium	25	48	57	62	37	26	25	8	356	215

Weekly Report for period 15-JAN-17 to 11-MAR-17

	21/01	28/01	04/02	11/02	18/02	25/02	04/03	11/03	Cumulative Total to end of Week 10	
									2017	2016
Salmonella Total	59	75	78	82	62	53	47	63	639	455
Serotype/Phage										
Salmonella Urbana		1	1						3	0
Salmonella Virchow						3	2		7	15
Salmonella Wandsworth				1					1	0
Salmonella Welikade				1					1	0
Salmonella Weltevreden	1				1	1	1		5	6
Salmonella Weltevreden var 15+			1						1	0
Salmonella species	8	6	2	2	8	4	8	52	96	28