



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program Communicable Disease Control Directorate

Report for eight week period 22-JAN-17 to 18-MAR-17

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 11			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	28/01	04/02	11/02	18/02	25/02	04/03	11/03	18/03	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)								1	2	3	9	1	2.0	0.5
Hepatitis B (unspecified)				14	10	10	17	10	117	112	106	47	51.2	0.9
Hepatitis C (newly acquired)	5	2	4		5	4	4	1	29	29	28	14	9.4	1.5
Hepatitis C (unspecified)	23	21	15	24	27	29	17	23	244	209	214	96	81.3	1.2
Hepatitis D				1					1	0	0	0	0.0	0.0
Enteric diseases														
Campylobacteriosis	86	69	54	64	65	64	51	56	769	657	622	236	181.3	1.3
Cholera								1	1	0	0	1	0.0	0.0
Cryptosporidiosis	17	19	16	17	12	22	18	24	188	75	92	76	34.6	2.2
Hepatitis A	1		1						3	6	9	1	2.1	0.5
Hepatitis E									1	0	1	0	0.3	0.0
Listeriosis									1	1	1	0	0.7	0.0
Paratyphoid fever		1							2	8	4	0	1.2	0.0
Rotavirus	9	6	7	4	11	2	4	6	76	38	71	23	19.1	1.2
STEC/VTEC infection	4	2		1	1	1		2	14	6	0	4	0.4	10.0
Salmonellosis	75	78	85	63	52	56	77	67	732	543	472	252	142.8	1.8
Shigellosis	4	4	3	7	3	4	2	1	37	25	39	10	6.7	1.5
Typhoid				1					1	2	4	0	1.1	0.0
Vibrio parahaemolyticus		1		1			1		4	9	4	1	1.3	0.8
Yersiniosis							1	1	2	4	10	2	0.9	2.3
Sexually transmissible infections														
Chlamydia (genital)	191	302	268	261	254	254	225	200	2708	2704	2571	933	951.8	1.0
Gonorrhoea	64	117	78	93	78	86	63	69	865	670	445	296	188.1	1.6
Syphilis - Infectious	4	9	9	7	8	8	5	6	75	80	22	27	10.1	2.7
Syphilis - Non-Infectious	5	6	2	3	2	1	1	1	26	13	19	5	7.4	0.7
Vaccine preventable diseases														
Influenza	26	30	32	28	31	25	21	17	324	456	447	94	131.3	0.7
Measles			1			1	3		11	0	2	4	0.9	4.6
Mumps	3	1				1			7	267	5	1	21.0	0.0
Pertussis	28	27	14	27	11	14	16	13	232	393	340	54	159.2	0.3
Pneumococcal infection	2		1	3	2	1	4		20	14	16	7	8.5	0.8
Varicella (chicken pox)	11	9	9	7	19	12	16	10	134	86	77	57	24.7	2.3
Varicella (shingles)	47	37	32	34	43	33	23	13	372	378	313	112	104.5	1.1
Varicella (unspecified)	36	41	29	42	41	35	43	58	417	361	316	177	102.1	1.7
Vector-borne diseases														
Barmah Forest virus			3	1	2	1		1	8	3	8	4	36.7	0.1
Chikungunya		1		1		1			4	1	6	1	1.8	0.6
Dengue fever	4	7	6	2	4	4	5	5	63	153	258	18	63.7	0.3
Malaria	2	1	1	2	4	1	3		21	17	13	8	4.0	2.0
Ross River virus	27	23	34	24	26	27	46	32	352	111	362	131	166.9	0.8
Schistosomiasis	11	1	7	9	5	5	11	7	78	34	38	28	10.0	2.8
Typhus	2	1	2			1			8	5	5	1	2.1	0.5
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Psittacosis	1							1	2	0	0	1	0.4	2.5
Q Fever			1			1			3	3	1	1	0.9	1.1
Other diseases														
Haemolytic Uraemic Syndrome									1	0	0	0	0.0	0.0
Legionellosis		1	2				1	1	8	8	20	2	4.8	0.4
Leprosy						1			1	0	0	1	0.1	7.5
Melioidosis		1							1	1	2	0	0.7	0.0
Meningococcal infection	2		1	1		3			7	2	3	3	0.9	3.5
Tuberculosis	1		2	4	1	7	1	2	24	29	31	11	9.8	1.1
Grand Total	700	829	727	746	717	715	680	629						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 11			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	28/01	04/02	11/02	18/02	25/02	04/03	11/03	18/03	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)								1	1	3	6	1	1.7	0.6
Hepatitis B (unspecified)	8	8	7	11	7	9	14	10	100	93	88	40	37.5	1.1
Hepatitis C (newly acquired)	2	1	3		4	3	3	1	21	24	18	11	7.7	1.4
Hepatitis C (unspecified)	15	16	10	16	20	22	14	14	180	151	163	70	56.9	1.2
Hepatitis D				1					1	0	0	0	0.0	0.0
Enteric diseases														
Campylobacteriosis	71	61	41	53	52	52	38	49	629	520	478	191	140.7	1.4
Cholera								1	1	0	0	1	0.0	0.0
Cryptosporidiosis	11	14	16	13	11	17	14	19	150	49	36	61	19.3	3.2
Hepatitis A	1		1						2	5	8	0	1.5	0.0
Hepatitis E									1	0	1	0	0.1	0.0
Listeriosis									1	1	1	0	0.6	0.0
Paratyphoid fever		1							2	7	4	0	1.1	0.0
Rotavirus	9	4	5	2	4	1	4	4	55	33	60	13	15.3	0.8
STEC/VTEC infection	1				1	1		2	6	2	0	4	0.1	60.0
Salmonellosis	58	68	69	48	41	43	58	49	577	419	331	191	102.4	1.9
Shigellosis			2	2	1	1			6	17	18	2	4.1	0.5
Typhoid				1					1	2	4	0	0.7	0.0
Vibrio parahaemolyticus		1		1			1		4	9	4	1	1.1	0.9
Yersiniosis							1	1	2	3	9	2	0.7	2.7
Sexually transmissible infections														
Chlamydia (genital)	144	235	196	203	208	199	177	157	2115	2048	1979	741	714.9	1.0
Gonorrhoea	37	82	52	61	45	47	47	53	562	450	285	192	103.9	1.8
Syphilis - Infectious	4	7	7	5	6	5	4	5	55	65	14	20	8.3	2.4
Syphilis - Non-Infectious	5	4	2	3	2	1	1		21	10	16	4	4.8	0.8
Vaccine preventable diseases														
Influenza	22	26	25	22	24	19	18	13	262	377	373	74	97.6	0.8
Measles			1			1	2		10	0	2	3	0.9	3.5
Mumps	2	1				1			6	5	3	1	2.7	0.4
Pertussis	22	25	11	23	10	12	15	10	193	277	263	47	122.1	0.4
Pneumococcal infection	2			3	1	1	3		16	5	8	5	3.4	1.5
Varicella (chicken pox)	6	7	6	5	8	8	12	8	88	65	63	36	18.3	2.0
Varicella (shingles)	39	28	25	23	31	23	20	8	270	288	248	82	80.5	1.0
Varicella (unspecified)	32	37	27	37	38	32	40	52	381	309	281	162	87.3	1.9
Vector-borne diseases														
Barmah Forest virus			1						1	1	1	0	27.1	0.0
Chikungunya				1		1			2	1	5	1	1.7	0.6
Dengue fever	3	5	5	2	4	4	5	3	53	129	210	16	51.8	0.3
Malaria	2	1	1	2	4		2		18	14	11	6	3.6	1.7
Ross River virus	11	6	23	11	14	10	10	16	155	62	264	50	105.1	0.5
Schistosomiasis	11	1	6	9	5	5	11	7	77	32	38	28	9.7	2.9
Typhus	1		1			1			4	4	3	1	1.2	0.8
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Q Fever			1						1	1	0	0	0.4	0.0
Other diseases														
Haemolytic Uraemic Syndrome									1	0	0	0	0.0	0.0
Legionellosis		1	2				1	1	6	5	13	2	3.5	0.6
Melioidosis									0	0	0	0	0.1	0.0
Meningococcal infection	2		1	1		3			7	1	0	3	0.5	5.6
Tuberculosis	1		2	4	1	6	1	2	23	25	24	10	7.7	1.3
Grand Total	522	640	549	563	542	528	517	485						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)								1	0.1
Hepatitis B (unspecified)	4	15 (10)	4.1	2	9 (12)	3.7	4	16 (16)	6.1
Hepatitis C (newly acquired)		2 (2)	0.4		5 (6)	1.6	1	4 (2)	1.0
Hepatitis C (unspecified)	5	18 (16)	5.0	3	23 (23)	8.7	6	29 (25)	11.4
Hepatitis D			0.1						
Enteric diseases									
Campylobacteriosis	18	71 (56)	32.5	15	68 (68)	27.7	16	52 (47)	26.9
Cholera							1	1	0.1
Cryptosporidiosis	4	10 (6)	3.8	7	30 (4)	11.0	8	21 (8)	6.5
Hepatitis A									0.3
Hepatitis E									0.1
Listeriosis			0.1						
Paratyphoid fever		(1)	0.1					(1)	0.1
Rotavirus	1	4 (4)	2.2	2	7 (5)	2.8	1	2 (6)	2.6
STEC/VTEC infection		2	0.4			0.1	2	2	0.3
Salmonellosis	19	62 (46)	23.7	15	64 (49)	29.2	15	65 (52)	27.6
Shigellosis		(3)	0.1		(3)	0.3		2 (2)	0.4
Typhoid					(1)	0.1			
Vibrio parahaemolyticus		1 (1)	0.3		(1)	0.1		(2)	0.1
Yersiniosis	1	2	0.3						
Sexually transmissible infections									
Chlamydia (genital)	45	238 (216)	91.6	48	226 (277)	97.5	64	277 (291)	104.7
Gonorrhoea	18	53 (60)	20.9	14	62 (58)	24.9	21	77 (86)	32.4
Syphilis - Infectious		3 (10)	1.2	1	4 (6)	1.8	4	13 (9)	4.7
Syphilis - Non-Infectious		1 (3)	0.5			0.7		3 (1)	1.7
Vaccine preventable diseases									
Influenza	3	29 (48)	12.4	3	23 (52)	13.3	7	22 (62)	10.7
Measles					1	1.2		2	0.3
Mumps			0.1		1	0.1		(2)	0.6
Pertussis	2	18 (17)	10.5	4	13 (27)	7.9	4	16 (23)	8.3
Pneumococcal infection		2	0.4		(1)	0.1		3 (1)	1.7
Varicella (chicken pox)	3	11 (9)	4.1	4	11 (7)	4.3	1	14 (10)	3.9
Varicella (shingles)	1	27 (40)	13.7	4	25 (40)	12.7	3	30 (36)	11.0
Varicella (unspecified)	14	51 (32)	17.9	18	56 (45)	18.4	20	55 (32)	16.7
Vector-borne diseases									
Barmah Forest virus						0.1			
Chikungunya					1	0.3			
Dengue fever		6 (18)	2.0	2	6 (16)	2.7	1	4 (14)	2.8
Malaria		2 (1)	0.7			0.6		4 (2)	1.2
Ross River virus	3	8 (6)	5.1	9	25 (10)	10.1	4	17 (6)	6.6
Schistosomiasis	3	9 (4)	5.5	1	10 (1)	1.6	3	9 (4)	3.3
Typhus		1 (1)	0.1		(1)	0.3			0.1
Zoonotic diseases									
Psittacosis									
Q Fever					(1)	0.1			
Other diseases									
Haemolytic Uraemic Syndrome									0.1
Legionellosis		1 (3)	0.5	1	1	0.3			
Leprosy									
Melioidosis									
Meningococcal infection		1	0.4		1 (1)	0.3		1	0.3
Tuberculosis	1	3 (4)	0.9		2 (2)	1.2	1	5 (5)	1.1
Grand Total	145	651 (617)		153	674 (717)		187	747 (745)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)		1 (2)	1.6			1.6		1 (1)	5.1
Hepatitis C (newly acquired)				1 (2)		4.8			1.3
Hepatitis C (unspecified)	1	7 (5)	7.0	2	2	12.9	2	4 (5)	15.2
Hepatitis D									
Enteric diseases									
Campylobacteriosis	3	16 (14)	27.0	2	5 (4)	25.9		8 (8)	32.9
Cholera									
Cryptosporidiosis		2 (2)	2.7			1.6		(1)	6.3
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		3	3.8			1.6		1 (1)	3.8
STEC/VTEC infection			2.2			1.6			
Salmonellosis	3	6 (11)	14.6	1	2 (4)	19.4	1	7 (4)	17.7
Shigellosis		(1)	1.1						2.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	6	35 (49)	66.0	2	9 (10)	67.9	1	13 (21)	49.3
Gonorrhoea		3 (6)	9.7		(1)	6.5		5 (2)	11.4
Syphilis - Infectious			0.5			1.6			
Syphilis - Non-Infectious									
Vaccine preventable diseases									
Influenza		4 (4)	4.9		1 (7)	8.1		2 (6)	8.9
Measles								1	1.3
Mumps									
Pertussis		2 (12)	6.5	1	2 (5)	17.8		(2)	1.3
Pneumococcal infection									
Varicella (chicken pox)		8	8.1		4 (2)	9.7			1.3
Varicella (shingles)	2	14 (12)	21.6	1	3 (6)	21.0	1	5 (3)	19.0
Varicella (unspecified)	1	3 (6)	4.9		1 (5)	3.2	2	2 (2)	3.8
Vector-borne diseases									
Barmah Forest virus			0.5		(1)	1.6			
Chikungunya			0.5						
Dengue fever		(2)	1.1	1	1 (3)	1.6		(1)	1.3
Malaria								1	1.3
Ross River virus	5	14 (4)	38.9		3 (2)	30.7	1	2 (4)	15.2
Schistosomiasis			0.5						
Typhus						1.6			
Zoonotic diseases									
Psittacosis									
Q Fever					1	1.6		(2)	1.3
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis									
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis					1	1.6			
Grand Total	21	118 (130)		10	36 (52)		8	52 (63)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1	2.9		2 (2)	3.2		1 (1)	2.9
Hepatitis C (newly acquired)		1 (1)	2.9		1	1.6			1.4
Hepatitis C (unspecified)		2 (6)	15.7	1	2 (3)	8.1	1	1 (4)	4.3
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	6 (8)	21.5	1	6 (6)	22.7		(8)	7.2
Cholera									
Cryptosporidiosis	2	3	7.2	2	6 (1)	11.3		1 (4)	10.1
Hepatitis A				1	1	1.6			
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		2	5.7	1	3	4.9	1	1 (1)	1.4
STEC/VTEC infection			2.9						
Salmonellosis	3	10 (3)	31.5	2	6 (4)	25.9	2	11 (6)	34.8
Shigellosis	1	6 (2)	28.6			1.6		1	7.2
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	7	29 (35)	91.5	7	27 (40)	110.2	8	31 (47)	121.8
Gonorrhoea	1	8 (8)	32.9	7	22 (8)	87.5	5	17 (18)	81.2
Syphilis - Infectious									
Syphilis - Non-Infectious					(1)	3.2			1.4
Vaccine preventable diseases									
Influenza	1	2 (5)	8.6	1	6 (1)	14.6		1 (6)	5.8
Measles								(20)	1.4
Mumps									
Pertussis	1	1 (1)	2.9		1 (3)	4.9	1	1	13.0
Pneumococcal infection		1	1.4			1.6		(1)	1.4
Varicella (chicken pox)			1.4				2	3	20.3
Varicella (shingles)		(1)	5.7		4 (3)	17.8		1 (1)	7.2
Varicella (unspecified)	1	5 (4)	18.6	1	1	1.6	1	3 (1)	4.3
Vector-borne diseases									
Barmah Forest virus							1	2	2.9
Chikungunya						1.6			
Dengue fever					(1)	1.6	1	1 (1)	1.4
Malaria					1 (1)	1.6			1.4
Ross River virus		2 (1)	2.9	1	8 (1)	24.3	4	14 (3)	30.4
Schistosomiasis									
Typhus		(1)	1.4			1.6			
Zoonotic diseases									
Psittacosis	1	1	2.9						
Q Fever									
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis		(1)	1.4						
Leprosy									
Melioidosis			1.4						
Meningococcal infection									
Tuberculosis									
Grand Total	19	80 (77)		25	97 (75)		27	90 (122)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (0)	0.1
Hepatitis B (unspecified)		1 (2)	7.4	10	47 (47)	4.3
Hepatitis C (newly acquired)				1	14 (13)	1.1
Hepatitis C (unspecified)	2	8 (5)	29.8	23	96 (92)	8.9
Hepatitis D				0	0 (0)	0.0
Enteric diseases						
Campylobacteriosis		(2)	7.4	56	236 (225)	28.2
Cholera				1	1 (0)	0.0
Cryptosporidiosis	1	3 (3)	19.8	24	76 (29)	6.9
Hepatitis A				1	1 (1)	0.1
Hepatitis E				0	0 (0)	0.0
Listeriosis				0	0 (0)	0.0
Paratyphoid fever				0	0 (3)	0.1
Rotavirus				6	23 (18)	2.8
STEC/VTEC infection			2.5	2	4 (0)	0.5
Salmonellosis	1	11 (4)	64.5	67	252 (188)	26.8
Shigellosis				1	10 (11)	1.4
Typhoid				0	0 (1)	0.0
Vibrio parahaemolyticus				0	1 (4)	0.1
Yersiniosis				1	2 (1)	0.1
Sexually transmissible infections						
Chlamydia (genital)	10	42 (56)	381.9	200	933*****	99.3
Gonorrhoea	3	48 (38)	329.8	69	296 (289)	31.7
Syphilis - Infectious	1	7 (3)	44.6	6	27 (29)	2.7
Syphilis - Non-Infectious	1	1	2.5	1	5 (5)	0.8
Vaccine preventable diseases						
Influenza	2	3 (15)	37.2	17	94 (211)	11.9
Measles				0	4 (0)	0.4
Mumps				0	1 (124)	0.3
Pertussis		(1)	2.5	13	54 (92)	8.5
Pneumococcal infection		1	2.5	0	7 (4)	0.7
Varicella (chicken pox)		5 (5)	17.4	10	57 (33)	4.9
Varicella (shingles)	1	2 (3)	24.8	13	112 (147)	13.6
Varicella (unspecified)				58	177 (128)	15.3
Vector-borne diseases						
Barmah Forest virus		2	7.4	1	4 (1)	0.3
Chikungunya				0	1 (0)	0.1
Dengue fever			2.5	5	18 (56)	2.3
Malaria				0	8 (4)	0.8
Ross River virus	4	37 (2)	133.9	32	131 (39)	12.9
Schistosomiasis				7	28 (9)	2.9
Typhus			2.5	0	1 (3)	0.3
Zoonotic diseases						
Psittacosis				1	1 (0)	0.1
Q Fever				0	1 (3)	0.1
Other diseases						
Haemolytic Uraemic Syndrome				0	0 (0)	0.0
Legionellosis			2.5	1	2 (5)	0.3
Leprosy		1	2.5	0	1 (0)	0.0
Melioidosis				0	0 (1)	0.0
Meningococcal infection				0	3 (1)	0.3
Tuberculosis				2	11 (11)	0.5
Grand Total	26	172 (139)		629	2741 (2880)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

Salmonella	Week Ending								Cumulative Total to end of Week 11	
	28/01	04/02	11/02	18/02	25/02	04/03	11/03	18/03	2017	2016
	Salmonella Total	75	78	85	63	52	56	77	67	732
Serotype/Phage										
Salmonella Aberdeen			1						1	2
Salmonella Adelaide							1		1	0
Salmonella Agona					1				2	2
Salmonella Anatum			1						1	4
Salmonella Anatum var 15+					1				1	1
Salmonella Bahrenfeld				1					1	2
Salmonella Ball					1				1	0
Salmonella Bareilly	1						1		2	1
Salmonella Bovismorbificans				1			1		5	5
Salmonella Chester						1	1	1	6	9
Salmonella Choleraesuis bv Kunzendorf Australia					1				3	2
Salmonella Corvallis					1				1	5
Salmonella Derby									1	0
Salmonella Eastbourne									1	5
Salmonella Enteritidis	2	3	5	2	3			1	28	48
Salmonella Fremantle subsp II			1						1	1
Salmonella Give	1							1	4	1
Salmonella Give var 15+									0	0
Salmonella Hadar	1								1	5
Salmonella Havana				1	1				2	2
Salmonella Hessarek				1					1	0
Salmonella Hvitvingfoss	1	1	1				1		6	3
Salmonella Infantis	1						1		7	20
Salmonella Isangi									1	0
Salmonella Javiana		1	1		1				4	4
Salmonella Johannesburg		1					1		3	1
Salmonella Kentucky			1		1		1	1	7	4
Salmonella Kiambu		2							4	13
Salmonella Lansing									1	2
Salmonella Litchfield							2		2	2
Salmonella Liverpool	1								1	1
Salmonella Mbandaka					1			1	3	8
Salmonella Meleagridis	1								1	0
Salmonella Montevideo				1					2	2
Salmonella Muenchen	1					2		3	9	7
Salmonella Newport		1		4	1	1		1	8	3
Salmonella Ohio				1					1	0
Salmonella Ohlstedt									1	1
Salmonella Onderstepoort						1			1	0
Salmonella Orion								1	1	3
Salmonella Orion var 15+						1			1	0
Salmonella Panama									0	0
Salmonella Paratyphi B bv Java	2			1	3		4	3	16	24
Salmonella Poona									1	2
Salmonella Potsdam						1			1	0
Salmonella Ramatgan	1								1	0
Salmonella Richmond									1	0
Salmonella Rubislaw									1	0
Salmonella Saintpaul		1	2	3	1	2	1		13	7

Weekly Report for period 22-JAN-17 to 18-MAR-17

	28/01	04/02	11/02	18/02	25/02	04/03	11/03	18/03	Cumulative Total to end of Week 11	
									2017	2016
Salmonella Total	75	78	85	63	52	56	77	67	732	513
Serotype/Phage										
Salmonella Schwarzengrund	1	1							5	2
Salmonella Senftenberg		1							1	5
Salmonella Singapore	3		2	2	3	1	4	1	18	8
Salmonella Stanley	3	5	2			1	1		17	9
Salmonella Tennessee									1	0
Salmonella Typhimurium	48	57	64	38	24	39	46	31	440	234
Salmonella Urbana	1	1							3	0
Salmonella Virchow					3	2			7	15
Salmonella Wandsworth			1						1	0
Salmonella Welikade			1						1	0
Salmonella Weltevreden				1	1	1			5	6
Salmonella Weltevreden var 15+		1							1	0
Salmonella species	6	2	2	6	4	3	11	22	70	32