



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program Communicable Disease Control Directorate

Report for eight week period 29-JAN-17 to 25-MAR-17

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 12			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	04/02	11/02	18/02	25/02	04/03	11/03	18/03	25/03	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)						1			2	3	9	1	1.9	0.5
Hepatitis B (unspecified)	11	8	14	10	10	17	10	15	132	118	124	52	51.5	1.0
Hepatitis C (newly acquired)	2	4		5	4	1	2		28	32	35	7	9.7	0.7
Hepatitis C (unspecified)	21	15	24	27	29	20	21	24	268	234	235	94	83.1	1.1
Hepatitis D			2					1	3	0	0	1	0.0	0.0
Enteric diseases														
Campylobacteriosis	69	54	66	65	64	57	64	48	833	702	673	233	181.1	1.3
Cryptosporidiosis	19	16	17	13	22	22	23	18	210	78	104	85	35.2	2.4
Hepatitis A		1					1		3	6	10	1	2.1	0.5
Hepatitis E									1	0	2	0	0.2	0.0
Listeriosis									1	1	1	0	0.8	0.0
Paratyphoid fever	1			1					3	8	4	0	1.2	0.0
Rotavirus	6	7	4	11	3	4	10	4	85	43	75	21	18.5	1.1
STEC/VTEC infection	2		2	2	1				14	6	0	1	0.4	2.5
Salmonellosis	78	85	63	54	58	87	76	55	811	599	515	276	143.1	1.9
Shigellosis	4	3	7	3	4	2	3	2	41	28	42	11	6.8	1.6
Typhoid			1						1	2	4	0	1.0	0.0
Vibrio parahaemolyticus	1		1			1	3		7	11	5	4	1.3	3.2
Yersiniosis						1	1		2	4	11	2	0.8	2.5
Sexually transmissible infections														
Chlamydia (genital)	302	269	263	255	263	226	208	218	2950	2951	2814	915	956.1	1.0
Gonorrhoea	117	79	92	78	87	65	85	46	931	721	498	283	187.5	1.5
Syphilis - Infectious	9	9	7	8	8	7	8	7	86	84	25	30	10.2	2.9
Syphilis - Non-Infectious	6	2	3	2	1	1	1	4	30	15	21	7	7.3	1.0
Vaccine preventable diseases														
Influenza	30	33	28	31	25	21	24	27	359	497	485	97	134.1	0.7
Measles		1			1	3			11	0	2	4	0.8	5.0
Mumps	1				1				7	280	7	1	20.9	0.0
Pertussis	28	15	29	12	18	17	16	12	258	412	367	63	154.8	0.4
Pneumococcal infection		1	3	3	1	4			21	19	18	5	9.0	0.6
Varicella (chicken pox)	9	9	7	19	12	18	13	12	151	96	85	55	25.3	2.2
Varicella (shingles)	37	32	34	44	35	29	26	15	409	405	347	105	104.1	1.0
Varicella (unspecified)	41	29	42	40	33	41	44	40	438	387	348	158	103.4	1.5
Vector-borne diseases														
Barmah Forest virus		3	1	3			1		8	3	9	1	37.3	0.0
Chikungunya	1		1						4	1	6	0	1.9	0.0
Dengue fever	7	6	2	4	4	5	7	1	66	172	271	17	63.2	0.3
Malaria	1	1	2	4	1	3			21	17	13	4	3.7	1.1
Ross River virus	25	35	26	27	37	44	34	36	405	115	380	151	163.3	0.9
Schistosomiasis	1	7	9	5	5	11	8	1	80	36	44	25	10.6	2.4
Typhus	1	2			1				8	5	5	1	2.0	0.5
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Psittacosis							1		2	0	0	1	0.4	2.5
Q Fever		1			1				3	3	1	1	1.1	0.9
Other diseases														
Haemolytic Uraemic Syndrome									1	0	0	0	0.0	0.0
Legionellosis	1	2				1	1		8	8	22	2	5.0	0.4
Leprosy					1				1	0	0	1	0.2	5.0
Melioidosis	1						1		2	1	2	1	0.7	1.5
Meningococcal infection		1	1		3			1	8	3	3	4	1.1	3.7
Tuberculosis		2	4	1	7	1	2	4	28	30	36	14	9.6	1.5
Grand Total	832	732	755	727	740	710	694	591						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 12			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	04/02	11/02	18/02	25/02	04/03	11/03	18/03	25/03	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)						1			1	3	6	1	1.6	0.6
Hepatitis B (unspecified)	8	7	11	7	9	14	10	12	112	97	99	45	38.1	1.2
Hepatitis C (newly acquired)	1	3		4	3	1	1		20	26	24	5	7.9	0.6
Hepatitis C (unspecified)	16	10	16	20	22	16	14	19	200	169	176	71	58.5	1.2
Hepatitis D			1					1	2	0	0	1	0.0	0.0
Enteric diseases														
Campylobacteriosis	61	41	55	51	52	43	54	43	683	556	516	192	140.7	1.4
Cryptosporidiosis	14	16	13	12	17	17	17	12	164	50	37	63	19.9	3.2
Hepatitis A		1							2	5	9	0	1.5	0.0
Hepatitis E									1	0	1	0	0.1	0.0
Listeriosis									1	1	1	0	0.7	0.0
Paratyphoid fever	1			1					3	7	4	0	1.1	0.0
Rotavirus	4	5	2	4	2	4	5	3	60	38	63	14	14.9	0.9
STEC/VTEC infection			1	2	1				6	2	0	1	0.1	15.0
Salmonellosis	68	69	48	42	46	65	54	42	635	461	363	207	103.1	2.0
Shigellosis		2	2	1	1			2	8	18	20	3	4.2	0.7
Typhoid			1						1	2	4	0	0.7	0.0
Vibrio parahaemolyticus	1		1			1	3		7	11	4	4	1.1	3.5
Yersiniosis						1	1		2	3	10	2	0.7	3.0
Sexually transmissible infections														
Chlamydia (genital)	235	197	204	209	206	179	162	165	2299	2236	2161	712	719.0	1.0
Gonorrhoea	82	52	60	45	49	48	60	34	606	483	317	191	104.1	1.8
Syphilis - Infectious	7	7	5	6	5	6	6	3	61	68	15	20	8.3	2.4
Syphilis - Non-Infectious	4	2	3	2	1	1		4	25	12	18	6	4.7	1.3
Vaccine preventable diseases														
Influenza	26	26	22	24	19	18	18	23	291	409	396	78	99.4	0.8
Measles		1			1	2			10	0	2	3	0.8	3.8
Mumps	1				1				6	5	3	1	2.7	0.4
Pertussis	25	12	24	11	16	15	12	12	214	290	285	55	120.1	0.5
Pneumococcal infection			3	2	1	3			17	5	10	4	3.7	1.1
Varicella (chicken pox)	7	6	5	8	8	14	11	9	102	71	68	42	18.9	2.2
Varicella (shingles)	28	25	23	32	25	26	20	7	298	308	276	78	80.0	1.0
Varicella (unspecified)	37	27	37	37	30	38	38	36	398	331	306	142	88.0	1.6
Vector-borne diseases														
Barmah Forest virus		1							1	1	2	0	27.9	0.0
Chikungunya			1						2	1	5	0	1.7	0.0
Dengue fever	5	5	2	4	4	5	4		54	141	220	13	52.1	0.2
Malaria	1	1	2	4		2			18	14	11	2	3.3	0.6
Ross River virus	8	23	11	14	13	11	16	17	179	65	273	57	99.9	0.6
Schistosomiasis	1	6	9	5	5	11	8	1	79	34	41	25	10.3	2.4
Typhus		1			1				4	4	3	1	1.1	0.9
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Q Fever		1							1	1	0	0	0.5	0.0
Other diseases														
Haemolytic Uraemic Syndrome									1	0	0	0	0.0	0.0
Legionellosis	1	2				1	1		6	5	15	2	3.7	0.5
Melioidosis									0	0	0	0	0.1	0.0
Meningococcal infection		1	1		3				7	2	0	3	0.6	5.0
Tuberculosis		2	4	1	6	1	2	4	27	25	28	13	7.3	1.8
Grand Total	642	552	567	548	547	544	517	449						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)								1	0.1
Hepatitis B (unspecified)	3	14 (7)	4.5	6	15 (11)	4.7	3	16 (14)	6.3
Hepatitis C (newly acquired)		(2)	0.4		3 (7)	1.6		2 (2)	0.8
Hepatitis C (unspecified)	6	17 (13)	5.8	5	22 (21)	9.5	8	32 (26)	12.7
Hepatitis D			0.1	1	1	0.1			
Enteric diseases									
Campylobacteriosis	12	68 (55)	34.7	17	68 (61)	30.4	14	56 (47)	29.5
Cryptosporidiosis	5	13 (3)	4.5	4	30 (4)	11.9	3	20 (6)	6.9
Hepatitis A									0.3
Hepatitis E									0.1
Listeriosis			0.1						
Paratyphoid fever		(1)	0.3						0.1
Rotavirus	3	6 (4)	2.8		6 (7)	2.8		2 (7)	2.8
STEC/VTEC infection		1	0.4			0.1			0.3
Salmonellosis	16	70 (53)	27.0	11	75 (59)	31.7	15	62 (46)	29.8
Shigellosis		(1)	0.1		(2)	0.3	2	3 (1)	0.7
Typhoid					(1)	0.1			
Vibrio parahaemolyticus		1 (1)	0.3		3 (1)	0.6		(3)	0.1
Yersiniosis		2	0.3						
Sexually transmissible infections									
Chlamydia (genital)	49	220 (215)	99.4	54	225 (246)	106.5	62	267 (267)	113.6
Gonorrhoea	5	46 (52)	21.8	14	66 (56)	27.6	15	79 (69)	35.0
Syphilis - Infectious	2	6 (10)	1.7		3 (4)	1.8	1	11 (10)	5.0
Syphilis - Non-Infectious	1	1 (1)	0.7	1	1 (2)	0.9	2	4	1.9
Vaccine preventable diseases									
Influenza	11	29 (51)	14.2	6	25 (52)	14.7	6	24 (57)	11.6
Measles					1	1.2		2	0.3
Mumps			0.1		1	0.1		(2)	0.6
Pertussis	4	22 (15)	11.6	3	15 (24)	8.9	5	18 (18)	9.1
Pneumococcal infection		1	0.4		(1)	0.3		3 (1)	1.7
Varicella (chicken pox)	2	10 (9)	4.6	4	16 (4)	5.0	3	16 (11)	4.5
Varicella (shingles)	3	28 (39)	15.1	3	25 (37)	14.2	1	25 (27)	12.0
Varicella (unspecified)	10	40 (31)	18.1	10	49 (41)	19.1	16	53 (31)	18.1
Vector-borne diseases									
Barmah Forest virus						0.1			
Chikungunya						0.3			
Dengue fever		5 (18)	2.1		4 (20)	2.7		4 (16)	2.8
Malaria		1	0.7			0.6		1 (2)	1.2
Ross River virus	4	10 (4)	5.8	10	31 (9)	12.0	3	16 (7)	7.4
Schistosomiasis	1	10 (5)	5.8		7	1.6		8 (1)	3.3
Typhus		1 (1)	0.1		(1)	0.3			0.1
Zoonotic diseases									
Psittacosis									
Q Fever					(1)	0.1			
Other diseases									
Haemolytic Uraemic Syndrome									0.1
Legionellosis		1 (2)	0.5		1	0.3			
Leprosy									
Melioidosis									
Meningococcal infection		1	0.4		1 (1)	0.3		1	0.3
Tuberculosis	4	7 (3)	1.4		1 (1)	1.2		5 (3)	1.1
Grand Total	141	631 (596)		149	695 (674)		159	731 (674)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)		(1)	1.6				1	2 (1)	6.3
Hepatitis C (newly acquired)				2 (2)		6.5			1.3
Hepatitis C (unspecified)	2	6 (6)	8.1	1 (2)		11.3	1	3 (4)	15.2
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	16 (14)	29.7	1	4 (6)	27.5		6 (6)	32.9
Cryptosporidiosis	1	3 (1)	3.2			1.6		(1)	6.3
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus	1	1	4.3			1.6		(1)	3.8
STEC/VTEC infection			2.2			1.6			
Salmonellosis	3	12 (13)	17.8	1	2 (5)	21.0		6 (2)	19.0
Shigellosis		(2)	1.1						2.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	9	36 (45)	71.4	4	11 (10)	76.0	4	14 (21)	54.4
Gonorrhoea	2	5 (6)	10.8		(1)	6.5		3 (1)	11.4
Syphilis - Infectious		(1)	0.5			1.6			
Syphilis - Non-Infectious									
Vaccine preventable diseases									
Influenza	1	4 (5)	5.9	1	2 (4)	9.7		2 (4)	8.9
Measles								1	1.3
Mumps									
Pertussis		2 (8)	8.7		3 (6)	19.4		(3)	1.3
Pneumococcal infection									
Varicella (chicken pox)	2	5	9.2		2 (2)	9.7			1.3
Varicella (shingles)	4	12 (10)	23.8	1	3 (9)	24.2		5 (2)	19.0
Varicella (unspecified)	1	3 (11)	5.4		(4)	3.2		2 (2)	3.8
Vector-borne diseases									
Barmah Forest virus			0.5			1.6			
Chikungunya			0.5						
Dengue fever		(6)	1.1		1 (4)	1.6		(1)	1.3
Malaria								1	1.3
Ross River virus	3	12 (3)	40.6	3	5 (2)	35.6		4 (4)	17.7
Schistosomiasis			0.5						
Typhus						1.6			
Zoonotic diseases									
Psittacosis									
Q Fever					1	1.6		(2)	1.3
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis									
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis					1	1.6			
Grand Total	30	117 (132)		11	38 (57)		6	49 (55)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	2 (1)	4.3		1 (3)	3.2	1	1 (1)	4.3
Hepatitis C (newly acquired)		(1)	2.9						1.4
Hepatitis C (unspecified)	2	3 (4)	18.6		2 (4)	9.7		1 (4)	4.3
Hepatitis D									
Enteric diseases									
Campylobacteriosis		4 (8)	21.5		4 (7)	22.7	2	3 (6)	11.6
Cryptosporidiosis	1	5 (1)	10.0	1	8 (1)	14.6	2	2 (5)	13.0
Hepatitis A					1	1.6			
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus			5.7		3	6.5		3 (1)	4.3
STEC/VTEC infection			2.9						
Salmonellosis	4	13 (4)	37.2	1	8 (5)	30.8	1	7 (5)	37.7
Shigellosis		8 (2)	31.5			1.6			7.2
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	7	32 (38)	103.0	8	32 (36)	123.1	8	29 (39)	134.8
Gonorrhoea		8 (12)	34.3	3	19 (8)	92.4	3	18 (14)	88.4
Syphilis - Infectious					(1)	3.2			1.4
Syphilis - Non-Infectious									
Vaccine preventable diseases									
Influenza		1 (5)	8.6	1	6	17.8		(7)	5.8
Measles								(16)	1.4
Mumps									
Pertussis		1 (1)	2.9		1 (1)	4.9		1	13.0
Pneumococcal infection		1	1.4			1.6		(5)	1.4
Varicella (chicken pox)		(1)	1.4					2	20.3
Varicella (shingles)		(1)	5.7		2 (3)	17.8	1	1	8.7
Varicella (unspecified)	2	7 (3)	21.5	1	2	3.2		2 (1)	4.3
Vector-borne diseases									
Barmah Forest virus								1	2.9
Chikungunya						1.6			
Dengue fever		1 (1)	1.4		(4)	1.6	1	2 (1)	2.9
Malaria					1 (1)	1.6			1.4
Ross River virus	1	4 (1)	5.7	5	15	35.6	3	15 (3)	37.7
Schistosomiasis									
Typhus		(1)	1.4			1.6			
Zoonotic diseases									
Psittacosis		1	2.9						
Q Fever									
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis		(1)	1.4						
Leprosy									
Melioidosis			1.4						
Meningococcal infection							1	1	1.4
Tuberculosis									
Grand Total	18	91 (86)		20	105 (74)		23	89 (108)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (0)	0.1
Hepatitis B (unspecified)		1 (2)	7.4	15	52 (41)	4.8
Hepatitis C (newly acquired)				0	7 (14)	1.0
Hepatitis C (unspecified)		7 (6)	29.8	24	94 (90)	9.7
Hepatitis D			2.5	1	1 (0)	0.1
Enteric diseases						
Campylobacteriosis	1	1 (3)	9.9	48	233 (218)	30.5
Cryptosporidiosis	1	4 (1)	22.3	18	85 (23)	7.7
Hepatitis A				0	1 (1)	0.1
Hepatitis E				0	0 (0)	0.0
Listeriosis				0	0 (0)	0.0
Paratyphoid fever				0	0 (2)	0.1
Rotavirus				4	21 (21)	3.1
STEC/VTEC infection			2.5	0	1 (0)	0.5
Salmonellosis	3	13 (6)	71.9	55	276 (202)	29.7
Shigellosis				2	11 (8)	1.5
Typhoid				0	0 (1)	0.0
Vibrio parahaemolyticus				0	4 (5)	0.3
Yersiniosis				0	2 (1)	0.1
Sexually transmissible infections						
Chlamydia (genital)	12	44 (55)	414.2	218	915 (978)	108.1
Gonorrhoea	4	38 (32)	357.1	46	283 (256)	34.1
Syphilis - Infectious	4	10 (2)	57.0	7	30 (28)	3.2
Syphilis - Non-Infectious		1	2.5	4	7 (4)	1.0
Vaccine preventable diseases						
Influenza	1	3 (14)	39.7	27	97 (207)	13.2
Measles				0	4 (0)	0.4
Mumps				0	1 (97)	0.3
Pertussis		(2)	2.5	12	63 (79)	9.5
Pneumococcal infection			2.5	0	5 (8)	0.8
Varicella (chicken pox)	1	3 (5)	19.8	12	55 (33)	5.5
Varicella (shingles)	2	4 (2)	29.8	15	105 (132)	15.0
Varicella (unspecified)				40	158 (125)	16.1
Vector-borne diseases						
Barmah Forest virus			7.4	0	1 (0)	0.3
Chikungunya				0	0 (0)	0.1
Dengue fever			2.5	1	17 (71)	2.4
Malaria				0	4 (3)	0.8
Ross River virus	4	38 (2)	151.3	36	151 (35)	14.8
Schistosomiasis				1	25 (6)	2.9
Typhus			2.5	0	1 (3)	0.3
Zoonotic diseases						
Psittacosis				0	1 (0)	0.1
Q Fever				0	1 (3)	0.1
Other diseases						
Haemolytic Uraemic Syndrome				0	0 (0)	0.0
Legionellosis			2.5	0	2 (3)	0.3
Leprosy		1	2.5	0	1 (0)	0.0
Melioidosis		1 (1)	2.5	0	1 (1)	0.1
Meningococcal infection				1	4 (1)	0.3
Tuberculosis				4	14 (8)	0.6
Grand Total	33	169 (133)		592	2736 (2711)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 12	
	04/02	11/02	18/02	25/02	04/03	11/03	18/03	25/03	2017	2016
	Salmonella Total	78	85	63	54	58	87	76	55	811
Serotype/Phage										
Salmonella Aberdeen		1							1	2
Salmonella Adelaide						1			1	0
Salmonella Agona				1					2	2
Salmonella Anatum		1							1	4
Salmonella Anatum var 15+				1					1	1
Salmonella Bahrenfeld			1						1	2
Salmonella Ball				1					1	0
Salmonella Bareilly						1			2	1
Salmonella Bovismorbificans			1		1			2	7	5
Salmonella Chester					1	1	1	1	7	12
Salmonella Choleraesuis bv Kunzendorf Australia				1					3	3
Salmonella Corvallis				1					1	6
Salmonella Derby									1	0
Salmonella Eastbourne									1	5
Salmonella Enteritidis	3	5	2	3			1		28	56
Salmonella Fremantle subsp II		1							1	1
Salmonella Give							1		4	1
Salmonella Give var 15+									0	0
Salmonella Hadar									1	5
Salmonella Havana			1	1					2	2
Salmonella Hessarek			1						1	0
Salmonella Hvitvingfoss	1	1				1	1		7	3
Salmonella Infantis						1			7	21
Salmonella Isangi									1	0
Salmonella Javiana	1	1		1					4	4
Salmonella Johannesburg	1					1			3	1
Salmonella Kentucky		1		1		1	1		7	4
Salmonella Kiambu	2						1		5	15
Salmonella Lansing									1	2
Salmonella Litchfield						2			2	2
Salmonella Liverpool									1	1
Salmonella Mbandaka				1			1		3	8
Salmonella Meleagridis									1	0
Salmonella Montevideo			1						2	2
Salmonella Muenchen					2		3		9	7
Salmonella Newport	1		4	1	1		1		8	6
Salmonella Ohio			1						1	0
Salmonella Ohlstedt									1	1
Salmonella Onderstepoort					1				1	0
Salmonella Orion							1		1	3
Salmonella Orion var 15+					1				1	0
Salmonella Oslo						1			1	0
Salmonella Panama									0	0
Salmonella Paratyphi B bv Java			1	3		5	6	1	21	26
Salmonella Poona									1	2
Salmonella Potsdam					1				1	0
Salmonella Ramatgan									1	0
Salmonella Richmond									1	0
Salmonella Rubislaw									1	0

Weekly Report for period 29-JAN-17 to 25-MAR-17

	04/02	11/02	18/02	25/02	04/03	11/03	18/03	25/03	Cumulative Total to end of Week 12	
									2017	2016
Salmonella Total	78	85	63	54	58	87	76	55	811	563
Serotype/Phage										
Salmonella Saintpaul	1	2	3	1	2	2	3		17	9
Salmonella Schwarzengrund	1								5	2
Salmonella Senftenberg	1								1	6
Salmonella Singapore		2	2	3	1	5	2	1	21	8
Salmonella Stanley	5	2		1	1	1			18	10
Salmonella Tennessee									1	0
Salmonella Thompson							1		1	0
Salmonella Typhimurium	57	64	38	26	40	52	46	7	472	257
Salmonella Urbana	1								3	0
Salmonella Virchow				3	2		1		8	15
Salmonella Wandsworth		1				1			2	0
Salmonella Welikade		1							1	1
Salmonella Weltevreden			1	1	1		1		6	6
Salmonella Weltevreden var 15+	1								1	0
Salmonella species	2	2	6	3	3	11	4	43	94	33