



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program Communicable Disease Control Directorate

Report for eight week period 05-FEB-17 to 01-APR-17

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 13			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	11/02	18/02	25/02	04/03	11/03	18/03	25/03	01/04	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)					1				2	3	9	1	2.2	0.5
Hepatitis B (unspecified)	8	14	10	10	17	10	14	17	148	125	136	58	52.1	1.1
Hepatitis C (newly acquired)	4		5	4	1	3		3	32	34	38	7	9.3	0.8
Hepatitis C (unspecified)	15	24	27	29	20	20	24	34	301	247	256	98	83.5	1.2
Hepatitis D		2					1		3	0	0	1	0.0	0.0
Enteric diseases														
Campylobacteriosis	54	66	66	63	59	68	50	43	884	744	715	220	174.5	1.3
Cryptosporidiosis	16	17	16	23	24	21	19	23	238	89	114	87	34.5	2.5
Hepatitis A	1		1			1	1		5	6	10	2	2.0	1.0
Hepatitis E									1	0	2	0	0.2	0.0
Listeriosis									1	1	1	0	0.7	0.0
Paratyphoid fever			1						3	8	5	0	1.2	0.0
Rotavirus	7	4	11	3	4	10	8	5	94	50	80	27	18.1	1.5
STEC/VTEC infection		2	2	1			1	2	17	6	0	3	0.4	7.5
Salmonellosis	83	63	55	62	91	85	60	59	893	644	568	295	141.8	2.1
Shigellosis	3	7	3	4	3	3	2	1	43	29	44	9	6.4	1.4
Typhoid		1							1	2	4	0	1.0	0.0
Vibrio parahaemolyticus		1			1	2	1		7	12	5	4	1.5	2.7
Yersiniosis					1	1			2	4	12	2	0.9	2.1
Sexually transmissible infections														
Chlamydia (genital)	269	264	255	268	229	208	259	218	3219	3123	3073	914	928.4	1.0
Gonorrhoea	80	92	79	90	65	89	65	56	1017	767	535	275	183.7	1.5
Syphilis - Infectious	7	7	10	9	8	11	12	5	101	86	29	36	9.5	3.8
Syphilis - Non-Infectious	2	4	2	1	1	1	4	3	34	15	21	9	6.9	1.3
Vaccine preventable diseases														
Influenza	33	28	31	25	21	30	34	24	396	525	539	109	134.9	0.8
Measles	1			1	3				11	0	2	3	0.7	4.1
Mumps				1					7	291	9	0	19.8	0.0
Pertussis	15	29	13	18	18	17	13	8	271	428	389	56	143.9	0.4
Pneumococcal infection	1	4	3	1	4		1	1	24	21	21	6	9.3	0.6
Rubella (non-congenital)								2	2	0	0	2	0.1	15.0
Varicella (chicken pox)	9	7	19	12	18	15	15	6	162	112	91	54	25.1	2.1
Varicella (shingles)	32	35	44	37	30	31	19	16	438	434	369	96	103.4	0.9
Varicella (unspecified)	29	41	40	31	40	43	39	50	482	411	378	172	101.1	1.7
Vector-borne diseases														
Barmah Forest virus	3	1	3			1	1	3	12	4	10	5	36.1	0.1
Chikungunya		1							4	1	6	0	1.7	0.0
Dengue fever	6	2	4	4	6	7	2	3	71	197	290	18	62.5	0.3
Malaria	1	2	4	1	3			1	22	17	13	4	3.1	1.3
Ross River virus	37	26	30	41	46	33	38	41	461	123	399	158	150.3	1.1
Schistosomiasis	7	9	5	5	12	8	1	3	84	39	45	24	10.5	2.3
Typhus	2		1	1	1				10	6	6	1	2.1	0.5
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Psittacosis						1			2	0	0	1	0.3	3.8
Q Fever	1			1					3	4	1	0	1.1	0.0
Other diseases														
Haemolytic Uraemic Syndrome								1	2	0	0	1	0.0	0.0
Legionellosis	2				1	1		3	11	8	22	5	5.1	1.0
Leprosy				1					1	1	0	0	0.1	0.0
Melioidosis						1			2	1	2	1	0.7	1.5
Meningococcal infection	1	1		3			1		8	3	3	1	1.1	0.9
Tuberculosis	2	4	1	7	1	2	4	3	31	32	38	10	8.9	1.1
Grand Total	731	758	741	757	729	723	689	634						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 13			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	11/02	18/02	25/02	04/03	11/03	18/03	25/03	01/04	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)					1				1	3	6	1	1.9	0.5
Hepatitis B (unspecified)	7	11	7	9	14	10	11	13	124	102	109	48	37.7	1.3
Hepatitis C (newly acquired)	3		4	3	1	2		2	23	28	26	5	7.5	0.7
Hepatitis C (unspecified)	10	16	20	22	16	13	19	19	218	178	190	67	58.7	1.1
Hepatitis D		1					1		2	0	0	1	0.0	0.0
Enteric diseases														
Campylobacteriosis	41	55	52	51	45	58	44	31	721	590	555	178	135.1	1.3
Cryptosporidiosis	16	13	15	18	19	15	13	11	180	57	40	58	19.7	2.9
Hepatitis A	1		1					1	4	5	9	1	1.5	0.7
Hepatitis E									1	0	1	0	0.1	0.0
Listeriosis									1	1	1	0	0.6	0.0
Paratyphoid fever			1						3	7	5	0	1.1	0.0
Rotavirus	5	2	4	2	4	5	5	1	63	44	66	15	14.6	1.0
STEC/VTEC infection		1	2	1				2	8	2	0	2	0.1	15.0
Salmonellosis	67	48	43	50	69	61	46	46	701	492	402	222	102.4	2.2
Shigellosis	2	2	1	1	1			1	8	19	21	2	3.8	0.5
Typhoid		1							1	2	4	0	0.7	0.0
Vibrio parahaemolyticus		1			1	2	1		7	12	4	4	1.3	3.2
Yersiniosis					1	1			2	3	11	2	0.7	2.7
Sexually transmissible infections														
Chlamydia (genital)	197	204	209	211	181	163	193	170	2506	2376	2356	707	697.2	1.0
Gonorrhoea	53	60	46	52	48	63	44	37	663	513	339	192	103.0	1.9
Syphilis - Infectious	5	5	7	6	7	8	7	4	72	70	17	26	7.8	3.3
Syphilis - Non-Infectious	2	4	2	1	1		4	3	29	12	18	8	4.5	1.8
Vaccine preventable diseases														
Influenza	26	22	24	19	18	23	29	18	320	433	433	88	99.2	0.9
Measles	1			1	2				10	0	2	2	0.7	2.7
Mumps				1					6	5	3	0	2.3	0.0
Pertussis	12	24	12	16	15	13	13	5	223	300	303	46	112.5	0.4
Pneumococcal infection		4	2	1	3			1	19	6	10	4	3.9	1.0
Rubella (non-congenital)								2	2	0	0	2	0.1	30.0
Varicella (chicken pox)	6	5	8	8	14	12	12	5	111	84	72	43	18.7	2.3
Varicella (shingles)	25	23	32	26	26	23	11	10	316	331	295	70	79.6	0.9
Varicella (unspecified)	27	37	37	29	38	39	36	44	442	346	330	157	86.2	1.8
Vector-borne diseases														
Barmah Forest virus	1								1	2	2	0	27.2	0.0
Chikungunya		1							2	1	5	0	1.7	0.0
Dengue fever	5	2	4	4	5	4		3	57	163	237	12	52.1	0.2
Malaria	1	2	4		2			1	19	14	11	3	2.7	1.1
Ross River virus	25	11	15	14	11	15	12	12	191	71	284	50	88.7	0.6
Schistosomiasis	6	9	5	5	12	8	1	3	83	37	42	24	10.2	2.4
Typhus	1			1	1				5	4	4	1	1.3	0.8
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Q Fever	1								1	1	0	0	0.5	0.0
Other diseases														
Haemolytic Uraemic Syndrome								1	2	0	0	1	0.0	0.0
Legionellosis	2				1	1		3	9	5	15	5	3.7	1.3
Melioidosis									0	0	0	0	0.1	0.0
Meningococcal infection	1	1		3					7	2	0	0	0.6	0.0
Tuberculosis	2	4	1	6	1	2	4	2	29	26	29	9	6.7	1.4
Grand Total	551	569	558	561	558	541	509	448						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)							1		0.1
Hepatitis B (unspecified)	6	18 (7)	5.1	4	16 (8)	5.3	3	14 (12)	6.8
Hepatitis C (newly acquired)		1 (2)	0.5		1 (7)	1.6	2	3 (3)	1.1
Hepatitis C (unspecified)	6	16 (14)	6.4	5	21 (17)	10.2	8	30 (26)	13.8
Hepatitis D			0.1		1	0.1			
Enteric diseases									
Campylobacteriosis	11	59 (54)	36.2	6	59 (65)	31.7	14	60 (47)	32.0
Cryptosporidiosis	4	14 (6)	5.1	5	28 (9)	13.0	2	16 (5)	7.3
Hepatitis A							1		0.6
Hepatitis E									0.1
Listeriosis			0.1						
Paratyphoid fever		(1)	0.3						0.1
Rotavirus		7 (8)	2.9		4 (6)	2.8	1	4 (7)	3.0
STEC/VTEC infection	1	1	0.5	1	1	0.3			0.3
Salmonellosis	16	79 (52)	30.0	24	86 (48)	36.0	6	57 (47)	31.7
Shigellosis		(1)	0.1		(1)	0.3	2		0.7
Typhoid					(1)	0.1			
Vibrio parahaemolyticus		1 (1)	0.3		3 (2)	0.6		(3)	0.1
Yersiniosis		2	0.3						
Sexually transmissible infections									
Chlamydia (genital)	64	218 (208)	109.3	49	224 (240)	116.3	57	265 (252)	122.7
Gonorrhoea	10	55 (48)	24.1	10	59 (55)	29.6	17	78 (61)	38.6
Syphilis - Infectious	2	6 (12)	2.2		4 (3)	1.9	2	16 (7)	5.8
Syphilis - Non-Infectious	1	2 (1)	0.8	2	3 (2)	1.2		3	2.1
Vaccine preventable diseases									
Influenza	6	29 (55)	15.4	4	30 (43)	16.0	8	29 (45)	13.1
Measles					1	1.2		1	0.3
Mumps			0.1			0.1		(1)	0.6
Pertussis	2	19 (15)	12.2		13 (20)	9.0	3	14 (13)	9.5
Pneumococcal infection		2	0.5		(1)	0.3		2 (1)	1.8
Rubella (non-congenital)	2	2	0.3						
Varicella (chicken pox)	1	10 (9)	4.7	3	20 (7)	5.9	1	13 (16)	4.8
Varicella (shingles)	5	27 (36)	16.0	2	24 (32)	15.0	3	19 (26)	12.8
Varicella (unspecified)	22	53 (33)	21.2	10	48 (34)	20.3	12	56 (27)	19.8
Vector-borne diseases									
Barmah Forest virus						0.1			
Chikungunya						0.3			
Dengue fever		4 (21)	2.1	1	3 (25)	2.8	2	5 (19)	3.0
Malaria	1	2	0.8			0.6		1 (1)	1.2
Ross River virus	2	9 (4)	6.0	4	26 (13)	12.6	6	15 (10)	8.3
Schistosomiasis		10 (4)	5.9		3 (1)	1.6	3	11 (3)	3.7
Typhus		1	0.3		(1)	0.3			0.1
Zoonotic diseases									
Psittacosis									
Q Fever					(1)	0.1			
Other diseases									
Haemolytic Uraemic Syndrome	1	1	0.1						0.1
Legionellosis	1	2 (1)	0.7	1	2	0.4	1	1 (1)	0.1
Leprosy									
Melioidosis									
Meningococcal infection			0.4		(1)	0.3			0.3
Tuberculosis		5 (2)	1.4			1.2	2	4 (1)	1.4
Grand Total	164	655 (595)		131	680 (643)		153	721 (634)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)		(1)	1.6			1.6	1	3 (2)	7.6
Hepatitis C (newly acquired)				1	2 (2)	8.1			1.3
Hepatitis C (unspecified)	3	8 (7)	9.7	4	5 (3)	17.8	2	4 (6)	17.7
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	14 (13)	30.8	2	5 (5)	30.7	2	5 (1)	35.4
Cryptosporidiosis		3 (1)	3.2			1.6	2	2 (1)	8.9
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		1	4.3			1.6		(2)	3.8
STEC/VTEC infection			2.2			1.6			
Salmonellosis	2	13 (15)	18.9		3 (8)	22.6	2	5 (2)	21.5
Shigellosis		(2)	1.1					1	3.8
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	12	39 (42)	80.0	5	13 (11)	82.4	6	17 (18)	63.3
Gonorrhoea		5 (7)	11.4	2	2	9.7		1 (1)	11.4
Syphilis - Infectious		(1)	0.5			1.6			
Syphilis - Non-Infectious									
Vaccine preventable diseases									
Influenza	3	5 (6)	7.6		1 (3)	9.7	1	3 (4)	11.4
Measles								1	1.3
Mumps									
Pertussis	2	5 (8)	10.3	1	3 (7)	21.0		(2)	1.3
Pneumococcal infection									
Rubella (non-congenital)									
Varicella (chicken pox)	1	3	9.7		2 (2)	9.7		(2)	1.3
Varicella (shingles)	3	11 (7)	26.5		3 (11)	24.2		3 (3)	21.5
Varicella (unspecified)		2 (17)	4.3	1	1 (4)	4.8		(2)	1.3
Vector-borne diseases									
Barmah Forest virus	1	1	1.1			1.6			
Chikungunya			0.5						
Dengue fever		(7)	1.1		1 (3)	1.6		2 (1)	3.8
Malaria								1	1.3
Ross River virus	4	13 (5)	43.3	2	5 (2)	38.8	4	7 (3)	24.0
Schistosomiasis			0.5						
Typhus						1.6			1.3
Zoonotic diseases									
Psittacosis									
Q Fever						1.6		(3)	1.3
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis									
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis						1.6			
Grand Total	33	123 (139)		18	46 (61)		20	55 (53)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	3 (1)	5.7	2	3 (1)	6.5	1 (1)		4.3
Hepatitis C (newly acquired)		(1)	2.9						1.4
Hepatitis C (unspecified)	3	5 (3)	22.9		2 (4)	9.7	1 (4)		4.3
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	5 (6)	24.3	2	4 (8)	25.9	1	4 (4)	13.0
Cryptosporidiosis	3	7 (1)	14.3	3	9 (2)	19.4	2	4 (4)	15.9
Hepatitis A					1	1.6			
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus			5.7	3	5	11.3	1	6 (1)	8.7
STEC/VTEC infection			2.9		1	1.6			
Salmonellosis	2	12 (4)	40.0	1	8 (7)	32.4	1	7 (6)	39.1
Shigellosis	1	6 (1)	32.9			1.6			7.2
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	5	32 (33)	115.8	7	31 (34)	136.1	5	31 (37)	145.0
Gonorrhoea	1	4 (8)	35.8	5	20 (11)	102.1	4	17 (14)	97.1
Syphilis - Infectious									
Syphilis - Non-Infectious						3.2			1.4
Vaccine preventable diseases									
Influenza	1	3 (3)	11.4		5	17.8		(6)	5.8
Measles									
Mumps								(13)	1.4
Pertussis		1 (1)	2.9		(2)	4.9	1		13.0
Pneumococcal infection		1	1.4			1.6		(5)	1.4
Rubella (non-congenital)									
Varicella (chicken pox)		(2)	1.4		1	1.6	2		20.3
Varicella (shingles)		(1)	5.7	2	3 (4)	21.1	2 (1)		10.1
Varicella (unspecified)	3	8 (6)	25.7	2	3	4.9	1 (1)		2.9
Vector-borne diseases									
Barmah Forest virus								2	4.3
Chikungunya						1.6			
Dengue fever		1 (1)	1.4		(3)	1.6	2		2.9
Malaria						1.6			1.4
Ross River virus	1	6 (1)	8.6	8	24 (1)	55.1	3	18 (1)	46.4
Schistosomiasis									
Typhus		(2)	1.4			1.6			
Zoonotic diseases									
Psittacosis		1	2.9						
Q Fever									
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis		(1)	1.4						
Leprosy									
Melioidosis			1.4						
Meningococcal infection								1	1.4
Tuberculosis							1	1	1.4
Grand Total	22	95 (76)		35	120 (77)		18	101 (98)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (0)	0.1
Hepatitis B (unspecified)		(2)	7.4	17	58 (35)	5.5
Hepatitis C (newly acquired)				3	7 (15)	1.2
Hepatitis C (unspecified)	3	6 (5)	37.2	34	98 (89)	10.9
Hepatitis D			2.5	0	1 (0)	0.1
Enteric diseases						
Campylobacteriosis	1	2 (3)	12.4	43	220 (210)	32.4
Cryptosporidiosis	2	4 (3)	27.3	23	87 (32)	8.7
Hepatitis A				0	2 (1)	0.2
Hepatitis E				0	0 (1)	0.0
Listeriosis				0	0 (0)	0.0
Paratyphoid fever				0	0 (1)	0.1
Rotavirus				5	27 (25)	3.4
STEC/VTEC infection			2.5	2	3 (0)	0.6
Salmonellosis	4	16 (9)	84.3	59	295 (201)	32.7
Shigellosis				1	9 (5)	1.6
Typhoid				0	0 (1)	0.0
Vibrio parahaemolyticus				0	4 (6)	0.3
Yersiniosis				0	2 (0)	0.1
Sexually transmissible infections						
Chlamydia (genital)	7	39 (47)	439.0	218	914 (930)	118.0
Gonorrhoea	7	33 (28)	389.4	56	275 (238)	37.3
Syphilis - Infectious	1	10 (1)	67.0	5	36 (25)	3.7
Syphilis - Non-Infectious		1	2.5	3	9 (3)	1.1
Vaccine preventable diseases						
Influenza		3 (11)	39.7	24	109 (180)	14.5
Measles				0	3 (0)	0.4
Mumps				0	0 (75)	0.3
Pertussis		(4)	2.5	8	56 (73)	9.9
Pneumococcal infection	1	1	5.0	1	6 (9)	0.9
Rubella (non-congenital)				2	2 (0)	0.1
Varicella (chicken pox)		2 (4)	19.8	6	54 (43)	5.9
Varicella (shingles)		3 (2)	29.8	16	96 (126)	16.1
Varicella (unspecified)				50	172 (125)	17.7
Vector-borne diseases						
Barmah Forest virus	2	2	12.4	3	5 (1)	0.4
Chikungunya				0	0 (0)	0.1
Dengue fever			2.5	3	18 (80)	2.6
Malaria				1	4 (1)	0.8
Ross River virus	7	34 (1)	181.0	41	158 (41)	16.9
Schistosomiasis				3	24 (8)	3.1
Typhus			2.5	0	1 (4)	0.4
Zoonotic diseases						
Psittacosis				0	1 (0)	0.1
Q Fever				0	0 (4)	0.1
Other diseases						
Haemolytic Uraemic Syndrome				1	1 (0)	0.1
Legionellosis			2.5	3	5 (3)	0.4
Leprosy		(1)	2.5	0	0 (1)	0.0
Melioidosis		1 (1)	2.5	0	1 (1)	0.1
Meningococcal infection				0	1 (1)	0.3
Tuberculosis				3	10 (5)	0.7
Grand Total	35	157 (122)		634	2775 (2603)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

Salmonella	Week Ending								Cumulative Total to end of Week 13	
	11/02	18/02	25/02	04/03	11/03	18/03	25/03	01/04	2017	2016
	Salmonella Total	83	63	55	62	91	85	60	59	893
Serotype/Phage										
Salmonella Aberdeen	1								1	2
Salmonella Adelaide					1		1		2	0
Salmonella Agona			1						2	2
Salmonella Albany							1		1	1
Salmonella Anatum	1				1				2	4
Salmonella Anatum var 15+			1						1	1
Salmonella Bahrenfeld		1							1	2
Salmonella Ball			1						1	0
Salmonella Bareilly					1	1			3	1
Salmonella Bovismorbificans		1		1		2	1		8	6
Salmonella Chester				1	2	1	2	2	11	12
Salmonella Choleraesuis bv Kunzendorf Australia			1				2		5	3
Salmonella Corvallis			1				1		2	6
Salmonella Derby									1	0
Salmonella Eastbourne									1	5
Salmonella Enteritidis	5	2	3			1	5	1	34	60
Salmonella Fremantle subsp II	1								1	1
Salmonella Give						1	1		5	1
Salmonella Give var 15+									0	0
Salmonella Hadar									1	5
Salmonella Havana		1	1						2	4
Salmonella Hessarek		1							1	0
Salmonella Hvittingfoss	1				1	1		1	8	3
Salmonella Infantis					1		1		8	23
Salmonella Isangi									1	0
Salmonella Javiana	1		1						4	4
Salmonella Johannesburg					1				3	1
Salmonella Kentucky	1		1		2	1	1		9	4
Salmonella Kiambu						1			5	15
Salmonella Lansing							1		2	2
Salmonella Litchfield					2				2	2
Salmonella Liverpool									1	1
Salmonella Mbandaka			1			1	1		4	11
Salmonella Meleagridis									1	0
Salmonella Montevideo		1							2	2
Salmonella Muenchen				2		4			10	8
Salmonella Newport		4	1	1		1			8	6
Salmonella Ohio		1							1	0
Salmonella Ohlstedt									1	1
Salmonella Onderstepoort				1					1	0
Salmonella Oranienburg								1	1	0
Salmonella Orion						1			1	3
Salmonella Orion var 15+				1					1	0
Salmonella Oslo					1				1	0
Salmonella Panama									0	0
Salmonella Paratyphi B bv Java		1	3	2	5	5	1		22	28
Salmonella Poona									1	2
Salmonella Potsdam				1					1	0
Salmonella Ramatgan									1	0

Weekly Report for period 05-FEB-17 to 01-APR-17

	11/02	18/02	25/02	04/03	11/03	18/03	25/03	01/04	Cumulative Total to end of Week 13	
									2017	2016
Salmonella Total	83	63	55	62	91	85	60	59	893	615
Serotype/Phage										
Salmonella Richmond									1	0
Salmonella Rubislaw									1	0
Salmonella Saintpaul	2	3	1	2	2	4	1		19	10
Salmonella Schwarzengrund									5	3
Salmonella Senftenberg									1	6
Salmonella Singapore	2	2	3	1	5	2	2		22	8
Salmonella Stanley	2		1	1	2			2	21	10
Salmonella Tennessee									1	0
Salmonella Thompson						1			1	0
Salmonella Typhimurium	62	38	27	41	55	50	33	7	514	287
Salmonella Urbana									3	0
Salmonella Virchow			3	2		1		1	9	16
Salmonella Wandsbek subsp II								1	1	2
Salmonella Wandsworth	1				1				2	0
Salmonella Waycross								1	1	0
Salmonella Welikade	1								1	1
Salmonella Weltevreden		1	1	2		1	1		8	6
Salmonella Weltevreden var 15+									1	0
Salmonella species	2	6	3	3	8	5	4	42	95	34