



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program Communicable Disease Control Directorate

Report for eight week period 26-FEB-17 to 22-APR-17

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 16			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]			
	04/03	11/03	18/03	25/03	01/04	08/04	15/04	22/04	2017	2016	2015						
	Blood-borne diseases[2]																
Hepatitis B (newly acquired)			1						1	1		4	4	9	2	2.1	0.9
Hepatitis B (unspecified)	10	17	10	14	17	10	6	12				176	147	174	45	53.9	0.8
Hepatitis C (newly acquired)	5	1	2	1	4	4	2	1				41	39	49	11	10.1	1.1
Hepatitis C (unspecified)	28	20	21	23	31	23	15	21				356	331	308	90	81.5	1.1
Hepatitis D				1								3	0	0	0	0.1	0.0
Enteric diseases																	
Campylobacteriosis	65	59	68	57	57	42	45	40				1035	922	883	184	172.1	1.1
Cryptosporidiosis	24	24	25	20	20	12	9	7				270	110	137	48	32.0	1.5
Hepatitis A			1	1	1		1					7	7	10	2	1.3	1.5
Hepatitis E												1	1	2	0	0.1	0.0
Listeriosis												1	1	1	0	0.5	0.0
Paratyphoid fever												3	8	5	0	1.3	0.0
Rotavirus	3	4	10	8	11	7	12	5				124	56	106	35	18.6	1.9
STEC/VTEC infection	1		1	1	3			2				21	8	0	5	0.4	12.5
Salmonellosis	61	94	92	71	83	52	34	49				1074	771	694	218	136.5	1.6
Shigellosis	4	3	3	2	2	3	4	3				54	35	52	12	5.0	2.4
Typhoid								1				2	2	4	1	0.6	1.7
Vibrio parahaemolyticus		1	2	1								7	12	5	0	1.5	0.0
Yersiniosis		1	1									2	4	14	0	0.9	0.0
Sexually transmissible infections																	
Chlamydia (genital)	282	234	213	271	254	231	189	140				3852	3874	3659	814	929.3	0.9
Gonorrhoea	91	67	89	72	77	70	77	28				1223	966	661	252	178.3	1.4
Syphilis - Infectious	9	5	10	10	8	14	8	4				127	98	38	34	10.1	3.4
Syphilis - Non-Infectious	1	1	1	4	4	5		3				42	18	24	12	6.1	2.0
Vaccine preventable diseases																	
Influenza	25	21	32	37	44	29	18	15				483	648	690	106	144.9	0.7
Measles	1	3						1				12	0	2	1	0.4	2.5
Mumps	1				1							8	343	14	1	17.3	0.1
Pertussis	20	20	17	15	10	7	10	6				304	489	453	33	134.6	0.2
Pneumococcal infection	1	4		2	3	2	2	3				34	23	28	10	11.5	0.9
Rubella (non-congenital)					2							2	0	0	2	0.0	0.0
Varicella (chicken pox)	12	18	15	16	11	6	6	5				184	141	108	28	27.7	1.0
Varicella (shingles)	38	31	32	27	36	28	15	8				521	536	432	87	103.9	0.8
Varicella (unspecified)	30	39	43	36	39	23	30	49				566	494	447	141	99.1	1.4
Vector-borne diseases																	
Arboviral encephalitis				1								1	7	1	0	0.3	0.0
Barmah Forest virus				1	2	3	1	1				16	6	15	5	35.3	0.1
Chikungunya												4	3	7	0	1.7	0.0
Dengue fever	4	5	6	1	5	5	3	3				82	249	348	16	57.5	0.3
Malaria	1	2			2	1		1				25	20	16	4	3.3	1.2
Ross River virus	46	50	48	41	54	39	36	43				628	169	460	172	121.0	1.4
Schistosomiasis	5	12	8	1	5	5	8	5				103	50	62	23	10.1	2.3
Typhus	1	1				1						11	9	7	1	2.3	0.4
Zoonotic diseases																	
Brucellosis												0	0	0	0	0.0	0.0
Psittacosis				1								2	0	0	0	0.1	0.0
Q Fever	2											4	6	3	0	1.1	0.0
Other diseases																	
Haemolytic Uraemic Syndrome				1								2	0	0	0	0.0	0.0
Legionellosis		2			1		1					10	11	30	2	5.1	0.4
Leprosy	1											1	1	0	0	0.2	0.0
Melioidosis				1			1					3	2	2	1	0.5	2.1
Meningococcal infection	3			1		1						9	4	3	1	0.9	1.2
Tuberculosis	7	1	2	4	3	2	3	3				39	38	49	11	9.8	1.1
Grand Total	782	741	756	741	791	624	535	460									

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 16			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]	
	04/03	11/03	18/03	25/03	01/04	08/04	15/04	22/04	2017	2016	2015				
	Blood-borne diseases[2]														
Hepatitis B (newly acquired)			1					1	1	3	4	6	2	1.9	1.0
Hepatitis B (unspecified)	9	14	10	11	13	8	5	10	147	123	143	36	36.5	1.0	
Hepatitis C (newly acquired)	4	1	2	1	2	3	1	1	30	33	33	7	8.3	0.8	
Hepatitis C (unspecified)	21	16	13	18	17	19	10	14	257	232	225	60	56.4	1.1	
Hepatitis D				1					2	0	0	0	0.0	0.0	
Enteric diseases															
Campylobacteriosis	53	45	58	47	47	31	32	31	836	736	695	141	134.3	1.1	
Cryptosporidiosis	19	19	18	13	10	9	6	5	204	72	46	30	18.7	1.6	
Hepatitis A				1	1		1		6	6	9	2	1.0	2.0	
Hepatitis E									1	1	1	0	0.1	0.0	
Listeriosis									1	1	1	0	0.5	0.0	
Paratyphoid fever									3	7	5	0	1.0	0.0	
Rotavirus	2	4	5	5	3	3	4	2	74	50	87	12	15.3	0.8	
STEC/VTEC infection	1			1	3			2	12	2	0	5	0.1	37.5	
Salmonellosis	50	70	66	57	65	28	25	35	827	582	499	153	97.5	1.6	
Shigellosis	1	1		1	1	1	2	1	13	20	23	5	2.3	2.1	
Typhoid								1	2	2	4	1	0.4	2.5	
Vibrio parahaemolyticus			1	2	1				7	12	4	0	1.2	0.0	
Yersiniosis			1	1					2	3	12	0	0.6	0.0	
Sexually transmissible infections															
Chlamydia (genital)	221	183	167	205	200	180	145	113	3003	2954	2800	638	701.5	0.9	
Gonorrhoea	53	48	64	48	51	46	49	20	798	651	413	166	98.9	1.7	
Syphilis - Infectious	6	5	7	5	5	13	6	2	91	82	25	26	8.4	3.1	
Syphilis - Non-Infectious	1	1		4	4	5		3	37	12	21	12	4.1	3.0	
Vaccine preventable diseases															
Influenza	19	18	24	32	34	25	14	11	390	528	540	84	105.9	0.8	
Measles	1	2							10	0	2	0	0.4	0.0	
Mumps	1				1				7	5	5	1	1.9	0.5	
Pertussis	16	16	13	15	8	6	8	4	249	341	359	26	105.7	0.2	
Pneumococcal infection	1	3		1	2	1	1	1	24	8	13	5	5.9	0.8	
Rubella (non-congenital)					2				2	0	0	2	0.0	0.0	
Varicella (chicken pox)	8	14	12	13	10	5	3	3	128	109	86	21	20.2	1.0	
Varicella (shingles)	27	27	24	18	28	20	10	3	377	407	341	61	79.8	0.8	
Varicella (unspecified)	28	37	39	33	34	21	26	44	518	415	386	125	83.7	1.5	
Vector-borne diseases															
Arboviral encephalitis				1					1	6	1	0	0.3	0.0	
Barmah Forest virus									2	2	4	0	26.2	0.0	
Chikungunya									2	2	6	0	1.5	0.0	
Dengue fever	4	5	4		4	5		3	67	208	280	12	46.7	0.3	
Malaria					2	1			21	16	14	3	2.7	1.1	
Ross River virus	16	14	19	12	18	15	22	21	268	96	315	76	63.2	1.2	
Schistosomiasis	5	12	8	1	5	5	7	5	101	48	59	22	9.9	2.2	
Typhus	1	1							5	6	4	0	1.3	0.0	
Zoonotic diseases															
Brucellosis									0	0	0	0	0.0	0.0	
Q Fever	1								2	2	1	0	0.5	0.0	
Other diseases															
Haemolytic Uraemic Syndrome				1					2	0	0	0	0.0	0.0	
Legionellosis			2		1				7	7	20	1	4.0	0.3	
Melioidosis									0	0	0	0	0.1	0.0	
Meningococcal infection	3					1			8	2	0	1	0.5	2.1	
Tuberculosis	6	1	2	4	2	2	1	3	35	31	36	8	7.5	1.1	
Grand Total	578	564	559	549	573	453	379	339							

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)	1	2	0.3						0.1
Hepatitis B (unspecified)	1	11 (11)	5.8	4	12 (8)	6.5	5	13 (8)	8.1
Hepatitis C (newly acquired)		1	0.8		3 (3)	2.1	1	3 (3)	1.4
Hepatitis C (unspecified)	3	16 (16)	7.8	2	11 (19)	11.1	9	33 (34)	17.0
Hepatitis D			0.1			0.1			
Enteric diseases									
Campylobacteriosis	9	48 (59)	41.4	10	30 (54)	35.3	12	63 (71)	39.0
Cryptosporidiosis		12 (11)	6.2	4	14 (8)	14.8	1	4 (4)	7.9
Hepatitis A					1	0.1		1	0.7
Hepatitis E									0.1
Listeriosis			0.1						
Paratyphoid fever			0.3						0.1
Rotavirus		4 (11)	3.4	1	1 (1)	3.0	1	7 (1)	3.9
STEC/VTEC infection		1	0.7	2	3	0.6		1	0.4
Salmonellosis	14	53 (41)	35.6	10	57 (39)	41.8	11	43 (42)	37.8
Shigellosis	1	2	0.4		1 (1)	0.4		2	1.0
Typhoid				1	1	0.3			
Vibrio parahaemolyticus			0.3		(1)	0.6			0.1
Yersiniosis			0.3						
Sexually transmissible infections									
Chlamydia (genital)	34	183 (225)	126.6	37	218 (261)	142.1	42	237 (264)	149.0
Gonorrhoea	6	49 (53)	29.6	5	47 (55)	35.3	9	70 (67)	46.2
Syphilis - Infectious	1	10 (5)	3.2	1	2 (2)	2.2		14 (7)	7.2
Syphilis - Non-Infectious		2	0.9	1	3	1.3	2	7	2.9
Vaccine preventable diseases									
Influenza	2	33 (38)	19.2	7	27 (49)	19.4	2	24 (30)	15.6
Measles						1.2			0.3
Mumps			0.1			0.1		1	0.7
Pertussis	4	15 (13)	14.5		6 (22)	9.9		5 (16)	9.9
Pneumococcal infection	1	2 (2)	0.8		1 (1)	0.4		2 (1)	2.1
Rubella (non-congenital)		2	0.3						
Varicella (chicken pox)	2	8 (12)	5.7		5 (10)	6.4	1	8 (15)	5.8
Varicella (shingles)	2	29 (34)	19.5	1	12 (43)	16.7		20 (23)	16.0
Varicella (unspecified)	18	47 (37)	24.5	12	43 (23)	24.9	14	35 (26)	22.6
Vector-borne diseases									
Arboviral encephalitis					(1)	0.1			
Barmah Forest virus						0.3			
Chikungunya						0.3			
Dengue fever	2	5 (25)	2.8	1	5 (23)	3.4		2 (19)	3.2
Malaria		2	0.9		(2)	0.6		1	1.4
Ross River virus	2	10 (6)	7.4	11	33 (13)	17.3	8	33 (12)	13.1
Schistosomiasis		5 (7)	6.6	1	1 (1)	1.8	4	16 (6)	5.4
Typhus			0.3		(1)	0.3		(1)	0.1
Zoonotic diseases									
Psittacosis									
Q Fever						0.3			
Other diseases									
Haemolytic Uraemic Syndrome			0.1						0.1
Legionellosis			0.5		(1)	0.3		1 (1)	0.1
Leprosy									
Melioidosis								1	0.4
Meningococcal infection			0.4			0.3			
Tuberculosis		2 (4)	1.7	1	2 (1)	1.5	2	4 (1)	1.7
Grand Total	103	554 (610)		112	539 (643)		124	651 (652)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)		1	2.2			1.6		2 (2)	8.9
Hepatitis C (newly acquired)					3	9.7			1.3
Hepatitis C (unspecified)	1	6 (9)	11.4	2	8 (4)	25.9	4	7 (10)	24.0
Hepatitis D									
Enteric diseases									
Campylobacteriosis	3	11 (13)	36.2	2	3 (6)	33.9	1	7 (2)	41.7
Cryptosporidiosis		1	3.8			1.6		3 (1)	10.1
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus			4.3			1.6		2 (1)	6.3
STEC/VTEC infection			2.2			1.6			
Salmonellosis	3	13 (11)	24.9	1	3 (6)	27.5	1	8 (2)	29.1
Shigellosis			1.1					(1)	3.8
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	8	40 (50)	96.3	2	11 (13)	95.3	2	15 (14)	74.6
Gonorrhoea		1 (5)	11.9		1	8.1	1	1 (1)	12.7
Syphilis - Infectious			0.5			1.6			
Syphilis - Non-Infectious									
Vaccine preventable diseases									
Influenza	1	4 (13)	8.7	1	4 (3)	16.2		2 (4)	12.7
Measles				1	1	1.6			1.3
Mumps									
Pertussis		2 (9)	11.4	1	2 (5)	24.2			1.3
Pneumococcal infection	1	1 (1)	0.5						
Rubella (non-congenital)									
Varicella (chicken pox)		2	10.3			9.7		(2)	1.3
Varicella (shingles)	1	11 (6)	30.8		(11)	25.9	2	5 (2)	27.8
Varicella (unspecified)		(12)	4.3	3	5	11.3			
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus		1	1.1			1.6			
Chikungunya			0.5						
Dengue fever		1 (5)	1.6		(1)	1.6		(1)	2.5
Malaria							1	1	2.5
Ross River virus	3	10 (13)	48.7	4	7 (1)	46.9	7	20 (3)	49.3
Schistosomiasis			0.5						
Typhus						1.6			1.3
Zoonotic diseases									
Psittacosis									
Q Fever					(1)	1.6		(1)	1.3
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis									
Leprosy									
Melioidosis									
Meningococcal infection						1.6		1	1.3
Tuberculosis									
Grand Total	21	105 (147)		17	48 (51)		19	74 (47)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1	5.7	2	6.5	4.3			
Hepatitis C (newly acquired)			2.9				1	2.9	
Hepatitis C (unspecified)		3 (5)	22.9	3 (3)	14.6	4.3	(2)	4.3	
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	7 (4)	32.9	1	3 (6)	30.8	1	8 (6)	23.2
Cryptosporidiosis		5	17.2	1	3 (5)	22.7	1	3 (4)	17.4
Hepatitis A						1.6			
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus			5.7	1	9	21.1	2	12	24.6
STEC/VTEC infection			2.9		(1)	1.6			
Salmonellosis	3	11 (6)	52.9	2	8 (3)	45.4		6 (7)	44.9
Shigellosis		4 (1)	37.2		(2)	1.6	2	3	11.6
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	4	21 (25)	137.3	2	23 (28)	166.9	4	26 (31)	176.9
Gonorrhoea	1	7 (4)	44.3	1	14 (8)	123.1	3	15 (20)	113.1
Syphilis - Infectious				1	1	1.6	1	1	1.4
Syphilis - Non-Infectious						3.2		(1)	1.4
Vaccine preventable diseases									
Influenza	1	5 (2)	17.2	1	2 (2)	21.1		(2)	5.8
Measles									
Mumps								(5)	1.4
Pertussis		1 (2)	4.3	1	1 (3)	6.5			13.0
Pneumococcal infection			1.4			1.6		1	2.9
Rubella (non-congenital)									
Varicella (chicken pox)		(1)	1.4	1	1	3.2	1	4 (2)	24.6
Varicella (shingles)		(1)	5.7	1	6 (1)	27.5		1 (3)	13.0
Varicella (unspecified)	1	6 (9)	30.0		1	3.2			1.4
Vector-borne diseases									
Arboviral encephalitis						1.6		(1)	4.3
Barmah Forest virus									
Chikungunya					(1)	1.6			
Dengue fever		(1)	1.4		1	3.2		1 (1)	1.4
Malaria						1.6			1.4
Ross River virus		3 (1)	11.4	6	23 (3)	97.2	1	9	56.5
Schistosomiasis		1	1.4						
Typhus		(1)	1.4			1.6			
Zoonotic diseases									
Psittacosis			2.9						
Q Fever									
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis		(1)	1.4		1	1.6			
Leprosy									
Melioidosis			1.4						
Meningococcal infection									1.4
Tuberculosis							2	2.9	
Grand Total	11	75 (64)		19	102 (66)		16	93 (85)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				1	2 (1)	0.1
Hepatitis B (unspecified)	2	3 (1)	14.9	12	45 (30)	6.4
Hepatitis C (newly acquired)				1	11 (7)	1.5
Hepatitis C (unspecified)		3 (5)	37.2	21	90 (107)	12.9
Hepatitis D			2.5	0	0 (0)	0.1
Enteric diseases						
Campylobacteriosis		2 (1)	17.4	40	184 (226)	37.9
Cryptosporidiosis		3 (2)	29.8	7	48 (35)	9.9
Hepatitis A				0	2 (1)	0.3
Hepatitis E				0	0 (1)	0.0
Listeriosis				0	0 (1)	0.0
Paratyphoid fever				0	0 (0)	0.1
Rotavirus				5	35 (14)	4.5
STEC/VTEC infection			2.5	2	5 (2)	0.8
Salmonellosis	3	11 (14)	106.6	49	218 (173)	39.4
Shigellosis				3	12 (6)	2.0
Typhoid				1	1 (0)	0.1
Vibrio parahaemolyticus				0	0 (1)	0.3
Yersiniosis				0	0 (0)	0.1
Sexually transmissible infections						
Chlamydia (genital)	3	31 (39)	498.5	140	814 (961)	141.2
Gonorrhoea	2	45 (39)	483.6	28	252 (255)	44.8
Syphilis - Infectious		6	79.4	4	34 (14)	4.7
Syphilis - Non-Infectious		(1)	2.5	3	12 (3)	1.4
Vaccine preventable diseases						
Influenza		1 (3)	42.2	15	106 (149)	17.7
Measles				1	1 (0)	0.4
Mumps				0	1 (67)	0.3
Pertussis		(8)	2.5	6	33 (78)	11.1
Pneumococcal infection		2	9.9	3	10 (6)	1.2
Rubella (non-congenital)				0	2 (0)	0.1
Varicella (chicken pox)		(2)	19.8	5	28 (44)	6.7
Varicella (shingles)		(3)	29.8	8	87 (131)	19.1
Varicella (unspecified)	1	1	2.5	49	141 (108)	20.7
Vector-borne diseases						
Arboviral encephalitis				0	0 (1)	0.0
Barmah Forest virus	1	4 (1)	17.4	1	5 (3)	0.6
Chikungunya				0	0 (2)	0.1
Dengue fever			2.5	3	16 (76)	3.0
Malaria				1	4 (3)	0.9
Ross River virus		22 (3)	225.7	43	172 (55)	23.0
Schistosomiasis				5	23 (14)	3.8
Typhus		1	5.0	0	1 (4)	0.4
Zoonotic diseases						
Psittacosis				0	0 (0)	0.1
Q Fever				0	0 (3)	0.1
Other diseases						
Haemolytic Uraemic Syndrome				0	0 (0)	0.1
Legionellosis			2.5	0	2 (3)	0.4
Leprosy		(1)	2.5	0	0 (1)	0.0
Melioidosis		1	5.0	0	1 (1)	0.1
Meningococcal infection				0	1 (1)	0.3
Tuberculosis				3	11 (8)	0.9
Grand Total	12	136 (123)		461	2413 (2598)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 16	
	04/03	11/03	18/03	25/03	01/04	08/04	15/04	22/04	2017	2016
	Salmonella Total	61	94	92	71	83	52	34	49	1074
Serotype/Phage										
Salmonella Aberdeen									1	4
Salmonella Adelaide		1		1					2	0
Salmonella Agona									2	5
Salmonella Albany				1					1	1
Salmonella Anatum		1							2	7
Salmonella Anatum var 15+									1	1
Salmonella Bahrenfeld									1	2
Salmonella Ball									1	0
Salmonella Bareilly		1	1					1	4	1
Salmonella Bovismorbificans	1		2	1					8	8
Salmonella Champaign			1						1	0
Salmonella Chester	1	2	2	2	1			1	12	13
Salmonella Choleraesuis bv Australia				2	1				6	3
Salmonella Corvallis				1					2	6
Salmonella Derby									1	0
Salmonella Eastbourne									1	6
Salmonella Enteritidis		1	4	6	3	2			43	72
Salmonella Fremantle subsp II									1	1
Salmonella Give			1	1					5	1
Salmonella Give var 15+									0	0
Salmonella Hadar									1	6
Salmonella Havana						1			3	4
Salmonella Hessarek									1	0
Salmonella Houten subsp IV								1	1	0
Salmonella Hvitvingfoss		1	1		1				8	3
Salmonella Infantis		1		1	1				9	23
Salmonella Isangi									1	0
Salmonella Javiana					1				5	4
Salmonella Johannesburg		1			1		1		5	1
Salmonella Kentucky		2	1	2					10	5
Salmonella Kiambu			1			1	1		7	17
Salmonella Krefeld									1	0
Salmonella Lansing				1					2	2
Salmonella Litchfield		2			1	2			5	2
Salmonella Liverpool									1	1
Salmonella Mbandaka			1	1					4	13
Salmonella Meleagridis									1	0
Salmonella Montevideo									2	2
Salmonella Muenchen	2		4					1	11	8
Salmonella Newport	1		1	1					9	7
Salmonella Ohio									1	0
Salmonella Ohlstedt							1		2	2
Salmonella Onderstepoort	1								1	0
Salmonella Oranienburg					1				1	0
Salmonella Orion	1		1						2	5
Salmonella Orion var 15+				1					1	0
Salmonella Oslo		1							1	0
Salmonella Panama									0	0
Salmonella Paratyphi B bv Java	2	5	5	1	3	2	1		28	32

Weekly Report for period 26-FEB-17 to 22-APR-17

	04/03	11/03	18/03	25/03	01/04	08/04	15/04	22/04	Cumulative Total to end of Week 16	
									2017	2016
Salmonella Total	61	94	92	71	83	52	34	49	1074	731
Serotype/Phage										
Salmonella Poona					2	1			4	2
Salmonella Potsdam	1								1	1
Salmonella Ramatgan									1	0
Salmonella Reading				1					1	1
Salmonella Richmond									1	0
Salmonella Rubislaw									1	0
Salmonella Saintpaul	2	2	5	1	2				22	18
Salmonella Sandiego						1			1	0
Salmonella Schwarzengrund									5	4
Salmonella Senftenberg									1	7
Salmonella Singapore	1	5	2	3	1	1	4		29	9
Salmonella Stanley	1	2		2			2		23	14
Salmonella Tennessee						1			2	0
Salmonella Thompson			1						1	1
Salmonella Typhimurium	40	57	53	39	54	35	18	10	636	337
Salmonella Urbana									3	0
Salmonella Virchow	2		1		2	2			12	18
Salmonella Wandsbek subsp II					1				1	2
Salmonella Wandsworth		1							2	0
Salmonella Waycross					1				1	0
Salmonella Welikade									1	2
Salmonella Weltevreden	2		2						8	7
Salmonella Weltevreden var 15+					1		1		3	1
Salmonella species	3	8	2	2	5	3	4	36	95	39