



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 12-MAR-17 to 06-MAY-17

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 18			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)					1	1	2		6	9	9	4	2.3	1.7
Hepatitis B (unspecified)	10	14	17	10	6	12	3	16	194	173	193	37	58.1	0.6
Hepatitis C (newly acquired)	2		5	6	2	3	2		46	43	55	7	9.9	0.7
Hepatitis C (unspecified)	21	24	30	21	15	18	15	33	400	387	337	81	82.2	1.0
Hepatitis D		1							3	0	0	0	0.1	0.0
Enteric diseases														
Campylobacteriosis	67	57	59	42	49	56	58	63	1178	1033	970	226	175.5	1.3
Cryptosporidiosis	25	20	20	12	11	13	4	7	289	122	152	35	28.9	1.2
Hepatitis A	1	1	1		1				7	8	10	1	0.9	1.2
Hepatitis E									1	1	2	0	0.1	0.0
Listeriosis									1	2	1	0	0.4	0.0
Paratyphoid fever									3	8	5	0	0.9	0.0
Rotavirus	12	10	11	10	10	13	11	9	168	62	122	43	22.5	1.9
STEC/VTEC infection	1	1	3	1		2			22	9	0	2	0.5	3.8
Salmonellosis	91	74	90	44	39	63	48	37	1182	846	756	187	127.7	1.5
Shigellosis	3	2	2	3	4	3	2	3	59	38	55	12	4.5	2.6
Typhoid					2	1			4	2	5	3	0.5	6.4
Vibrio parahaemolyticus	2	1					2		9	15	5	2	1.5	1.4
Yersiniosis	1							1	3	5	15	1	0.5	1.9
Sexually transmissible infections														
Chlamydia (genital)	213	274	260	234	201	178	188	223	4325	4329	4094	790	924.3	0.9
Gonorrhoea	90	71	80	68	84	45	55	59	1362	1099	742	243	180.3	1.3
Syphilis - Infectious	11	9	7	11	7	4	6	4	132	110	40	21	10.1	2.1
Syphilis - Non-Infectious	1	4	4	6	3	3	1	5	52	18	25	12	6.5	1.8
Vaccine preventable diseases														
Influenza	33	37	44	28	21	20	19	22	532	734	827	82	151.2	0.5
Measles							1		12	0	2	1	0.5	2.1
Mumps			1						8	364	20	0	14.6	0.0
Pertussis	18	15	14	9	14	20	14	5	351	523	510	53	128.3	0.4
Pneumococcal infection		3	3	2	4	2	4		40	31	34	10	12.3	0.8
Rubella (non-congenital)			2						2	0	0	0	0.0	0.0
Varicella (chicken pox)	16	17	11	6	8	6	8	1	196	164	122	23	29.4	0.8
Varicella (shingles)	33	31	37	32	22	30	35	10	607	591	493	97	101.3	1.0
Varicella (unspecified)	42	33	38	20	24	40	30	43	616	548	495	137	98.2	1.4
Vector-borne diseases														
Arboviral encephalitis	1					1		1	3	8	1	2	0.3	7.5
Barmah Forest virus	2	2	2	1		2	1	2	20	6	17	5	32.2	0.2
Chikungunya						1			5	3	7	1	2.3	0.4
Dengue fever	6	1	6	7	4	2	2		87	284	381	8	52.4	0.2
Malaria		1	1	1	1	1		1	27	21	17	3	3.6	0.8
Ross River virus	56	44	58	43	37	41	32	29	715	184	533	139	99.9	1.4
Schistosomiasis	8	1	5	5	9	6		5	110	60	68	20	11.1	1.8
Typhus		1				1	1	3	14	11	8	5	2.0	2.5
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Psittacosis	1								2	0	0	0	0.1	0.0
Q Fever									3	7	3	0	0.8	0.0
Other diseases														
Haemolytic Uraemic Syndrome		1			1				3	0	0	1	0.0	0.0
Legionellosis			1			1			10	14	30	1	5.1	0.2
Leprosy									1	1	0	0	0.2	0.0
Melioidosis	1	1							3	2	2	0	0.4	0.0
Meningococcal infection		1		1			1		10	4	3	1	1.0	1.0
Tuberculosis	2	3	3	2	3	3		1	39	44	54	7	10.2	0.7
Grand Total	770	755	815	625	583	592	545	583						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 18			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)					1	1	2		5	9	6	4	2.1	1.9
Hepatitis B (unspecified)	10	11	13	8	5	10	2	12	160	141	159	29	37.1	0.8
Hepatitis C (newly acquired)	2		3	4	1	2	2		33	34	37	5	7.9	0.6
Hepatitis C (unspecified)	13	19	16	18	10	13	7	27	290	268	245	57	55.9	1.0
Hepatitis D		1							2	0	0	0	0.1	0.0
Enteric diseases														
Campylobacteriosis	57	47	47	31	36	41	44	53	947	816	754	174	137.7	1.3
Cryptosporidiosis	18	13	10	9	8	8	3	3	215	79	52	22	17.1	1.3
Hepatitis A		1	1		1				6	7	9	1	0.7	1.4
Hepatitis E									1	1	1	0	0.1	0.0
Listeriosis									1	1	1	0	0.3	0.0
Paratyphoid fever									3	7	5	0	0.7	0.0
Rotavirus	7	5	4	4	5	5	7	6	103	54	100	23	18.1	1.3
STEC/VTEC infection		1	3	1		2			13	2	0	2	0.2	10.0
Salmonellosis	66	60	66	25	29	45	37	30	910	642	541	141	90.4	1.6
Shigellosis		1	1	1	2	1	1		14	21	24	4	2.1	1.9
Typhoid					1	1			3	2	5	2	0.3	6.0
Vibrio parahaemolyticus	2	1					1		8	14	4	1	1.2	0.8
Yersiniosis	1							1	3	4	12	1	0.3	3.0
Sexually transmissible infections														
Chlamydia (genital)	167	208	206	180	154	139	150	176	3373	3309	3120	619	700.0	0.9
Gonorrhoea	64	47	52	44	54	33	36	48	899	737	458	171	98.7	1.7
Syphilis - Infectious	7	4	4	10	5	2	5	4	94	93	26	16	8.1	2.0
Syphilis - Non-Infectious		4	4	6	3	3	1	5	47	12	22	12	3.7	3.3
Vaccine preventable diseases														
Influenza	25	32	34	24	16	14	13	16	424	595	638	59	111.7	0.5
Measles							1		11	0	2	1	0.5	2.1
Mumps			1						7	5	5	0	1.7	0.0
Pertussis	14	15	11	7	11	14	9	5	283	367	406	39	100.7	0.4
Pneumococcal infection		2	2	1	2	1	1		27	13	17	4	6.4	0.6
Rubella (non-congenital)			2						2	0	0	0	0.0	0.0
Varicella (chicken pox)	12	13	10	5	5	3	6		136	128	94	14	21.7	0.6
Varicella (shingles)	24	22	29	24	16	15	25	9	438	446	385	65	77.1	0.8
Varicella (unspecified)	39	31	32	19	21	38	30	37	568	461	426	126	83.5	1.5
Vector-borne diseases														
Arboviral encephalitis	1								1	7	1	0	0.3	0.0
Barmah Forest virus						1		1	4	2	5	2	24.0	0.1
Chikungunya						1			3	2	6	1	2.0	0.5
Dengue fever	4		5	6	2	2	2		72	232	307	6	42.1	0.1
Malaria		1	1	1	1			1	23	17	15	2	2.9	0.7
Ross River virus	21	13	24	18	24	16	17	11	309	104	340	68	49.4	1.4
Schistosomiasis	8	1	5	5	8	6		4	107	58	65	18	10.8	1.7
Typhus							1	2	6	7	5	3	1.1	2.6
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Q Fever									1	2	1	0	0.4	0.0
Other diseases														
Haemolytic Uraemic Syndrome		1			1				3	0	0	1	0.0	0.0
Legionellosis			1			1			8	8	20	1	4.1	0.2
Melioidosis									0	0	0	0	0.1	0.0
Meningococcal infection				1			1		9	2	0	1	0.5	1.9
Tuberculosis	2	3	2	2	1	3			34	37	40	4	8.1	0.5
Grand Total	564	557	589	454	423	421	404	451						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		4	0.5					(1)	0.1
Hepatitis B (unspecified)	2	6 (10)	5.9	1	8 (10)	7.1	9	15 (15)	9.2
Hepatitis C (newly acquired)		1	0.8		1 (2)	1.8		3 (1)	2.1
Hepatitis C (unspecified)	6	14 (13)	9.1	10	14 (19)	13.0	11	29 (41)	18.3
Hepatitis D			0.1			0.1			
Enteric diseases									
Campylobacteriosis	24	62 (62)	47.1	13	45 (44)	39.9	16	67 (65)	44.1
Cryptosporidiosis	1	9 (7)	6.7	2	10 (2)	15.6		3 (5)	8.1
Hepatitis A					1	0.1		(1)	0.7
Hepatitis E									0.1
Listeriosis			0.1						
Paratyphoid fever			0.3					(1)	0.1
Rotavirus	2	4 (5)	4.3	2	8 (1)	4.3	2	11 (1)	5.7
STEC/VTEC infection			0.8		2	0.6			0.4
Salmonellosis	13	54 (56)	39.8	8	42 (39)	45.8	9	45 (27)	41.1
Shigellosis		2 (1)	0.5		(2)	0.4		2	1.0
Typhoid					1	0.3		1	0.1
Vibrio parahaemolyticus		(1)	0.3		1	0.7		(1)	0.1
Yersiniosis			0.3	1	1	0.1			
Sexually transmissible infections									
Chlamydia (genital)	59	184 (238)	142.8	52	202 (237)	158.1	65	233 (254)	168.1
Gonorrhoea	21	56 (52)	34.2	12	46 (52)	39.4	15	69 (64)	51.4
Syphilis - Infectious	1	4 (6)	2.9	1	4 (3)	2.7	2	8 (6)	7.4
Syphilis - Non-Infectious	1	2	1.3	2	3	1.6	2	7	3.6
Vaccine preventable diseases									
Influenza	5	22 (48)	21.0	6	22 (54)	20.9	5	15 (31)	17.0
Measles						1.2		1	0.4
Mumps			0.1			0.1			0.7
Pertussis	3	23 (13)	16.8		8 (23)	11.0	2	8 (18)	11.2
Pneumococcal infection		2 (3)	0.9		(3)	0.4		2 (2)	2.3
Rubella (non-congenital)			0.3						
Varicella (chicken pox)		6 (9)	6.0		4 (8)	7.0		4 (14)	5.9
Varicella (shingles)	6	22 (32)	22.0	1	24 (45)	20.1	2	19 (24)	18.6
Varicella (unspecified)	13	48 (28)	27.2	11	36 (35)	26.4	13	42 (27)	25.2
Vector-borne diseases									
Arboviral encephalitis					(1)	0.1			
Barmah Forest virus				1	1	0.4		1	0.1
Chikungunya					1	0.4			
Dengue fever		2 (22)	2.8		1 (11)	3.6		3 (9)	3.7
Malaria			0.9	1	2 (2)	0.9		(1)	1.4
Ross River virus	4	12 (8)	8.8	4	36 (6)	20.0	3	20 (5)	14.7
Schistosomiasis	2	6 (9)	7.0		1	1.8	2	11 (8)	5.8
Typhus	2	2	0.4		1	0.3		(1)	0.1
Zoonotic diseases									
Psittacosis									
Q Fever						0.1			
Other diseases									
Haemolytic Uraemic Syndrome			0.1		1	0.1			0.1
Legionellosis			0.5		1 (1)	0.4		(1)	0.1
Leprosy									
Melioidosis									
Meningococcal infection		1	0.5			0.3			0.4
Tuberculosis		(5)	1.6		2 (2)	1.5		2 (3)	1.7
Grand Total	165	548 (628)		128	530 (602)		158	621 (627)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)		(2)	2.2	2	2	4.8		1 (3)	10.1
Hepatitis C (newly acquired)					1 (1)	12.9			1.3
Hepatitis C (unspecified)	2	5 (8)	13.0		3 (4)	24.2	3	8 (5)	29.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	10 (14)	38.9	1	5 (7)	38.8	2	11 (6)	53.1
Cryptosporidiosis	1	2	4.9		(1)	1.6			10.1
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		(1)	4.3			1.6	3		8.9
STEC/VTEC infection		(1)	2.2			1.6			
Salmonellosis	2	11 (8)	28.7		1 (2)	27.5		6 (4)	35.4
Shigellosis			1.1					(1)	3.8
Typhoid		1	0.5						
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	8	32 (53)	106.0	4	14 (10)	111.5	6	16 (7)	88.6
Gonorrhoea	2	6 (9)	15.1			8.1		1 (1)	12.7
Syphilis - Infectious			1.1			1.6			
Syphilis - Non-Infectious									
Vaccine preventable diseases									
Influenza		2 (16)	8.7		2 (2)	17.8		2 (4)	15.2
Measles									1.3
Mumps									
Pertussis		6 (4)	14.1		2 (4)	29.1		(1)	1.3
Pneumococcal infection		1 (1)	0.5					1 (1)	1.3
Rubella (non-congenital)									
Varicella (chicken pox)	1	2 (1)	10.8			9.7			1.3
Varicella (shingles)		12 (11)	35.7		6 (9)	37.2		5 (5)	29.1
Varicella (unspecified)	2	2 (7)	4.9	2	4 (1)	11.3			
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus			1.1			1.6			
Chikungunya			0.5						
Dengue fever		(4)	1.6		(1)	1.6		(8)	2.5
Malaria								1	2.5
Ross River virus	3	11 (12)	53.5		5 (1)	48.5	8	23 (3)	69.6
Schistosomiasis	1	1	1.1						
Typhus		1	0.5	1	1	3.2			1.3
Zoonotic diseases									
Psittacosis									
Q Fever						1.6		(1)	1.3
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis									
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis	1	1	0.5			1.6		1	1.3
Grand Total	24	106 (152)		10	46 (43)		19	79 (50)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)			5.7	1	1	8.1		(1)	4.3
Hepatitis C (newly acquired)			2.9				1		2.9
Hepatitis C (unspecified)		2 (8)	25.7	1	4 (2)	16.2		(4)	4.3
Hepatitis D									
Enteric diseases									
Campylobacteriosis	3	7 (6)	37.2	1	6 (6)	37.3		6 (6)	24.6
Cryptosporidiosis	1	2	18.6		2 (4)	22.7	1	4 (3)	21.7
Hepatitis A						1.6			
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		1	11.4		7 (1)	25.9	2	7	30.4
STEC/VTEC infection			2.9		(1)	1.6			
Salmonellosis		6 (6)	55.8	1	5 (1)	47.0	2	5 (2)	52.2
Shigellosis	2	3 (2)	40.0	1	1 (2)	3.2		4	13.0
Typhoid									
Vibrio parahaemolyticus								1	1.4
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	7	21 (25)	158.8	5	17 (37)	183.1	6	25 (35)	194.3
Gonorrhoea	2	7 (10)	51.5	1	9 (9)	129.6	4	14 (19)	124.7
Syphilis - Infectious					1	1.6		1	1.4
Syphilis - Non-Infectious						3.2		(1)	1.4
Vaccine preventable diseases									
Influenza	3	7 (3)	24.3	2	5 (4)	25.9	1	3 (2)	10.1
Measles									
Mumps								(1)	1.4
Pertussis		3 (2)	7.2		(1)	6.5			13.0
Pneumococcal infection			1.4		(1)	1.6		2	4.3
Rubella (non-congenital)									
Varicella (chicken pox)		(1)	1.4		2	4.9		4 (3)	26.1
Varicella (shingles)			5.7		4 (2)	32.4		(1)	13.0
Varicella (unspecified)	1	3 (4)	31.5			1.6			1.4
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus						1.6	1	2 (1)	7.2
Chikungunya					(1)	1.6			
Dengue fever			1.4			3.2		1 (1)	1.4
Malaria						1.6			1.4
Ross River virus	1	2 (1)	14.3	3	16 (2)	110.2	1	7	63.8
Schistosomiasis		1	1.4						
Typhus			1.4			1.6			
Zoonotic diseases									
Psittacosis			2.9						
Q Fever									
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis			1.4						
Leprosy									
Melioidosis			1.4						
Meningococcal infection									1.4
Tuberculosis								1	2.9
Grand Total	20	65 (68)		16	80 (74)		18	88 (80)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	4 (6)	0.2
Hepatitis B (unspecified)	1	4 (2)	17.4	16	37 (43)	7.1
Hepatitis C (newly acquired)				0	7 (6)	1.7
Hepatitis C (unspecified)		2 (7)	42.2	33	81 (112)	14.6
Hepatitis D			2.5	0	0 (0)	0.1
Enteric diseases						
Campylobacteriosis	1	4 (2)	24.8	63	226 (221)	43.2
Cryptosporidiosis	1	3	34.7	7	35 (23)	10.6
Hepatitis A				0	1 (1)	0.3
Hepatitis E				0	0 (0)	0.0
Listeriosis				0	0 (1)	0.0
Paratyphoid fever				0	0 (1)	0.1
Rotavirus	1	2	5.0	9	43 (9)	6.2
STEC/VTEC infection			2.5	0	2 (2)	0.8
Salmonellosis	2	9 (12)	116.6	37	187 (157)	43.3
Shigellosis				3	12 (10)	2.2
Typhoid				0	3 (1)	0.1
Vibrio parahaemolyticus				0	2 (3)	0.3
Yersiniosis				1	1 (2)	0.1
Sexually transmissible infections						
Chlamydia (genital)	9	38 (34)	553.0	223	790 (945)	158.5
Gonorrhoea	2	35 (32)	520.8	59	243 (254)	49.9
Syphilis - Infectious		3	81.8	4	21 (16)	4.8
Syphilis - Non-Infectious			2.5	5	12 (2)	1.7
Vaccine preventable diseases						
Influenza		2 (5)	44.6	22	82 (174)	19.5
Measles				0	1 (0)	0.4
Mumps				0	0 (47)	0.3
Pertussis		3 (5)	9.9	5	53 (72)	12.9
Pneumococcal infection		1 (1)	12.4	0	10 (12)	1.5
Rubella (non-congenital)				0	0 (0)	0.1
Varicella (chicken pox)		1 (2)	22.3	1	23 (38)	7.2
Varicella (shingles)	1	2 (4)	37.2	10	97 (135)	22.3
Varicella (unspecified)				43	137 (106)	22.6
Vector-borne diseases						
Arboviral encephalitis	1	2	5.0	1	2 (1)	0.1
Barmah Forest virus		1	17.4	2	5 (1)	0.7
Chikungunya				0	1 (2)	0.2
Dengue fever			2.5	0	8 (57)	3.2
Malaria				1	3 (4)	1.0
Ross River virus	2	6 (1)	238.1	29	139 (39)	26.2
Schistosomiasis				5	20 (17)	4.0
Typhus		(1)	5.0	3	5 (2)	0.5
Zoonotic diseases						
Psittacosis				0	0 (0)	0.1
Q Fever				0	0 (2)	0.1
Other diseases						
Haemolytic Uraemic Syndrome				0	1 (0)	0.1
Legionellosis			2.5	0	1 (4)	0.4
Leprosy			2.5	0	0 (0)	0.0
Melioidosis			5.0	0	0 (1)	0.1
Meningococcal infection				0	1 (1)	0.4
Tuberculosis				1	7 (10)	1.0
Grand Total	21	118 (108)		583	2305 (2543)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 18	
	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	2017	2016
	Salmonella Total	91	74	90	44	39	63	48	37	1182
Serotype/Phage										
Salmonella Aberdeen									1	6
Salmonella Abony		1							1	0
Salmonella Adelaide		1				1			3	0
Salmonella Agona									2	5
Salmonella Albany		1							1	1
Salmonella Anatum						1	1		4	8
Salmonella Anatum var 15+									1	1
Salmonella Bahrenfeld						1			2	2
Salmonella Ball									1	0
Salmonella Bareilly	1					1			4	1
Salmonella Bovismorbificans	2	1				1			9	9
Salmonella Champaign	1								1	0
Salmonella Chester	2	2	1			2	1	2	16	13
Salmonella Choleraesuis bv Australia		3							6	4
Salmonella Corvallis		1							2	6
Salmonella Derby									1	1
Salmonella Eastbourne					1				2	6
Salmonella Enteritidis	4	6	4	1	1	3	4		51	84
Salmonella Fremantle subsp II						1			2	1
Salmonella Give	1	1							5	2
Salmonella Give var 15+									0	0
Salmonella Hadar									1	6
Salmonella Havana				1					3	4
Salmonella Hessarek									1	0
Salmonella Houten subsp IV				1					1	1
Salmonella Hvitvingfoss	1		1					1	9	4
Salmonella Infantis		1	2			1	1		12	23
Salmonella Isangi									1	0
Salmonella Javiana			1						5	4
Salmonella Johannesburg			1		1				5	1
Salmonella Kentucky	1	2							10	5
Salmonella Kiambu	1			1	1				7	19
Salmonella Krefeld									1	0
Salmonella Lansing		1					1		3	2
Salmonella Litchfield			1	2					5	2
Salmonella Liverpool									1	1
Salmonella Mbandaka	1	1							4	16
Salmonella Meleagridis									1	0
Salmonella Montevideo									2	2
Salmonella Muenchen	4					2			12	9
Salmonella Newport	1	1							9	8
Salmonella Ohio									1	0
Salmonella Ohlstedt					1				2	3
Salmonella Onderstepoort									1	0
Salmonella Oranienburg			1				1		2	2
Salmonella Orion	1								2	5
Salmonella Orion var 15+		1							1	0
Salmonella Oslo						1			2	0
Salmonella Panama									0	0

Weekly Report for period 12-MAR-17 to 06-MAY-17

	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	Cumulative Total to end of Week 18	
									2017	2016
Salmonella Total	91	74	90	44	39	63	48	37	1182	811
Serotype/Phage										
Salmonella Paratyphi B bv Java	5	1	3	2	1	2			30	37
Salmonella Poona			2	1					4	2
Salmonella Potsdam									1	2
Salmonella Ramatgan									1	0
Salmonella Reading		1				1			2	1
Salmonella Richmond									1	1
Salmonella Rubislaw						1			2	1
Salmonella Saintpaul	5	1	2			1	3		26	20
Salmonella Sandiego				1					1	0
Salmonella Schwarzengrund						1			6	4
Salmonella Senftenberg									1	8
Salmonella Singapore	3	2	1	3	2	2	1		32	9
Salmonella Stanley		2			2		1		24	14
Salmonella Tennessee			1						2	0
Salmonella Thompson	1					1			2	1
Salmonella Typhimurium	51	42	60	27	27	34	26	8	705	371
Salmonella Urbana									3	0
Salmonella Virchow	1		2	2					12	19
Salmonella Wandsbek subsp II			1						1	2
Salmonella Wandsworth									2	0
Salmonella Waycross			1						1	0
Salmonella Welikade									1	3
Salmonella Weltevreden	2						2		10	8
Salmonella Weltevreden var 15+			1		1				3	1
Salmonella species	2	1	4	2	1	5	6	26	90	40