



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 26-MAR-17 to 20-MAY-17

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 20			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1	1	1				5	10	12	1	2.2	0.5
Hepatitis B (unspecified)	17	10	6	12	4	15	5	10	209	201	219	34	60.8	0.6
Hepatitis C (newly acquired)	5	6	3	3	3	2	3		52	52	59	8	10.1	0.8
Hepatitis C (unspecified)	30	20	14	18	14	28	18	11	422	427	380	71	83.1	0.9
Hepatitis D									3	0	0	0	0.1	0.0
Enteric diseases														
Campylobacteriosis	59	42	50	58	61	78	49	40	1290	1143	1066	228	175.7	1.3
Cryptosporidiosis	20	12	11	13	7	9	5	2	302	133	157	23	25.1	0.9
Hepatitis A	1		1						7	8	10	0	0.9	0.0
Hepatitis E									1	1	2	0	0.1	0.0
Listeriosis									1	2	1	0	0.3	0.0
Paratyphoid fever									3	9	6	0	0.7	0.0
Rotavirus	11	11	10	15	11	23	21	18	224	64	149	73	27.9	2.6
STEC/VTEC infection	3	1		2			1		23	10	0	1	0.5	1.9
Salmonellosis	88	49	41	67	51	44	46	35	1284	931	809	176	118.7	1.5
Shigellosis	2	3	4	3	3	4	4	2	67	40	56	13	4.5	2.9
Typhoid			2	1					4	3	6	0	0.6	0.0
Vibrio parahaemolyticus					2		1		10	15	5	3	1.2	2.5
Yersiniosis						1			3	6	15	1	0.5	1.9
Sexually transmissible infections														
Chlamydia (genital)	266	235	204	180	190	239	203	202	4763	4848	4540	834	913.7	0.9
Gonorrhoea	82	70	87	44	56	73	64	53	1503	1213	839	246	181.3	1.4
Syphilis - Infectious	8	11	8	2	5	9	3	1	141	117	47	18	10.9	1.7
Syphilis - Non-Infectious	4	6	3	3	1	6			53	21	27	7	7.1	1.0
Vaccine preventable diseases														
Influenza	44	28	23	19	20	34	40	15	603	861	978	109	170.1	0.6
Measles					1				12	0	2	1	0.7	1.5
Mumps	1							1	9	388	36	1	13.4	0.1
Pertussis	14	13	18	20	19	10	13	9	396	563	553	51	125.9	0.4
Pneumococcal infection	3	3	4	2	4	1	2	3	47	38	41	10	14.3	0.7
Rubella (non-congenital)	2								2	0	0	0	0.0	0.0
Varicella (chicken pox)	12	6	8	6	8	9	3	4	213	183	140	24	31.5	0.8
Varicella (shingles)	37	34	24	34	41	37	26	19	698	652	554	123	103.0	1.2
Varicella (unspecified)	37	18	23	37	24	31	40	44	673	602	543	139	97.1	1.4
Vector-borne diseases														
Arboviral encephalitis				2					3	8	1	0	0.2	0.0
Barmah Forest virus	2	1		2	1	2		1	21	6	19	4	27.8	0.1
Chikungunya			1	1					6	3	8	0	2.5	0.0
Dengue fever	6	7	4	2	3	2	1	2	93	306	402	8	47.5	0.2
Malaria	1	1	1	1	1			3	30	26	20	4	3.9	1.0
Ross River virus	61	44	41	48	31	28	27	24	789	200	596	110	83.4	1.3
Schistosomiasis	5	5	9	6		6	6	1	118	72	76	13	12.7	1.0
Typhus				1					10	12	9	0	2.1	0.0
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Psittacosis									2	0	0	0	0.0	0.0
Q Fever									3	7	3	0	0.8	0.0
Other diseases														
Haemolytic Uraemic Syndrome			1						3	0	0	0	0.0	0.0
Legionellosis	1								9	17	32	0	5.1	0.0
Leprosy									1	1	0	0	0.3	0.0
Melioidosis									3	2	2	0	0.3	0.0
Meningococcal infection		1			1				10	4	4	1	1.1	0.9
Tuberculosis	3	2	3	3		1	2	1	42	47	59	4	10.4	0.4
Grand Total	825	639	605	606	563	692	583	501						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 20			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1	1	1				4	10	8	1	2.1	0.5
Hepatitis B (unspecified)	13	8	5	10	3	11	5	8	173	166	181	27	39.9	0.7
Hepatitis C (newly acquired)	3	3	1	2	2	2	3		36	42	40	7	7.5	0.9
Hepatitis C (unspecified)	16	19	10	13	7	21	11	10	307	298	272	49	56.0	0.9
Hepatitis D									2	0	0	0	0.1	0.0
Enteric diseases														
Campylobacteriosis	47	31	37	43	45	66	39	30	1034	909	831	180	138.9	1.3
Cryptosporidiosis	10	9	8	8	6	3	2	2	223	84	54	13	15.7	0.8
Hepatitis A	1		1						6	7	9	0	0.9	0.0
Hepatitis E									1	1	1	0	0.1	0.0
Listeriosis									1	1	1	0	0.3	0.0
Paratyphoid fever									3	8	6	0	0.5	0.0
Rotavirus	4	5	5	7	6	8	6	11	124	56	122	31	21.8	1.4
STEC/VTEC infection	3	1		2					14	2	0	1	0.2	5.0
Salmonellosis	65	29	31	49	39	34	33	29	988	703	582	135	82.9	1.6
Shigellosis	1	1	2	1	1			1	16	23	24	3	1.9	1.6
Typhoid				1	1				3	2	6	0	0.5	0.0
Vibrio parahaemolyticus						1		1	9	14	4	2	1.0	2.0
Yersiniosis							1		3	4	12	1	0.3	3.0
Sexually transmissible infections														
Chlamydia (genital)	211	180	155	141	153	188	163	154	3715	3683	3474	658	693.7	0.9
Gonorrhoea	54	45	55	33	38	53	47	32	991	802	506	170	98.3	1.7
Syphilis - Infectious	5	10	6	1	4	7	3	1	101	99	29	15	8.9	1.7
Syphilis - Non-Infectious	4	6	3	3	1	6			48	15	24	7	3.8	1.8
Vaccine preventable diseases														
Influenza	34	24	16	14	14	26	30	10	477	702	748	80	130.0	0.6
Measles					1				11	0	2	1	0.7	1.5
Mumps	1							1	8	6	9	1	2.0	0.5
Pertussis	11	10	14	15	13	7	9	8	317	404	437	37	98.5	0.4
Pneumococcal infection	2	1	2	1	1	1	1	2	31	18	23	5	8.4	0.6
Rubella (non-congenital)	2								2	0	0	0	0.0	0.0
Varicella (chicken pox)	10	5	5	3	6	7	3	3	150	145	109	19	23.9	0.8
Varicella (shingles)	29	26	16	19	31	30	19	13	505	491	429	93	78.4	1.2
Varicella (unspecified)	32	17	21	36	24	27	38	39	623	508	469	128	83.5	1.5
Vector-borne diseases														
Arboviral encephalitis									1	7	1	0	0.2	0.0
Barmah Forest virus				1		1			4	2	7	1	20.1	0.0
Chikungunya			1	1					4	2	6	0	2.1	0.0
Dengue fever	5	6	2	2	3	2		2	77	246	326	7	37.9	0.2
Malaria	1	1	1		1			2	25	20	17	3	3.2	0.9
Ross River virus	25	19	24	19	18	12	13	12	345	115	359	55	39.1	1.4
Schistosomiasis	5	5	8	6		5	6	1	115	70	73	12	12.5	1.0
Typhus									3	7	6	0	1.3	0.0
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Q Fever									1	2	1	0	0.3	0.0
Other diseases														
Haemolytic Uraemic Syndrome			1						3	0	0	0	0.0	0.0
Legionellosis	1								7	10	22	0	4.1	0.0
Melioidosis									0	0	0	0	0.1	0.0
Meningococcal infection		1			1				9	2	1	1	0.7	1.4
Tuberculosis	2	2	1	3			2	1	37	40	45	3	8.0	0.4
Grand Total	597	464	433	435	420	518	436	372						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1 (1)	0.4					(1)	0.1
Hepatitis B (unspecified)	3	7 (14)	6.6	2	5 (14)	7.7	3	15 (17)	9.8
Hepatitis C (newly acquired)			0.7		3 (4)	2.2		4 (6)	2.2
Hepatitis C (unspecified)	3	11 (6)	9.5	4	18 (26)	14.1	3	20 (28)	19.3
Hepatitis D			0.1			0.1			
Enteric diseases									
Campylobacteriosis	13	75 (61)	52.2	11	48 (63)	43.1	6	57 (52)	47.7
Cryptosporidiosis		3 (7)	6.8	1	6 (2)	16.0	1	4 (5)	8.7
Hepatitis A						0.1		(1)	0.7
Hepatitis E									0.1
Listeriosis			0.1						
Paratyphoid fever			0.3					(1)	0.1
Rotavirus	3	9 (3)	5.4	4	10 (1)	5.5	4	12 (1)	6.3
STEC/VTEC infection			0.8		1	0.7			0.4
Salmonellosis	15	57 (56)	44.6	4	37 (42)	47.9	10	41 (24)	44.9
Shigellosis		1 (2)	0.5	1	2 (1)	0.7			1.0
Typhoid						0.3			0.1
Vibrio parahaemolyticus		(1)	0.3		2	0.9		(1)	0.1
Yersiniosis			0.3		1	0.1			
Sexually transmissible infections									
Chlamydia (genital)	49	213 (243)	157.2	35	191 (233)	172.6	70	254 (257)	186.6
Gonorrhoea	14	60 (50)	38.0	6	44 (47)	43.0	12	66 (55)	56.8
Syphilis - Infectious		3 (7)	3.2		2 (2)	2.7	1	10 (10)	8.1
Syphilis - Non-Infectious		2	1.4		2 (1)	1.6		3 (2)	3.6
Vaccine preventable diseases									
Influenza	5	28 (65)	23.3	2	26 (69)	23.6	3	26 (52)	19.4
Measles						1.2		1	0.4
Mumps		(1)	0.1			0.1	1	1 (1)	0.8
Pertussis	5	19 (15)	19.2	2	8 (30)	12.0	1	10 (21)	12.4
Pneumococcal infection		2 (1)	1.1	2	2 (3)	0.7		1 (5)	2.5
Rubella (non-congenital)			0.3						
Varicella (chicken pox)	1	6 (10)	6.6		8 (8)	7.9	2	5 (20)	6.5
Varicella (shingles)	5	33 (39)	25.4	4	29 (26)	22.7	4	31 (22)	21.9
Varicella (unspecified)	15	50 (27)	30.1	12	42 (39)	29.8	12	36 (32)	26.6
Vector-borne diseases									
Arboviral encephalitis					(1)	0.1			
Barmah Forest virus					1	0.4			0.1
Chikungunya						0.4			
Dengue fever		1 (11)	2.9	1	2 (15)	3.9	1	4 (9)	4.0
Malaria		(2)	0.9		1	0.9	2	2 (2)	1.7
Ross River virus	3	14 (7)	10.0	4	22 (7)	21.6	5	19 (4)	17.0
Schistosomiasis		8 (14)	7.8	1	1 (1)	1.9		3 (7)	5.9
Typhus			0.1			0.1		(1)	0.1
Zoonotic diseases									
Psittacosis									
Q Fever						0.1			
Other diseases									
Haemolytic Uraemic Syndrome			0.1			0.1			0.1
Legionellosis		(1)	0.5			0.3		(2)	0.1
Leprosy									
Melioidosis									
Meningococcal infection		1	0.5			0.3			0.4
Tuberculosis		(4)	1.6	1	2 (1)	1.8		1 (4)	1.8
Grand Total	134	604 (648)		97	516 (636)		141	626 (643)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)	1	1 (3)	2.7	2		4.8	1 (3)		10.1
Hepatitis C (newly acquired)				(1)		12.9	1		3.8
Hepatitis C (unspecified)		3 (6)	13.0	2 (3)		24.2	8 (2)		31.6
Hepatitis D									
Enteric diseases									
Campylobacteriosis	5	15 (12)	45.4	4 (9)		40.4	9 (6)		56.9
Cryptosporidiosis		3 (2)	5.9	(1)		1.6	1 (1)		11.4
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		1 (1)	4.9			1.6	1	2	10.1
STEC/VTEC infection		(1)	2.2			1.6			
Salmonellosis	2	12 (15)	32.5	(1)		27.5	3 (5)		36.7
Shigellosis			1.1						3.8
Typhoid			0.5						
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	8	31 (38)	115.2	2	16 (11)	122.8	2	14 (11)	94.9
Gonorrhoea		3 (11)	14.6	1	1	9.7	1	1 (2)	13.9
Syphilis - Infectious		(1)	1.1			1.6			
Syphilis - Non-Infectious									
Vaccine preventable diseases									
Influenza	2	4 (13)	11.4	3	7 (1)	29.1	1 (2)		15.2
Measles									1.3
Mumps									
Pertussis		4 (2)	15.7	2 (1)		30.7	1 (1)		2.5
Pneumococcal infection		1 (2)	1.6				1		1.3
Rubella (non-congenital)									
Varicella (chicken pox)	1	2 (1)	11.4			9.7	1		2.5
Varicella (shingles)	3	14 (12)	41.1	4 (2)		42.0	1	3 (6)	31.6
Varicella (unspecified)		1 (6)	4.3	3 (2)		9.7			
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus			1.1			1.6			
Chikungunya			0.5						
Dengue fever		1 (6)	2.2			1.6	(7)		2.5
Malaria									2.5
Ross River virus	1	10 (7)	58.4	2 (2)		53.3	4	19 (3)	84.8
Schistosomiasis		1	1.1						
Typhus			0.5			1.6			1.3
Zoonotic diseases									
Psittacosis									
Q Fever						1.6	(1)		1.3
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis									
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis		1	0.5			1.6			1.3
Grand Total	23	108 (139)		6	43 (34)		9	66 (50)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)			5.7	1	2 (1)	9.7		(1)	4.3
Hepatitis C (newly acquired)			2.9		(1)	1.6		(1)	2.9
Hepatitis C (unspecified)		2 (6)	25.7	1	3 (1)	17.8		1 (4)	5.8
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	5 (7)	40.0	2	4 (7)	42.1		1 (1)	24.6
Cryptosporidiosis		2	20.0		1 (1)	24.3		1 (1)	21.7
Hepatitis A						1.6			
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		2	12.9	1	8 (1)	37.3	1	10	40.6
STEC/VTEC infection			2.9		(1)	1.6			
Salmonellosis		2 (4)	57.2		1 (2)	47.0	1	10 (2)	60.9
Shigellosis		2 (1)	40.0	1	3	6.5		3	15.9
Typhoid									
Vibrio parahaemolyticus								1	1.4
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	8	25 (33)	178.8	7	18 (57)	202.5	8	25 (45)	214.6
Gonorrhoea	3	11 (17)	60.1	4	15 (14)	150.7	3	12 (13)	134.8
Syphilis - Infectious						1.6			1.4
Syphilis - Non-Infectious						3.2			1.4
Vaccine preventable diseases									
Influenza		8 (2)	30.0		3 (7)	25.9		3 (6)	10.1
Measles									
Mumps								(2)	1.4
Pertussis		2 (1)	7.2		(1)	6.5		1	14.5
Pneumococcal infection	1	1	2.9		(1)	1.6		1	4.3
Rubella (non-congenital)									
Varicella (chicken pox)		(1)	1.4		1 (1)	4.9		1 (1)	26.1
Varicella (shingles)		(1)	5.7	1	1 (2)	34.0	1	3 (2)	18.8
Varicella (unspecified)		2 (3)	32.9	1	1	3.2			1.4
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus						1.6	1	3	8.7
Chikungunya						1.6			
Dengue fever			1.4			3.2		(4)	1.4
Malaria						1.6			1.4
Ross River virus	1	3	15.7	3	11	121.5	2	4	68.1
Schistosomiasis			1.4						
Typhus			1.4			1.6			
Zoonotic diseases									
Psittacosis			2.9						
Q Fever									
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis		(1)	1.4						
Leprosy									
Melioidosis			1.4						
Meningococcal infection									1.4
Tuberculosis									2.9
Grand Total	15	67 (77)		22	72 (98)		17	80 (83)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (6)	0.2
Hepatitis B (unspecified)		1 (2)	17.4	10	34 (56)	7.7
Hepatitis C (newly acquired)				0	8 (13)	1.9
Hepatitis C (unspecified)		3 (4)	44.6	11	71 (87)	15.5
Hepatitis D			2.5	0	0 (0)	0.1
Enteric diseases						
Campylobacteriosis		5 (2)	29.8	40	228 (221)	47.3
Cryptosporidiosis		2 (1)	34.7	2	23 (22)	11.1
Hepatitis A				0	0 (1)	0.3
Hepatitis E				0	0 (0)	0.0
Listeriosis				0	0 (0)	0.0
Paratyphoid fever				0	0 (1)	0.1
Rotavirus	4	19	49.6	18	73 (7)	8.2
STEC/VTEC infection			2.5	0	1 (2)	0.8
Salmonellosis	3	12 (12)	138.9	35	176 (163)	47.1
Shigellosis		2 (1)	5.0	2	13 (5)	2.5
Typhoid				0	0 (1)	0.1
Vibrio parahaemolyticus				0	3 (3)	0.4
Yersiniosis				0	1 (2)	0.1
Sexually transmissible infections						
Chlamydia (genital)	10	39 (42)	607.6	202	834 (983)	174.6
Gonorrhoea	8	32 (33)	572.9	53	246 (246)	55.1
Syphilis - Infectious		2 (1)	84.3	1	18 (22)	5.2
Syphilis - Non-Infectious			2.5	0	7 (3)	1.9
Vaccine preventable diseases						
Influenza		1 (4)	44.6	15	109 (226)	22.1
Measles				0	1 (0)	0.4
Mumps				1	1 (43)	0.3
Pertussis	1	4 (4)	22.3	9	51 (77)	14.5
Pneumococcal infection		1 (1)	12.4	3	10 (13)	1.7
Rubella (non-congenital)				0	0 (0)	0.1
Varicella (chicken pox)		(3)	22.3	4	24 (45)	7.8
Varicella (shingles)		3 (6)	44.6	19	123 (121)	25.6
Varicella (unspecified)	1	1	2.5	44	139 (113)	24.7
Vector-borne diseases						
Arboviral encephalitis			5.0	0	0 (1)	0.1
Barmah Forest virus			17.4	1	4 (0)	0.8
Chikungunya				0	0 (0)	0.2
Dengue fever			2.5	2	8 (54)	3.4
Malaria	1	1	2.5	3	4 (6)	1.1
Ross River virus	1	6 (1)	245.5	24	110 (31)	28.9
Schistosomiasis				1	13 (22)	4.3
Typhus		(1)	5.0	0	0 (3)	0.4
Zoonotic diseases						
Psittacosis				0	0 (0)	0.1
Q Fever				0	0 (1)	0.1
Other diseases						
Haemolytic Uraemic Syndrome				0	0 (0)	0.1
Legionellosis			2.5	0	0 (6)	0.3
Leprosy			2.5	0	0 (0)	0.0
Melioidosis			5.0	0	0 (0)	0.1
Meningococcal infection				0	1 (0)	0.4
Tuberculosis				1	4 (9)	1.1
Grand Total	29	134 (118)		502	2342 (2617)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 20	
	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	2017	2016
	Salmonella Total	88	49	41	67	51	44	46	35	1284
Serotype/Phage										
Salmonella Aberdeen									1	6
Salmonella Abony									1	0
Salmonella Adelaide				1		1			4	2
Salmonella Agona									2	5
Salmonella Albany									1	1
Salmonella Anatum				1	1		1		5	9
Salmonella Anatum var 15+									1	1
Salmonella Bahrenfeld				1					2	2
Salmonella Ball							1		2	0
Salmonella Bareilly				1					4	1
Salmonella Bovismorbificans				1					9	9
Salmonella Champaign									1	0
Salmonella Chester	1			2	1	4	2		20	16
Salmonella Choleraesuis bv Australia						1			7	5
Salmonella Corvallis						1	1		4	6
Salmonella Derby									1	1
Salmonella Eastbourne			1					1	3	6
Salmonella Enteritidis	4	1	1	4	4	2	1		55	92
Salmonella Fremantle subsp II				1					2	1
Salmonella Give									5	2
Salmonella Give var 15+									0	0
Salmonella Hadar									1	6
Salmonella Havana		1							3	4
Salmonella Hessarek									1	0
Salmonella Houten subsp IV		1							1	1
Salmonella Hvittingfoss	1					2			10	5
Salmonella Infantis	2			1	2				13	25
Salmonella Isangi									1	0
Salmonella Javiana	1								5	4
Salmonella Johannesburg	1		1						5	1
Salmonella Kentucky							1		11	8
Salmonella Kiambu		1	1						7	21
Salmonella Krefeld									1	0
Salmonella Lansing					1				3	2
Salmonella Litchfield	1	2							5	2
Salmonella Liverpool									1	3
Salmonella Mbandaka									4	18
Salmonella Meleagridis									1	0
Salmonella Montevideo									2	3
Salmonella Muenchen				2	1		2		15	9
Salmonella Newport						1			10	14
Salmonella Ohio									1	0
Salmonella Ohlstedt			1						2	3
Salmonella Onderstepoort									1	0
Salmonella Oranienburg	1				1				2	4
Salmonella Orion									2	5
Salmonella Orion var 15+									1	0
Salmonella Oslo				1					2	0
Salmonella Panama									0	0

Weekly Report for period 26-MAR-17 to 20-MAY-17

	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	Cumulative Total to end of Week 20	
									2017	2016
Salmonella Total	88	49	41	67	51	44	46	35	1284	888
Serotype/Phage										
Salmonella Paratyphi B bv Java	3	2	1	3	2	2	4		39	37
Salmonella Poona	2	1							4	2
Salmonella Potsdam									1	2
Salmonella Ramatgan									1	0
Salmonella Reading				1	1				3	1
Salmonella Richmond									1	1
Salmonella Rubislaw				2	1				4	1
Salmonella Saintpaul	2			2	3		1		28	22
Salmonella Sandiego		1							1	0
Salmonella Schwarzengrund				1					6	4
Salmonella Senftenberg								1	2	8
Salmonella Singapore	1	3	2	2	1	2			34	10
Salmonella Stanley			2		1	1		1	26	14
Salmonella Tennessee	1						1		3	0
Salmonella Thompson				1					2	1
Salmonella Typhimurium	59	32	28	37	26	25	25	8	764	400
Salmonella Urbana									3	0
Salmonella Virchow	2	2				1	1		15	19
Salmonella Wandsbek subsp II	1						1		2	2
Salmonella Wandsworth								1	3	0
Salmonella Waycross	1								1	0
Salmonella Welikade									1	3
Salmonella Weltevreden					2				10	11
Salmonella Weltevreden var 15+	1		1						3	1
Salmonella species	3	2	2	2	3	1	4	23	86	46