



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program Communicable Disease Control Directorate

Report for eight week period 02-APR-17 to 27-MAY-17

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 21			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)		1	1	1					5	11	12	0	2.5	0.0
Hepatitis B (unspecified)	10	6	12	4	15	5	10	15	224	217	227	45	61.8	0.7
Hepatitis C (newly acquired)	5	3	2	3	4	3		1	54	53	62	8	10.5	0.8
Hepatitis C (unspecified)	21	14	19	14	26	18	11	33	454	457	396	88	83.4	1.1
Hepatitis D									3	1	0	0	0.2	0.0
Enteric diseases														
Campylobacteriosis	43	50	58	61	77	54	46	41	1342	1198	1127	218	177.1	1.2
Cryptosporidiosis	12	11	13	7	9	5	3	7	310	140	162	24	23.3	1.0
Hepatitis A		1						1	8	8	10	1	1.3	0.8
Hepatitis E									1	1	2	0	0.0	0.0
Listeriosis									1	2	1	0	0.3	0.0
Paratyphoid fever									3	9	6	0	0.7	0.0
Rotavirus	11	11	16	11	23	27	30	20	263	67	173	100	30.5	3.3
STEC/VTEC infection	1		2			1		2	25	11	0	3	0.5	6.4
Salmonellosis	48	43	67	54	47	49	37	53	1349	958	831	186	111.7	1.7
Shigellosis	3	4	3	3	4	4	3	2	70	42	56	13	4.3	3.0
Typhoid			2	1					4	4	6	0	0.7	0.0
Vibrio parahaemolyticus				2		1			10	16	5	1	1.1	0.9
Yersiniosis					1		1		4	6	15	2	0.5	4.3
Sexually transmissible infections														
Chlamydia (genital)	235	206	184	191	240	208	203	189	4966	5110	4783	840	911.8	0.9
Gonorrhoea	70	87	44	56	75	67	60	41	1555	1293	884	243	182.4	1.3
Syphilis - Infectious	10	8	2	4	10	1	4	7	148	123	48	22	10.5	2.1
Syphilis - Non-Infectious	6	4	3	1	6	1	1	2	58	22	28	10	8.0	1.3
Vaccine preventable diseases														
Influenza	28	23	19	20	34	41	22	26	637	926	1050	123	186.4	0.7
Measles				1					12	0	2	0	0.8	0.0
Mumps							2		10	401	38	2	13.3	0.2
Pertussis	13	18	21	19	11	20	11	11	418	582	583	53	123.5	0.4
Pneumococcal infection	3	4	2	4	2	2	5	1	51	40	44	10	15.1	0.7
Rubella (non-congenital)									2	0	0	0	0.1	0.0
Varicella (chicken pox)	6	8	6	8	9	3	4	2	215	192	156	18	32.4	0.6
Varicella (shingles)	34	24	34	42	37	32	33	16	736	673	579	118	102.5	1.2
Varicella (unspecified)	18	23	37	23	31	37	34	61	718	635	581	163	98.2	1.7
Vector-borne diseases														
Arboviral encephalitis			2						3	8	1	0	0.1	0.0
Barmah Forest virus	1		2	1	2		1	1	22	7	20	4	26.9	0.1
Chikungunya		1	1						6	3	8	0	2.4	0.0
Dengue fever	7	4	2	3	2	2	1	1	94	321	415	6	44.9	0.1
Malaria	1	1	1	1			3		30	26	20	3	3.9	0.8
Ross River virus	43	41	50	31	30	26	21	21	811	207	618	98	75.6	1.3
Schistosomiasis	5	9	6		6	6	3	3	123	79	77	18	13.7	1.3
Typhus								1	10	12	12	1	2.0	0.5
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Psittacosis									2	0	0	0	0.0	0.0
Q Fever									3	7	3	0	0.7	0.0
Other diseases														
Haemolytic Uraemic Syndrome		1							3	0	0	0	0.0	0.0
Legionellosis					1		1	1	12	20	32	3	5.7	0.5
Leprosy									1	1	0	0	0.3	0.0
Melioidosis									3	2	2	0	0.2	0.0
Meningococcal infection	1			1					10	4	4	0	1.1	0.0
Tuberculosis	2	3	3		1	2	1	1	43	48	60	5	10.3	0.5
Grand Total	637	611	613	566	703	615	552	559						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 21			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)		1	1	1					4	11	8	0	2.4	0.0
Hepatitis B (unspecified)	8	5	10	3	11	5	8	14	187	180	185	38	40.3	0.9
Hepatitis C (newly acquired)	3	1	1	2	4	3		1	39	43	42	8	7.6	1.1
Hepatitis C (unspecified)	19	10	14	7	19	11	10	23	328	319	281	63	56.7	1.1
Hepatitis D									2	1	0	0	0.1	0.0
Enteric diseases														
Campylobacteriosis	32	37	43	45	65	41	34	32	1072	958	875	172	138.9	1.2
Cryptosporidiosis	9	8	8	6	3	2	3	4	228	90	56	12	14.7	0.8
Hepatitis A		1							6	7	9	0	1.1	0.0
Hepatitis E									1	1	1	0	0.0	0.0
Listeriosis									1	1	1	0	0.2	0.0
Paratyphoid fever									3	8	6	0	0.4	0.0
Rotavirus	5	5	7	6	8	8	10	10	135	58	138	36	23.8	1.5
STEC/VTEC infection	1		2			1			14	2	0	1	0.1	7.5
Salmonellosis	29	32	48	41	35	38	28	30	1025	723	600	131	78.4	1.7
Shigellosis	1	2	1	1		1	1	1	17	25	24	3	1.8	1.7
Typhoid		1	1						3	3	6	0	0.5	0.0
Vibrio parahaemolyticus				1		1			9	15	4	1	0.9	1.1
Yersiniosis					1		1		4	4	12	2	0.3	7.5
Sexually transmissible infections														
Chlamydia (genital)	180	157	144	154	188	164	153	147	3868	3884	3679	652	691.6	0.9
Gonorrhoea	45	55	33	38	54	50	35	29	1026	856	531	168	98.1	1.7
Syphilis - Infectious	9	6	1	3	8	1	2	5	104	102	29	16	8.3	1.9
Syphilis - Non-Infectious	6	4	3	1	6	1	1	1	52	16	25	9	3.9	2.3
Vaccine preventable diseases														
Influenza	24	16	14	14	26	31	14	21	503	759	804	92	145.3	0.6
Measles				1					11	0	2	0	0.8	0.0
Mumps							1		8	9	9	1	2.2	0.5
Pertussis	10	14	15	13	7	12	9	6	327	418	457	34	97.8	0.3
Pneumococcal infection	1	2	1	1	2	1	3	1	34	19	26	7	8.7	0.8
Rubella (non-congenital)									2	0	0	0	0.1	0.0
Varicella (chicken pox)	5	5	3	6	7	3	3	2	152	152	123	15	24.2	0.6
Varicella (shingles)	26	16	19	32	30	23	26	7	530	509	451	86	78.4	1.1
Varicella (unspecified)	17	21	36	23	27	36	29	53	662	537	506	145	85.1	1.7
Vector-borne diseases														
Arboviral encephalitis									1	7	1	0	0.1	0.0
Barmah Forest virus			1		1			1	5	2	7	2	19.4	0.1
Chikungunya		1	1						4	2	6	0	2.0	0.0
Dengue fever	6	2	2	3	2	1	1	1	78	259	334	5	35.4	0.1
Malaria	1	1		1			2		25	20	17	2	3.2	0.6
Ross River virus	19	24	20	18	14	13	9	18	365	117	365	54	34.3	1.6
Schistosomiasis	5	8	6		5	6	3	3	120	77	74	17	13.5	1.3
Typhus									3	7	7	0	1.3	0.0
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Q Fever									1	2	1	0	0.3	0.0
Other diseases														
Haemolytic Uraemic Syndrome		1							3	0	0	0	0.0	0.0
Legionellosis							1		8	13	22	1	4.4	0.2
Melioidosis									0	0	0	0	0.0	0.0
Meningococcal infection	1			1					9	2	1	0	0.7	0.0
Tuberculosis	2	1	3			2	1	1	38	41	46	4	7.8	0.5
Grand Total	464	437	438	422	523	455	388	411						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		(2)	0.4						0.1
Hepatitis B (unspecified)	7	13 (23)	7.5	1	6 (31)	7.9	6	19 (27)	10.6
Hepatitis C (newly acquired)			0.7		5 (3)	2.7	1	3 (6)	2.2
Hepatitis C (unspecified)	12	20 (10)	11.0	5	21 (28)	14.5	6	22 (30)	20.1
Hepatitis D			0.1			0.1			
Enteric diseases									
Campylobacteriosis	12	76 (58)	54.0	7	42 (64)	44.3	13	54 (60)	49.9
Cryptosporidiosis	2	3 (8)	7.1	1	6 (1)	16.3	1	3 (6)	8.8
Hepatitis A						0.1		(1)	0.7
Hepatitis E									0.1
Listeriosis			0.1						
Paratyphoid fever			0.3					(1)	0.1
Rotavirus	4	13 (4)	5.9	4	13	6.1	2	10 (1)	6.8
STEC/VTEC infection			0.8		1	0.7			0.4
Salmonellosis	9	52 (49)	46.0	7	28 (35)	49.2	14	51 (32)	47.3
Shigellosis		(2)	0.5		2 (2)	0.7	1	1 (1)	1.1
Typhoid						0.3		(1)	0.1
Vibrio parahaemolyticus			0.3		1	0.9		(2)	0.1
Yersiniosis			0.3		1	0.1		1	0.1
Sexually transmissible infections									
Chlamydia (genital)	50	213 (258)	164.0	38	187 (226)	178.7	59	252 (275)	195.0
Gonorrhoea	3	53 (59)	38.7	9	46 (47)	44.6	17	69 (67)	59.4
Syphilis - Infectious	2	3 (5)	3.2	1	3 (1)	3.0	2	10 (10)	8.3
Syphilis - Non-Infectious		4	1.7		1 (1)	1.5	1	4 (3)	4.0
Vaccine preventable diseases									
Influenza	9	33 (73)	24.7	6	28 (66)	24.6	6	31 (63)	20.5
Measles						1.2			0.4
Mumps		(2)	0.1			0.1		1 (2)	0.8
Pertussis	2	16 (17)	19.6	4	11 (29)	12.9		7 (22)	12.5
Pneumococcal infection	1	3 (1)	1.3		2 (3)	0.7		2 (5)	2.6
Rubella (non-congenital)			0.3						
Varicella (chicken pox)	1	4 (11)	6.7		6 (7)	7.9	1	5 (21)	6.6
Varicella (shingles)	5	37 (36)	26.8	1	20 (28)	23.4	1	29 (24)	23.2
Varicella (unspecified)	12	48 (32)	30.9	25	56 (33)	32.9	16	41 (32)	28.3
Vector-borne diseases									
Arboviral encephalitis						0.1			
Barmah Forest virus	1	1	0.1		1	0.4			0.1
Chikungunya						0.4			0.1
Dengue fever		1 (12)	2.9		1 (11)	3.9	1	3 (11)	4.1
Malaria		(2)	0.9			0.9		2 (2)	1.7
Ross River virus	2	12 (5)	10.3	12	22 (6)	23.4	4	20 (6)	17.8
Schistosomiasis	2	12 (14)	8.3	1	2 (1)	2.1		3 (11)	5.9
Typhus			0.1			0.1			0.1
Zoonotic diseases									
Psittacosis									
Q Fever						0.1			
Other diseases									
Haemolytic Uraemic Syndrome			0.1			0.1			0.1
Legionellosis		1 (2)	0.7		(1)	0.3		(3)	0.1
Leprosy									
Melioidosis									
Meningococcal infection			0.5			0.3			0.4
Tuberculosis		(4)	1.6		2 (2)	1.8	1	2 (4)	1.9
Grand Total	136	618 (689)		122	514 (626)		153	645 (729)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)		1 (4)	2.7		2	4.8	1	1 (4)	11.4
Hepatitis C (newly acquired)					(1)	12.9			2.5
Hepatitis C (unspecified)	3	5 (8)	14.6	1	2 (2)	25.9	3	10 (1)	36.7
Hepatitis D									
Enteric diseases									
Campylobacteriosis	4	16 (13)	48.1	1	3 (10)	42.0		6 (4)	58.2
Cryptosporidiosis		3 (2)	5.9			1.6		1 (1)	11.4
Hepatitis A		1	0.5						
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus	1	2 (1)	5.4			1.6		1	10.1
STEC/VTEC infection		(2)	2.2			1.6	1	1	1.3
Salmonellosis		8 (16)	33.0	1	1 (1)	30.7	1	2 (4)	38.0
Shigellosis			1.1						3.8
Typhoid			0.5						
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	8	34 (41)	120.1	5	16 (12)	130.9	4	15 (16)	99.9
Gonorrhoea	2	6 (13)	16.2		1	9.7		1 (1)	13.9
Syphilis - Infectious		(1)	1.1			1.6			
Syphilis - Non-Infectious	1	1	0.5						
Vaccine preventable diseases									
Influenza	1	6 (13)	12.4	2	9 (1)	32.3		(1)	15.2
Measles									1.3
Mumps									
Pertussis	1	3 (4)	16.8		2 (3)	32.3	1	2 (1)	3.8
Pneumococcal infection		2 (1)	2.2						1.3
Rubella (non-congenital)									
Varicella (chicken pox)		2 (1)	11.4			9.7		1	2.5
Varicella (shingles)	5	14 (14)	43.8		2 (1)	43.6	2	4 (3)	34.2
Varicella (unspecified)	1	2 (4)	4.9	1	4 (2)	11.3			
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus			1.1			1.6			
Chikungunya			0.5						
Dengue fever		1 (5)	2.2			1.6		(3)	2.5
Malaria									2.5
Ross River virus	1	7 (9)	58.4		1 (4)	53.3	1	17 (1)	84.8
Schistosomiasis		1	1.1						
Typhus						1.6			1.3
Zoonotic diseases									
Psittacosis									
Q Fever						1.6			1.3
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis					1	1.6	1	1 (1)	1.3
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis		1	0.5			1.6			1.3
Grand Total	28	116 (152)		11	44 (37)		15	63 (41)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)			5.7		2 (2)	9.7		(2)	4.3
Hepatitis C (newly acquired)			2.9		(1)	1.6		(1)	2.9
Hepatitis C (unspecified)	1	1 (9)	27.2		3 (1)	17.8		1 (5)	5.8
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	5 (8)	41.5	1	6 (7)	45.4	1	2	27.5
Cryptosporidiosis	1	3 (1)	21.5	1	2 (1)	25.9	1	2 (1)	23.2
Hepatitis A						1.6			
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		1 (1)	12.9	1	8 (1)	38.9	2	14	50.7
STEC/VTEC infection	1	1	4.3		(1)	1.6			
Salmonellosis	2	3 (2)	60.1	17	18 (3)	74.5		8 (3)	62.3
Shigellosis		2 (1)	40.0		4	8.1		2	15.9
Typhoid									
Vibrio parahaemolyticus									1.4
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	2	23 (40)	183.1	7	21 (59)	213.9	6	27 (41)	224.7
Gonorrhoea	1	9 (17)	61.5	1	13 (15)	152.3	2	13 (14)	139.2
Syphilis - Infectious				1	2	4.9	1	1	2.9
Syphilis - Non-Infectious						3.2			1.4
Vaccine preventable diseases									
Influenza	2	11 (1)	35.8		2 (6)	25.9		1 (8)	10.1
Measles									
Mumps					1 (6)	1.6		(2)	1.4
Pertussis		(1)	7.2		(2)	6.5	1	3	17.4
Pneumococcal infection		1 (1)	2.9		(1)	1.6		(1)	4.3
Rubella (non-congenital)									
Varicella (chicken pox)			1.4		(2)	4.9		(1)	26.1
Varicella (shingles)		1 (1)	8.6		1	34.0		3 (1)	18.8
Varicella (unspecified)	2	3 (5)	32.9	2	3	6.5		1	2.9
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus					(1)	1.6		2	8.7
Chikungunya						1.6			
Dengue fever		(1)	1.4			3.2		(4)	1.4
Malaria						1.6			1.4
Ross River virus		3	17.2		7	121.5		3	68.1
Schistosomiasis			1.4						
Typhus			1.4	1	1	3.2			
Zoonotic diseases									
Psittacosis			2.9						
Q Fever									
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis		(1)	1.4						
Leprosy									
Melioidosis			1.4						
Meningococcal infection									1.4
Tuberculosis									2.9
Grand Total	13	67 (90)		32	94 (109)		14	83 (84)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	0 (4)	0.2
Hepatitis B (unspecified)		1 (3)	17.4	15	45 (99)	8.2
Hepatitis C (newly acquired)				1	8 (12)	2.0
Hepatitis C (unspecified)	1	2 (3)	47.1	33	88 (99)	16.5
Hepatitis D			2.5	0	0 (1)	0.1
Enteric diseases						
Campylobacteriosis	1	5 (2)	34.7	41	218 (227)	49.2
Cryptosporidiosis		1 (1)	34.7	7	24 (22)	11.4
Hepatitis A				0	1 (1)	0.3
Hepatitis E				0	0 (0)	0.0
Listeriosis				0	0 (0)	0.0
Paratyphoid fever				0	0 (1)	0.1
Rotavirus	5	37	94.2	20	100 (8)	9.6
STEC/VTEC infection			2.5	2	3 (3)	0.9
Salmonellosis	2	15 (11)	148.8	53	186 (156)	49.5
Shigellosis		1 (1)	5.0	2	13 (7)	2.6
Typhoid				0	0 (2)	0.1
Vibrio parahaemolyticus				0	1 (2)	0.4
Yersiniosis				0	2 (1)	0.1
Sexually transmissible infections						
Chlamydia (genital)	8	43 (55)	637.4	189	840*****	182.0
Gonorrhoea	6	31 (41)	595.2	41	243 (277)	57.0
Syphilis - Infectious		2 (4)	86.8	7	22 (21)	5.4
Syphilis - Non-Infectious			2.5	2	10 (4)	2.0
Vaccine preventable diseases						
Influenza		(3)	44.6	26	123 (240)	23.4
Measles				0	0 (0)	0.4
Mumps				0	2 (46)	0.4
Pertussis	2	9 (1)	37.2	11	53 (80)	15.3
Pneumococcal infection		(1)	12.4	1	10 (14)	1.9
Rubella (non-congenital)				0	0 (0)	0.1
Varicella (chicken pox)		(3)	22.3	2	18 (46)	7.9
Varicella (shingles)	1	5 (4)	49.6	16	118 (114)	27.0
Varicella (unspecified)	1	1	2.5	61	163 (113)	26.3
Vector-borne diseases						
Arboviral encephalitis			5.0	0	0 (0)	0.1
Barmah Forest virus			17.4	1	4 (1)	0.8
Chikungunya				0	0 (0)	0.2
Dengue fever			2.5	1	6 (49)	3.4
Malaria		1	2.5	0	3 (6)	1.1
Ross River virus	1	6 (1)	248.0	21	98 (32)	29.7
Schistosomiasis				3	18 (26)	4.5
Typhus		(1)	5.0	1	1 (2)	0.4
Zoonotic diseases						
Psittacosis				0	0 (0)	0.1
Q Fever				0	0 (0)	0.1
Other diseases						
Haemolytic Uraemic Syndrome				0	0 (0)	0.1
Legionellosis			2.5	1	3 (8)	0.4
Leprosy			2.5	0	0 (0)	0.0
Melioidosis			5.0	0	0 (0)	0.1
Meningococcal infection				0	0 (0)	0.4
Tuberculosis				1	5 (10)	1.1
Grand Total	28	160 (135)		560	2432 (2770)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 21	
	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	2017	2016
	Salmonella Total	48	43	67	54	47	49	37	53	1349
Serotype/Phage										
Salmonella Aberdeen									1	6
Salmonella Abony									1	0
Salmonella Adelaide			1		1				4	2
Salmonella Agona									2	6
Salmonella Albany									1	1
Salmonella Anatum			1	1		1		1	6	9
Salmonella Anatum var 15+									1	1
Salmonella Bahrenfeld			1				1		3	2
Salmonella Ball						1			2	0
Salmonella Bareilly			1						4	1
Salmonella Bovismorbificans			2				1	1	12	11
Salmonella Bredeney							1		1	2
Salmonella Champaign									1	0
Salmonella Charity							1		1	1
Salmonella Chester			2	1	4	2			20	16
Salmonella Choleraesuis bv Australia					1				7	5
Salmonella Corvallis					1	1			4	6
Salmonella Derby									1	1
Salmonella Eastbourne		1					1		3	6
Salmonella Enteritidis	1	1	4	4	2	1	2	1	58	97
Salmonella Fremantle subsp II			1						2	1
Salmonella Give									5	2
Salmonella Give var 15+									0	0
Salmonella Hadar									1	6
Salmonella Havana	1								3	4
Salmonella Hessarek									1	0
Salmonella Houten subsp IV	1								1	1
Salmonella Hvittingfoss					2				10	5
Salmonella Infantis			1	2			2	1	16	25
Salmonella Isangi									1	0
Salmonella Javiana									5	4
Salmonella Johannesburg		1							5	1
Salmonella Kentucky						1			11	9
Salmonella Kiambu	1	1							7	21
Salmonella Krefeld									1	0
Salmonella Lansing				1					3	2
Salmonella Litchfield	2								5	2
Salmonella Liverpool									1	3
Salmonella Mbandaka									4	18
Salmonella Meleagridis									1	0
Salmonella Montevideo							1		3	3
Salmonella Muenchen			2	1	1	2			16	9
Salmonella Newport					1				10	15
Salmonella Ohio									1	0
Salmonella Ohlstedt		1							2	3
Salmonella Onderstepoort									1	0
Salmonella Oranienburg				1					2	4
Salmonella Orion									2	5
Salmonella Orion var 15+									1	0

Weekly Report for period 02-APR-17 to 27-MAY-17

	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	Cumulative Total to end of Week 21	
									2017	2016
Salmonella Total	48	43	67	54	47	49	37	53	1349	918
Serotype/Phage										
Salmonella Oslo			1						2	0
Salmonella Panama									0	0
Salmonella Paratyphi B bv Java	2	1	3	2	2	4	1		40	39
Salmonella Poona	1	1							5	2
Salmonella Potsdam									1	2
Salmonella Ramatgan									1	0
Salmonella Reading			1	1				1	4	1
Salmonella Richmond									1	1
Salmonella Rubislaw			2	1				1	5	1
Salmonella Saintpaul			2	3		1			28	22
Salmonella San Diego	1								1	0
Salmonella Schwarzengrund			1						6	4
Salmonella Senftenberg					2				3	8
Salmonella Singapore	3	2	2	1	2		1	1	36	11
Salmonella Stanley		2		1	1		1		26	14
Salmonella Tennessee						1			3	0
Salmonella Thompson			1						2	1
Salmonella Typhimurium	31	30	36	29	25	29	19	26	808	413
Salmonella Urbana									3	0
Salmonella Virchow	2				2				15	19
Salmonella Wandsbek subsp II						1			2	2
Salmonella Wandsworth							1		3	0
Salmonella Waycross									1	0
Salmonella Welikade									1	3
Salmonella Weltevreden				2					10	12
Salmonella Weltevreden var 15+		1							3	1
Salmonella species	2	1	2	3		4	4	20	85	46