



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program Communicable Disease Control Directorate

Report for eight week period 23-APR-17 to 17-JUN-17

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

| Disease Category/Disease | Week Ending | | | | | | | | Cumulative Total to end of week 24 | | | Total Last 4 Weeks | Mean of 15 x 4 week periods[3] | Ratio [4] |
|--|--------------------------------|------------|------------|------------|------------|------------|------------|------------|------------------------------------|------|------|--------------------|--------------------------------|-----------|
| | 29/04 | 06/05 | 13/05 | 20/05 | 27/05 | 03/06 | 10/06 | 17/06 | 2017 | 2016 | 2015 | | | |
| | Blood-borne diseases[2] | | | | | | | | | | | | | |
| Hepatitis B (newly acquired) | 1 | | | | | 1 | | 1 | 7 | 13 | 13 | 2 | 2.4 | 0.8 |
| Hepatitis B (unspecified) | 4 | 15 | | 9 | 15 | 6 | 10 | 15 | 250 | 297 | 240 | 46 | 65.5 | 0.7 |
| Hepatitis C (newly acquired) | 3 | 3 | 3 | | 1 | 1 | 1 | 1 | 55 | 63 | 72 | 4 | 10.3 | 0.4 |
| Hepatitis C (unspecified) | 14 | 27 | 18 | 11 | 29 | 20 | 20 | 28 | 520 | 514 | 466 | 97 | 82.8 | 1.2 |
| Hepatitis D | | | | | | | | | 3 | 1 | 0 | 0 | 0.2 | 0.0 |
| Enteric diseases | | | | | | | | | | | | | | |
| Campylobacteriosis | 62 | 76 | 55 | 48 | 47 | 51 | 45 | 48 | 1498 | 1384 | 1277 | 191 | 178.5 | 1.1 |
| Cryptosporidiosis | 7 | 10 | 6 | 5 | 7 | 5 | 6 | 1 | 327 | 153 | 167 | 19 | 17.4 | 1.1 |
| Hepatitis A | | | | 1 | | | | | 8 | 8 | 11 | 0 | 1.0 | 0.0 |
| Hepatitis E | | | | | | | | | 1 | 1 | 2 | 0 | 0.1 | 0.0 |
| Listeriosis | | | | | | | | | 1 | 2 | 1 | 0 | 0.1 | 0.0 |
| Paratyphoid fever | | | | 1 | | | | | 4 | 9 | 7 | 0 | 0.7 | 0.0 |
| Rotavirus | 11 | 23 | 29 | 31 | 33 | 16 | 10 | 9 | 314 | 71 | 260 | 68 | 39.9 | 1.7 |
| STEC/VTEC infection | | | 1 | | 2 | | | | 25 | 12 | 0 | 2 | 0.5 | 3.8 |
| Salmonellosis | 54 | 49 | 53 | 39 | 65 | 37 | 36 | 38 | 1473 | 1050 | 903 | 176 | 102.2 | 1.7 |
| Shigellosis | 4 | 4 | 4 | 4 | 1 | 3 | | 2 | 75 | 48 | 62 | 6 | 4.0 | 1.5 |
| Typhoid | | | | | 1 | | | | 5 | 4 | 6 | 1 | 0.7 | 1.5 |
| Vibrio parahaemolyticus | 2 | | 1 | | | | | | 10 | 17 | 5 | 0 | 1.1 | 0.0 |
| Yersiniosis | | 1 | | 2 | | 1 | | | 6 | 6 | 16 | 1 | 0.7 | 1.5 |
| Sexually transmissible infections | | | | | | | | | | | | | | |
| Chlamydia (genital) | 189 | 249 | 211 | 216 | 192 | 221 | 188 | 201 | 5606 | 5770 | 5445 | 802 | 906.6 | 0.9 |
| Gonorrhoea | 55 | 75 | 68 | 61 | 54 | 65 | 51 | 50 | 1735 | 1491 | 1014 | 220 | 180.1 | 1.2 |
| Syphilis - Infectious | 2 | 9 | 2 | 4 | 8 | 3 | 3 | 1 | 155 | 150 | 57 | 15 | 11.5 | 1.3 |
| Syphilis - Non-Infectious | 1 | 7 | 2 | 1 | 2 | 2 | 2 | 2 | 66 | 26 | 32 | 8 | 9.9 | 0.8 |
| Vaccine preventable diseases | | | | | | | | | | | | | | |
| Influenza | 20 | 34 | 41 | 27 | 37 | 46 | 27 | 50 | 776 | 1113 | 1390 | 160 | 336.7 | 0.5 |
| Measles | 1 | | | | | | | | 12 | 0 | 4 | 0 | 1.3 | 0.0 |
| Mumps | | | 1 | 1 | | | 1 | | 11 | 422 | 50 | 1 | 11.2 | 0.1 |
| Pertussis | 19 | 14 | 24 | 18 | 13 | 12 | 9 | 13 | 469 | 641 | 680 | 47 | 129.5 | 0.4 |
| Pneumococcal infection | 4 | 4 | 2 | 5 | 4 | 3 | 2 | 3 | 64 | 53 | 55 | 12 | 19.7 | 0.6 |
| Rubella (non-congenital) | | | | | | | | | 2 | 0 | 0 | 0 | 0.1 | 0.0 |
| Varicella (chicken pox) | 9 | 9 | 3 | 4 | 9 | 11 | 16 | 4 | 254 | 228 | 183 | 40 | 34.9 | 1.1 |
| Varicella (shingles) | 42 | 41 | 36 | 41 | 31 | 24 | 21 | 13 | 828 | 772 | 660 | 89 | 104.7 | 0.8 |
| Varicella (unspecified) | 23 | 28 | 36 | 30 | 43 | 42 | 40 | 43 | 815 | 722 | 671 | 168 | 97.9 | 1.7 |
| Vector-borne diseases | | | | | | | | | | | | | | |
| Arboviral encephalitis | | 1 | | | | | | | 4 | 8 | 1 | 0 | 0.1 | 0.0 |
| Barmah Forest virus | 1 | 2 | | 1 | 2 | | 2 | | 25 | 7 | 24 | 4 | 21.5 | 0.2 |
| Chikungunya | | | | | | | | | 6 | 3 | 8 | 0 | 2.2 | 0.0 |
| Dengue fever | 3 | 2 | 3 | 1 | 3 | 2 | 4 | | 103 | 345 | 434 | 9 | 39.3 | 0.2 |
| Malaria | 1 | | | 3 | 1 | 1 | 2 | 4 | 38 | 27 | 23 | 8 | 4.0 | 2.0 |
| Ross River virus | 31 | 31 | 25 | 21 | 17 | 13 | 14 | 19 | 857 | 220 | 673 | 63 | 59.7 | 1.1 |
| Schistosomiasis | | 6 | 6 | 3 | 4 | 9 | 3 | 4 | 140 | 95 | 102 | 20 | 13.3 | 1.5 |
| Typhus | | | | 1 | | | | | 10 | 14 | 12 | 0 | 2.1 | 0.0 |
| Zoonotic diseases | | | | | | | | | | | | | | |
| Brucellosis | | | | | | | | | 0 | 0 | 0 | 0 | 0.0 | 0.0 |
| Leptospirosis | 1 | | | 1 | 1 | | | | 3 | 3 | 0 | 1 | 0.1 | 7.5 |
| Psittacosis | | | | | | | | | 2 | 0 | 0 | 0 | 0.0 | 0.0 |
| Q Fever | | | | 1 | | | | | 4 | 7 | 5 | 0 | 0.3 | 0.0 |
| Other diseases | | | | | | | | | | | | | | |
| Haemolytic Uraemic Syndrome | | | | | | | | | 3 | 0 | 0 | 0 | 0.1 | 0.0 |
| Legionellosis | | 1 | 2 | 1 | | 2 | 1 | 3 | 19 | 27 | 34 | 6 | 6.3 | 0.9 |
| Leprosy | | | | | | | | | 1 | 1 | 0 | 0 | 0.3 | 0.0 |
| Melioidosis | | | | | | | | | 4 | 2 | 2 | 0 | 0.1 | 0.0 |
| Meningococcal infection | 1 | | | | | | | 1 | 11 | 5 | 4 | 1 | 1.4 | 0.7 |
| Tuberculosis | | 1 | 2 | 1 | 1 | 4 | 2 | 4 | 53 | 57 | 66 | 11 | 12.0 | 0.9 |
| Grand Total | 565 | 722 | 639 | 593 | 623 | 601 | 516 | 558 | | | | | | |

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

| Disease Category/Disease | Week Ending | | | | | | | | Cumulative Total to end of week 24 | | | Total Last 4 Weeks | Mean of 15 x 4 week periods[3] | Ratio [4] |
|--|--------------------------------|------------|------------|------------|------------|------------|------------|------------|------------------------------------|------|------|--------------------|--------------------------------|-----------|
| | 29/04 | 06/05 | 13/05 | 20/05 | 27/05 | 03/06 | 10/06 | 17/06 | 2017 | 2016 | 2015 | | | |
| | Blood-borne diseases[2] | | | | | | | | | | | | | |
| Hepatitis B (newly acquired) | 1 | | | | | | | | 5 | 13 | 9 | 1 | 2.3 | 0.4 |
| Hepatitis B (unspecified) | 3 | 11 | 5 | 7 | 14 | 6 | 9 | 13 | 211 | 248 | 193 | 42 | 40.6 | 1.0 |
| Hepatitis C (newly acquired) | 2 | 3 | 3 | | 1 | 1 | 1 | 1 | 40 | 48 | 50 | 4 | 7.5 | 0.5 |
| Hepatitis C (unspecified) | 7 | 20 | 11 | 10 | 20 | 13 | 16 | 22 | 378 | 363 | 322 | 71 | 56.9 | 1.2 |
| Hepatitis D | | | | | | | | | 2 | 1 | 0 | 0 | 0.1 | 0.0 |
| Enteric diseases | | | | | | | | | | | | | | |
| Campylobacteriosis | 46 | 63 | 41 | 35 | 42 | 42 | 36 | 42 | 1205 | 1109 | 997 | 162 | 138.3 | 1.2 |
| Cryptosporidiosis | 6 | 4 | 1 | 5 | 5 | 4 | 3 | 1 | 239 | 101 | 58 | 13 | 11.1 | 1.2 |
| Hepatitis A | | | | | | | | | 6 | 7 | 10 | 0 | 0.8 | 0.0 |
| Hepatitis E | | | | | | | | | 1 | 1 | 1 | 0 | 0.1 | 0.0 |
| Listeriosis | | | | | | | | | 1 | 1 | 1 | 0 | 0.1 | 0.0 |
| Paratyphoid fever | | | | 1 | | | | | 4 | 8 | 6 | 0 | 0.4 | 0.0 |
| Rotavirus | 6 | 8 | 8 | 10 | 14 | 4 | 4 | 7 | 154 | 62 | 202 | 29 | 28.7 | 1.0 |
| STEC/VTEC infection | | | 1 | | | | | | 14 | 3 | 0 | 0 | 0.2 | 0.0 |
| Salmonellosis | 41 | 36 | 42 | 29 | 40 | 31 | 28 | 32 | 1123 | 785 | 641 | 131 | 71.1 | 1.8 |
| Shigellosis | 1 | | 1 | 1 | 1 | 1 | | 2 | 19 | 27 | 26 | 4 | 1.9 | 2.1 |
| Typhoid | | | | | 1 | | | | 4 | 3 | 6 | 1 | 0.5 | 1.9 |
| Vibrio parahaemolyticus | 1 | | 1 | | | | | | 9 | 16 | 4 | 0 | 0.9 | 0.0 |
| Yersiniosis | | 1 | | 2 | | 1 | | | 6 | 4 | 13 | 1 | 0.5 | 2.1 |
| Sexually transmissible infections | | | | | | | | | | | | | | |
| Chlamydia (genital) | 152 | 194 | 167 | 165 | 150 | 178 | 147 | 160 | 4378 | 4412 | 4189 | 635 | 693.1 | 0.9 |
| Gonorrhoea | 37 | 54 | 51 | 36 | 36 | 38 | 36 | 37 | 1146 | 987 | 598 | 147 | 98.0 | 1.5 |
| Syphilis - Infectious | 1 | 8 | 2 | 2 | 7 | 2 | 3 | | 110 | 126 | 34 | 12 | 8.9 | 1.4 |
| Syphilis - Non-Infectious | 1 | 7 | 1 | 1 | 1 | 2 | 1 | 2 | 58 | 19 | 27 | 6 | 4.9 | 1.2 |
| Vaccine preventable diseases | | | | | | | | | | | | | | |
| Influenza | 14 | 26 | 31 | 19 | 30 | 39 | 19 | 37 | 611 | 912 | 1065 | 125 | 269.3 | 0.5 |
| Measles | 1 | | | | | | | | 11 | 0 | 4 | 0 | 1.3 | 0.0 |
| Mumps | | | | 1 | | | 1 | | 9 | 12 | 14 | 1 | 2.4 | 0.4 |
| Pertussis | 13 | 9 | 14 | 13 | 7 | 7 | 9 | 10 | 363 | 470 | 539 | 33 | 102.6 | 0.3 |
| Pneumococcal infection | 1 | 3 | 1 | 3 | 4 | 3 | 1 | 2 | 44 | 28 | 32 | 10 | 12.3 | 0.8 |
| Rubella (non-congenital) | | | | | | | | | 2 | 0 | 0 | 0 | 0.1 | 0.0 |
| Varicella (chicken pox) | 7 | 7 | 3 | 3 | 7 | 9 | 9 | 4 | 180 | 181 | 146 | 29 | 25.7 | 1.1 |
| Varicella (shingles) | 32 | 34 | 26 | 33 | 18 | 21 | 18 | 8 | 603 | 589 | 517 | 65 | 79.9 | 0.8 |
| Varicella (unspecified) | 23 | 24 | 35 | 26 | 37 | 41 | 36 | 39 | 754 | 614 | 582 | 153 | 84.1 | 1.8 |
| Vector-borne diseases | | | | | | | | | | | | | | |
| Arboviral encephalitis | | | | | | | | | 1 | 7 | 1 | 0 | 0.1 | 0.0 |
| Barmah Forest virus | | 1 | | | 1 | | | | 5 | 2 | 8 | 1 | 14.9 | 0.1 |
| Chikungunya | | | | | | | | | 4 | 2 | 6 | 0 | 1.9 | 0.0 |
| Dengue fever | 3 | 2 | 2 | | 3 | 2 | 4 | | 86 | 278 | 349 | 9 | 31.3 | 0.3 |
| Malaria | 1 | | | 2 | 1 | 1 | 2 | 3 | 32 | 20 | 20 | 7 | 3.2 | 2.2 |
| Ross River virus | 18 | 15 | 13 | 9 | 13 | 10 | 9 | 12 | 397 | 120 | 387 | 44 | 28.5 | 1.5 |
| Schistosomiasis | | 5 | 6 | 3 | 4 | 9 | 3 | 4 | 137 | 93 | 98 | 20 | 12.8 | 1.6 |
| Typhus | | | | | | | | | 3 | 9 | 7 | 0 | 1.4 | 0.0 |
| Zoonotic diseases | | | | | | | | | | | | | | |
| Brucellosis | | | | | | | | | 0 | 0 | 0 | 0 | 0.0 | 0.0 |
| Leptospirosis | | | | | 1 | | | | 1 | 2 | 0 | 1 | 0.0 | 0.0 |
| Q Fever | | | | 1 | | | | | 2 | 2 | 2 | 0 | 0.1 | 0.0 |
| Other diseases | | | | | | | | | | | | | | |
| Haemolytic Uraemic Syndrome | | | | | | | | | 3 | 0 | 0 | 0 | 0.0 | 0.0 |
| Legionellosis | | | 2 | 1 | | 2 | | 2 | 14 | 19 | 24 | 4 | 4.7 | 0.8 |
| Melioidosis | | | | | | | | | 1 | 0 | 0 | 0 | 0.0 | 0.0 |
| Meningococcal infection | 1 | | | | | | | 1 | 10 | 3 | 1 | 1 | 0.9 | 1.1 |
| Tuberculosis | | | 2 | 1 | 1 | 2 | 2 | 3 | 45 | 48 | 50 | 8 | 9.5 | 0.8 |
| Grand Total | 419 | 535 | 470 | 419 | 459 | 469 | 397 | 445 | | | | | | |

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

| Disease Category/Disease | Metropolitan area (North) | | | Metropolitan area (South) | | | Metropolitan area (East) | | |
|--|---------------------------|------------------|------------------|---------------------------|------------------|------------------|--------------------------|------------------|------------------|
| | Last Week | Last 4 Weeks[5] | Cum. YTD Rate[6] | Last Week | Last 4 Weeks[5] | Cum. YTD Rate[6] | Last Week | Last 4 Weeks[5] | Cum. YTD Rate[6] |
| Blood-borne diseases[2] | | | | | | | | | |
| Hepatitis B (newly acquired) | | (1) | 0.4 | | | | 1 | 1 (1) | 0.3 |
| Hepatitis B (unspecified) | 1 | 12 (25) | 7.9 | 1 | 7 (33) | 8.4 | 11 | 23 (31) | 13.0 |
| Hepatitis C (newly acquired) | 1 | 1 | 0.8 | | 1 (2) | 2.5 | | 2 (4) | 2.3 |
| Hepatitis C (unspecified) | 7 | 23 (14) | 12.5 | 10 | 28 (23) | 18.2 | 5 | 20 (31) | 22.1 |
| Hepatitis D | | | 0.1 | | | 0.1 | | | |
| Enteric diseases | | | | | | | | | |
| Campylobacteriosis | 15 | 64 (78) | 61.0 | 16 | 50 (54) | 50.8 | 11 | 48 (66) | 54.9 |
| Cryptosporidiosis | 1 | 5 (8) | 7.6 | | 4 (4) | 16.9 | | 4 (2) | 9.2 |
| Hepatitis A | | | | | | 0.1 | | | 0.7 |
| Hepatitis E | | | | | | | | | 0.1 |
| Listeriosis | | | 0.1 | | | | | | |
| Paratyphoid fever | | | 0.3 | | | 0.1 | | | 0.1 |
| Rotavirus | 4 | 12 (1) | 7.0 | 1 | 6 | 6.4 | 2 | 11 (6) | 8.0 |
| STEC/VTEC infection | | | 0.8 | | (1) | 0.7 | | | 0.4 |
| Salmonellosis | 14 | 51 (33) | 51.7 | 10 | 30 (19) | 52.3 | 8 | 50 (29) | 52.0 |
| Shigellosis | | (2) | 0.4 | | (1) | 0.7 | 2 | 4 (1) | 1.5 |
| Typhoid | | | | | | 0.3 | | 1 (1) | 0.3 |
| Vibrio parahaemolyticus | | | 0.3 | | (1) | 0.9 | | (1) | 0.1 |
| Yersiniosis | | 1 | 0.5 | | | 0.1 | | | 0.1 |
| Sexually transmissible infections | | | | | | | | | |
| Chlamydia (genital) | 49 | 208 (240) | 185.8 | 50 | 185 (209) | 201.5 | 61 | 242 (269) | 221.2 |
| Gonorrhoea | 12 | 36 (48) | 43.1 | 11 | 50 (56) | 50.7 | 14 | 61 (81) | 65.6 |
| Syphilis - Infectious | | 4 (13) | 3.4 | | 4 (3) | 3.3 | | 4 (9) | 8.5 |
| Syphilis - Non-Infectious | 1 | 3 | 2.1 | | | 1.6 | 1 | 3 (4) | 4.3 |
| Vaccine preventable diseases | | | | | | | | | |
| Influenza | 13 | 52 (69) | 30.6 | 13 | 35 (57) | 29.0 | 11 | 38 (75) | 25.1 |
| Measles | | | | | | 1.2 | | | 0.4 |
| Mumps | | (2) | 0.1 | | (1) | 0.1 | | 1 (2) | 1.0 |
| Pertussis | 4 | 15 (23) | 21.7 | 5 | 15 (24) | 15.4 | 1 | 3 (16) | 13.0 |
| Pneumococcal infection | 1 | 2 (5) | 1.6 | 1 | 5 (5) | 1.5 | | 3 (2) | 3.0 |
| Rubella (non-congenital) | | | 0.3 | | | | | | |
| Varicella (chicken pox) | 1 | 8 (12) | 7.6 | 3 | 12 (12) | 9.6 | | 9 (10) | 7.9 |
| Varicella (shingles) | 3 | 27 (20) | 30.4 | 1 | 17 (40) | 26.7 | 4 | 21 (34) | 26.5 |
| Varicella (unspecified) | 12 | 46 (38) | 35.1 | 9 | 50 (29) | 36.2 | 18 | 57 (35) | 33.5 |
| Vector-borne diseases | | | | | | | | | |
| Arboviral encephalitis | | | | | | 0.1 | | | |
| Barmah Forest virus | | 1 | 0.1 | | | 0.4 | | | 0.1 |
| Chikungunya | | | | | | 0.4 | | | 0.1 |
| Dengue fever | | 2 (10) | 3.2 | | 4 (12) | 4.4 | | 3 (10) | 4.4 |
| Malaria | 2 | 6 | 1.7 | 1 | 1 | 1.0 | | | 1.7 |
| Ross River virus | 4 | 10 (1) | 11.4 | 2 | 17 (1) | 24.7 | 6 | 17 (3) | 19.7 |
| Schistosomiasis | 1 | 7 (8) | 8.9 | | 2 (1) | 2.2 | 3 | 11 (14) | 7.4 |
| Typhus | | (2) | 0.1 | | | 0.1 | | | 0.1 |
| Zoonotic diseases | | | | | | | | | |
| Leptospirosis | | | | | 1 | 0.1 | | | |
| Psittacosis | | | | | | | | | |
| Q Fever | | | | | | 0.3 | | | |
| Other diseases | | | | | | | | | |
| Haemolytic Uraemic Syndrome | | | 0.1 | | | 0.1 | | | 0.1 |
| Legionellosis | 1 | 2 (4) | 1.1 | | (1) | 0.4 | 1 | 2 (4) | 0.4 |
| Leprosy | | | | | | | | | |
| Melioidosis | | | 0.1 | | | | | | |
| Meningococcal infection | 1 | 1 | 0.7 | | (1) | 0.3 | | | 0.4 |
| Tuberculosis | | 1 (2) | 1.7 | 1 | 2 (3) | 2.1 | 2 | 5 (3) | 2.5 |
| Grand Total | 148 | 600 (659) | | 135 | 526 (593) | | 162 | 644 (744) | |

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

| Disease Category/Disease | Southwest | | | Great Southern | | | Coastal and Wheatbelt | | |
|--|-----------|------------------|------------------|----------------|-----------------|------------------|-----------------------|-----------------|------------------|
| | Last Week | Last 4 Weeks[5] | Cum. YTD Rate[6] | Last Week | Last 4 Weeks[5] | Cum. YTD Rate[6] | Last Week | Last 4 Weeks[5] | Cum. YTD Rate[6] |
| Blood-borne diseases[2] | | | | | | | | | |
| Hepatitis B (newly acquired) | | 1 | 1.1 | | | | | | |
| Hepatitis B (unspecified) | | (2) | 2.7 | | | 3.2 | | 1 (2) | 11.4 |
| Hepatitis C (newly acquired) | | | | | | 12.9 | | (1) | 2.5 |
| Hepatitis C (unspecified) | | 4 (6) | 15.1 | 3 | 6 (4) | 33.9 | 1 | 7 (3) | 41.7 |
| Hepatitis D | | | | | | | | | |
| Enteric diseases | | | | | | | | | |
| Campylobacteriosis | 4 | 12 (15) | 53.0 | | 1 (6) | 43.6 | | 3 (6) | 62.0 |
| Cryptosporidiosis | | 2 (1) | 7.0 | | 1 | 3.2 | | | 11.4 |
| Hepatitis A | | | 0.5 | | | | | | |
| Hepatitis E | | | | | | | | | |
| Listeriosis | | | | | | | | | |
| Paratyphoid fever | | | | | | | | | |
| Rotavirus | 1 | 2 | 5.9 | | 1 | 3.2 | | | 10.1 |
| STEC/VTEC infection | | (1) | 2.2 | | | 1.6 | | 1 | 1.3 |
| Salmonellosis | 2 | 6 (9) | 36.2 | | (3) | 30.7 | 1 | 4 (4) | 41.7 |
| Shigellosis | | 1 (2) | 1.6 | | | | | | 3.8 |
| Typhoid | | | 0.5 | | | | | | |
| Vibrio parahaemolyticus | | | | | | | | | |
| Yersiniosis | | | | | | | | | |
| Sexually transmissible infections | | | | | | | | | |
| Chlamydia (genital) | 9 | 36 (42) | 135.8 | 5 | 15 (10) | 147.1 | 2 | 11 (17) | 110.1 |
| Gonorrhoea | 1 | 8 (11) | 19.5 | | (2) | 8.1 | | 1 (2) | 15.2 |
| Syphilis - Infectious | | | 1.6 | | | 1.6 | | | |
| Syphilis - Non-Infectious | | 1 | 0.5 | | | | | | |
| Vaccine preventable diseases | | | | | | | | | |
| Influenza | 3 | 7 (7) | 15.7 | 1 | 4 (1) | 35.6 | | 4 (6) | 20.2 |
| Measles | | | | | | | | | 1.3 |
| Mumps | | | | | | | | | |
| Pertussis | 1 | 3 (3) | 18.9 | | (4) | 32.3 | | 1 (2) | 5.1 |
| Pneumococcal infection | | | 2.2 | | | | | (1) | 1.3 |
| Rubella (non-congenital) | | | | | | | | | |
| Varicella (chicken pox) | | 6 (1) | 14.6 | | 1 (2) | 11.3 | | 1 | 3.8 |
| Varicella (shingles) | 1 | 10 (8) | 47.6 | 1 | 1 (3) | 45.2 | 2 | 5 (5) | 38.0 |
| Varicella (unspecified) | 1 | 1 (4) | 4.9 | | 6 | 19.4 | | | |
| Vector-borne diseases | | | | | | | | | |
| Arboviral encephalitis | | | | | | | | | |
| Barmah Forest virus | | | 1.1 | | | 1.6 | | | |
| Chikungunya | | | 0.5 | | | | | | |
| Dengue fever | | (4) | 2.2 | | (1) | 1.6 | | | 2.5 |
| Malaria | | | | | | | 1 | 1 | 3.8 |
| Ross River virus | 2 | 5 (7) | 60.6 | | 1 (2) | 54.9 | 1 | 5 (1) | 87.3 |
| Schistosomiasis | | | 1.1 | | | | | | |
| Typhus | | | | | | 1.6 | | | 1.3 |
| Zoonotic diseases | | | | | | | | | |
| Leptospirosis | | | | | | 1.6 | | | |
| Psittacosis | | | | | | | | | |
| Q Fever | | | | | | 1.6 | | | 1.3 |
| Other diseases | | | | | | | | | |
| Haemolytic Uraemic Syndrome | | | | | | | | | |
| Legionellosis | | | | | 1 | 3.2 | 1 | 1 | 1.3 |
| Leprosy | | | | | | | | | |
| Melioidosis | | | | | | | | | |
| Meningococcal infection | | | | | | | | | |
| Tuberculosis | 1 | 1 | 1.1 | | 1 (2) | 3.2 | | | 1.3 |
| Grand Total | 26 | 106 (123) | | 10 | 39 (40) | | 9 | 46 (50) | |

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

| Disease Category/Disease | Midwest | | | Goldfields | | | Pilbara | | |
|--|-----------|-----------------|------------------|------------|-----------------|------------------|-----------|-----------------|------------------|
| | Last Week | Last 4 Weeks[5] | Cum. YTD Rate[6] | Last Week | Last 4 Weeks[5] | Cum. YTD Rate[6] | Last Week | Last 4 Weeks[5] | Cum. YTD Rate[6] |
| Blood-borne diseases[2] | | | | | | | | | |
| Hepatitis B (newly acquired) | | | | | | | | | |
| Hepatitis B (unspecified) | 1 | 1 | 7.2 | | (2) | 9.7 | | 1 (2) | 5.8 |
| Hepatitis C (newly acquired) | | | 2.9 | | (1) | 1.6 | | (1) | 2.9 |
| Hepatitis C (unspecified) | | 3 (3) | 30.0 | | (1) | 17.8 | 1 | 2 (2) | 8.7 |
| Hepatitis D | | | | | | | | | |
| Enteric diseases | | | | | | | | | |
| Campylobacteriosis | | 5 (6) | 47.2 | 1 | 3 (3) | 48.6 | 1 | 1 (1) | 29.0 |
| Cryptosporidiosis | | 1 (1) | 21.5 | | | 27.5 | | 2 (1) | 26.1 |
| Hepatitis A | | | | | | 1.6 | | | |
| Hepatitis E | | | | | | | | | |
| Listeriosis | | | | | | | | | |
| Paratyphoid fever | | | | | | | | | |
| Rotavirus | | (1) | 12.9 | | 1 | 40.5 | | 3 | 53.6 |
| STEC/VTEC infection | | 1 | 4.3 | | | 1.6 | | | |
| Salmonellosis | | 4 (3) | 62.9 | | 18 (6) | 81.0 | | 4 (3) | 68.1 |
| Shigellosis | | | 40.0 | | | 9.7 | | (1) | 15.9 |
| Typhoid | | | | | | | | | |
| Vibrio parahaemolyticus | | | | | | | | | 1.4 |
| Yersiniosis | | | | | | | | | |
| Sexually transmissible infections | | | | | | | | | |
| Chlamydia (genital) | 7 | 16 (25) | 203.1 | 1 | 17 (26) | 231.7 | 6 | 23 (16) | 249.3 |
| Gonorrhoea | 3 | 13 (14) | 78.7 | 1 | 10 (9) | 166.9 | 3 | 12 (13) | 153.7 |
| Syphilis - Infectious | | | | | 1 | 4.9 | | | 1.4 |
| Syphilis - Non-Infectious | | | | | | 3.2 | | (1) | 1.4 |
| Vaccine preventable diseases | | | | | | | | | |
| Influenza | 6 | 16 (1) | 55.8 | | 1 (3) | 29.2 | 1 | 1 (17) | 11.6 |
| Measles | | | | | | | | | |
| Mumps | | | | | (7) | 1.6 | | | 1.4 |
| Pertussis | | (1) | 7.2 | 1 | 1 (1) | 8.1 | 1 | | 17.4 |
| Pneumococcal infection | | (1) | 2.9 | 1 | 2 | 4.9 | | (2) | 4.3 |
| Rubella (non-congenital) | | | | | | | | | |
| Varicella (chicken pox) | | (1) | 1.4 | | 1 (2) | 6.5 | | | 26.1 |
| Varicella (shingles) | | 1 (1) | 10.0 | | 2 (2) | 38.9 | | (1) | 20.3 |
| Varicella (unspecified) | 2 | 4 (6) | 35.8 | | | 1.6 | | | 1.4 |
| Vector-borne diseases | | | | | | | | | |
| Arboviral encephalitis | | | | | | | | | |
| Barmah Forest virus | | | | | (1) | 1.6 | | 1 | 10.1 |
| Chikungunya | | | | | | 1.6 | | | |
| Dengue fever | | (1) | 1.4 | | | 4.9 | | (1) | 1.4 |
| Malaria | | | | | | 1.6 | | | 1.4 |
| Ross River virus | 1 | 2 | 20.0 | | 1 (2) | 121.5 | 1 | 1 (1) | 69.6 |
| Schistosomiasis | | | 1.4 | | | | | | |
| Typhus | | | 1.4 | | | 3.2 | | | |
| Zoonotic diseases | | | | | | | | | |
| Leptospirosis | | | | | | | | | |
| Psittacosis | | | 2.9 | | | | | | |
| Q Fever | | | | | | | | | |
| Other diseases | | | | | | | | | |
| Haemolytic Uraemic Syndrome | | | | | | | | | |
| Legionellosis | | | 1.4 | | | | | | |
| Leprosy | | | | | | | | | |
| Melioidosis | | | 1.4 | | | | | | |
| Meningococcal infection | | | | | | | | | 1.4 |
| Tuberculosis | | 1 (1) | 1.4 | | | | | | 2.9 |
| Grand Total | 20 | 68 (66) | | 5 | 58 (66) | | 13 | 52 (63) | |

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

| Disease Category/Disease | Kimberley | | | STATE TOTAL | | |
|--|-----------|------------------|------------------|-------------|--------------------|------------------|
| | Last Week | Last 4 Weeks[5] | Cum. YTD Rate[6] | Last Week | Last 4 Weeks[5] | Cum. YTD Rate[6] |
| Blood-borne diseases[2] | | | | | | |
| Hepatitis B (newly acquired) | | | | 1 | 2 (3) | 0.3 |
| Hepatitis B (unspecified) | 1 | 1 (2) | 19.8 | 15 | 46 (102) | 9.1 |
| Hepatitis C (newly acquired) | | | | 1 | 4 (11) | 2.0 |
| Hepatitis C (unspecified) | | 2 (1) | 49.6 | 28 | 97 (90) | 19.0 |
| Hepatitis D | | | 2.5 | 0 | 0 (1) | 0.1 |
| Enteric diseases | | | | | | |
| Campylobacteriosis | | 1 (4) | 34.7 | 48 | 191 (239) | 54.9 |
| Cryptosporidiosis | | | 34.7 | 1 | 19 (17) | 12.0 |
| Hepatitis A | | | | 0 | 0 (0) | 0.3 |
| Hepatitis E | | | | 0 | 0 (0) | 0.0 |
| Listeriosis | | | | 0 | 0 (0) | 0.0 |
| Paratyphoid fever | | | | 0 | 0 (0) | 0.1 |
| Rotavirus | 1 | 30 | 158.7 | 9 | 68 (8) | 11.5 |
| STEC/VTEC infection | | | 2.5 | 0 | 2 (2) | 0.9 |
| Salmonellosis | 3 | 8 (5) | 163.7 | 38 | 176 (116) | 54.0 |
| Shigellosis | | 1 | 7.4 | 2 | 6 (8) | 2.7 |
| Typhoid | | | | 0 | 1 (1) | 0.2 |
| Vibrio parahaemolyticus | | | | 0 | 0 (2) | 0.4 |
| Yersiniosis | | | | 0 | 1 (0) | 0.2 |
| Sexually transmissible infections | | | | | | |
| Chlamydia (genital) | 7 | 40 (50) | 719.2 | 201 | 802 (906) | 205.5 |
| Gonorrhoea | 3 | 25 (45) | 642.3 | 50 | 220 (285) | 63.6 |
| Syphilis - Infectious | 1 | 2 (5) | 91.8 | 1 | 15 (30) | 5.7 |
| Syphilis - Non-Infectious | | | 2.5 | 2 | 8 (5) | 2.3 |
| Vaccine preventable diseases | | | | | | |
| Influenza | | (4) | 44.6 | 50 | 160 (241) | 28.4 |
| Measles | | | | 0 | 0 (0) | 0.4 |
| Mumps | | | | 0 | 1 (32) | 0.4 |
| Pertussis | 1 | 8 | 59.5 | 13 | 47 (74) | 17.2 |
| Pneumococcal infection | | (1) | 12.4 | 3 | 12 (17) | 2.3 |
| Rubella (non-congenital) | | | | 0 | 0 (0) | 0.1 |
| Varicella (chicken pox) | | (1) | 22.3 | 4 | 40 (42) | 9.3 |
| Varicella (shingles) | 1 | 4 (2) | 57.0 | 13 | 89 (117) | 30.4 |
| Varicella (unspecified) | | 1 | 2.5 | 43 | 168 (116) | 29.9 |
| Vector-borne diseases | | | | | | |
| Arboviral encephalitis | | | 7.4 | 0 | 0 (0) | 0.1 |
| Barmah Forest virus | | 2 | 22.3 | 0 | 4 (1) | 0.9 |
| Chikungunya | | | | 0 | 0 (0) | 0.2 |
| Dengue fever | | | 2.5 | 0 | 9 (39) | 3.8 |
| Malaria | | | 2.5 | 4 | 8 (1) | 1.4 |
| Ross River virus | 2 | 3 (1) | 255.4 | 19 | 63 (19) | 31.4 |
| Schistosomiasis | | | | 4 | 20 (23) | 5.1 |
| Typhus | | | 5.0 | 0 | 0 (2) | 0.4 |
| Zoonotic diseases | | | | | | |
| Leptospirosis | | | | 0 | 1 (0) | 0.1 |
| Psittacosis | | | | 0 | 0 (0) | 0.1 |
| Q Fever | | | | 0 | 0 (0) | 0.1 |
| Other diseases | | | | | | |
| Haemolytic Uraemic Syndrome | | | | 0 | 0 (0) | 0.1 |
| Legionellosis | | | 2.5 | 3 | 6 (10) | 0.7 |
| Leprosy | | | 2.5 | 0 | 0 (0) | 0.0 |
| Melioidosis | | | 5.0 | 0 | 0 (0) | 0.1 |
| Meningococcal infection | | | | 1 | 1 (1) | 0.4 |
| Tuberculosis | | | | 4 | 11 (11) | 1.4 |
| Grand Total | 20 | 128 (121) | | 558 | 2298 (2572) | |

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

| Serotype/Phage | Week Ending | | | | | | | | Cumulative Total to end of Week 24 | |
|--------------------------------------|-------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------------------------------|-------------|
| | 29/04 | 06/05 | 13/05 | 20/05 | 27/05 | 03/06 | 10/06 | 17/06 | 2017 | 2016 |
| | Salmonella Total | 54 | 49 | 53 | 39 | 65 | 37 | 36 | 38 | 1473 |
| Salmonella Aberdeen | | | | | | | | | 1 | 6 |
| Salmonella Abony | | | | | | | | | 1 | 0 |
| Salmonella Adelaide | | 1 | | | | | | | 4 | 2 |
| Salmonella Agona | | | | | | 1 | | | 3 | 8 |
| Salmonella Albany | | | | | | | | | 1 | 1 |
| Salmonella Anatum | 1 | | 1 | 1 | | | | 1 | 7 | 9 |
| Salmonella Anatum var 15+ | | | | | | | | | 1 | 1 |
| Salmonella Bahrenfeld | | | | 1 | | | | | 3 | 2 |
| Salmonella Ball | | 1 | | | | | | | 2 | 0 |
| Salmonella Bareilly | | | | | | | | | 4 | 3 |
| Salmonella Bovismorbificans | | | | 1 | 1 | 1 | | | 13 | 11 |
| Salmonella Bredeney | | | | 1 | | | | | 2 | 2 |
| Salmonella Champaign | | | | | | | | | 1 | 0 |
| Salmonella Charity | | | | 1 | | | | | 1 | 1 |
| Salmonella Chester | 1 | 4 | 2 | | 1 | | 3 | 1 | 25 | 18 |
| Salmonella Choleraesuis bv Australia | | 1 | | | | | | | 7 | 5 |
| Salmonella Corvallis | | 1 | 1 | | | | | 1 | 5 | 7 |
| Salmonella Derby | | | | | | | | | 1 | 1 |
| Salmonella Eastbourne | | | | 1 | | | | | 3 | 7 |
| Salmonella Enteritidis | 4 | 2 | 1 | 3 | 2 | 1 | 2 | 3 | 66 | 106 |
| Salmonella Fremantle subsp II | | | | | | | | | 2 | 1 |
| Salmonella Fresno | | | | | | | | | 1 | 0 |
| Salmonella Give | | | | | | | | | 5 | 2 |
| Salmonella Give var 15+ | | | | | | | | | 0 | 0 |
| Salmonella Hadar | | | | | | | | | 1 | 8 |
| Salmonella Havana | | | | | | | | | 3 | 4 |
| Salmonella Heidelberg | | | | | | 1 | 1 | | 2 | 1 |
| Salmonella Hessarek | | | | | | | | | 1 | 0 |
| Salmonella Houten subsp IV | | | | | | | | | 1 | 1 |
| Salmonella Hvittingfoss | | 2 | | | 1 | | | | 11 | 6 |
| Salmonella Infantis | 2 | | | 1 | 2 | | | 1 | 18 | 25 |
| Salmonella Isangi | | | | | | | | | 1 | 0 |
| Salmonella Javiana | | | | | | | | | 5 | 4 |
| Salmonella Johannesburg | | | | | | | | 1 | 6 | 1 |
| Salmonella Kentucky | | | 1 | | | | | | 11 | 10 |
| Salmonella Kiambu | | | | | | | 1 | | 8 | 21 |
| Salmonella Krefeld | | | | | | | | | 1 | 0 |
| Salmonella Lansing | 1 | | | | | | | | 3 | 2 |
| Salmonella Litchfield | | | | | | | | | 5 | 2 |
| Salmonella Liverpool | | | | | | | | | 1 | 4 |
| Salmonella Mbandaka | | | | | | | | 1 | 5 | 19 |
| Salmonella Meleagridis | | | | | | | | | 1 | 0 |
| Salmonella Montevideo | | | | 1 | 1 | | | | 4 | 3 |
| Salmonella Muenchen | 1 | 1 | 2 | | | 1 | | 1 | 18 | 11 |
| Salmonella Newport | | 1 | | | | | 2 | | 12 | 16 |
| Salmonella Ohio | | | | | | | | | 1 | 0 |
| Salmonella Ohlstedt | | | | | | | | | 2 | 5 |
| Salmonella Onderstepoort | | | | | | | | | 1 | 0 |
| Salmonella Oranienburg | 1 | | | | | | | | 2 | 5 |

Weekly Report for period 23-APR-17 to 17-JUN-17

| | 29/04 | 06/05 | 13/05 | 20/05 | 27/05 | 03/06 | 10/06 | 17/06 | Cumulative Total to end of Week 24 | |
|---------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------------------------------------|-------------|
| | | | | | | | | | 2017 | 2016 |
| Salmonella Total | 54 | 49 | 53 | 39 | 65 | 37 | 36 | 38 | 1473 | 1004 |
| Serotype/Phage | | | | | | | | | | |
| Salmonella Orion | | | | | | | | | 2 | 5 |
| Salmonella Orion var 15+ | | | | | | | | | 1 | 0 |
| Salmonella Oslo | | | | | | | | | 2 | 1 |
| Salmonella Panama | | | | | 1 | | | | 1 | 0 |
| Salmonella Paratyphi B bv Java | 2 | 2 | 5 | | 2 | 2 | 1 | | 46 | 41 |
| Salmonella Poona | | | | | | | | | 4 | 3 |
| Salmonella Potsdam | | | | | | | | | 1 | 2 |
| Salmonella Ramatgan | | | | | | | | | 1 | 0 |
| Salmonella Reading | 1 | | | | 2 | 1 | | | 6 | 1 |
| Salmonella Rubislaw | 1 | | | | 1 | | 1 | | 6 | 1 |
| Salmonella Saintpaul | 3 | | 1 | 2 | | 1 | 3 | | 34 | 26 |
| Salmonella Sandiego | | | | | | | | | 1 | 0 |
| Salmonella Schwarzengrund | | | | | | | 1 | | 7 | 5 |
| Salmonella Senftenberg | | 2 | | | 1 | | | | 4 | 9 |
| Salmonella Singapore | 1 | 2 | | 1 | 3 | 1 | 4 | | 43 | 12 |
| Salmonella Stanley | 1 | 1 | 1 | 1 | | | | 1 | 28 | 14 |
| Salmonella Tennessee | | | 1 | | | | | | 3 | 0 |
| Salmonella Thompson | | | | | | | | | 2 | 1 |
| Salmonella Typhimurium | 30 | 26 | 32 | 22 | 43 | 20 | 11 | 14 | 879 | 446 |
| Salmonella Urbana | | | | | | | | | 3 | 1 |
| Salmonella Virchow | | 2 | | | | | 1 | | 16 | 23 |
| Salmonella Wandsbek subsp II | | | 1 | | 1 | | | | 3 | 2 |
| Salmonella Wandsworth | | | | 1 | | | | | 3 | 0 |
| Salmonella Waycross | 1 | | | | | | | | 2 | 0 |
| Salmonella Welikade | | | | | | | | | 1 | 6 |
| Salmonella Weltevreden | 2 | | | | 2 | 1 | 2 | 1 | 16 | 13 |
| Salmonella Weltevreden var 15+ | | | | | | | | | 3 | 1 |
| Salmonella Zanzibar | | | | | | | | | 1 | 0 |
| Salmonella species | 1 | | 3 | 1 | 1 | 6 | 3 | 12 | 70 | 47 |
| Salmonella subsp I ser 16:i,v:- | | | 1 | | | | | | 1 | 3 |