



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program Communicable Disease Control Directorate

Report for eight week period 07-MAY-17 to 01-JUL-17

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 26			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	13/05	20/05	27/05	03/06	10/06	17/06	24/06	01/07	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)				1		1	1		8	15	17	2	2.2	0.9
Hepatitis B (unspecified)	5	9	15	6	10	15	8	15	273	362	271	48	65.9	0.7
Hepatitis C (newly acquired)	3		1	1	1	1		1	56	65	77	3	10.9	0.3
Hepatitis C (unspecified)	18	11	29	20	20	28	27	31	578	573	505	106	81.5	1.3
Hepatitis D									3	1	0	0	0.1	0.0
Enteric diseases														
Campylobacteriosis	55	49	47	51	52	56	40	46	1600	1506	1366	194	182.4	1.1
Cryptosporidiosis	6	5	7	6	6	1	4	1	333	162	170	12	15.7	0.8
Hepatitis A		1							8	8	13	0	1.1	0.0
Hepatitis E			1						2	1	2	0	0.1	0.0
Listeriosis						1	1		3	2	1	2	0.1	15.0
Paratyphoid fever		1							4	9	7	0	0.5	0.0
Rotavirus	31	32	30	16	11	13	15	9	343	77	321	48	44.5	1.1
STEC/VTEC infection	1		2						25	12	0	0	0.5	0.0
Salmonellosis	54	42	65	41	43	37	34	29	1550	1100	951	143	96.3	1.5
Shigellosis	4	4	1	3	1	3	2	2	81	50	66	8	4.3	1.8
Typhoid			2						6	4	7	0	0.6	0.0
Vibrio parahaemolyticus	1								10	18	6	0	1.0	0.0
Yersiniosis		2		2	2		1		10	6	18	3	0.7	4.5
Sexually transmissible infections														
Chlamydia (genital)	211	216	195	226	188	215	235	196	6068	6231	5907	834	892.9	0.9
Gonorrhoea	68	61	55	64	52	57	63	61	1870	1616	1093	233	178.2	1.3
Syphilis - Infectious	2	4	8	3	3	2	2	3	159	159	63	10	12.1	0.8
Syphilis - Non-Infectious	3	1	2	2	2	2	1	1	70	28	32	6	11.4	0.5
Vaccine preventable diseases														
Influenza	41	27	37	50	28	72	72	52	927	1306	1710	224	484.3	0.5
Measles									12	0	5	0	1.5	0.0
Mumps	1	1			1				11	432	64	1	11.0	0.1
Pertussis	25	19	16	18	19	17	17	22	535	680	742	75	125.8	0.6
Pneumococcal infection	2	5	4	3	1	6	1	1	69	59	65	9	22.2	0.4
Rubella (non-congenital)									2	0	0	0	0.1	0.0
Varicella (chicken pox)	3	5	9	11	17	11	8	6	277	250	200	42	36.6	1.1
Varicella (shingles)	36	41	33	26	26	24	28	14	890	816	711	92	101.9	0.9
Varicella (unspecified)	36	29	41	43	37	36	34	44	881	779	738	151	98.7	1.5
Vector-borne diseases														
Arboviral encephalitis									4	8	1	0	0.1	0.0
Barmah Forest virus		1	2		2				25	7	26	2	18.0	0.1
Chikungunya									6	3	8	0	2.4	0.0
Dengue fever	3	1	3	2	5	1	3	5	113	378	443	14	35.5	0.4
Malaria		3	1	1	4	2			38	28	24	6	4.3	1.4
Ross River virus	25	20	16	15	14	17	6	3	869	229	707	40	48.7	0.8
Schistosomiasis	6	3	4	9	3	6	5		147	103	121	14	14.4	1.0
Typhus		1					1	1	12	15	15	2	1.9	1.1
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Leptospirosis		1							2	3	0	0	0.1	0.0
Psittacosis									2	0	0	0	0.0	0.0
Q Fever		1							4	7	5	0	0.3	0.0
Other diseases														
Haemolytic Uraemic Syndrome									3	0	0	0	0.1	0.0
Legionellosis	1	1		2	1	3	1	1	20	29	38	6	6.7	0.9
Melioidosis									4	2	2	0	0.1	0.0
Meningococcal infection						2	1		13	5	6	3	1.7	1.8
Tuberculosis	2	1	1	4	2	4			53	60	67	6	11.7	0.5
Grand Total	643	598	627	626	551	633	611	544						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 26			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	13/05	20/05	27/05	03/06	10/06	17/06	24/06	01/07	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)						1			5	14	13	1	2.0	0.5
Hepatitis B (unspecified)	5	7	14	6	9	13	6	12	229	309	219	40	42.1	1.0
Hepatitis C (newly acquired)	3		1	1	1	1		1	41	50	54	3	7.9	0.4
Hepatitis C (unspecified)	11	10	20	13	16	22	16	22	416	400	348	76	55.6	1.4
Hepatitis D									2	1	0	0	0.1	0.0
Enteric diseases														
Campylobacteriosis	41	35	42	43	40	50	30	27	1275	1204	1066	147	142.1	1.0
Cryptosporidiosis	1	5	5	4	4	1	4	1	245	104	61	10	10.7	0.9
Hepatitis A									6	7	12	0	0.9	0.0
Hepatitis E			1						2	1	1	0	0.1	0.0
Listeriosis						1	1		3	1	1	2	0.1	15.0
Paratyphoid fever		1							4	8	6	0	0.3	0.0
Rotavirus	9	9	14	4	4	7	8	7	169	67	245	26	31.0	0.8
STEC/VTEC infection	1								14	3	0	0	0.1	0.0
Salmonellosis	43	32	40	35	33	31	24	19	1178	822	670	107	66.7	1.6
Shigellosis	1	1	1	1		2	2		21	29	27	4	2.4	1.7
Typhoid			2						5	3	6	0	0.5	0.0
Vibrio parahaemolyticus	1								9	17	4	0	0.7	0.0
Yersiniosis		2		1	2		1		9	4	14	3	0.5	6.4
Sexually transmissible infections														
Chlamydia (genital)	167	165	151	182	147	166	175	161	4733	4756	4538	649	680.5	1.0
Gonorrhoea	51	36	36	38	36	39	43	42	1236	1059	640	160	96.3	1.7
Syphilis - Infectious	2	2	7	2	3	2	2	2	114	130	37	9	8.9	1.0
Syphilis - Non-Infectious	2	1	1	2	1	2	1		61	21	27	4	5.0	0.8
Vaccine preventable diseases														
Influenza	31	19	30	42	19	52	54	44	727	1072	1339	169	387.2	0.4
Measles									11	0	5	0	1.4	0.0
Mumps		1			1				9	14	17	1	2.6	0.4
Pertussis	14	13	9	8	16	12	11	13	399	504	593	52	99.9	0.5
Pneumococcal infection	1	3	4	3	1	4	1	1	47	32	36	7	13.5	0.5
Rubella (non-congenital)									2	0	0	0	0.1	0.0
Varicella (chicken pox)	3	3	7	9	10	11	6	4	198	198	159	31	27.6	1.1
Varicella (shingles)	26	33	19	23	22	17	16	7	642	622	553	62	77.8	0.8
Varicella (unspecified)	35	26	36	42	34	33	30	37	813	666	638	134	84.7	1.6
Vector-borne diseases														
Arboviral encephalitis									1	7	1	0	0.1	0.0
Barmah Forest virus			1						5	2	9	0	12.1	0.0
Chikungunya									4	2	6	0	2.1	0.0
Dengue fever	2		3	2	4		3	4	93	307	357	11	28.6	0.4
Malaria		2	1	1	3	2			32	21	21	5	3.3	1.5
Ross River virus	13	9	13	11	9	11	4	3	405	123	409	27	25.4	1.1
Schistosomiasis	6	3	4	9	3	6	4		143	100	117	13	12.7	1.0
Typhus							1	1	5	9	8	2	1.3	1.6
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Q Fever		1							2	2	2	0	0.1	0.0
Other diseases														
Haemolytic Uraemic Syndrome									3	0	0	0	0.0	0.0
Legionellosis	1	1		2		2		1	14	20	26	3	5.1	0.6
Melioidosis									1	0	0	0	0.0	0.0
Meningococcal infection						2	1		12	3	3	3	1.1	2.8
Tuberculosis	2	1	1	2	2	3			45	50	50	5	9.1	0.6
Grand Total	472	421	463	486	420	493	444	409						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.4					1 (2)	0.3
Hepatitis B (unspecified)	3	6 (25)	8.4	2	11 (22)	9.2	7	23 (51)	14.2
Hepatitis C (newly acquired)		1	0.8	1	2 (2)	2.7		(5)	2.3
Hepatitis C (unspecified)	4	19 (12)	13.7	3	22 (16)	19.1	15	35 (33)	25.2
Hepatitis D			0.1			0.1			
Enteric diseases									
Campylobacteriosis	13	61 (80)	64.7	8	46 (55)	53.5	6	40 (55)	58.2
Cryptosporidiosis	1	3 (5)	7.9		4 (3)	17.3		3 (2)	9.4
Hepatitis A						0.1			0.7
Hepatitis E						0.1			0.1
Listeriosis			0.1					2	0.3
Paratyphoid fever			0.3			0.1			0.1
Rotavirus	1	10 (1)	7.5	3	6 (1)	7.1	3	10 (6)	8.8
STEC/VTEC infection			0.8			0.7			0.4
Salmonellosis	2	34 (28)	53.1	4	29 (22)	54.8	13	44 (33)	55.7
Shigellosis		1 (2)	0.5			0.7		3 (1)	1.7
Typhoid						0.3			0.4
Vibrio parahaemolyticus		(1)	0.3			0.9			0.1
Yersiniosis		2	0.8		1	0.3			0.1
Sexually transmissible infections									
Chlamydia (genital)	47	196 (193)	199.3	53	199 (239)	217.6	61	254 (273)	240.9
Gonorrhoea	8	47 (33)	46.4	9	41 (56)	53.5	25	72 (67)	71.9
Syphilis - Infectious	1	4 (10)	3.7		1 (5)	3.4	1	4 (8)	8.7
Syphilis - Non-Infectious		1 (1)	2.1		1 (1)	1.8		2	4.5
Vaccine preventable diseases									
Influenza	17	67 (94)	36.7	14	52 (101)	34.5	13	50 (85)	29.6
Measles						1.2			0.4
Mumps		(1)	0.1		(1)	0.1		1 (2)	1.0
Pertussis	11	32 (24)	24.7	1	15 (26)	16.7	1	5 (13)	13.5
Pneumococcal infection	1	3 (3)	1.7		2 (4)	1.6		2 (2)	3.2
Rubella (non-congenital)			0.3						
Varicella (chicken pox)	1	7 (13)	8.2	2	15 (11)	10.8	1	9 (12)	8.7
Varicella (shingles)	3	25 (21)	32.3	1	16 (36)	28.4	3	21 (33)	28.1
Varicella (unspecified)	12	39 (40)	37.2	13	45 (28)	39.6	12	50 (29)	36.2
Vector-borne diseases									
Arboviral encephalitis						0.1			
Barmah Forest virus			0.1			0.4			0.1
Chikungunya						0.4			
Dengue fever	2	5 (14)	3.7	2	4 (17)	4.7		2 (13)	4.5
Malaria		4	1.7		1 (1)	1.0			1.7
Ross River virus	1	7 (2)	11.8		7 (2)	25.0	2	13 (1)	20.1
Schistosomiasis		6 (10)	9.3		1 (2)	2.4		6 (5)	7.7
Typhus		1 (2)	0.3	1	1	0.3			0.1
Zoonotic diseases									
Leptospirosis									
Psittacosis									
Q Fever						0.3			
Other diseases									
Haemolytic Uraemic Syndrome			0.1			0.1			0.1
Legionellosis	1	2 (1)	1.1			0.4		1 (3)	0.4
Leprosy									
Melioidosis			0.1						
Meningococcal infection		2	0.8		1 (1)	0.4			0.4
Tuberculosis		(1)	1.7		2 (3)	2.1		3 (3)	2.5
Grand Total	129	585 (617)		117	525 (655)		163	656 (737)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1	1.6						
Hepatitis B (unspecified)		1	3.2			3.2	1	2 (2)	13.9
Hepatitis C (newly acquired)						12.9		(1)	2.5
Hepatitis C (unspecified)	2	8 (5)	18.9		4 (5)	33.9	2	3 (4)	44.3
Hepatitis D									
Enteric diseases									
Campylobacteriosis	8	16 (18)	59.0	3	5 (10)	51.7	3	6 (5)	67.0
Cryptosporidiosis		1 (2)	7.0		1	3.2			11.4
Hepatitis A			0.5						
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		1	5.9			3.2			10.1
STEC/VTEC infection			2.2			1.6			1.3
Salmonellosis	3	9 (7)	38.9	1	1 (2)	32.3	2	4 (4)	44.3
Shigellosis		(2)	1.6						3.8
Typhoid			0.5						
Vibrio parahaemolyticus									
Yersiniosis			0.5						
Sexually transmissible infections									
Chlamydia (genital)	8	44 (39)	148.7		7 (14)	148.7	3	9 (12)	116.4
Gonorrhoea	3	6 (11)	21.1		(2)	8.1	1	1 (5)	16.4
Syphilis - Infectious			1.6			1.6	1	1 (2)	1.3
Syphilis - Non-Infectious			0.5						
Vaccine preventable diseases									
Influenza		6 (11)	16.8		3 (4)	37.2		5 (9)	22.8
Measles									1.3
Mumps									
Pertussis	2	3 (2)	22.2	4	10 (6)	51.7	2	3 (3)	10.1
Pneumococcal infection			2.2					(1)	1.3
Rubella (non-congenital)									
Varicella (chicken pox)		6 (2)	15.1		1 (3)	11.3		1	3.8
Varicella (shingles)	3	12 (4)	52.5		5 (6)	53.3	1	4 (4)	40.5
Varicella (unspecified)		(6)	4.3		3	17.8	2	4 (1)	5.1
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus			1.1			1.6			
Chikungunya			0.5						
Dengue fever		1 (8)	2.7		(1)	1.6			2.5
Malaria								1	3.8
Ross River virus		2 (2)	60.6			54.9		4 (4)	89.8
Schistosomiasis		1	1.6						
Typhus					(1)	1.6			1.3
Zoonotic diseases									
Leptospirosis						1.6			
Psittacosis									
Q Fever						1.6			1.3
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis		1 (2)	0.5		1	3.2		1	1.3
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis		1	1.1		(2)	3.2			1.3
Grand Total	29	120 (121)		8	41 (56)		18	49 (57)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	2	8.6		(1)	9.7	1	2 (1)	7.2
Hepatitis C (newly acquired)			2.9		(1)	1.6		(1)	2.9
Hepatitis C (unspecified)	1	4 (3)	34.3	1	2 (3)	21.1		3 (1)	10.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	7 (5)	52.9	1	5 (2)	53.5	1	3 (5)	31.9
Cryptosporidiosis			21.5			27.5		(3)	26.1
Hepatitis A						1.6			
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		3 (1)	17.2		2	43.7		1	55.1
STEC/VTEC infection			4.3			1.6			
Salmonellosis	1	5 (5)	68.6	1	3 (5)	85.9		5 (2)	69.6
Shigellosis			40.0			9.7	2	3 (1)	20.3
Typhoid									
Vibrio parahaemolyticus									1.4
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	5	25 (27)	223.1	4	18 (29)	254.4	6	29 (17)	276.9
Gonorrhoea	3	14 (15)	90.1	4	9 (6)	176.6	1	11 (12)	163.8
Syphilis - Infectious						4.9			1.4
Syphilis - Non-Infectious				1	1	4.9		(1)	1.4
Vaccine preventable diseases									
Influenza	6	32 (4)	88.7		1 (2)	30.8		4 (28)	15.9
Measles									
Mumps					(7)	1.6		(1)	1.4
Pertussis	1	1 (1)	8.6		1	8.1			17.4
Pneumococcal infection			2.9		2	8.1		(2)	4.3
Rubella (non-congenital)									
Varicella (chicken pox)		(1)	1.4		1 (2)	8.1		(1)	27.5
Varicella (shingles)		3 (4)	12.9		(1)	38.9	1	2 (2)	23.2
Varicella (unspecified)	5	9 (2)	45.8		(1)	1.6			
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus						1.6			10.1
Chikungunya						1.6			
Dengue fever			1.4	1	1	6.5		1 (1)	2.9
Malaria						1.6			1.4
Ross River virus		2	20.0		1 (3)	124.8		1	69.6
Schistosomiasis			1.4						
Typhus			1.4			3.2			
Zoonotic diseases									
Leptospirosis									
Psittacosis			2.9						
Q Fever									
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis			1.4						
Leprosy									
Melioidosis			1.4						
Meningococcal infection									1.4
Tuberculosis		(1)	1.4						2.9
Grand Total	25	107 (69)		13	47 (63)		12	65 (79)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	2 (4)	0.3
Hepatitis B (unspecified)		1 (2)	19.8	15	48 (106)	10.0
Hepatitis C (newly acquired)				1	3 (11)	2.1
Hepatitis C (unspecified)	1	2 (8)	54.6	31	106 (91)	21.2
Hepatitis D			2.5	0	0 (0)	0.1
Enteric diseases						
Campylobacteriosis		2 (3)	39.7	46	194 (238)	58.7
Cryptosporidiosis		(2)	34.7	1	12 (18)	12.2
Hepatitis A				0	0 (0)	0.3
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	2 (0)	0.1
Paratyphoid fever				0	0 (0)	0.1
Rotavirus	1	12	173.6	9	48 (9)	12.6
STEC/VTEC infection			2.5	0	0 (0)	0.9
Salmonellosis		5 (6)	168.6	29	143 (118)	56.8
Shigellosis			7.4	2	8 (6)	3.0
Typhoid				0	0 (0)	0.2
Vibrio parahaemolyticus				0	0 (1)	0.4
Yersiniosis				0	3 (0)	0.4
Sexually transmissible infections						
Chlamydia (genital)	8	48 (42)	796.1	196	834 (890)	222.4
Gonorrhoea	7	27 (37)	687.0	61	233 (249)	68.6
Syphilis - Infectious		(3)	89.3	3	10 (29)	5.8
Syphilis - Non-Infectious			2.5	1	6 (4)	2.5
Vaccine preventable diseases						
Influenza	1	2 (5)	49.6	52	224 (346)	34.0
Measles				0	0 (0)	0.4
Mumps				0	1 (21)	0.4
Pertussis		5	76.9	22	75 (75)	19.6
Pneumococcal infection		(1)	12.4	1	9 (13)	2.5
Rubella (non-congenital)				0	0 (0)	0.1
Varicella (chicken pox)	2	2 (1)	27.3	6	42 (47)	10.2
Varicella (shingles)	2	4 (2)	64.5	14	92 (116)	32.6
Varicella (unspecified)			2.5	44	151 (108)	32.3
Vector-borne diseases						
Arboviral encephalitis			7.4	0	0 (0)	0.1
Barmah Forest virus		2	22.3	0	2 (0)	0.9
Chikungunya				0	0 (0)	0.2
Dengue fever			2.5	5	14 (54)	4.1
Malaria			2.5	0	6 (2)	1.4
Ross River virus		2 (1)	255.4	3	40 (15)	31.9
Schistosomiasis				0	14 (19)	5.4
Typhus			5.0	1	2 (3)	0.4
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.1
Psittacosis				0	0 (0)	0.1
Q Fever				0	0 (0)	0.1
Other diseases						
Haemolytic Uraemic Syndrome				0	0 (0)	0.1
Legionellosis			2.5	1	6 (6)	0.7
Leprosy			2.5	0	0 (0)	0.1
Melioidosis			5.0	0	0 (0)	0.1
Meningococcal infection				0	3 (1)	0.5
Tuberculosis				0	6 (10)	1.6
Grand Total	22	114 (113)		545	2341 (2611)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 26	
	13/05	20/05	27/05	03/06	10/06	17/06	24/06	01/07	2017	2016
	Salmonella Total	54	42	65	41	43	37	34	29	1550
Serotype/Phage										
Salmonella Aberdeen							1		2	6
Salmonella Abony									1	0
Salmonella Adelaide									4	2
Salmonella Agona				1					3	8
Salmonella Albany									1	1
Salmonella Anatum	1	1				2	1		9	9
Salmonella Anatum var 15+									1	1
Salmonella Bahrenfeld		1							3	2
Salmonella Ball									2	0
Salmonella Bareilly									4	3
Salmonella Bovismorbificans		1	1	1					13	11
Salmonella Bredeney		1							2	2
Salmonella Champaign									1	0
Salmonella Charity		1							1	1
Salmonella Chester	2		1		3	1			25	18
Salmonella Choleraesuis bv Australia									7	6
Salmonella Corvallis	1	1							5	8
Salmonella Derby									1	1
Salmonella Eastbourne		1							3	9
Salmonella Enteritidis	1	3	2	1	3	4	3	4	75	116
Salmonella Fremantle subsp II							1		3	1
Salmonella Fresno									1	0
Salmonella Give									5	2
Salmonella Give var 15+									0	0
Salmonella Hadar									1	8
Salmonella Havana								2	5	4
Salmonella Heidelberg				1	1				2	1
Salmonella Hessarek									1	0
Salmonella Houten subsp IV									1	1
Salmonella Hvittingfoss			1				1		12	8
Salmonella Infantis		1	2			1			18	27
Salmonella Isangi									1	0
Salmonella Javiana									5	4
Salmonella Johannesburg						1			6	1
Salmonella Kentucky	1						2	1	14	11
Salmonella Kiambu					1				8	22
Salmonella Krefeld									1	0
Salmonella Lansing									3	3
Salmonella Litchfield									5	2
Salmonella Liverpool									1	5
Salmonella Mbandaka						1			5	20
Salmonella Meleagridis									1	0
Salmonella Mgulani							1		1	1
Salmonella Montevideo		1	1						4	3
Salmonella Muenchen	2			1		1			18	11
Salmonella Newport					2				12	16
Salmonella Ohio									1	0
Salmonella Ohlstedt									2	5
Salmonella Onderstepoort									1	0

Weekly Report for period 07-MAY-17 to 01-JUL-17

	13/05	20/05	27/05	03/06	10/06	17/06	24/06	01/07	Cumulative Total to end of Week 26	
									2017	2016
Salmonella Total	54	42	65	41	43	37	34	29	1550	1057
Serotype/Phage										
Salmonella Oranienburg						1			3	5
Salmonella Orion								1	3	6
Salmonella Orion var 15+									1	0
Salmonella Oslo									2	1
Salmonella Panama			1						1	0
Salmonella Paratyphi B bv Java	5		2	2	1	1	1		48	43
Salmonella Poona								1	5	3
Salmonella Potsdam									1	3
Salmonella Ramatgan									1	0
Salmonella Reading			2	1					6	1
Salmonella Rubislaw			1		1			1	7	1
Salmonella Saintpaul	1	2		1	3			2	36	26
Salmonella Sandiego									1	0
Salmonella Schwarzengrund					1	1			8	5
Salmonella Senftenberg			1			1	1		6	11
Salmonella Singapore	1	1	3	2	2		2	3	48	12
Salmonella Stanley	1	1		1	1		1	1	31	16
Salmonella Tennessee	1								3	0
Salmonella Thompson									2	2
Salmonella Typhimurium	32	24	43	22	20	19	16	7	920	463
Salmonella Urbana									3	1
Salmonella Virchow					1	1	1		18	24
Salmonella Wandsbek subsp II	1		1						3	2
Salmonella Wandsworth		1							3	0
Salmonella Waycross									2	0
Salmonella Welikade									1	6
Salmonella Weltevreden			2	1	2	1			16	14
Salmonella Weltevreden var 15+									3	2
Salmonella Zanzibar									1	0
Salmonella species	3	1	1	6	1	1	2	6	65	47
Salmonella subsp I ser 16:l,v:-	1								1	3