



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

#### Epidemiology & Surveillance Program Communicable Disease Control Directorate

Report for eight week period 08-JAN-17 to 04-MAR-17

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: [http://www.public.health.wa.gov.au/3/573/3/statewide\\_notif.pm](http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm)

## STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 9			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	2017	2016	2015			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)								1	2	3	8	1	1.9	0.5
Hepatitis B (unspecified)	8	17	9	11	8	14	10	9	89	87	77	41	49.8	0.8
Hepatitis C (newly acquired)	1	3	6	2	3		2	3	20	21	20	8	10.1	0.8
Hepatitis C (unspecified)	24	25	22	21	16	24	30	32	210	157	169	102	80.0	1.3
Hepatitis D					1				1	0	0	1	0.0	0.0
<b>Enteric diseases</b>														
Campylobacteriosis	94	80	86	66	52	62	62	52	639	542	521	228	188.4	1.2
Cryptosporidiosis	15	20	17	19	16	15	10	11	131	59	68	52	33.6	1.5
Hepatitis A			1		1				2	5	7	1	2.0	0.5
Hepatitis E		1							1	0	1	0	0.4	0.0
Listeriosis									1	1	1	0	0.7	0.0
Paratyphoid fever	1			1					2	7	3	0	1.5	0.0
Rotavirus	8	7	9	6	6	3	11	2	64	25	65	22	18.9	1.2
STEC/VTEC infection	1		3	2		1		1	10	6	0	2	0.5	4.3
Salmonellosis	63	59	74	75	81	60	49	43	561	443	376	233	144.5	1.6
Shigellosis	5		5	4	3	7	2	4	33	23	33	16	7.4	2.2
Typhoid						1			1	1	4	1	1.4	0.7
Vibrio parahaemolyticus		1		1		1			3	6	4	1	1.7	0.6
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	269	259	189	294	266	255	249	197	2202	2205	2095	967	970.4	1.0
Gonorrhoea	66	79	65	116	78	90	74	55	695	533	368	297	189.5	1.6
Syphilis - Infectious	8	1	3	10	9	6	10	2	57	65	20	27	10.7	2.5
Syphilis - Non-Infectious	1	1	5	6	2	2	2	1	23	11	17	7	7.7	0.9
<b>Vaccine preventable diseases</b>														
Influenza	35	35	25	31	32	27	27	19	275	346	349	105	127.7	0.8
Measles		4			1				7	0	1	1	1.3	0.8
Mumps	1	1	3	1					6	216	5	0	20.8	0.0
Pertussis	22	25	26	24	14	21	7	8	179	358	277	50	182.6	0.3
Pneumococcal infection	4	3	2		1	2	2	3	17	12	14	8	8.0	1.0
Varicella (chicken pox)	15	9	10	9	9	7	15	8	98	72	59	39	24.9	1.6
Varicella (shingles)	36	35	47	37	31	31	32	9	296	314	253	103	104.5	1.0
Varicella (unspecified)	38	31	36	41	30	43	47	38	329	293	253	158	105.7	1.5
<b>Vector-borne diseases</b>														
Barmah Forest virus					3	1	1		5	3	7	5	34.1	0.1
Chikungunya				1		1		1	4	1	6	2	1.6	1.3
Dengue fever	9	10	4	6	6		4	2	48	119	226	12	67.5	0.2
Malaria	2	2	2	1	1	2	4		17	16	13	7	4.4	1.6
Ross River virus	32	35	27	19	29	18	21	23	247	90	307	91	177.7	0.5
Schistosomiasis	8	4	11	1	7	9	5	3	58	31	31	24	9.5	2.5
Typhus	1		2	1	2		1		8	3	5	3	2.1	1.4
<b>Zoonotic diseases</b>														
Brucellosis									0	0	0	0	0.0	0.0
Psittacosis			1						1	0	0	0	0.4	0.0
Q Fever	1				1				2	0	1	1	0.7	1.4
<b>Other diseases</b>														
Haemolytic Uraemic Syndrome									1	0	0	0	0.0	0.0
Legionellosis	3		1	1	2				7	6	17	2	5.5	0.4
Leprosy								1	1	0	0	1	0.2	5.0
Melioidosis				1					1	0	2	0	0.7	0.0
Meningococcal infection			2		1	1		2	6	2	2	4	1.2	3.3
Tuberculosis	1	2	1		2	4	1	7	21	27	26	14	9.5	1.5
<b>Grand Total</b>	<b>772</b>	<b>749</b>	<b>694</b>	<b>808</b>	<b>713</b>	<b>709</b>	<b>678</b>	<b>537</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 9			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	2017	2016	2015			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)								1	1	3	5	1	1.5	0.7
Hepatitis B (unspecified)	6	17	8	8	7	11	7	8	75	72	63	33	36.1	0.9
Hepatitis C (newly acquired)	1	3	3	1	2		1	2	13	18	10	5	8.3	0.6
Hepatitis C (unspecified)	21	20	14	16	11	16	23	24	157	120	128	74	57.5	1.3
Hepatitis D						1			1	0	0	1	0.0	0.0
<b>Enteric diseases</b>														
Campylobacteriosis	74	66	71	58	40	50	50	40	520	433	403	180	146.1	1.2
Cryptosporidiosis	9	18	11	14	16	11	10	6	103	39	32	43	18.5	2.3
Hepatitis A			1		1				2	4	7	1	1.4	0.7
Hepatitis E		1							1	0	1	0	0.3	0.0
Listeriosis									1	1	1	0	0.7	0.0
Paratyphoid fever	1			1					2	6	3	0	1.3	0.0
Rotavirus	5	7	9	4	5	1	5	1	47	23	55	12	15.3	0.8
STEC/VTEC infection			1					1	3	2	0	1	0.2	5.0
Salmonellosis	51	49	58	66	66	45	39	33	450	341	265	183	103.7	1.8
Shigellosis					2	2	1		5	17	17	5	4.5	1.1
Typhoid						1			1	1	4	1	1.0	1.0
Vibrio parahaemolyticus		1		1		1			3	6	4	1	1.5	0.7
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	216	195	142	229	193	199	202	159	1719	1686	1612	753	731.5	1.0
Gonorrhoea	44	46	38	81	52	58	43	37	447	353	244	190	106.1	1.8
Syphilis - Infectious	5		3	8	7	5	7	2	43	52	14	21	8.5	2.5
Syphilis - Non-Infectious		1	5	4	2	2	2	1	19	9	14	7	5.2	1.3
<b>Vaccine preventable diseases</b>														
Influenza	28	28	21	27	25	21	21	14	222	292	290	81	95.9	0.8
Measles		4			1				7	0	1	1	1.2	0.8
Mumps	1	1	2	1					5	4	3	0	2.9	0.0
Pertussis	16	21	22	22	11	19	6	7	149	251	216	43	138.1	0.3
Pneumococcal infection	3	3	2			2	2	2	14	4	7	6	3.2	1.9
Varicella (chicken pox)	9	7	6	7	6	5	7	5	64	55	47	23	18.1	1.3
Varicella (shingles)	21	26	39	28	24	22	23	7	216	239	203	76	80.9	0.9
Varicella (unspecified)	36	28	32	37	28	38	43	35	299	256	226	144	91.1	1.6
<b>Vector-borne diseases</b>														
Barmah Forest virus					1				1	1	0	1	24.9	0.0
Chikungunya						1		1	2	1	5	2	1.5	1.3
Dengue fever	9	7	3	4	5		4	2	40	100	183	11	55.2	0.2
Malaria	2	2	2	1	1	2	4		16	13	11	7	4.0	1.8
Ross River virus	16	17	11	5	19	8	12	8	115	50	227	47	116.6	0.4
Schistosomiasis	8	4	11	1	6	9	5	3	57	29	31	23	8.9	2.6
Typhus	1		1		1				3	3	3	1	1.3	0.8
<b>Zoonotic diseases</b>														
Brucellosis									0	0	0	0	0.0	0.0
Q Fever					1				1	0	0	1	0.2	5.0
<b>Other diseases</b>														
Haemolytic Uraemic Syndrome									1	0	0	0	0.0	0.0
Legionellosis	1			1	2				4	4	11	2	4.0	0.5
Melioidosis									0	0	0	0	0.1	0.0
Meningococcal infection			2		1	1		2	6	1	0	4	0.7	6.0
Tuberculosis	1	2	1		2	4	1	6	20	23	19	13	7.9	1.7
<b>Grand Total</b>	<b>585</b>	<b>574</b>	<b>519</b>	<b>625</b>	<b>538</b>	<b>535</b>	<b>518</b>	<b>407</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)							1	1	0.1
Hepatitis B (unspecified)	1	9 (13)	2.8	3	10 (13)	3.0	4	14 (16)	4.7
Hepatitis C (newly acquired)				1	3 (4)	1.3	1	2 (2)	0.6
Hepatitis C (unspecified)	7	23 (18)	4.9	7	16 (18)	7.3	10	35 (24)	9.8
Hepatitis D		1	0.1						
<b>Enteric diseases</b>									
Campylobacteriosis	15	69 (55)	27.2	14	54 (54)	21.6	11	57 (58)	23.0
Cryptosporidiosis	2	10 (4)	3.0	2	22 (5)	7.3	2	11 (7)	4.3
Hepatitis A							1		0.3
Hepatitis E									0.1
Listeriosis			0.1						
Paratyphoid fever			0.1					(1)	0.1
Rotavirus		6 (4)	2.0	1	5 (4)	2.1		1 (5)	2.5
STEC/VTEC infection	1	1	0.3			0.1			
Salmonellosis	11	60 (57)	18.3	10	56 (56)	22.1	12	67 (63)	22.3
Shigellosis		1 (4)	0.1		2 (4)	0.3		2 (3)	0.3
Typhoid					1	0.1			
Vibrio parahaemolyticus		1	0.1			0.1		(1)	0.1
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	56	253 (244)	76.5	52	226 (278)	79.0	51	274 (280)	83.2
Gonorrhoea	4	51 (64)	16.2	18	61 (54)	20.3	15	78 (81)	25.8
Syphilis - Infectious	1	3 (5)	1.1	1	4 (7)	1.3		14 (9)	3.6
Syphilis - Non-Infectious		2 (3)	0.5		(2)	0.7	1	5 (1)	1.4
<b>Vaccine preventable diseases</b>									
Influenza	8	40 (55)	11.2	3	24 (53)	11.0	3	17 (50)	8.7
Measles					1	1.0			
Mumps		(1)	0.1					(1)	0.6
Pertussis	2	21 (23)	8.2	3	12 (40)	5.9	2	10 (30)	6.5
Pneumococcal infection		1	0.3		1 (1)	0.3	2	4 (2)	1.4
Varicella (chicken pox)	1	11 (9)	3.3	1	5 (11)	2.8	3	7 (12)	2.8
Varicella (shingles)	1	20 (38)	11.0	2	35 (41)	10.4	4	21 (38)	8.5
Varicella (unspecified)	11	52 (34)	14.7	10	43 (43)	13.6	14	49 (38)	13.1
<b>Vector-borne diseases</b>									
Barmah Forest virus					1	0.1			
Chikungunya				1	2	0.3			
Dengue fever		4 (14)	1.4	2	4 (13)	2.1		3 (20)	2.1
Malaria		1 (2)	0.5		1	0.6		5 (4)	1.1
Ross River virus	2	11 (7)	4.3	4	18 (7)	6.7	2	18 (1)	5.1
Schistosomiasis		9 (7)	4.5	3	6 (1)	1.0		8 (5)	2.2
Typhus					1	0.3			0.1
<b>Zoonotic diseases</b>									
Psittacosis									
Q Fever					1	0.1			
<b>Other diseases</b>									
Haemolytic Uraemic Syndrome									0.1
Legionellosis		2 (2)	0.4			0.1			
Leprosy									
Melioidosis									
Meningococcal infection			0.3	1	2	0.3	1	2	0.3
Tuberculosis	2	4 (5)	0.8	1	5 (2)	1.2	3	4 (9)	0.8
<b>Grand Total</b>	<b>125</b>	<b>666 (668)</b>		<b>140</b>	<b>622 (711)</b>		<b>142</b>	<b>710 (761)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)		2 (1)	1.6			1.6		1 (2)	3.8
Hepatitis C (newly acquired)				1	2	4.8			1.3
Hepatitis C (unspecified)	1	6 (2)	5.4	1	1	11.3	1	5 (3)	12.7
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	5	17 (12)	23.3		4 (7)	21.0	3	10 (12)	29.1
Cryptosporidiosis		(1)	1.6		(1)	1.6		2	6.3
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus	1	5	3.2			1.6		1	3.8
STEC/VTEC infection		1	1.6		(1)	1.6			
Salmonellosis	1	11 (10)	11.4		5 (2)	17.8	1	5 (4)	12.7
Shigellosis			1.1						2.5
Typhoid									
Vibrio parahaemolyticus									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	8	53 (39)	56.2	2	12 (15)	61.4	3	12 (19)	40.5
Gonorrhoea	1	6 (4)	8.7		1 (1)	6.5		3 (4)	7.6
Syphilis - Infectious			0.5			1.6			
Syphilis - Non-Infectious									
<b>Vaccine preventable diseases</b>									
Influenza	1	4 (1)	4.3	1	1 (6)	8.1	1	3 (7)	7.6
Measles									
Mumps									
Pertussis		(16)	4.3		1 (1)	12.9		(1)	1.3
Pneumococcal infection									
Varicella (chicken pox)	2	9 (1)	7.0		3 (1)	4.8		1	1.3
Varicella (shingles)		13 (12)	16.8		4 (5)	16.2	2	3 (2)	15.2
Varicella (unspecified)	1	4 (6)	4.3	1	2 (2)	8.1		1 (1)	1.3
<b>Vector-borne diseases</b>									
Barmah Forest virus		1	0.5		1 (1)	1.6			
Chikungunya			0.5						
Dengue fever		(3)	1.1					1	1.3
Malaria									
Ross River virus	3	10 (3)	33.0	1	6 (3)	29.1	1	3 (3)	15.2
Schistosomiasis		1	0.5						
Typhus						1.6		1	1.3
<b>Zoonotic diseases</b>									
Psittacosis									
Q Fever									1.3
<b>Other diseases</b>									
Haemolytic Uraemic Syndrome									
Legionellosis						1.6			
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis				1	1	1.6			
<b>Grand Total</b>	<b>24</b>	<b>143 (111)</b>		<b>8</b>	<b>44 (46)</b>		<b>12</b>	<b>52 (58)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			1.4		1 (2)	1.6		2 (1)	2.9
Hepatitis B (unspecified)			2.9						1.4
Hepatitis C (newly acquired)		1 (2)							
Hepatitis C (unspecified)	1	6 (4)	15.7		1 (1)	6.5		2 (1)	2.9
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	1	4 (6)	15.7	2	7 (2)	19.4		1 (7)	7.2
Cryptosporidiosis	1	2	4.3	2	2	4.9	1	2 (2)	10.1
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		3 (1)	5.7		1	1.6			
STEC/VTEC infection			2.9						
Salmonellosis	3	7 (2)	22.9	1	5 (3)	19.4	1	6 (7)	23.2
Shigellosis	3	7 (1)	24.3			1.6	1	3 (1)	7.2
Typhoid									
Vibrio parahaemolyticus									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	7	28 (25)	67.2	7	22 (38)	82.6	4	29 (28)	97.1
Gonorrhoea	5	9 (9)	30.0	3	18 (4)	66.4	1	13 (17)	62.3
Syphilis - Infectious									
Syphilis - Non-Infectious					(1)	3.2			1.4
<b>Vaccine preventable diseases</b>									
Influenza		2 (4)	7.2	1	3 (2)	8.1		2 (2)	5.8
Measles									
Mumps								(15)	1.4
Pertussis		1 (3)	1.4	1	1 (2)	4.9		3	11.6
Pneumococcal infection					(1)	1.6		1 (2)	1.4
Varicella (chicken pox)			1.4						14.5
Varicella (shingles)		(1)	5.7		3 (1)	14.6		(3)	4.3
Varicella (unspecified)		4 (5)	11.4					1	1.4
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Chikungunya						1.6			
Dengue fever					(1)	1.6			
Malaria									1.4
Ross River virus					1 (2)	9.7	3	7 (2)	11.6
Schistosomiasis									
Typhus			1.4			1.6			
<b>Zoonotic diseases</b>									
Psittacosis			1.4						
Q Fever									
<b>Other diseases</b>									
Haemolytic Uraemic Syndrome									
Legionellosis			1.4						
Leprosy									
Melioidosis			1.4						
Meningococcal infection									
Tuberculosis									
<b>Grand Total</b>	<b>21</b>	<b>74 (63)</b>		<b>17</b>	<b>65 (60)</b>		<b>11</b>	<b>72 (88)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				1	1 (2)	0.1
Hepatitis B (unspecified)	1	2 (1)	7.4	9	41 (50)	3.2
Hepatitis C (newly acquired)				3	8 (10)	0.7
Hepatitis C (unspecified)	4	7 (2)	22.3	32	102 (74)	7.6
Hepatitis D				0	1 (0)	0.0
<b>Enteric diseases</b>						
Campylobacteriosis		2	7.4	52	228 (218)	23.4
Cryptosporidiosis	1	1 (3)	14.9	11	52 (23)	4.8
Hepatitis A				0	1 (1)	0.1
Hepatitis E				0	0 (0)	0.0
Listeriosis				0	0 (1)	0.0
Paratyphoid fever				0	0 (2)	0.1
Rotavirus				2	22 (14)	2.3
STEC/VTEC infection		(1)	2.5	1	2 (2)	0.4
Salmonellosis	3	7 (4)	44.6	43	233 (211)	20.6
Shigellosis				4	16 (13)	1.2
Typhoid				0	1 (0)	0.0
Vibrio parahaemolyticus				0	1 (1)	0.1
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	6	50 (51)	315.0	197	967*****	80.7
Gonorrhoea	8	55 (42)	277.8	55	297 (282)	25.5
Syphilis - Infectious		5 (3)	27.3	2	27 (26)	2.1
Syphilis - Non-Infectious				1	7 (7)	0.7
<b>Vaccine preventable diseases</b>						
Influenza		8 (6)	32.2	19	105 (191)	10.1
Measles				0	1 (0)	0.3
Mumps				0	0 (117)	0.2
Pertussis		1 (1)	2.5	8	50 (117)	6.6
Pneumococcal infection	1	1	2.5	3	8 (8)	0.6
Varicella (chicken pox)	1	3 (1)	12.4	8	39 (35)	3.6
Varicella (shingles)		3 (3)	17.4	9	103 (147)	10.9
Varicella (unspecified)	1	2	5.0	38	158 (129)	12.1
<b>Vector-borne diseases</b>						
Barmah Forest virus		2	5.0	0	5 (1)	0.2
Chikungunya				1	2 (0)	0.1
Dengue fever			2.5	2	12 (55)	1.8
Malaria				0	7 (7)	0.6
Ross River virus	7	17 (4)	64.5	23	91 (33)	9.1
Schistosomiasis				3	24 (13)	2.1
Typhus		1	2.5	0	3 (1)	0.3
<b>Zoonotic diseases</b>						
Psittacosis				0	0 (0)	0.0
Q Fever				0	1 (0)	0.1
<b>Other diseases</b>						
Haemolytic Uraemic Syndrome				0	0 (0)	0.0
Legionellosis			2.5	0	2 (3)	0.3
Leprosy	1	1	2.5	1	1 (0)	0.0
Melioidosis				0	0 (0)	0.0
Meningococcal infection				2	4 (0)	0.2
Tuberculosis				7	14 (18)	0.5
<b>Grand Total</b>	<b>34</b>	<b>168 (122)</b>		<b>537</b>	<b>2637 (2838)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 9	
	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	2017	2016
	<b>Salmonella Total</b>	<b>63</b>	<b>59</b>	<b>74</b>	<b>75</b>	<b>81</b>	<b>60</b>	<b>49</b>	<b>43</b>	<b>561</b>
<b>Serotype/Phage</b>										
Salmonella Aberdeen					1				1	2
Salmonella Agona							1		2	1
Salmonella Anatum					1				1	4
Salmonella Ball							1		1	0
Salmonella Bareilly			1						1	0
Salmonella Bovismorbificans	1	2				1			4	5
Salmonella Chester	2	1							3	6
Salmonella Choleraesuis bv Kunzendorf Australia							1		3	2
Salmonella Derby	1								1	0
Salmonella Eastbourne									1	5
Salmonella Enteritidis	5	3	2	3	5	2	3		27	28
Salmonella Fremantle subsp II					1				1	1
Salmonella Give	1		1						3	1
Salmonella Give var 15+									0	0
Salmonella Hadar			1						1	5
Salmonella Havana						1	1		2	1
Salmonella Hessarek						1			1	0
Salmonella Hvitvingfoss	1		1	1	1				5	3
Salmonella Infantis	3	2	1						6	16
Salmonella Isangi									1	0
Salmonella Javiana		1		1	1		1		4	4
Salmonella Johannesburg				1					2	0
Salmonella Kentucky	1	1			1		1		5	4
Salmonella Kiambu		2		2					4	9
Salmonella Lansing	1								1	1
Salmonella Liverpool			1						1	1
Salmonella Mbandaka		1					1		2	7
Salmonella Meleagridis			1						1	0
Salmonella Montevideo		1				1			2	2
Salmonella Muenchen		1	1						4	6
Salmonella Newport						4			4	3
Salmonella Ohlstedt									1	1
Salmonella Panama									0	0
Salmonella Paratyphi B bv Java	2	1	2			1	2		8	20
Salmonella Poona		1							1	1
Salmonella Ramatgan			1						1	0
Salmonella Richmond		1							1	0
Salmonella Rubislaw	1								1	0
Salmonella Saintpaul		2			1	3		1	8	6
Salmonella Schwarzengrund		2	1	1					5	2
Salmonella Senftenberg				1					1	5
Salmonella Singapore			3		2	2	3		12	6
Salmonella Stanley	2	3	3	5	1			1	15	9
Salmonella Tennessee	1								1	0
Salmonella Typhimurium	35	25	47	56	62	35	23		316	198
Salmonella Urbana	1		1	1					3	0
Salmonella Virchow							3		5	13
Salmonella Wandsworth					1				1	0
Salmonella Weltevreden		1					1		3	6



# Weekly Report for period 08-JAN-17 to 04-MAR-17

	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	Cumulative Total to end of Week 9	
									2017	2016
<b>Salmonella Total</b>	63	59	74	75	81	60	49	43	561	409
<b>Serotype/Phage</b>										
Salmonella Weltevreden var 15+				1					1	0
Salmonella species	5	8	6	2	3	9	7	41	82	25