



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program Communicable Disease Control Directorate

Report for eight week period 21-MAY-17 to 15-JUL-17

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 28			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	27/05	03/06	10/06	17/06	24/06	01/07	08/07	15/07	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)		1		1	2		1		10	15	17	3	1.9	1.6
Hepatitis B (unspecified)	15	6	10	15	7	15	9	10	291	387	294	41	68.1	0.6
Hepatitis C (newly acquired)	1	1	1	1		1			56	68	81	1	10.5	0.1
Hepatitis C (unspecified)	29	20	20	28	27	31	22	25	625	610	529	105	83.3	1.3
Hepatitis D									3	1	0	0	0.2	0.0
Enteric diseases														
Campylobacteriosis	47	51	56	56	48	52	43	49	1710	1632	1472	192	187.4	1.0
Cryptosporidiosis	7	6	6	1	4	1	2	4	339	170	174	11	13.5	0.8
Hepatitis A							1		9	8	14	1	1.1	0.9
Hepatitis E	1								2	1	2	0	0.1	0.0
Listeriosis				1	1				3	2	1	1	0.1	15.0
Rotavirus	30	16	12	14	17	15	9	4	366	82	384	45	49.1	0.9
STEC/VTEC infection	2							3	28	13	0	3	0.6	5.0
Salmonellosis	64	41	45	42	35	36	17	30	1612	1161	1018	118	91.7	1.3
Shigellosis	1	3	2	3	2	4	6	3	93	50	69	15	4.4	3.4
Typhoid	1								6	4	7	0	0.7	0.0
Vibrio parahaemolyticus									10	18	6	0	1.1	0.0
Yersiniosis		2	2		1				10	7	20	1	0.9	1.2
Sexually transmissible infections														
Chlamydia (genital)	195	227	191	220	238	217	206	156	6467	6632	6308	817	886.5	0.9
Gonorrhoea	57	64	53	59	68	70	58	38	1986	1720	1181	234	182.9	1.3
Syphilis - Infectious	9	3	4	3	3	4	2	2	168	172	72	11	13.0	0.8
Syphilis - Non-Infectious	2	2	2	2	1	1	2	3	75	33	36	7	11.7	0.6
Vaccine preventable diseases														
Influenza	37	50	28	74	76	64	88	110	1145	1610	2139	338	679.0	0.5
Measles									12	2	5	0	1.9	0.0
Mumps			1					2	13	441	77	2	10.9	0.2
Pertussis	18	22	24	28	19	23	11	11	590	724	798	64	134.4	0.5
Pneumococcal infection	4	3	1	6	1	8	4	1	81	72	79	14	23.1	0.6
Rubella (non-congenital)									2	0	0	0	0.2	0.0
Varicella (chicken pox)	9	11	17	12	9	12	15	3	303	283	217	39	38.5	1.0
Varicella (shingles)	33	28	27	26	31	31	23	8	946	885	765	93	103.1	0.9
Varicella (unspecified)	41	41	37	34	31	37	35	61	963	836	786	164	99.3	1.7
Vector-borne diseases														
Arboviral encephalitis									4	8	1	0	0.1	0.0
Barmah Forest virus	2		2						25	7	27	0	16.1	0.0
Chikungunya									6	3	8	0	2.4	0.0
Dengue fever	3	2	5	1	5	5	5	1	121	405	458	16	33.5	0.5
Malaria	1	1	4	2			1		39	30	25	1	4.4	0.2
Ross River virus	17	15	13	16	6	4	3	3	876	235	731	16	42.5	0.4
Schistosomiasis	4	9	3	6	5	2	9	5	163	120	130	21	15.1	1.4
Typhus			1						11	16	17	0	1.6	0.0
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Psittacosis									2	0	0	0	0.1	0.0
Other diseases														
Haemolytic Uraemic Syndrome									3	1	0	0	0.2	0.0
Legionellosis		2	1	3	1	2			21	31	38	3	6.9	0.4
Leprosy							1		2	3	0	1	0.3	3.0
Melioidosis									4	2	2	0	0.1	0.0
Meningococcal infection				2	1		1		14	6	6	2	1.7	1.2
Tuberculosis	1	4	2	4			7	4	64	66	72	11	12.1	0.9
Grand Total	631	631	570	660	639	635	581	536						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 28			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	27/05	03/06	10/06	17/06	24/06	01/07	08/07	15/07	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)				1			1		6	14	13	1	1.8	0.6
Hepatitis B (unspecified)	14	6	9	13	6	12	8	8	245	331	236	34	42.7	0.8
Hepatitis C (newly acquired)	1	1	1	1		1			41	52	58	1	7.4	0.1
Hepatitis C (unspecified)	20	13	16	22	16	22	15	20	451	422	362	73	55.7	1.3
Hepatitis D									2	1	0	0	0.2	0.0
Enteric diseases														
Campylobacteriosis	42	43	44	50	35	32	34	45	1368	1299	1150	146	145.8	1.0
Cryptosporidiosis	5	4	4	1	4	1	1	4	250	111	63	10	9.3	1.1
Hepatitis A							1		7	7	13	1	0.8	1.3
Hepatitis E	1								2	1	1	0	0.1	0.0
Listeriosis				1	1				3	1	1	1	0.1	15.0
Rotavirus	14	4	5	7	10	11	8	2	186	70	278	31	33.1	0.9
STEC/VTEC infection								3	17	3	0	3	0.3	9.0
Salmonellosis	40	35	35	35	24	24	14	23	1226	871	714	85	63.1	1.3
Shigellosis	1	1		2	2	1	2	2	26	29	28	7	2.5	2.8
Typhoid	1								5	3	6	0	0.6	0.0
Vibrio parahaemolyticus									9	17	4	0	0.8	0.0
Yersiniosis		1	2		1				9	5	16	1	0.5	1.9
Sexually transmissible infections														
Chlamydia (genital)	151	184	150	170	178	172	160	116	5033	5069	4857	626	674.2	0.9
Gonorrhoea	36	38	36	41	45	47	37	24	1306	1133	697	153	100.9	1.5
Syphilis - Infectious	8	2	3	2	3	3	1	1	118	142	46	8	9.3	0.9
Syphilis - Non-Infectious	1	2	1	2	1		2	3	66	25	31	6	5.1	1.2
Vaccine preventable diseases														
Influenza	30	42	19	53	58	50	66	88	894	1326	1688	262	535.7	0.5
Measles									11	2	5	0	1.4	0.0
Mumps			1					1	10	16	19	1	2.2	0.5
Pertussis	10	12	19	17	12	14	7	6	435	545	632	39	108.0	0.4
Pneumococcal infection	4	3	1	4	1	8	2	1	57	40	45	12	14.1	0.9
Rubella (non-congenital)									2	0	0	0	0.2	0.0
Varicella (chicken pox)	7	9	10	12	7	10	13	3	222	225	172	33	28.2	1.2
Varicella (shingles)	19	25	23	18	17	20	15	3	678	672	597	55	78.5	0.7
Varicella (unspecified)	36	40	34	32	29	30	35	51	888	714	673	145	85.5	1.7
Vector-borne diseases														
Arboviral encephalitis									1	7	1	0	0.1	0.0
Barmah Forest virus	1								5	2	9	0	11.0	0.0
Chikungunya									4	2	6	0	2.2	0.0
Dengue fever	3	2	4		4	5	4	1	100	329	370	14	27.0	0.5
Malaria	1	1	3	2			1		33	22	22	1	3.5	0.3
Ross River virus	13	11	9	11	4	4	1	2	409	127	427	11	25.0	0.4
Schistosomiasis	4	9	3	6	4	2	9	5	159	116	125	20	13.2	1.5
Typhus			1						4	10	9	0	1.1	0.0
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Other diseases														
Haemolytic Uraemic Syndrome									3	0	0	0	0.1	0.0
Legionellosis		2		2		1			14	22	26	1	5.2	0.2
Melioidosis									1	0	0	0	0.0	0.0
Meningococcal infection				2	1		1		13	4	3	2	1.1	1.9
Tuberculosis	1	2	2	3			7	4	56	54	54	11	9.5	1.2
Grand Total	464	492	435	510	463	470	445	416						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.4					1 (1)	0.4
Hepatitis B (unspecified)	1	9 (17)	9.1	2	8 (15)	9.6	5	17 (46)	15.3
Hepatitis C (newly acquired)			0.8		1 (1)	2.7		(2)	2.3
Hepatitis C (unspecified)	3	14 (10)	14.3	4	13 (15)	20.1	13	46 (33)	28.4
Hepatitis D			0.1			0.1			
Enteric diseases									
Campylobacteriosis	13	52 (71)	68.8	14	44 (63)	57.9	18	50 (61)	62.6
Cryptosporidiosis	1	4 (8)	8.2	2	4 (2)	17.6	1	2 (2)	9.5
Hepatitis A						0.1		1	0.8
Hepatitis E						0.1			0.1
Listeriosis			0.1					1	0.3
Paratyphoid fever		(1)	0.3			0.1			0.1
Rotavirus		10 (3)	8.3	1	11 (1)	8.1	1	10 (3)	9.4
STEC/VTEC infection	2	2	1.1			0.7	1	1	0.6
Salmonellosis	6	19 (34)	54.7	13	34 (26)	58.2	4	32 (31)	57.5
Shigellosis	2	3 (2)	0.8			0.7		4 (1)	2.1
Typhoid						0.3			0.4
Vibrio parahaemolyticus		(1)	0.3			0.9			0.1
Yersiniosis		(1)	0.8		1	0.3			0.1
Sexually transmissible infections									
Chlamydia (genital)	37	190 (185)	211.7	37	203 (225)	232.9	42	233 (246)	255.1
Gonorrhoea	7	44 (29)	49.3	9	42 (51)	56.9	8	67 (65)	75.4
Syphilis - Infectious		3 (6)	3.8		(3)	3.4	1	5 (7)	9.1
Syphilis - Non-Infectious	1	2 (3)	2.4	1	2 (3)	1.9	1	2	4.8
Vaccine preventable diseases									
Influenza	41	101 (150)	45.6	28	76 (160)	41.2	19	85 (120)	37.1
Measles						1.2		(2)	0.4
Mumps		(3)	0.1	1	1	0.3		(1)	1.0
Pertussis	4	29 (25)	27.6	2	7 (32)	18.1		3 (23)	14.2
Pneumococcal infection		4 (1)	2.1		2 (5)	1.8	1	6 (5)	4.0
Rubella (non-congenital)			0.3						
Varicella (chicken pox)	3	14 (21)	9.7		8 (12)	11.6		11 (15)	9.6
Varicella (shingles)		16 (28)	33.1	3	18 (24)	30.4		21 (34)	30.5
Varicella (unspecified)	13	44 (38)	40.5	17	51 (31)	43.3	21	50 (32)	39.7
Vector-borne diseases									
Arboviral encephalitis						0.1			
Barmah Forest virus			0.1			0.4			0.1
Chikungunya						0.4			
Dengue fever		5 (20)	3.8		4 (16)	5.0	1	5 (16)	5.1
Malaria			1.7		(2)	1.0		1	1.8
Ross River virus		3 (2)	12.0	2	4 (2)	25.3		4 (3)	20.3
Schistosomiasis	5	10 (8)	10.4		1 (3)	2.5		9 (12)	8.7
Typhus			0.3		(1)	0.1			0.1
Zoonotic diseases									
Leptospirosis									
Psittacosis									
Q Fever						0.3			
Other diseases									
Haemolytic Uraemic Syndrome			0.1			0.1			0.1
Legionellosis		1	1.1		(1)	0.4		(2)	0.4
Leprosy									
Melioidosis			0.1						
Meningococcal infection		1	0.8			0.4		1 (1)	0.6
Tuberculosis	1	5 (1)	2.4	1	1 (4)	2.2	2	5 (1)	3.2
Grand Total	140	585 (668)		137	536 (698)		139	673 (765)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		2	2.2						
Hepatitis B (unspecified)			2.7		(1)	3.2		2 (2)	13.9
Hepatitis C (newly acquired)						12.9			2.5
Hepatitis C (unspecified)		8 (8)	19.5	1	2 (5)	37.2	1	3 (4)	45.5
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	19 (27)	63.3	1	6 (11)	54.9	1	5 (7)	69.6
Cryptosporidiosis		(1)	7.0			3.2			11.4
Hepatitis A			0.5						
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus	1	1	6.5			3.2			10.1
STEC/VTEC infection			2.2			1.6			1.3
Salmonellosis	1	8 (6)	41.1		1 (1)	32.3	2	4 (3)	46.8
Shigellosis			1.6						3.8
Typhoid			0.5						
Vibrio parahaemolyticus									
Yersiniosis			0.5						
Sexually transmissible infections									
Chlamydia (genital)	9	35 (38)	157.4	1	4 (19)	153.5	5	13 (11)	127.8
Gonorrhoea		6 (11)	22.7		(1)	8.1		1 (4)	16.4
Syphilis - Infectious		1	3.2			1.6		1 (2)	2.5
Syphilis - Non-Infectious			0.5						
Vaccine preventable diseases									
Influenza	3	14 (12)	23.8	2	2 (7)	40.4	4	8 (9)	30.4
Measles									1.3
Mumps									
Pertussis	1	6 (1)	24.9	4	12 (6)	67.9		4 (1)	12.7
Pneumococcal infection		1 (2)	2.7						1.3
Rubella (non-congenital)									
Varicella (chicken pox)		2 (2)	15.7		(2)	11.3		(1)	3.8
Varicella (shingles)	2	14 (8)	55.7		6 (6)	58.2	2	8 (2)	48.1
Varicella (unspecified)		(7)	4.3	2	3	21.0	2	4	5.1
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus			1.1			1.6			
Chikungunya			0.5						
Dengue fever		1 (5)	3.2			1.6			2.5
Malaria									3.8
Ross River virus		(4)	60.6			54.9	1	5 (3)	93.6
Schistosomiasis		1	1.6						
Typhus					(1)	1.6			1.3
Zoonotic diseases									
Leptospirosis						1.6			
Psittacosis									
Q Fever						1.6			1.3
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis		1 (1)	0.5			3.2			1.3
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis		(1)	1.1			3.2			1.3
Grand Total	19	120 (134)		11	36 (60)		18	58 (49)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	2	10.0		(3)	9.7		1 (1)	7.2
Hepatitis C (newly acquired)			2.9			1.6		(1)	2.9
Hepatitis C (unspecified)	1	7 (3)	40.0	1	3 (3)	22.7		2 (2)	11.6
Hepatitis D									
Enteric diseases									
Campylobacteriosis		6 (7)	55.8		3 (3)	53.5		2 (5)	33.3
Cryptosporidiosis			21.5		1 (1)	29.2		(2)	26.1
Hepatitis A						1.6			
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		3 (1)	18.6			43.7		2 (1)	56.5
STEC/VTEC infection		(1)	4.3			1.6			
Salmonellosis		5 (2)	70.1	3	5 (2)	92.4	1	3 (2)	72.5
Shigellosis			40.0	1	5	17.8		1	20.3
Typhoid									
Vibrio parahaemolyticus									1.4
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	6	23 (39)	240.3	2	21 (24)	269.0	6	32 (27)	300.1
Gonorrhoea	1	10 (15)	95.8	1	11 (7)	191.2	2	12 (9)	171.1
Syphilis - Infectious						4.9			1.4
Syphilis - Non-Infectious					1	4.9			1.4
Vaccine preventable diseases									
Influenza	5	32 (15)	107.3	2	4 (3)	35.6	1	5 (30)	23.2
Measles									
Mumps					(6)	1.6	1	1 (1)	2.9
Pertussis		1	8.6			8.1		1	18.8
Pneumococcal infection		(2)	2.9			8.1		1 (2)	5.8
Rubella (non-congenital)									
Varicella (chicken pox)			1.4		1 (4)	8.1		(1)	27.5
Varicella (shingles)		3 (7)	15.7			38.9		2 (3)	23.2
Varicella (unspecified)	4	10 (4)	50.1	1	1 (2)	3.2			
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus						1.6			10.1
Chikungunya						1.6			
Dengue fever			1.4		1	6.5		(1)	2.9
Malaria						1.6			1.4
Ross River virus			20.0		(2)	124.8			69.6
Schistosomiasis			1.4						
Typhus			1.4			3.2			
Zoonotic diseases									
Leptospirosis									
Psittacosis			2.9						
Q Fever						1.6			
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis			1.4					1	1.4
Leprosy									
Melioidosis			1.4						
Meningococcal infection									1.4
Tuberculosis		(1)	1.4						2.9
Grand Total	18	102 (97)		11	57 (60)		11	66 (88)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	3 (2)	0.4
Hepatitis B (unspecified)	1	1 (1)	22.3	10	41 (87)	10.7
Hepatitis C (newly acquired)				0	1 (4)	2.1
Hepatitis C (unspecified)	1	4 (11)	59.5	25	105 (95)	22.9
Hepatitis D			2.5	0	0 (0)	0.1
Enteric diseases						
Campylobacteriosis		4 (2)	44.6	49	192 (258)	62.7
Cryptosporidiosis		(2)	34.7	4	11 (19)	12.4
Hepatitis A				0	1 (0)	0.3
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	1 (0)	0.1
Paratyphoid fever				0	0 (1)	0.1
Rotavirus		6 (1)	178.6	4	45 (10)	13.4
STEC/VTEC infection			2.5	3	3 (1)	1.0
Salmonellosis		3 (5)	171.1	30	118 (116)	59.1
Shigellosis		2	12.4	3	15 (3)	3.4
Typhoid				0	0 (0)	0.2
Vibrio parahaemolyticus				0	0 (1)	0.4
Yersiniosis				0	1 (1)	0.4
Sexually transmissible infections						
Chlamydia (genital)	7	51 (45)	855.6	156	817 (865)	237.1
Gonorrhoea	6	35 (29)	736.6	38	234 (223)	72.8
Syphilis - Infectious	1	1 (2)	91.8	2	11 (23)	6.2
Syphilis - Non-Infectious			2.5	3	7 (7)	2.6
Vaccine preventable diseases						
Influenza	1	5 (4)	59.5	110	338 (514)	42.0
Measles				0	0 (2)	0.4
Mumps				2	2 (18)	0.5
Pertussis		1 (1)	79.4	11	64 (89)	21.6
Pneumococcal infection		(4)	12.4	1	14 (21)	3.0
Rubella (non-congenital)				0	0 (0)	0.1
Varicella (chicken pox)		3	29.8	3	39 (59)	11.1
Varicella (shingles)		2 (2)	64.5	8	93 (117)	34.7
Varicella (unspecified)	1	1	5.0	61	164 (115)	35.3
Vector-borne diseases						
Arboviral encephalitis			7.4	0	0 (0)	0.1
Barmah Forest virus			22.3	0	0 (0)	0.9
Chikungunya				0	0 (0)	0.2
Dengue fever		(1)	2.5	1	16 (60)	4.4
Malaria			2.5	0	1 (3)	1.4
Ross River virus			255.4	3	16 (16)	32.1
Schistosomiasis				5	21 (25)	6.0
Typhus			5.0	0	0 (2)	0.4
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.1
Psittacosis				0	0 (0)	0.1
Q Fever				0	0 (0)	0.2
Other diseases						
Haemolytic Uraemic Syndrome				0	0 (1)	0.1
Legionellosis			2.5	0	3 (4)	0.8
Leprosy		1	5.0	0	1 (2)	0.1
Melioidosis			5.0	0	0 (0)	0.1
Meningococcal infection				0	2 (1)	0.5
Tuberculosis				4	11 (8)	1.8
Grand Total	18	120 (110)		537	2395 (2774)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

Serotype/Phage	Week Ending								Cumulative Total to end of Week 28	
	27/05	03/06	10/06	17/06	24/06	01/07	08/07	15/07	2017	2016
	Salmonella Total	64	41	45	42	35	36	17	30	1612
Salmonella Aberdeen					1				2	7
Salmonella Abony									1	0
Salmonella Adelaide									4	2
Salmonella Agona		1					1		4	9
Salmonella Albany					1				2	1
Salmonella Anatum				2	1				9	9
Salmonella Anatum var 15+									1	1
Salmonella Bahrenfeld									3	2
Salmonella Ball									2	0
Salmonella Bareilly									4	3
Salmonella Bovismorbificans		1				1			14	11
Salmonella Bredeney									2	3
Salmonella Champaign									1	0
Salmonella Charity									1	1
Salmonella Chester	1		3	1		1	1		27	18
Salmonella Choleraesuis bv Australia								1	8	6
Salmonella Corvallis									5	10
Salmonella Derby									1	1
Salmonella Eastbourne									3	9
Salmonella Enteritidis	2	1	3	4	4	6	2	3	83	124
Salmonella Fremantle subsp II					1				3	1
Salmonella Fresno									1	0
Salmonella Give									5	3
Salmonella Give var 15+									0	0
Salmonella Hadar									1	8
Salmonella Havana					1	1			5	4
Salmonella Heidelberg		1	1						2	1
Salmonella Hessarek									1	0
Salmonella Houten subsp IV									1	1
Salmonella Hvittingfoss	1				1				12	12
Salmonella Indiana								1	1	0
Salmonella Infantis	2			1					18	29
Salmonella Isangi									1	0
Salmonella Javiana									5	4
Salmonella Johannesburg				1					6	1
Salmonella Kentucky					2	1			14	15
Salmonella Kiambu			1						8	22
Salmonella Krefeld									1	0
Salmonella Lansing									3	3
Salmonella Litchfield									5	2
Salmonella Liverpool									1	5
Salmonella Mbandaka				1					5	20
Salmonella Meleagridis									1	0
Salmonella Mgulani					1				1	1
Salmonella Montevideo	1								4	4
Salmonella Muenchen		1		1					18	12
Salmonella Newport			2						12	17
Salmonella Ohio									1	0
Salmonella Ohlstedt									2	6

Weekly Report for period 21-MAY-17 to 15-JUL-17

	27/05	03/06	10/06	17/06	24/06	01/07	08/07	15/07	Cumulative Total to end of Week 28	
									2017	2016
Salmonella Total	64	41	45	42	35	36	17	30	1612	1116
Serotype/Phage										
Salmonella Onderstepoort									1	0
Salmonella Oranienburg				1					3	5
Salmonella Orion						1			3	6
Salmonella Orion var 15+									1	0
Salmonella Oslo									2	1
Salmonella Panama	1								1	1
Salmonella Paratyphi B bv Java	2	2	1	1	1	4	1		53	45
Salmonella Poona						1			5	3
Salmonella Potsdam									1	4
Salmonella Ramatgan									1	0
Salmonella Reading	2	1						1	7	1
Salmonella Rubislaw	1		1			1			7	2
Salmonella Saintpaul		1	3			4		1	39	26
Salmonella Sandiego									1	0
Salmonella Schwarzengrund			1	1					8	5
Salmonella Senftenberg	1			1	1				6	12
Salmonella Singapore	3	2	2		3	2			48	12
Salmonella Stanley		1	1		2	1		1	33	19
Salmonella Tennessee									3	0
Salmonella Thompson									2	2
Salmonella Typhimurium	43	23	21	23	13	10	11	8	945	476
Salmonella Urbana									3	2
Salmonella Virchow			1	1	1	1			19	28
Salmonella Wandsbek subsp II	1								3	2
Salmonella Wandsworth									3	0
Salmonella Waycross									2	0
Salmonella Welikade									1	6
Salmonella Weltevreden	2	1	2	1					16	16
Salmonella Weltevreden var 15+									3	2
Salmonella Zanzibar									1	0
Salmonella species	1	5	1	1	1	1	1	14	73	48
Salmonella subsp 1 ser 4,5,12:i:-			1						1	1
Salmonella subsp I ser 16:i,v:-									1	3
Salmonella subsp IIIb 61:z52:z53				1					1	0