



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 19-FEB-18 to 15-APR-18

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 15			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	25/02	04/03	11/03	18/03	25/03	01/04	08/04	15/04	2018	2017	2016			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)				1	1				3	3	4	1	2.1	0.5
Hepatitis B (unspecified)	13	13	5	13	13	9	8	9	153	160	137	39	50.0	0.8
Hepatitis C (newly acquired)	4	2	3	2	4				34	38	38	4	10.6	0.4
Hepatitis C (unspecified)	18	24	14	20	19	17	17	19	285	336	295	72	84.6	0.9
Hepatitis D							1		1	3	0	1	0.1	7.5
Enteric diseases														
Campylobacteriosis	66	58	64	51	50	32	39	44	908	1009	864	165	197.3	0.8
Cryptosporidiosis	2	2	2		2	2	6	4	48	267	105	14	43.7	0.3
Hepatitis A	1	1							2	7	7	0	1.5	0.0
Listeriosis									3	1	1	0	0.4	0.0
Paratyphoid fever									2	3	8	0	1.3	0.0
Rotavirus	6	5	5	4	5	4	3	1	84	136	54	13	25.7	0.5
STEC/VTEC infection			1	1	1	2	2	2	25	20	8	7	1.1	6.2
Salmonellosis	57	42	41	46	59	42	45	38	707	1038	728	184	168.9	1.1
Shigellosis	4	6	8	7	1	5	4	2	84	50	32	12	7.1	1.7
Typhoid			3						8	3	2	0	0.7	0.0
Vibrio parahaemolyticus					1				4	7	12	1	1.5	0.7
Yersiniosis		1			1				4	2	4	1	1.1	0.9
Sexually transmissible infections														
Chlamydia (genital)	277	240	198	231	255	203	199	189	3461	3765	3614	846	934.4	0.9
Gonorrhoea	77	66	61	66	71	55	67	43	985	1215	901	236	207.7	1.1
Syphilis - Infectious	11	5	4	11	5	11	6	7	111	121	97	29	14.5	2.0
Syphilis - Non-Infectious	5	12	4	5	6	1	2	2	70	44	16	11	6.9	1.6
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.0	0.0
H. influenzae type b									1	0	1	0	0.1	0.0
Influenza	85	67	60	62	55	36	43	29	927	476	604	163	144.5	1.1
Measles			1	2	1	1	3	1	10	11	0	6	0.8	7.5
Mumps					1		4		9	8	332	5	18.1	0.3
Pertussis	16	18	13	11	22	14	12	26	315	330	476	74	96.2	0.8
Pneumococcal infection	2	1	1	2	3	2	1		29	37	22	6	9.8	0.6
Varicella (chicken pox)	6	10	11	8	8	5	8	2	134	187	129	23	32.5	0.7
Varicella (shingles)	38	47	36	35	42	36	37	8	601	556	499	123	119.1	1.0
Varicella (unspecified)	39	43	32	39	36	28	45	51	550	483	459	160	107.4	1.5
Vector-borne diseases														
Barmah Forest virus		3	1	1	4	1	1		14	15	5	6	34.1	0.2
Chikungunya									0	5	2	0	1.8	0.0
Dengue fever	1	6	4	1	2	3	1	1	40	83	237	7	47.9	0.1
Malaria	2		1		1	1	1		15	25	18	3	3.4	0.9
Ross River virus	14	21	27	29	18	9	11	10	251	641	151	48	133.4	0.4
Typhus			1	1		1	1		5	9	9	2	1.9	1.1
Zoonotic diseases														
Brucellosis				1					1	0	0	0	0.0	0.0
Leptospirosis									1	0	2	0	0.2	0.0
Psittacosis			1						1	2	0	0	0.2	0.0
Q Fever	1				1				4	3	5	1	1.1	0.9
Other diseases														
Acute post-streptococcal glomerulonephritis				1			1		12	0	0	1	0.0	0.0
Creutzfeldt-Jakob disease									0	1	3	0	0.3	0.0
Legionellosis	1		3	2		1			12	9	11	1	4.4	0.2
Melioidosis						1			1	4	2	1	0.5	1.9
Meningococcal infection	1				2				8	9	3	2	1.3	1.6
Tuberculosis	6	1	3	2	3	5	3	2	41	33	38	13	9.9	1.3
Grand Total	753	694	608	655	693	527	570	491						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 15			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	25/02	04/03	11/03	18/03	25/03	01/04	08/04	15/04	2018	2017	2016			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)				1	1				3	2	4	1	1.9	0.5
Hepatitis B (unspecified)	9	12	5	13	9	7	7	8	125	134	113	31	35.9	0.9
Hepatitis C (newly acquired)	4	2	2	1	2				27	26	32	2	8.3	0.2
Hepatitis C (unspecified)	13	18	11	18	12	11	13	15	207	244	206	51	57.5	0.9
Enteric diseases														
Campylobacteriosis	54	47	46	41	37	27	32	32	704	815	690	128	154.1	0.8
Cryptosporidiosis	1	2			2	1	1		24	202	68	4	26.8	0.1
Hepatitis A	1	1							2	6	6	0	1.1	0.0
Listeriosis									2	1	1	0	0.3	0.0
Paratyphoid fever									2	3	7	0	1.0	0.0
Rotavirus	4	5	4	4	4	3	2	1	71	86	48	10	17.1	0.6
STEC/VTEC infection				1	1	2	2	2	20	11	2	7	0.9	8.1
Salmonellosis	41	32	27	37	48	32	34	30	550	799	549	144	121.9	1.2
Shigellosis	1	4	3	4		2	2		31	11	19	4	3.1	1.3
Typhoid			3						8	2	2	0	0.5	0.0
Vibrio parahaemolyticus					1				4	7	12	1	1.3	0.8
Yersiniosis		1							3	2	3	0	0.8	0.0
Sexually transmissible infections														
Chlamydia (genital)	203	190	163	188	205	166	150	160	2733	2930	2752	681	713.3	1.0
Gonorrhoea	51	41	42	48	46	36	51	31	647	791	607	164	127.4	1.3
Syphilis - Infectious	9	5	3	7	3	8	4	6	92	82	81	21	11.5	1.8
Syphilis - Non-Infectious	3	9	4	5	5	1	2	2	59	39	12	10	5.4	1.9
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.0	0.0
Influenza	66	55	53	53	46	33	33	24	760	383	495	136	110.0	1.2
Measles			1	2	1	1	3	1	10	10	0	6	0.7	8.2
Mumps					1		3		7	7	5	4	1.5	2.6
Pertussis	15	11	10	6	10	10	9	14	217	268	334	43	75.1	0.6
Pneumococcal infection	1	1			2	1			14	27	7	3	4.9	0.6
Varicella (chicken pox)	4	7	9	8	6	2	7	1	96	130	99	16	23.4	0.7
Varicella (shingles)	29	35	26	23	34	21	20	2	435	397	382	77	90.6	0.8
Varicella (unspecified)	35	38	29	37	32	23	40	47	499	455	383	142	93.6	1.5
Vector-borne diseases														
Barmah Forest virus					2				2	2	2	2	25.7	0.1
Chikungunya									0	3	2	0	1.7	0.0
Dengue fever		5	4	1	2	3	1		35	68	198	6	38.7	0.2
Malaria	2		1		1	1			14	22	14	2	2.9	0.7
Ross River virus	11	16	20	21	14	5	9	8	186	278	88	36	63.5	0.6
Typhus			1			1		1	4	3	6	2	1.0	2.0
Zoonotic diseases														
Leptospirosis									1	0	2	0	0.1	0.0
Q Fever					1				1	1	1	1	0.5	2.1
Other diseases														
Creutzfeldt-Jakob disease									0	1	1	0	0.2	0.0
Legionellosis	1		2	2		1			11	7	7	1	3.3	0.3
Meningococcal infection									4	8	2	0	0.8	0.0
Tuberculosis	5	1	2	1	1	5	2	2	31	30	34	10	8.1	1.2
Grand Total	563	538	471	522	529	403	427	387						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)						0.1		1	0.3
Hepatitis B (unspecified)	3	10 (12)	5.5	3	5 (15)	4.2	2	16 (10)	7.3
Hepatitis C (newly acquired)		(1)	0.4		(1)	1.3		2 (4)	2.0
Hepatitis C (unspecified)	5	16 (20)	6.5	2	11 (16)	9.5	8	24 (28)	12.4
Hepatitis D									
Enteric diseases									
Campylobacteriosis	8	45 (54)	32.9	10	37 (40)	34.7	14	46 (70)	28.8
Cryptosporidiosis		2 (15)	0.8		1 (18)	1.3		1 (7)	1.2
Hepatitis A			0.1					(2)	0.1
Listeriosis			0.1						0.1
Paratyphoid fever									0.3
Rotavirus	1	4 (7)	3.1		4 (3)	2.9		2 (9)	3.7
STEC/VTEC infection		2 (3)	1.3	1	1 (1)	0.6	1	4 (1)	0.8
Salmonellosis	14	60 (63)	26.8	10	46 (67)	26.8	6	38 (55)	21.6
Shigellosis		1	1.3		1 (1)	1.5		2 (3)	1.5
Typhoid			0.4			0.3		(1)	0.4
Vibrio parahaemolyticus					1 (1)	0.6			
Yersiniosis			0.1						0.3
Sexually transmissible infections									
Chlamydia (genital)	50	212 (228)	114.9	51	219 (256)	126.1	59	250 (276)	133.2
Gonorrhoea	6	43 (57)	22.8	11	50 (61)	27.4	14	71 (85)	38.4
Syphilis - Infectious	2	7 (8)	3.3	2	3 (2)	3.5	2	11 (11)	5.8
Syphilis - Non-Infectious	2	6 (5)	2.7		1 (3)	1.5		3 (10)	3.8
Vaccine preventable diseases									
H. influenzae type b									
Influenza	10	38 (44)	36.1	6	51 (29)	37.2	8	47 (33)	30.8
Measles		4	0.8		1	0.1	1	1	0.4
Mumps		4	0.5					(1)	0.4
Pertussis	4	17 (27)	12.0	6	18 (12)	10.5	4	8 (14)	7.2
Pneumococcal infection		2 (2)	0.7		1 (1)	0.4		(4)	0.8
Varicella (chicken pox)	1	4 (8)	4.2		6 (14)	5.8		6 (11)	3.2
Varicella (shingles)	1	30 (40)	19.7		29 (25)	22.8	1	18 (30)	17.3
Varicella (unspecified)	16	53 (33)	23.8	17	46 (31)	26.7	14	43 (35)	18.0
Vector-borne diseases									
Barmah Forest virus					2	0.3			
Dengue fever		4 (4)	2.0		1 (5)	1.6		1 (4)	1.2
Malaria		(2)	0.5		(1)	0.6		2 (1)	0.8
Ross River virus	2	7 (16)	3.6	3	17 (38)	14.4	3	12 (32)	8.0
Typhus	1	1	0.3			0.1		1	0.1
Zoonotic diseases									
Leptospirosis									0.1
Psittacosis									
Q Fever							1		0.1
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Legionellosis			0.4			0.6		1 (1)	0.5
Melioidosis								(1)	0.1
Meningococcal infection			0.1			0.3			
Tuberculosis	1	3 (5)	1.3	1	4 (1)	1.3		3 (2)	1.6
Grand Total	127	575 (654)		123	556 (642)		137	615 (741)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		2 (1)	4.3				1 (3)		3.8
Hepatitis C (newly acquired)				1 (4)		3.2			1.3
Hepatitis C (unspecified)	2	7 (7)	10.1	3 (4)		17.6	2 (5)		10.1
Hepatitis D							1		1.3
Enteric diseases									
Campylobacteriosis	4	16 (10)	47.3	3	7 (3)	41.7	1	3 (7)	22.8
Cryptosporidiosis		1 (2)	3.7	3	5	8.0			
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		1 (1)	1.1			1.6	(2)		2.5
STEC/VTEC infection			0.5			4.8			
Salmonellosis	3	10 (14)	21.3	6 (4)		22.5	3 (8)		22.8
Shigellosis			0.5						
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	10	29 (46)	78.7	1	6 (12)	91.4		12 (19)	60.9
Gonorrhoea	1	5 (6)	21.3		(1)	1.6			7.6
Syphilis - Infectious			0.5			1.6	1	1	1.3
Syphilis - Non-Infectious			1.1						
Vaccine preventable diseases									
H. influenzae type b									
Influenza		4 (6)	27.7	1	3 (3)	19.2		5 (3)	17.7
Measles									
Mumps									
Pertussis	5	16 (3)	27.1	2	6 (3)	36.9			7.6
Pneumococcal infection		1 (2)	0.5			3.2			
Varicella (chicken pox)	1	3 (5)	5.3		2	11.2			1.3
Varicella (shingles)	4	25 (14)	42.0	2 (6)		28.9	1	8 (4)	27.9
Varicella (unspecified)	1	1	1.1	3		20.9		3	7.6
Vector-borne diseases									
Barmah Forest virus		1	2.7			3.2			
Dengue fever								(1)	1.3
Malaria									
Ross River virus		1 (11)	11.2		(5)	4.8		1 (15)	7.6
Typhus			0.5						
Zoonotic diseases									
Leptospirosis									
Psittacosis									
Q Fever									1.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Legionellosis									
Melioidosis									
Meningococcal infection						1.6			
Tuberculosis		1	1.1		1	3.2		1 (1)	1.3
Grand Total	31	124 (128)		11	45 (45)		3	41 (68)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		2 (2)	2.9		(2)	4.9		(1)	5.8
Hepatitis C (newly acquired)			2.9	1		1.6			
Hepatitis C (unspecified)		1 (5)	15.7	2 (3)		18.1	1	5	11.7
Hepatitis D									
Enteric diseases									
Campylobacteriosis		(7)	20.0	1	5 (4)	36.1	2	4 (9)	23.3
Cryptosporidiosis		(6)	1.4					(4)	1.5
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus			2.9		(8)	1.6		1 (12)	4.4
STEC/VTEC infection									1.5
Salmonellosis	2	3 (11)	27.2	3 (8)		16.4	1	7 (5)	29.2
Shigellosis		(4)	2.9	1		18.1	1	5 (1)	16.0
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis				1		1.6			
Sexually transmissible infections									
Chlamydia (genital)	2	23 (29)	118.7	3	22 (31)	131.4	2	21 (35)	137.0
Gonorrhoea		9 (6)	41.5	4	11 (22)	70.6	2	13 (20)	80.2
Syphilis - Infectious		1	2.9		1 (1)	1.6		1 (1)	1.5
Syphilis - Non-Infectious			1.4		1	6.6			2.9
Vaccine preventable diseases									
H. influenzae type b									1.5
Influenza	4	7 (5)	30.0		(3)	14.8		2	24.8
Measles									
Mumps				1		3.3			
Pertussis	5	9 (1)	18.6						2.9
Pneumococcal infection		1	7.2			3.3		(1)	2.9
Varicella (chicken pox)		1	2.9		(1)	1.6			
Varicella (shingles)		2 (2)	8.6	1	5 (5)	24.6		(2)	2.9
Varicella (unspecified)	1	7 (4)	32.9				1	2	4.4
Vector-borne diseases									
Barmah Forest virus					1 (1)	1.6		1 (1)	2.9
Dengue fever							1	1 (1)	4.4
Malaria									
Ross River virus		2 (5)	7.2		1 (35)	3.3	1	3 (12)	7.3
Typhus									
Zoonotic diseases									
Leptospirosis									
Psittacosis			1.4						
Q Fever			1.4						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						3.3			
Legionellosis									1.5
Melioidosis							1		1.5
Meningococcal infection					1	3.3			
Tuberculosis			1.4					(1)	4.4
Grand Total	14	68 (87)		9	57 (124)		12	67 (106)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (1)	0.1
Hepatitis B (unspecified)		2 (1)	17.6	9	39 (47)	5.5
Hepatitis C (newly acquired)			2.5	0	4 (11)	1.2
Hepatitis C (unspecified)		1 (3)	22.6	19	72 (91)	10.3
Hepatitis D				0	1 (1)	0.0
Enteric diseases						
Campylobacteriosis		(3)	32.6	44	165 (210)	32.9
Cryptosporidiosis		3 (4)	22.6	4	14 (63)	1.7
Hepatitis A				0	0 (3)	0.1
Listeriosis			2.5	0	0 (0)	0.1
Paratyphoid fever				0	0 (0)	0.1
Rotavirus		1	5.0	1	13 (42)	3.0
STEC/VTEC infection				2	7 (5)	0.9
Salmonellosis	1	3 (14)	70.3	38	184 (254)	25.6
Shigellosis	1	2	67.7	2	12 (10)	3.0
Typhoid				0	0 (2)	0.3
Vibrio parahaemolyticus				0	1 (1)	0.1
Yersiniosis				0	1 (0)	0.1
Sexually transmissible infections						
Chlamydia (genital)	6	42 (44)	469.2	189	846 (986)	125.3
Gonorrhoea	2	28 (52)	356.3	43	236 (312)	35.7
Syphilis - Infectious		4 (11)	25.1	7	29 (34)	4.0
Syphilis - Non-Infectious				2	11 (18)	2.4
Vaccine preventable diseases						
H. influenzae type b				0	0 (0)	0.0
Influenza		2 (2)	52.7	29	163 (132)	33.6
Measles				1	6 (0)	0.4
Mumps				0	5 (1)	0.3
Pertussis		(3)	2.5	26	74 (64)	11.4
Pneumococcal infection		1 (3)	7.5	0	6 (13)	1.1
Varicella (chicken pox)			37.6	2	23 (43)	4.9
Varicella (shingles)		4 (2)	42.7	8	123 (132)	21.8
Varicella (unspecified)	1	2	5.0	51	160 (105)	19.9
Vector-borne diseases						
Barmah Forest virus		1 (3)	5.0	0	6 (5)	0.5
Dengue fever				1	7 (18)	1.4
Malaria		1	2.5	0	3 (4)	0.5
Ross River virus	1	4 (25)	52.7	10	48 (195)	9.1
Typhus				1	2 (1)	0.2
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.0
Psittacosis				0	0 (0)	0.0
Q Fever			2.5	0	1 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		1	25.1	0	1 (0)	0.4
Legionellosis				0	1 (1)	0.4
Melioidosis				0	1 (1)	0.0
Meningococcal infection				0	2 (2)	0.3
Tuberculosis				2	13 (10)	0.9
Grand Total	12	102 (170)		492	2283 (2844)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

Salmonella	Week Ending								Cumulative Total to end of Week 15	
	25/02	04/03	11/03	18/03	25/03	01/04	08/04	15/04	2018	2017
	Salmonella Total	57	42	41	46	59	42	45	38	707
Serotype/Phage										
Salmonella Aberdeen									1	1
Salmonella Adelaide			1						1	2
Salmonella Agona									4	2
Salmonella Albany									1	1
Salmonella Anatum	1		2	2	1				11	2
Salmonella Anatum var 15+						1			1	1
Salmonella Bareilly						1			2	3
Salmonella Bovismorbificans			1		4		1	1	8	8
Salmonella Braenderup									1	0
Salmonella Bredeney			1						1	1
Salmonella Cerro		1		1					3	0
Salmonella Chester	1		1		1	1	2		8	11
Salmonella Choleraesuis	1								1	0
Salmonella Choleraesuis bv Australia	1				2	1			7	6
Salmonella Choleraesuis bv Decatur	1	1				1			4	0
Salmonella Corvallis								1	2	2
Salmonella Eastbourne			1						1	2
Salmonella Enteritidis	1	1	2	4	8	3	3		44	44
Salmonella Fremantle subsp II									1	1
Salmonella Give									1	5
Salmonella Give var 15+,34+						1			1	0
Salmonella Hadar									1	1
Salmonella Havana	1			1					2	3
Salmonella Heidelberg									1	0
Salmonella Houten subsp IV									3	1
Salmonella Hvittingfoss	4	1		4	1		1		17	8
Salmonella Infantis			2		2	1			9	11
Salmonella Irumu		1							1	0
Salmonella Jangwani								1	1	0
Salmonella Javiana							1		2	5
Salmonella Johannesburg									1	5
Salmonella Kentucky						1			8	10
Salmonella Kiambu						1			2	7
Salmonella Kottbus									1	0
Salmonella Lindern									1	0
Salmonella Litchfield					1				1	5
Salmonella Matopeni	1								1	0
Salmonella Mbandaka									1	4
Salmonella Meleagridis							1		1	1
Salmonella Mississippi						1			2	0
Salmonella Muenchen	1	1	1		1		3		15	10
Salmonella Newport	1			1	2	2			7	9
Salmonella Oranienburg	1								2	1
Salmonella Orientalis	1						1		2	0
Salmonella Orion			1						4	2
Salmonella Oslo							1		1	1
Salmonella Paratyphi B bv Java		1	2	4	2	2	1	1	19	29
Salmonella Poona		1		1					4	4
Salmonella Potsdam		2		1					3	1

Weekly Report for period 19-FEB-18 to 15-APR-18

	25/02	04/03	11/03	18/03	25/03	01/04	08/04	15/04	Cumulative Total to end of Week 15	
									2018	2017
Salmonella Total	57	42	41	46	59	42	45	38	707	1007
Serotype/Phage										
Salmonella Rissen									1	0
Salmonella Saintpaul	1	2	2				2	1	28	22
Salmonella Schwarzengrund					1				1	5
Salmonella Senftenberg z27 phase									1	0
Salmonella Singapore	1	1	2	1					10	29
Salmonella Stanley	2				1				8	23
Salmonella Typhimurium	33	24	15	14	26	16	19	3	323	648
Salmonella Urbana							1		1	3
Salmonella Virchow	1			1	1	3			11	13
Salmonella Wandsbek subsp II					1	1			2	1
Salmonella Wandsworth					1				1	2
Salmonella Welikade									2	1
Salmonella Weltevreden			1	3					7	8
Salmonella species	3	4	6	8	3	5	8	30	92	42
Salmonella subsp 1 ser 1,4,12:i:-									1	0
Salmonella subsp IIIb 50:k:z		1							1	0