



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 26-FEB-18 to 22-APR-18

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 16			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	04/03	11/03	18/03	25/03	01/04	08/04	15/04	22/04	2018	2017	2016			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)				1	1	1	1		5	4	4	2	2.0	1.0
Hepatitis B (unspecified)	13	5	13	13	8	7	9	14	165	171	142	38	50.3	0.8
Hepatitis C (newly acquired)	2	3	2	4	1		1		36	40	39	2	10.1	0.2
Hepatitis C (unspecified)	24	14	20	19	16	17	18	18	301	355	323	69	82.9	0.8
Hepatitis D						1			1	3	0	1	0.1	7.5
Enteric diseases														
Campylobacteriosis	58	64	51	50	34	47	48	29	951	1068	921	158	195.7	0.8
Cryptosporidiosis	2	2		2	3	6	4	2	51	280	110	15	41.3	0.4
Hepatitis A	1						1		3	7	7	1	1.3	0.8
Listeriosis									3	1	1	0	0.4	0.0
Paratyphoid fever							1		3	3	8	1	1.3	0.8
Rotavirus	5	5	4	5	4	4	1	1	86	152	56	10	27.2	0.4
STEC/VTEC infection		3	1	1	2	2	1	2	28	22	8	7	1.1	6.6
Salmonellosis	42	43	45	58	44	49	40	21	736	1104	769	154	166.6	0.9
Shigellosis	7	8	7	1	4	4	3	5	90	52	35	16	6.6	2.4
Typhoid		3							8	4	2	0	0.7	0.0
Vibrio parahaemolyticus				1					4	7	12	0	1.6	0.0
Yersiniosis	1			1					4	2	4	0	1.1	0.0
Sexually transmissible infections														
Chlamydia (genital)	241	197	231	257	204	202	210	196	3684	3951	3874	812	928.6	0.9
Gonorrhoea	66	61	66	72	56	69	59	34	1039	1259	965	218	203.7	1.1
Syphilis - Infectious	5	5	11	5	10	6	11	11	126	123	98	38	14.1	2.7
Syphilis - Non-Infectious	12	4	5	6	1	2	2		70	48	18	5	7.2	0.7
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.0	0.0
H. influenzae type b									1	0	1	0	0.1	0.0
Influenza	67	60	62	57	38	48	32	16	955	496	647	134	147.9	0.9
Measles		1	2	1	1	3	1		10	11	0	5	0.7	7.5
Mumps				1		3		1	9	8	343	4	17.3	0.2
Pertussis	17	14	11	24	20	12	22	15	336	353	491	69	96.1	0.7
Pneumococcal infection	1	1	3	2	2	1	1	2	32	39	23	6	10.5	0.6
Varicella (chicken pox)	10	11	8	9	5	8	10	4	147	193	141	27	32.8	0.8
Varicella (shingles)	48	36	35	44	38	45	21	8	635	591	533	112	117.7	1.0
Varicella (unspecified)	42	32	39	35	27	38	38	56	584	519	494	159	106.1	1.5
Vector-borne diseases														
Barmah Forest virus	3	1	1	4	1	1		1	15	17	6	3	32.9	0.1
Chikungunya									0	6	3	0	1.9	0.0
Dengue fever	5	4	1	2	3	1	1	1	40	85	249	6	45.8	0.1
Malaria		1		1	1	1			15	26	20	2	3.6	0.6
Ross River virus	22	26	29	19	8	9	10	4	254	692	166	31	126.1	0.2
Typhus		1	1		1		1		5	9	9	2	2.1	0.9
Zoonotic diseases														
Brucellosis			1						1	0	0	0	0.0	0.0
Leptospirosis									1	0	2	0	0.2	0.0
Psittacosis		1							1	2	0	0	0.1	0.0
Q Fever				1					4	3	6	0	1.2	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis			1			1			12	0	0	1	0.0	0.0
Creutzfeldt-Jakob disease									0	1	3	0	0.3	0.0
Legionellosis		3	2		1			1	13	9	11	2	4.5	0.4
Melioidosis					1				1	4	2	1	0.5	2.1
Meningococcal infection				2				1	9	9	4	1	1.1	0.9
Tuberculosis	1	3	2	3	5	3	2	1	42	36	38	11	9.6	1.1
Grand Total	695	612	655	701	540	591	548	444						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 16			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	04/03	11/03	18/03	25/03	01/04	08/04	15/04	22/04	2018	2017	2016			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1	1	1	1			5	3	4	2	1.8	1.1
Hepatitis B (unspecified)	12	5	13	9	6	6	8	11	134	143	118	31	35.5	0.9
Hepatitis C (newly acquired)	2	2	1	2	1				28	27	33	1	7.9	0.1
Hepatitis C (unspecified)	18	11	18	12	10	13	15	15	222	258	225	53	56.2	0.9
Enteric diseases														
Campylobacteriosis	47	46	41	37	28	38	38	26	743	859	736	130	152.8	0.9
Cryptosporidiosis	2			2	1	1	1		25	210	72	3	25.3	0.1
Hepatitis A	1						1		3	6	6	1	0.9	1.1
Listeriosis									2	1	1	0	0.3	0.0
Paratyphoid fever								1	3	3	7	1	1.0	1.0
Rotavirus	5	4	4	4	3	3	1	1	73	93	50	8	17.7	0.5
STEC/VTEC infection		2	1	1	2	2	1	1	22	13	2	6	0.7	8.2
Salmonellosis	32	29	36	48	32	37	28	18	570	846	580	115	120.0	1.0
Shigellosis	5	3	4		1	1			30	11	20	2	2.5	0.8
Typhoid		3							8	3	2	0	0.5	0.0
Vibrio parahaemolyticus				1					4	7	12	0	1.3	0.0
Yersiniosis	1								3	2	3	0	0.9	0.0
Sexually transmissible infections														
Chlamydia (genital)	191	162	188	205	167	153	173	156	2906	3076	2954	649	707.9	0.9
Gonorrhoea	41	42	48	46	37	53	37	24	680	824	650	151	123.5	1.2
Syphilis - Infectious	5	3	7	3	7	5	9	10	105	84	82	31	11.0	2.8
Syphilis - Non-Infectious	9	4	5	5	1	2	2		59	43	12	5	5.5	0.9
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.0	0.0
Influenza	55	53	53	47	35	38	26	13	783	397	527	112	112.4	1.0
Measles		1	2	1	1	3	1		10	10	0	5	0.6	8.3
Mumps				1		3		1	8	7	5	4	1.8	2.2
Pertussis	11	11	6	12	13	7	11	8	227	283	343	39	74.7	0.5
Pneumococcal infection	1			2	1		1		15	28	8	2	5.5	0.4
Varicella (chicken pox)	7	9	8	7	2	7	8	3	107	133	109	20	24.0	0.8
Varicella (shingles)	36	26	23	35	23	29	12	3	461	416	406	67	89.5	0.7
Varicella (unspecified)	37	29	37	31	22	34	32	50	525	491	414	138	92.0	1.5
Vector-borne diseases														
Barmah Forest virus				2					2	3	2	0	24.5	0.0
Chikungunya									0	4	2	0	1.7	0.0
Dengue fever	5	4	1	2	3	1		1	36	70	208	5	36.8	0.1
Malaria		1		1	1				14	22	16	1	2.9	0.3
Ross River virus	17	20	21	15	5	7	8	2	188	299	95	22	57.5	0.4
Typhus		1			1		1		4	3	6	2	1.2	1.7
Zoonotic diseases														
Leptospirosis									1	0	2	0	0.1	0.0
Q Fever				1					1	1	2	0	0.5	0.0
Other diseases														
Creutzfeldt-Jakob disease									0	1	1	0	0.2	0.0
Legionellosis		2	2		1			1	12	7	7	2	3.5	0.6
Meningococcal infection									5	8	2	1	0.7	1.5
Tuberculosis	1	2	1	1	5	2	2	1	32	33	34	10	7.9	1.3
Grand Total	541	475	521	534	410	446	417	346						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)						0.1		2	0.5
Hepatitis B (unspecified)	2	8 (11)	5.7	4	8 (14)	4.8	5	15 (10)	7.7
Hepatitis C (newly acquired)		(2)	0.4		(1)	1.3		1 (4)	2.2
Hepatitis C (unspecified)	6	18 (15)	7.4	6	15 (13)	10.4	3	20 (31)	12.7
Hepatitis D									
Enteric diseases									
Campylobacteriosis	5	42 (57)	34.0	7	43 (36)	36.9	14	45 (68)	31.0
Cryptosporidiosis		1 (14)	0.8		2 (16)	1.5		(5)	1.2
Hepatitis A			0.1		1 (1)	0.1		(1)	0.1
Listeriosis			0.1						0.1
Paratyphoid fever								1	0.4
Rotavirus		3 (5)	3.1		2 (6)	2.9	1	3 (10)	3.9
STEC/VTEC infection	1	3 (2)	1.4		(3)	0.6		3 (1)	0.9
Salmonellosis	5	47 (64)	27.6	9	44 (60)	28.3	4	24 (49)	22.2
Shigellosis			1.2		1 (1)	1.5		1 (2)	1.5
Typhoid			0.4		(1)	0.3		(1)	0.4
Vibrio parahaemolyticus						0.6			
Yersiniosis			0.1						0.3
Sexually transmissible infections									
Chlamydia (genital)	45	198 (203)	121.6	51	214 (235)	135.2	60	237 (260)	141.4
Gonorrhoea	8	38 (55)	23.9	2	40 (55)	28.4	14	73 (79)	40.7
Syphilis - Infectious	1	8 (6)	3.5	5	7 (3)	4.1	4	16 (11)	6.8
Syphilis - Non-Infectious		2 (4)	2.7		1 (3)	1.5		2 (11)	3.8
Vaccine preventable diseases									
H. influenzae type b									
Influenza	4	31 (36)	37.1	3	41 (26)	38.2	6	40 (26)	31.9
Measles		3	0.8		1	0.1		1	0.4
Mumps	1	4	0.7					(1)	0.4
Pertussis	2	12 (28)	12.4	4	18 (13)	11.1	2	9 (12)	7.6
Pneumococcal infection		1 (2)	0.7		1 (1)	0.6		(3)	0.8
Varicella (chicken pox)		6 (8)	4.7	3	9 (7)	6.7		5 (8)	3.4
Varicella (shingles)		27 (38)	20.7	2	25 (23)	24.4	1	15 (31)	18.3
Varicella (unspecified)	17	54 (42)	25.0	13	36 (33)	27.3	20	48 (29)	19.8
Vector-borne diseases									
Barmah Forest virus						0.3			
Dengue fever	1	4 (5)	2.1		1 (6)	1.6		(4)	1.2
Malaria		(1)	0.5		(1)	0.6		1 (1)	0.8
Ross River virus	1	5 (15)	3.8	1	10 (40)	14.6		7 (38)	8.0
Typhus		1	0.3			0.1		1	0.1
Zoonotic diseases									
Leptospirosis									0.1
Psittacosis									
Q Fever									0.1
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Legionellosis			0.4			0.6	1	2 (1)	0.7
Melioidosis									
Meningococcal infection			0.1			0.3	1	1 (1)	0.3
Tuberculosis		3 (2)	1.3		3 (2)	1.3	1	4 (4)	1.8
Grand Total	99	519 (615)		110	523 (600)		137	577 (702)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1 (1)	4.3				1	2 (2)	5.1
Hepatitis C (newly acquired)		1	0.5		(5)	3.2			1.3
Hepatitis C (unspecified)		4 (6)	9.6	1	2 (5)	19.2	1	2 (7)	10.1
Hepatitis D							1		1.3
Enteric diseases									
Campylobacteriosis	2	12 (12)	48.9		6 (3)	41.7	1	2 (10)	24.1
Cryptosporidiosis		1 (2)	3.7		5	8.0			
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		1	1.1			1.6		(3)	2.5
STEC/VTEC infection			0.5			4.8			
Salmonellosis		11 (15)	22.3	1	6 (3)	27.3		5 (11)	25.4
Shigellosis	1	1	1.1						
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	14	36 (42)	86.2	2	6 (12)	94.6	5	13 (17)	68.5
Gonorrhoea	1	5 (3)	21.8		1 (1)	3.2		(1)	7.6
Syphilis - Infectious			0.5			1.6		1	1.3
Syphilis - Non-Infectious			1.1						
Vaccine preventable diseases									
H. influenzae type b									
Influenza	1	5 (5)	28.7		2 (5)	19.2		1 (3)	17.7
Measles									
Mumps									
Pertussis	2	13 (7)	30.3		5 (5)	38.5			6.3
Pneumococcal infection		1 (2)	0.5			3.2			
Varicella (chicken pox)	1	5 (2)	6.4			11.2			1.3
Varicella (shingles)	5	27 (16)	45.2		1 (6)	28.9		5 (5)	27.9
Varicella (unspecified)			0.5	2	6	25.7		1	7.6
Vector-borne diseases									
Barmah Forest virus	1	1	3.2			3.2			
Dengue fever									
Malaria									
Ross River virus	1	2 (12)	11.2		(6)	4.8		(24)	7.6
Typhus			0.5						
Zoonotic diseases									
Leptospirosis									
Psittacosis									
Q Fever									1.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Legionellosis									
Melioidosis									
Meningococcal infection						1.6			
Tuberculosis			1.1			3.2		1 (1)	1.3
Grand Total	29	127 (125)		6	40 (51)		8	34 (84)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1 (1)	2.9		(2)	4.9	1	1	7.3
Hepatitis C (newly acquired)			2.9			1.6			
Hepatitis C (unspecified)		1 (3)	15.7		1 (3)	18.1		4	11.7
Hepatitis D									
Enteric diseases									
Campylobacteriosis		(7)	20.0		3 (6)	36.1		3 (8)	23.3
Cryptosporidiosis		(5)	1.4				1	1 (5)	2.9
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus			2.9		(10)	1.6		(14)	4.4
STEC/VTEC infection	1	1	1.4						1.5
Salmonellosis		2 (12)	27.2		1 (8)	16.4		5 (6)	29.2
Shigellosis		(4)	2.9		2	19.7	2	7 (3)	20.4
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			
Sexually transmissible infections									
Chlamydia (genital)	2	19 (25)	121.6	6	18 (28)	142.9	2	16 (27)	139.9
Gonorrhoea	1	4 (7)	42.9	5	15 (16)	82.1	1	9 (18)	83.1
Syphilis - Infectious			2.9		(1)	1.6		2	2.9
Syphilis - Non-Infectious			1.4			6.6			2.9
Vaccine preventable diseases									
H. influenzae type b									1.5
Influenza	1	8 (7)	31.5		(2)	14.8			24.8
Measles						1.6			
Mumps						1.6			
Pertussis	4	11 (1)	24.3	1	1	1.6			2.9
Pneumococcal infection	1	1	8.6	1	1	4.9		(1)	2.9
Varicella (chicken pox)		1	2.9		(1)	1.6			
Varicella (shingles)		2 (2)	8.6		5 (8)	24.6		1 (1)	4.4
Varicella (unspecified)	1	5 (3)	34.3	1	1 (1)	1.6	1	3	5.8
Vector-borne diseases									
Barmah Forest virus					1	1.6		1	2.9
Dengue fever								1 (1)	4.4
Malaria									
Ross River virus		2 (3)	7.2		(28)	3.3	1	3 (12)	8.7
Typhus									
Zoonotic diseases									
Leptospirosis									
Psittacosis			1.4						
Q Fever			1.4						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						3.3			
Legionellosis									1.5
Melioidosis							1		1.5
Meningococcal infection						3.3			
Tuberculosis			1.4					(1)	4.4
Grand Total	11	58 (80)		14	49 (114)		9	58 (97)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	2 (2)	0.2
Hepatitis B (unspecified)		(3)	17.6	14	38 (44)	5.9
Hepatitis C (newly acquired)			2.5	0	2 (13)	1.3
Hepatitis C (unspecified)	1	2 (3)	25.1	18	69 (86)	11.0
Hepatitis D				0	1 (0)	0.0
Enteric diseases						
Campylobacteriosis		(2)	32.6	29	158 (212)	34.4
Cryptosporidiosis	1	4 (3)	25.1	2	15 (56)	1.8
Hepatitis A				0	1 (2)	0.1
Listeriosis			2.5	0	0 (0)	0.1
Paratyphoid fever				0	1 (0)	0.1
Rotavirus		1 (1)	5.0	1	10 (49)	3.1
STEC/VTEC infection				2	7 (6)	1.0
Salmonellosis	2	5 (12)	75.3	21	154 (245)	26.6
Shigellosis	2	4	72.8	5	16 (10)	3.3
Typhoid				0	0 (3)	0.3
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	0 (0)	0.1
Sexually transmissible infections						
Chlamydia (genital)	8	46 (38)	506.9	196	812 (898)	133.4
Gonorrhoea	2	30 (47)	381.4	34	218 (284)	37.6
Syphilis - Infectious		3 (6)	25.1	11	38 (27)	4.6
Syphilis - Non-Infectious				0	5 (18)	2.4
Vaccine preventable diseases						
H. influenzae type b				0	0 (0)	0.0
Influenza	1	4 (1)	57.7	16	134 (115)	34.6
Measles				0	5 (0)	0.4
Mumps				1	4 (1)	0.3
Pertussis		(5)	2.5	15	69 (72)	12.2
Pneumococcal infection		1 (2)	7.5	2	6 (12)	1.2
Varicella (chicken pox)		(1)	37.6	4	27 (32)	5.3
Varicella (shingles)		4 (1)	45.2	8	112 (135)	23.0
Varicella (unspecified)		3	7.5	56	159 (109)	21.1
Vector-borne diseases						
Barmah Forest virus		(4)	5.0	1	3 (5)	0.5
Dengue fever				1	6 (19)	1.4
Malaria		1	2.5	0	2 (4)	0.5
Ross River virus		2 (21)	52.7	4	31 (201)	9.2
Typhus				0	2 (0)	0.2
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.0
Psittacosis				0	0 (0)	0.0
Q Fever			2.5	0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		1	25.1	0	1 (0)	0.4
Legionellosis				1	2 (1)	0.5
Melioidosis				0	1 (0)	0.0
Meningococcal infection				1	1 (1)	0.3
Tuberculosis				1	11 (10)	1.0
Grand Total	17	111 (150)		444	2124 (2705)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 16	
	04/03	11/03	18/03	25/03	01/04	08/04	15/04	22/04	2018	2017
	Salmonella Total	42	43	45	58	44	49	40	21	736
Serotype/Phage										
Salmonella Aberdeen									1	1
Salmonella Adelaide		1							1	3
Salmonella Agona									4	2
Salmonella Albany									1	1
Salmonella Anatum		2	2	1					11	3
Salmonella Anatum var 15+					1				1	1
Salmonella Bareilly					1				2	4
Salmonella Bovismorbificans		1		4		2	2		10	10
Salmonella Braenderup									1	0
Salmonella Bredeney		1							1	1
Salmonella Cerro	1		1						3	0
Salmonella Chester		1		1	1	2	1		9	13
Salmonella Choleraesuis									1	0
Salmonella Choleraesuis bv Australia				2	1				7	6
Salmonella Choleraesuis bv Decatur	1				1				4	0
Salmonella Corvallis							1		2	2
Salmonella Eastbourne		1					1		2	2
Salmonella Enteritidis	1	3	4	7	3	3	4		48	48
Salmonella Fremantle subsp II									1	2
Salmonella Give									1	5
Salmonella Give var 15+,34+					1				1	0
Salmonella Hadar									1	1
Salmonella Havana			1						2	3
Salmonella Heidelberg									1	0
Salmonella Houten subsp IV									3	1
Salmonella Hvittingfoss	1		4	1		1	1		18	8
Salmonella Infantis		2		2	1				9	12
Salmonella Irumu	1								1	0
Salmonella Jangwani							1		1	0
Salmonella Javiana						1			2	5
Salmonella Johannesburg									1	5
Salmonella Kentucky					1		1		9	10
Salmonella Kiambu					1				2	7
Salmonella Kottbus									1	0
Salmonella Lindern									1	0
Salmonella Litchfield				1					1	5
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	4
Salmonella Meleagridis						1			1	1
Salmonella Mississippi					1				2	0
Salmonella Muenchen	1	1		1		3	1		16	12
Salmonella Newport			1	2	2				7	9
Salmonella Oranienburg									2	1
Salmonella Orientalis						1			2	0
Salmonella Orion		1							4	2
Salmonella Oslo						1			1	2
Salmonella Paratyphi B bv Java	1	2	4	2	2	2	1	1	21	32
Salmonella Poona	1		1						4	4
Salmonella Potsdam	2		1						3	1

Weekly Report for period 26-FEB-18 to 22-APR-18

	04/03	11/03	18/03	25/03	01/04	08/04	15/04	22/04	Cumulative Total to end of Week 16	
									2018	2017
Salmonella Total	42	43	45	58	44	49	40	21	736	1067
Serotype/Phage										
Salmonella Rissen									1	0
Salmonella Saintpaul	2	2				3			28	24
Salmonella Schwarzengrund				1					1	6
Salmonella Senftenberg z27 phase									1	0
Salmonella Singapore	1	2	1					1	11	31
Salmonella Stanley				1					8	23
Salmonella Typhimurium	24	15	14	26	18	22	22	2	349	683
Salmonella Urbana						1			1	3
Salmonella Virchow			1	1	3				11	13
Salmonella Wandsbek subsp II				1	1				2	1
Salmonella Wandsworth				1					1	2
Salmonella Welikade									2	1
Salmonella Weltevreden		1	3						7	8
Salmonella species	4	6	7	3	5	6	4	17	80	43
Salmonella subsp 1 ser 1,4,12:i:-									1	0
Salmonella subsp IIIb 50:k:z	1								1	0
Salmonella subsp IIIb 61:l,v:z35		1							1	0