



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 12-MAR-18 to 06-MAY-18

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 18			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	2018	2017	2016			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1	1	1	1			1	1	7	5	9	2	2.2	0.9
Hepatitis B (unspecified)	13	13	8	7	9	14	7	11	183	190	168	41	52.5	0.8
Hepatitis C (newly acquired)	2	4	1	1	1	1	2	1	40	45	43	5	10.1	0.5
Hepatitis C (unspecified)	20	19	16	16	17	14	19	23	338	397	377	73	83.5	0.9
Hepatitis D				1					1	3	0	0	0.2	0.0
Enteric diseases														
Campylobacteriosis	51	50	34	47	52	40	43	35	1043	1205	1032	170	196.7	0.9
Cryptosporidiosis		2	3	6	5	1			51	297	122	6	36.2	0.2
Hepatitis A					1				3	7	8	1	0.9	1.1
Listeriosis								1	4	1	2	1	0.3	3.0
Paratyphoid fever					1				3	3	8	1	0.9	1.1
Rotavirus	4	5	4	4	2	3	4	1	94	186	62	10	32.4	0.3
STEC/VTEC infection	1	1	2	3	2		2	2	32	22	9	6	1.3	4.7
Salmonellosis	44	59	46	50	45	31	34	45	834	1207	844	155	155.5	1.0
Shigellosis	7	1	4	5	3	5	1	4	96	59	38	13	5.9	2.2
Typhoid									8	4	2	0	0.8	0.0
Vibrio parahaemolyticus		1				1	1		6	9	15	2	1.5	1.4
Yersiniosis		1							4	3	5	0	0.9	0.0
Sexually transmissible infections														
Chlamydia (genital)	234	257	209	202	217	252	190	171	4117	4392	4329	830	916.1	0.9
Gonorrhoea	65	73	58	69	59	53	50	44	1156	1391	1098	206	202.9	1.0
Syphilis - Infectious	11	3	11	7	8	2	6	3	125	134	110	19	13.9	1.4
Syphilis - Non-Infectious	5	6	2	2	3	3	6	1	82	56	18	13	7.7	1.7
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.0	0.0
H. influenzae type b									1	0	1	0	0.1	0.0
Influenza	62	58	40	46	35	37	25	24	1029	551	733	121	154.4	0.8
Measles	2	1	1	3	1				10	12	0	1	0.5	2.1
Mumps		1		3		1			9	8	364	1	14.5	0.1
Pertussis	12	25	20	14	30	24	12	8	378	390	525	74	95.3	0.8
Pneumococcal infection	3	2	2	1	1	3	3	1	37	47	31	8	11.7	0.7
Varicella (chicken pox)	8	10	6	10	12	9	10	2	170	212	164	33	33.3	1.0
Varicella (shingles)	35	45	42	51	41	40	25	13	738	674	588	119	114.2	1.0
Varicella (unspecified)	40	34	25	31	29	35	43	46	633	570	548	153	106.2	1.4
Vector-borne diseases														
Barmah Forest virus	1	4	1	1		3		1	18	20	6	4	30.4	0.1
Chikungunya									0	7	3	0	2.5	0.0
Dengue fever	1	2	3	1	1	2	1	2	44	90	284	6	43.2	0.1
Malaria		1	1	1			1	2	18	27	21	3	4.0	0.8
Ross River virus	28	19	9	10	10	3	3	10	269	757	181	26	109.0	0.2
Typhus	1		1		1	2			7	9	11	3	1.8	1.7
Zoonotic diseases														
Brucellosis	1								1	0	0	0	0.0	0.0
Leptospirosis									1	0	3	0	0.2	0.0
Psittacosis						1			2	2	0	1	0.1	15.0
Q Fever									3	3	7	0	0.8	0.0
Other diseases														
Acute post-streptococcal glomerulon	1			1					12	0	0	0	0.0	0.0
Creutzfeldt-Jakob disease									1	2	4	0	0.3	0.0
Legionellosis	2		1			2			14	10	14	2	4.6	0.4
Melioidosis			1						1	4	2	0	0.4	0.0
Meningococcal infection		2							8	10	4	0	1.1	0.0
Tuberculosis	2	3	4	3	2	1	2	4	47	37	44	9	9.9	0.9
Grand Total	657	703	556	597	588	583	491	456						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 18			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	2018	2017	2016			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1	1	1	1				1	6	4	9	1	1.9	0.5
Hepatitis B (unspecified)	13	9	6	6	8	11	4	10	148	157	136	33	35.9	0.9
Hepatitis C (newly acquired)	1	2	1	1		1	2		31	31	34	3	7.6	0.4
Hepatitis C (unspecified)	18	12	10	12	14	12	16	17	251	286	260	59	55.8	1.1
Enteric diseases														
Campylobacteriosis	41	37	28	37	42	36	33	31	820	967	816	142	155.1	0.9
Cryptosporidiosis		2	1	1	1				25	220	79	1	21.9	0.0
Hepatitis A					1				3	6	7	1	0.7	1.5
Listeriosis									2	1	1	0	0.3	0.0
Paratyphoid fever					1				3	3	7	1	0.7	1.5
Rotavirus	4	4	3	3	2	2	4	1	80	107	54	9	20.3	0.4
STEC/VTEC infection	1	1	2	3	1		2	2	26	13	2	5	0.7	6.8
Salmonellosis	36	49	33	38	33	20	28	32	640	923	640	113	111.1	1.0
Shigellosis	4		1	1					32	12	21	2	2.3	0.9
Typhoid									8	3	2	0	0.6	0.0
Vibrio parahaemolyticus		1					1		5	8	14	1	1.2	0.8
Yersiniosis									3	3	4	0	0.6	0.0
Sexually transmissible infections														
Chlamydia (genital)	190	205	171	154	181	191	146	144	3246	3424	3309	662	701.4	0.9
Gonorrhoea	47	47	38	54	37	38	26	33	756	916	736	134	121.7	1.1
Syphilis - Infectious	7	2	8	6	7	2	4	3	104	93	93	16	10.7	1.5
Syphilis - Non-Infectious	5	5	1	2	3	3	4	1	68	51	12	11	5.1	2.1
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.0	0.0
Influenza	53	47	37	37	29	32	23	16	845	439	594	100	117.6	0.9
Measles	2	1	1	3	1				10	11	0	1	0.5	2.1
Mumps		1		3		1			8	7	5	1	1.5	0.7
Pertussis	6	12	13	9	12	14	8	8	252	309	369	42	74.5	0.6
Pneumococcal infection		2	1		1				15	31	13	1	6.3	0.2
Varicella (chicken pox)	8	8	3	8	9	6	10	2	126	148	128	27	24.6	1.1
Varicella (shingles)	23	35	27	34	26	29	15	11	536	482	445	81	86.3	0.9
Varicella (unspecified)	37	32	21	28	27	33	41	42	580	538	460	143	92.6	1.5
Vector-borne diseases														
Barmah Forest virus		2				1		1	4	4	2	2	22.7	0.1
Chikungunya									0	5	2	0	2.2	0.0
Dengue fever	1	2	3	1		1	1	2	39	75	232	4	34.3	0.1
Malaria		1	1				1	2	17	23	17	3	3.3	0.9
Ross River virus	21	15	6	8	8	2	2	7	200	333	103	19	48.9	0.4
Typhus			1		1				4	3	7	1	1.0	1.0
Zoonotic diseases														
Leptospirosis									1	0	2	0	0.1	0.0
Psittacosis						1			1	0	0	1	0.0	0.0
Q Fever									0	1	2	0	0.4	0.0
Other diseases														
Creutzfeldt-Jakob disease									0	1	1	0	0.1	0.0
Legionellosis	2		1			2			13	7	8	2	3.7	0.5
Meningococcal infection									4	9	2	0	0.6	0.0
Tuberculosis	1	1	4	2	2	1	1	4	36	33	40	8	8.1	1.0
Grand Total	522	536	423	452	447	439	372	372						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)	1	1 (3)	0.1			0.1			0.5
Hepatitis B (unspecified)	1	6 (7)	5.9	4	13 (8)	5.7	5	14 (13)	8.7
Hepatitis C (newly acquired)		1 (1)	0.5		1 (2)	1.5		1 (2)	2.3
Hepatitis C (unspecified)	8	21 (12)	8.7	2	14 (12)	11.2	7	24 (29)	14.5
Hepatitis D									
Enteric diseases									
Campylobacteriosis	8	35 (70)	36.6	15	58 (48)	42.1	8	49 (71)	33.8
Cryptosporidiosis		(10)	0.8		1 (12)	1.5		(4)	1.2
Hepatitis A			0.1		1 (1)	0.1			0.1
Listeriosis			0.1						0.1
Paratyphoid fever								1	0.4
Rotavirus		3 (6)	3.4		2 (9)	3.2	1	4 (11)	4.3
STEC/VTEC infection		1	1.6		(2)	0.6	2	4	1.4
Salmonellosis	14	41 (60)	30.6	9	39 (44)	31.6	9	33 (53)	25.4
Shigellosis		(1)	1.2			1.5	2	2 (2)	1.8
Typhoid			0.4		(1)	0.3		(1)	0.4
Vibrio parahaemolyticus		1	0.1		(1)	0.6			
Yersiniosis			0.1						0.3
Sexually transmissible infections									
Chlamydia (genital)	42	197 (195)	134.6	38	209 (211)	149.6	64	256 (246)	160.4
Gonorrhoea	6	31 (58)	26.3	13	47 (47)	33.1	14	56 (75)	44.2
Syphilis - Infectious	1	6 (2)	3.9	1	3 (3)	3.9	1	7 (10)	6.4
Syphilis - Non-Infectious	1	4 (3)	3.0		1 (3)	1.6		6 (10)	4.6
Vaccine preventable diseases									
H. influenzae type b									
Influenza	7	41 (26)	40.5	6	32 (26)	41.3	3	27 (20)	34.0
Measles			0.8			0.1		1 (1)	0.4
Mumps		1	0.7						0.4
Pertussis	6	21 (32)	14.3	2	13 (12)	12.0		8 (12)	8.1
Pneumococcal infection		(4)	0.7		1	0.6		(2)	0.8
Varicella (chicken pox)	1	7 (8)	5.2		12 (8)	7.6	1	8 (7)	4.6
Varicella (shingles)	5	32 (37)	24.6	3	28 (34)	28.0	3	21 (30)	21.0
Varicella (unspecified)	14	44 (43)	26.6	12	43 (30)	30.3	16	56 (31)	22.7
Vector-borne diseases									
Barmah Forest virus	1	1	0.1		(1)	0.3		1 (1)	0.1
Dengue fever	1	3 (3)	2.3	1	1 (2)	1.8		(4)	1.2
Malaria	1	1	0.7	1	2 (2)	0.9			0.8
Ross River virus	3	6 (15)	4.2	3	8 (41)	15.3	1	5 (27)	8.5
Typhus		1	0.3			0.1			0.1
Zoonotic diseases									
Leptospirosis									0.1
Psittacosis					1	0.1			
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Legionellosis			0.4			0.6		2	0.8
Melioidosis									
Meningococcal infection		(1)	0.1			0.3			0.1
Tuberculosis	1	2	1.4	1	3 (2)	1.5	2	3 (2)	2.0
Grand Total	122	508 (597)		111	533 (562)		139	589 (664)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1	0.5						
Hepatitis B (unspecified)			4.3				2 (1)		6.3
Hepatitis C (newly acquired)		1	0.5	1	1 (1)	4.8	(1)		1.3
Hepatitis C (unspecified)	2	4 (5)	11.2	1	2 (3)	19.2	1 (8)		10.1
Hepatitis D									1.3
Enteric diseases									
Campylobacteriosis	3	15 (13)	54.3		3 (5)	44.9		3 (12)	25.4
Cryptosporidiosis		(3)	3.7		2	8.0			
Hepatitis A									
Listeriosis				1	1	1.6			
Paratyphoid fever									
Rotavirus		(1)	1.1			1.6		1 (3)	3.8
STEC/VTEC infection			0.5			4.8			
Salmonellosis	3	11 (15)	27.1		4 (2)	28.9	2	5 (6)	29.2
Shigellosis		1	1.1						
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	7	48 (33)	100.0	1	6 (15)	99.4	1	12 (17)	77.3
Gonorrhoea	3	8 (5)	25.0	1	2	4.8		3 (1)	11.4
Syphilis - Infectious			0.5			1.6		1	1.3
Syphilis - Non-Infectious			1.1						
Vaccine preventable diseases									
H. influenzae type b									
Influenza		4 (3)	29.8	1	2 (3)	20.9	1	1 (2)	19.0
Measles									
Mumps									
Pertussis		15 (10)	35.6		2 (3)	40.1		(2)	6.3
Pneumococcal infection		1 (1)	1.1			3.2			
Varicella (chicken pox)		4 (2)	6.9		2	14.4		(1)	1.3
Varicella (shingles)	2	18 (16)	48.9		1 (9)	32.1		4 (6)	34.2
Varicella (unspecified)		(1)	0.5		3 (2)	25.7	2	2	7.6
Vector-borne diseases									
Barmah Forest virus		1	3.2			3.2			
Dengue fever		1	0.5						
Malaria									
Ross River virus	2	2 (14)	12.2		(4)	4.8		(26)	7.6
Typhus			0.5		2	3.2			
Zoonotic diseases									
Leptospirosis									
Psittacosis									
Q Fever									1.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Legionellosis									
Melioidosis									
Meningococcal infection						1.6			
Tuberculosis		(1)	1.1		1	4.8		(1)	1.3
Grand Total	22	135 (123)		6	34 (47)		6	35 (87)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1	4.3	1	1 (1)	6.6	1		7.3
Hepatitis C (newly acquired)			2.9			1.6			
Hepatitis C (unspecified)	3	4 (2)	21.5		1 (4)	19.7	1		11.7
Hepatitis D									
Enteric diseases									
Campylobacteriosis		(7)	18.6		1 (7)	36.1	1	5 (6)	27.7
Cryptosporidiosis		(2)	1.4				1	1 (4)	2.9
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		(2)	2.9		(10)	1.6		(11)	4.4
STEC/VTEC infection		1	1.4						1.5
Salmonellosis	1	3 (6)	28.6		(6)	16.4	5	6 (8)	36.4
Shigellosis		1 (3)	4.3		(1)	19.7	1	5 (4)	23.3
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			
Sexually transmissible infections									
Chlamydia (genital)	4	12 (21)	134.4	5	24 (21)	165.9	3	13 (27)	153.1
Gonorrhoea	1	4 (8)	47.2	3	23 (13)	103.5		7 (17)	87.5
Syphilis - Infectious			1.4			1.6		1	4.4
Syphilis - Non-Infectious			2.9			6.6		1	4.4
Vaccine preventable diseases									
H. influenzae type b									1.5
Influenza	4	9 (7)	38.6		(5)	14.8		(3)	24.8
Measles									
Mumps						1.6			
Pertussis		15 (3)	32.9			1.6		(1)	2.9
Pneumococcal infection		1	8.6	1	2 (1)	6.6		2 (2)	5.8
Varicella (chicken pox)			2.9		(2)	1.6		(4)	1.5
Varicella (shingles)		(1)	10.0		2 (4)	27.9		3	7.3
Varicella (unspecified)	2	4 (2)	35.8						1.5
Vector-borne diseases									
Barmah Forest virus						1.6		(2)	2.9
Dengue fever								1 (1)	4.4
Malaria									
Ross River virus		(2)	7.2		(19)	3.3	1	3 (7)	8.7
Typhus									
Zoonotic diseases									
Leptospirosis									
Psittacosis			1.4						
Q Fever			1.4						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						3.3			
Creutzfeldt-Jakob disease									1.5
Legionellosis									1.5
Melioidosis									1.5
Meningococcal infection						3.3			
Tuberculosis			1.4						4.4
Grand Total	15	55 (66)		10	54 (94)		11	50 (97)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				1	2 (3)	0.3
Hepatitis B (unspecified)		(4)	17.6	11	41 (36)	6.5
Hepatitis C (newly acquired)			2.5	1	5 (8)	1.4
Hepatitis C (unspecified)		1 (2)	25.1	23	73 (77)	12.3
Hepatitis D				0	0 (0)	0.0
Enteric diseases						
Campylobacteriosis		(4)	32.6	35	170 (246)	37.8
Cryptosporidiosis		1 (3)	25.1	0	6 (41)	1.8
Hepatitis A				0	1 (1)	0.1
Listeriosis			2.5	1	1 (0)	0.1
Paratyphoid fever				0	1 (0)	0.1
Rotavirus		(8)	5.0	1	10 (61)	3.4
STEC/VTEC infection				2	6 (2)	1.2
Salmonellosis	2	10 (10)	92.8	45	155 (213)	30.2
Shigellosis	1	4 (2)	75.3	4	13 (13)	3.5
Typhoid				0	0 (3)	0.3
Vibrio parahaemolyticus				0	2 (2)	0.2
Yersiniosis				0	0 (1)	0.1
Sexually transmissible infections						
Chlamydia (genital)	5	44 (37)	564.6	171	830 (834)	149.1
Gonorrhoea	3	23 (38)	411.5	44	206 (262)	41.9
Syphilis - Infectious		1 (4)	27.6	3	19 (19)	4.5
Syphilis - Non-Infectious				1	13 (16)	2.9
Vaccine preventable diseases						
H. influenzae type b				0	0 (0)	0.0
Influenza	1	4 (2)	62.7	24	121 (98)	37.3
Measles				0	1 (1)	0.4
Mumps				0	1 (0)	0.3
Pertussis		(5)	2.5	8	74 (80)	13.7
Pneumococcal infection		1 (1)	10.0	1	8 (14)	1.3
Varicella (chicken pox)		(1)	37.6	2	33 (33)	6.2
Varicella (shingles)		8 (2)	62.7	13	119 (143)	26.7
Varicella (unspecified)			2.5	46	153 (110)	22.9
Vector-borne diseases						
Barmah Forest virus		1 (1)	7.5	1	4 (5)	0.7
Dengue fever				2	6 (11)	1.6
Malaria			2.5	2	3 (3)	0.7
Ross River virus		2 (5)	55.2	10	26 (161)	9.7
Typhus				0	3 (0)	0.3
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.0
Psittacosis				0	1 (0)	0.1
Q Fever			2.5	0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			25.1	0	0 (0)	0.4
Creutzfeldt-Jakob disease				0	0 (1)	0.0
Legionellosis				0	2 (1)	0.5
Melioidosis				0	0 (0)	0.0
Meningococcal infection				0	0 (1)	0.3
Tuberculosis				4	9 (6)	1.1
Grand Total	12	100 (129)		456	2118 (2535)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 18	
	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	2018	2017
	Salmonella Total	44	59	46	50	45	31	34	45	834
Serotype/Phage										
Salmonella Aberdeen									1	1
Salmonella Adelaide									1	4
Salmonella Agona					1				5	2
Salmonella Albany						1			2	1
Salmonella Anatum	2	1							11	4
Salmonella Anatum var 15+			1						1	1
Salmonella Bareilly			1						2	4
Salmonella Bovismorbificans		4		3	1				10	10
Salmonella Braenderup									1	0
Salmonella Bredeney									1	1
Salmonella Cerro	1								3	0
Salmonella Chester		1	1	2	1	1			10	18
Salmonella Choleraesuis									1	0
Salmonella Choleraesuis bv Australia		2	1						7	7
Salmonella Choleraesuis bv Decatur			1						4	0
Salmonella Corvallis					1	1			3	3
Salmonella Eastbourne					1				2	2
Salmonella Enteritidis	4	7	3	3	4		3		51	54
Salmonella Fremantle subsp II									1	2
Salmonella Give									1	5
Salmonella Give var 15+,34+			1						1	0
Salmonella Hadar									1	1
Salmonella Havana						1			3	3
Salmonella Heidelberg									1	0
Salmonella Houten subsp IV									3	1
Salmonella Hvittingfoss	4	1		1	1	1			19	10
Salmonella Infantis		2	1				1		10	14
Salmonella Irumu									1	0
Salmonella Jangwani					1				1	0
Salmonella Javiana				1					2	5
Salmonella Johannesburg							1		2	5
Salmonella Kentucky			1		1		1		10	10
Salmonella Kiambu			1						2	7
Salmonella Kottbus									1	0
Salmonella Lindern									1	0
Salmonella Litchfield		1							1	5
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	4
Salmonella Meleagridis				1					1	1
Salmonella Mississippi			1						2	0
Salmonella Muenchen		1		3	1		1		17	14
Salmonella Newport	1	2	2						7	10
Salmonella Oranienburg									2	2
Salmonella Orientalis				1					2	0
Salmonella Orion									4	2
Salmonella Oslo				1					1	2
Salmonella Paratyphi B bv Java	4	2	2	2	1	2	1		23	36
Salmonella Poona	1								4	4
Salmonella Potsdam	1								3	1

Weekly Report for period 12-MAR-18 to 06-MAY-18

	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	Cumulative Total to end of Week 18	
									2018	2017
Salmonella Total	44	59	46	50	45	31	34	45	834	1165
Serotype/Phage										
Salmonella Rissen									1	0
Salmonella Saintpaul				3		3	1	2	34	27
Salmonella Schwarzengrund		1							1	6
Salmonella Senftenberg z27 phase									1	0
Salmonella Singapore	1					1	1		12	34
Salmonella Stanley		1			1		1		10	25
Salmonella Thompson					1				1	2
Salmonella Typhimurium	14	27	20	22	25	15	19	2	389	739
Salmonella Urbana				1					1	3
Salmonella Virchow	1	1	3						11	15
Salmonella Wandsbek subsp II		1	1						2	1
Salmonella Wandsworth		1							1	2
Salmonella Welikade							1		3	1
Salmonella Weltevreden	3					2		1	10	10
Salmonella species	7	3	5	6	4	3	3	40	109	44
Salmonella subsp 1 ser 1,4,12:i:-									1	0
Salmonella subsp IIIb 50:k:z									1	0
Salmonella subsp IIIb 61:l,v:z35									1	0