



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 19-MAR-18 to 13-MAY-18

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

## STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 19			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	25/03	01/04	08/04	15/04	22/04	29/04	06/05	13/05	2018	2017	2016			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1	1	1			1	1		7	5	9	2	2.2	0.9
Hepatitis B (unspecified)	13	8	7	9	14	7	11	5	188	195	185	37	51.9	0.7
Hepatitis C (newly acquired)	4	1	1	1	1	3	2		42	48	49	6	9.8	0.6
Hepatitis C (unspecified)	19	16	16	17	14	18	22	22	358	415	390	76	83.3	0.9
Hepatitis D			1						1	3	0	0	0.2	0.0
<b>Enteric diseases</b>														
Campylobacteriosis	50	34	47	52	42	48	42	52	1109	1260	1086	184	196.1	0.9
Cryptosporidiosis	2	3	6	5	1	1		4	56	303	128	6	33.7	0.2
Hepatitis A				1					3	7	8	0	0.9	0.0
Listeriosis							1		4	1	2	1	0.3	3.0
Paratyphoid fever				1					3	3	9	0	0.9	0.0
Rotavirus									3	3	9	0	0.9	0.0
Rotavirus	5	4	4	2	3	4	2	2	97	217	64	11	35.5	0.3
STEC/VTEC infection	1	2	3	2		3	1		32	23	9	4	1.2	3.3
Salmonellosis	59	47	49	47	34	35	54	54	903	1261	891	177	149.1	1.2
Shigellosis	1	4	5	3	6	2	6	4	104	63	39	18	5.8	3.1
Typhoid									8	4	3	0	0.8	0.0
Vibrio parahaemolyticus	1				1	1	1		7	10	15	3	1.1	2.6
Yersiniosis	1								4	3	6	0	0.9	0.0
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	257	212	203	225	253	191	204	182	4346	4603	4591	830	911.5	0.9
Gonorrhoea	73	58	69	59	56	52	68	47	1233	1459	1163	223	202.5	1.1
Syphilis - Infectious	3	11	7	7	2	6	5	8	134	136	115	21	13.9	1.5
Syphilis - Non-Infectious	6	2	2	3	4	6	1	4	87	59	21	15	7.7	2.0
<b>Vaccine preventable diseases</b>														
Diphtheria									0	0	0	0	0.0	0.0
H. influenzae type b									1	0	1	0	0.1	0.0
Influenza	58	40	47	35	37	28	32	36	1077	592	797	133	158.1	0.8
Measles	1	1	3	1			1		11	12	0	1	0.5	1.9
Mumps	1		3		1				9	9	373	1	13.7	0.1
Pertussis	25	22	13	30	27	17	9	8	396	417	540	61	96.6	0.6
Pneumococcal infection	2	2	1	1	3	3	3		39	49	36	9	12.9	0.7
Varicella (chicken pox)	10	6	10	13	10	12	4	3	179	216	171	29	33.8	0.9
Varicella (shingles)	45	42	50	42	41	33	32	9	775	711	615	115	114.2	1.0
Varicella (unspecified)	34	25	31	29	34	37	40	54	674	605	567	165	105.1	1.6
<b>Vector-borne diseases</b>														
Barmah Forest virus	4	1	1		3		3		20	20	6	6	27.5	0.2
Chikungunya									0	7	3	0	2.8	0.0
Dengue fever	2	3	1		4	1	2	1	46	93	295	8	42.4	0.2
Malaria	2	1				1	2		18	27	22	3	4.4	0.7
Ross River virus	19	9	10	11	3	3	11	5	277	781	188	22	98.7	0.2
Typhus		1			3		1		8	9	12	4	1.9	2.1
<b>Zoonotic diseases</b>														
Brucellosis									1	0	0	0	0.0	0.0
Leptospirosis									1	0	3	0	0.3	0.0
Psittacosis					1				2	2	0	1	0.0	0.0
Q Fever									3	3	7	0	0.9	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis			1			1			13	0	0	1	0.0	0.0
Creutzfeldt-Jakob disease									1	2	4	0	0.3	0.0
Legionellosis		1			2	1		1	16	11	15	4	4.9	0.8
Melioidosis		1							1	4	2	0	0.3	0.0
Meningococcal infection	2								8	10	4	0	1.0	0.0
Tuberculosis	3	4	3	2	1	2	3	1	47	38	47	7	9.3	0.8
<b>Grand Total</b>	<b>704</b>	<b>562</b>	<b>595</b>	<b>598</b>	<b>601</b>	<b>517</b>	<b>564</b>	<b>502</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 19			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	25/03	01/04	08/04	15/04	22/04	29/04	06/05	13/05	2018	2017	2016			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1	1	1				1		6	4	9	1	2.0	0.5
Hepatitis B (unspecified)	9	6	6	8	12	4	10	4	153	162	151	30	35.0	0.9
Hepatitis C (newly acquired)	2	1	1		1	3			32	34	39	4	7.4	0.5
Hepatitis C (unspecified)	12	10	12	14	12	15	17	19	269	297	271	63	56.0	1.1
<b>Enteric diseases</b>														
Campylobacteriosis	37	28	37	42	38	38	34	43	873	1008	861	153	154.3	1.0
Cryptosporidiosis	2	1	1	1		1		3	29	221	83	4	20.5	0.2
Hepatitis A				1					3	6	7	0	0.7	0.0
Listeriosis									2	1	1	0	0.3	0.0
Paratyphoid fever				1					3	3	8	0	0.6	0.0
Rotavirus	4	3	3	2	2	4	2	2	83	116	56	10	22.5	0.4
STEC/VTEC infection	1	2	3	1		3	1		26	14	2	4	0.7	5.5
Salmonellosis	49	34	37	34	22	30	37	44	694	966	674	133	105.7	1.3
Shigellosis		1	1		1		3	1	35	13	22	5	2.2	2.3
Typhoid									8	3	2	0	0.6	0.0
Vibrio parahaemolyticus	1					1	1		6	9	14	2	0.9	2.3
Yersiniosis									3	3	4	0	0.6	0.0
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	205	173	155	186	190	146	165	152	3427	3590	3498	653	699.3	0.9
Gonorrhoea	47	38	54	37	40	26	46	35	807	967	773	147	120.2	1.2
Syphilis - Infectious	2	8	6	6	2	4	4	7	111	95	98	17	10.7	1.6
Syphilis - Non-Infectious	5	1	2	3	4	4	1	4	73	53	15	13	5.0	2.6
<b>Vaccine preventable diseases</b>														
Diphtheria									0	0	0	0	0.0	0.0
Influenza	47	37	38	29	32	25	25	32	889	470	648	114	121.4	0.9
Measles	1	1	3	1			1		11	11	0	1	0.5	1.9
Mumps	1		3		1				8	7	5	1	1.9	0.5
Pertussis	12	15	8	12	15	11	8	5	263	324	384	39	75.8	0.5
Pneumococcal infection	2	1		1			2		17	32	17	2	7.1	0.3
Varicella (chicken pox)	8	3	8	10	7	12	3	3	134	152	135	25	25.3	1.0
Varicella (shingles)	35	27	33	27	29	23	25	3	561	508	465	80	86.6	0.9
Varicella (unspecified)	32	21	28	27	32	35	36	54	621	573	477	157	91.7	1.7
<b>Vector-borne diseases</b>														
Barmah Forest virus	2				1		1		4	4	2	2	20.3	0.1
Chikungunya									0	5	2	0	2.4	0.0
Dengue fever	2	3	1		1	1	2	1	40	77	237	5	33.2	0.2
Malaria	1	1				1	2		17	23	17	3	3.7	0.8
Ross River virus	15	6	8	9	2	2	7	2	204	346	108	13	44.2	0.3
Typhus		1					1		4	3	7	1	1.1	0.9
<b>Zoonotic diseases</b>														
Leptospirosis									1	0	2	0	0.1	0.0
Psittacosis					1				1	0	0	1	0.0	0.0
Q Fever									0	1	2	0	0.5	0.0
<b>Other diseases</b>														
Creutzfeldt-Jakob disease									0	1	1	0	0.1	0.0
Legionellosis		1			2				13	8	8	2	4.0	0.5
Meningococcal infection									4	9	2	0	0.6	0.0
Tuberculosis	1	4	2	2	1	1	3		35	34	43	5	7.6	0.7
<b>Grand Total</b>	<b>536</b>	<b>428</b>	<b>451</b>	<b>454</b>	<b>448</b>	<b>390</b>	<b>438</b>	<b>414</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)		1 (2)	0.1			0.1			0.5
Hepatitis B (unspecified)	1	4 (5)	6.0		9 (8)	5.7	3	17 (15)	9.2
Hepatitis C (newly acquired)		(1)	0.4		2 (3)	1.6		2 (4)	2.4
Hepatitis C (unspecified)	5	23 (10)	9.5	7	18 (17)	12.1	7	22 (26)	15.3
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	18	45 (78)	39.4	12	58 (50)	44.3	13	50 (65)	36.0
Cryptosporidiosis	2	3 (5)	1.2	1	1 (9)	1.6		(5)	1.2
Hepatitis A			0.1			0.1			0.1
Listeriosis			0.1						0.1
Paratyphoid fever									0.4
Rotavirus		2 (7)	3.4	1	4 (11)	3.5	1	4 (12)	4.5
STEC/VTEC infection		1	1.6		(3)	0.6		3	1.4
Salmonellosis	13	43 (69)	32.9	11	42 (46)	33.8	20	48 (52)	28.3
Shigellosis		1 (1)	1.3		(1)	1.5	1	4	2.0
Typhoid			0.4		(1)	0.3			0.4
Vibrio parahaemolyticus		1	0.1		(2)	0.6		1	0.1
Yersiniosis			0.1						0.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	46	187 (209)	141.1	48	210 (204)	159.3	58	256 (247)	169.2
Gonorrhoea	9	36 (58)	27.9	8	48 (48)	35.4	18	63 (70)	47.3
Syphilis - Infectious	3	7 (2)	4.3		3 (2)	4.1	4	7 (9)	6.8
Syphilis - Non-Infectious		2 (3)	3.0	1	2 (3)	1.8	3	9 (8)	5.1
<b>Vaccine preventable diseases</b>									
H. influenzae type b									
Influenza	12	43 (30)	42.4	7	36 (31)	43.2	13	35 (26)	36.1
Measles		1	0.9			0.1		(1)	0.4
Mumps		1	0.7						0.4
Pertussis	2	20 (29)	14.8	3	12 (15)	12.7		7 (12)	8.4
Pneumococcal infection		(5)	0.7			0.6		2	1.1
Varicella (chicken pox)	1	5 (8)	5.5		9 (9)	7.7	2	11 (5)	5.3
Varicella (shingles)	1	32 (43)	25.4	1	26 (33)	29.5	1	22 (35)	22.2
Varicella (unspecified)	21	51 (52)	28.9	17	50 (35)	32.2	16	56 (31)	24.1
<b>Vector-borne diseases</b>									
Barmah Forest virus		1	0.1		(1)	0.3		1 (1)	0.1
Dengue fever	1	4 (2)	2.5		1 (3)	1.8		(4)	1.2
Malaria		1	0.7		2 (1)	0.9			0.8
Ross River virus	1	6 (13)	4.4		5 (30)	15.3	1	2 (25)	8.8
Typhus		1	0.3			0.1			0.1
<b>Zoonotic diseases</b>									
Leptospirosis									0.1
Psittacosis					1	0.1			
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Legionellosis			0.4		(1)	0.6		2	0.8
Melioidosis									
Meningococcal infection		(1)	0.1			0.3			0.1
Tuberculosis			1.3		2 (2)	1.5		3 (2)	2.0
<b>Grand Total</b>	<b>136</b>	<b>522 (633)</b>		<b>117</b>	<b>541 (569)</b>		<b>161</b>	<b>627 (655)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)		1	0.5						
Hepatitis B (unspecified)			4.3				2 (1)		6.3
Hepatitis C (newly acquired)			0.5	2 (1)		6.4	(1)		1.3
Hepatitis C (unspecified)	1	4 (4)	11.7	(3)		17.6	1 (11)		10.1
Hepatitis D									1.3
<b>Enteric diseases</b>									
Campylobacteriosis	1	13 (17)	55.3	1	3 (6)	46.5	2	4 (12)	27.9
Cryptosporidiosis	1	1 (4)	4.3			8.0			
Hepatitis A									
Listeriosis				1		1.6			
Paratyphoid fever									
Rotavirus		(1)	1.1			1.6		1 (2)	3.8
STEC/VTEC infection			0.5			4.8			
Salmonellosis	1	8 (14)	27.7	1	3 (2)	30.5	2	6 (6)	33.0
Shigellosis		1	1.1						
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	13	56 (34)	110.1	4	9 (18)	105.9	3	14 (16)	82.4
Gonorrhoea	2	10 (3)	26.6	3	4	9.6	1	4 (1)	12.7
Syphilis - Infectious			0.5	1	1	3.2		2	2.5
Syphilis - Non-Infectious			1.1						
<b>Vaccine preventable diseases</b>									
H. influenzae type b									
Influenza		3 (3)	29.8	1	2 (6)	22.5		1 (1)	19.0
Measles									
Mumps									
Pertussis	2	14 (11)	39.4		1 (4)	40.1		(2)	5.1
Pneumococcal infection		1 (1)	1.1			3.2			
Varicella (chicken pox)		1 (1)	6.9		2	14.4		(1)	1.3
Varicella (shingles)	4	17 (18)	51.1		1 (7)	32.1	2	7 (3)	39.3
Varicella (unspecified)		(1)	0.5		2 (2)	25.7		2	7.6
<b>Vector-borne diseases</b>									
Barmah Forest virus		1	3.2			3.2		1	1.3
Dengue fever		1 (1)	0.5						
Malaria									
Ross River virus	1	3 (14)	12.8		(4)	4.8		(25)	7.6
Typhus		1	1.1		2	3.2			
<b>Zoonotic diseases</b>									
Leptospirosis									
Psittacosis									
Q Fever									1.3
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Legionellosis	1	1	0.5		1 (1)	1.6			
Melioidosis									
Meningococcal infection						1.6			
Tuberculosis		(1)	1.1		1	4.8	1	1	2.5
<b>Grand Total</b>	<b>27</b>	<b>137 (128)</b>		<b>11</b>	<b>35 (54)</b>		<b>11</b>	<b>46 (82)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	2	5.7		1 (1)	6.6	1		7.3
Hepatitis C (newly acquired)			2.9			1.6			
Hepatitis C (unspecified)	1	5 (2)	22.9	1	2 (2)	21.3		(1)	11.7
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	1	2 (4)	21.5	1	2 (8)	39.4		3 (2)	27.7
Cryptosporidiosis		(2)	1.4					1 (5)	2.9
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		(2)	2.9		(12)	1.6		(15)	4.4
STEC/VTEC infection			1.4						1.5
Salmonellosis	1	3 (6)	31.5	2	2 (3)	19.7	1	8 (10)	40.8
Shigellosis		1 (2)	4.3		1 (2)	21.3	1	4 (5)	24.8
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	2	16 (25)	141.6	2	23 (18)	170.8	3	17 (21)	161.8
Gonorrhoea		5 (9)	48.6	3	24 (12)	114.9	2	8 (13)	93.3
Syphilis - Infectious			1.4			1.6			4.4
Syphilis - Non-Infectious			2.9			6.6		1	4.4
<b>Vaccine preventable diseases</b>									
H. influenzae type b									1.5
Influenza	1	7 (10)	40.0		(3)	14.8		(3)	24.8
Measles									
Mumps					(1)	1.6			
Pertussis	1	7 (2)	34.3			1.6		(2)	2.9
Pneumococcal infection		1	8.6		2 (1)	6.6		2 (1)	5.8
Varicella (chicken pox)			2.9		(2)	1.6		(2)	1.5
Varicella (shingles)		(2)	10.0		1 (3)	27.9		(2)	7.3
Varicella (unspecified)		3 (1)	35.8						1.5
<b>Vector-borne diseases</b>									
Barmah Forest virus						1.6		(2)	2.9
Dengue fever									2.9
Malaria									
Ross River virus		(2)	7.2	1	1 (14)	4.9		2 (7)	8.7
Typhus									
<b>Zoonotic diseases</b>									
Leptospirosis									
Psittacosis			1.4						
Q Fever			1.4						
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)					1	4.9			
Creutzfeldt-Jakob disease									1.5
Legionellosis									1.5
Melioidosis									1.5
Meningococcal infection						3.3			
Tuberculosis			1.4						4.4
<b>Grand Total</b>	<b>8</b>	<b>52 (69)</b>		<b>10</b>	<b>60 (82)</b>		<b>7</b>	<b>47 (91)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	2 (2)	0.3
Hepatitis B (unspecified)		(3)	17.6	5	37 (35)	6.7
Hepatitis C (newly acquired)			2.5	0	6 (10)	1.5
Hepatitis C (unspecified)		1 (3)	25.1	22	76 (79)	12.9
Hepatitis D				0	0 (0)	0.0
<b>Enteric diseases</b>						
Campylobacteriosis		1 (5)	35.1	52	184 (251)	40.2
Cryptosporidiosis		(2)	25.1	4	6 (36)	2.0
Hepatitis A				0	0 (0)	0.1
Listeriosis			2.5	0	1 (0)	0.1
Paratyphoid fever				0	0 (0)	0.1
Rotavirus		(19)	5.0	2	11 (81)	3.5
STEC/VTEC infection				0	4 (3)	1.2
Salmonellosis	2	12 (13)	100.4	54	177 (223)	32.7
Shigellosis	2	6 (2)	82.8	4	18 (13)	3.8
Typhoid				0	0 (1)	0.3
Vibrio parahaemolyticus				0	3 (3)	0.3
Yersiniosis				0	0 (1)	0.1
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	1	36 (38)	577.1	182	830 (838)	157.4
Gonorrhoea		19 (30)	424.1	47	223 (244)	44.6
Syphilis - Infectious		1 (2)	27.6	8	21 (15)	4.9
Syphilis - Non-Infectious				4	15 (15)	3.0
<b>Vaccine preventable diseases</b>						
H. influenzae type b				0	0 (0)	0.0
Influenza	2	5 (1)	67.7	36	133 (116)	39.0
Measles				0	1 (1)	0.4
Mumps				0	1 (1)	0.3
Pertussis		(10)	2.5	8	61 (87)	14.3
Pneumococcal infection		1 (1)	10.0	0	9 (12)	1.4
Varicella (chicken pox)		1 (1)	40.1	3	29 (29)	6.5
Varicella (shingles)		8 (5)	70.3	9	115 (155)	28.1
Varicella (unspecified)			2.5	54	165 (122)	24.4
<b>Vector-borne diseases</b>						
Barmah Forest virus		2 (1)	10.0	0	6 (5)	0.7
Dengue fever				1	8 (10)	1.7
Malaria			2.5	0	3 (2)	0.7
Ross River virus	1	3 (5)	60.2	5	22 (140)	10.0
Typhus				0	4 (0)	0.3
<b>Zoonotic diseases</b>						
Leptospirosis				0	0 (0)	0.0
Psittacosis				0	1 (0)	0.1
Q Fever			2.5	0	0 (0)	0.1
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)			25.1	0	1 (0)	0.5
Creutzfeldt-Jakob disease				0	0 (1)	0.0
Legionellosis				1	4 (2)	0.6
Melioidosis				0	0 (0)	0.0
Meningococcal infection				0	0 (1)	0.3
Tuberculosis				1	7 (5)	1.2
<b>Grand Total</b>	<b>8</b>	<b>96 (141)</b>		<b>502</b>	<b>2184 (2563)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 19	
	25/03	01/04	08/04	15/04	22/04	29/04	06/05	13/05	2018	2017
	<b>Salmonella Total</b>	<b>59</b>	<b>47</b>	<b>49</b>	<b>47</b>	<b>34</b>	<b>35</b>	<b>54</b>	<b>54</b>	<b>903</b>
<b>Serotype/Phage</b>										
Salmonella Aberdeen									1	1
Salmonella Adelaide									1	4
Salmonella Agona				1			1		6	2
Salmonella Albany					1				2	1
Salmonella Anatum	1							1	12	5
Salmonella Anatum var 15+		1			1				2	1
Salmonella Bareilly		1							2	4
Salmonella Bovismorbificans	4		3	1					10	10
Salmonella Braenderup									1	0
Salmonella Bredeney									1	1
Salmonella Cerro							1		4	0
Salmonella Chester	1	1	2	1	1		1		11	20
Salmonella Choleraesuis									1	0
Salmonella Choleraesuis bv Australia	2	1					1		8	7
Salmonella Choleraesuis bv Decatur		1							4	0
Salmonella Corvallis				1	1				3	4
Salmonella Eastbourne				1					2	2
Salmonella Enteritidis	7	3	3	4		3	3	2	56	55
Salmonella Fremantle subsp II								1	2	2
Salmonella Give									1	5
Salmonella Give var 15+,34+		1							1	0
Salmonella Hadar									1	1
Salmonella Havana					1				3	3
Salmonella Heidelberg									1	0
Salmonella Houten subsp IV									3	1
Salmonella Hvittingfoss	1		1	1	1			1	20	10
Salmonella Infantis	2	1					1		10	14
Salmonella Irumu									1	0
Salmonella Jangwani				1					1	0
Salmonella Javiana			1						2	5
Salmonella Johannesburg							1		2	5
Salmonella Kentucky		1		2				1	11	11
Salmonella Kiambu		1							2	7
Salmonella Kottbus									1	0
Salmonella Krefeld							1		1	1
Salmonella Lindern									1	0
Salmonella Litchfield	1								1	5
Salmonella Matopeni									1	0
Salmonella Mbandaka								1	2	4
Salmonella Meleagridis			1						1	1
Salmonella Mississippi		1							2	0
Salmonella Muenchen	1		3	1		1			17	16
Salmonella Newport	2	2						2	9	10
Salmonella Ohio								1	1	1
Salmonella Oranienburg									2	2
Salmonella Orientalis			1						2	0
Salmonella Orion									4	2
Salmonella Oslo			1						1	2
Salmonella Paratyphi B bv Java	2	2	2	1	2	1			23	41



# Weekly Report for period 19-MAR-18 to 13-MAY-18

	25/03	01/04	08/04	15/04	22/04	29/04	06/05	13/05	Cumulative Total to end of Week 19		
										2018	2017
<b>Salmonella Total</b>	<b>59</b>	<b>47</b>	<b>49</b>	<b>47</b>	<b>34</b>	<b>35</b>	<b>54</b>	<b>54</b>	<b>903</b>	<b>1221</b>	
<b>Serotype/Phage</b>											
Salmonella Poona									4	4	
Salmonella Potsdam					1		1		5	1	
Salmonella Reading							1		1	3	
Salmonella Rissen									1	0	
Salmonella Saintpaul			3		3	2	2	1	36	28	
Salmonella Schwarzengrund	1								1	6	
Salmonella Senftenberg z27 phase									1	0	
Salmonella Singapore					1	1			12	35	
Salmonella Stanley	1			1		1		1	11	26	
Salmonella Thompson				1					1	2	
Salmonella Typhimurium	27	21	21	26	17	20	27	13	431	771	
Salmonella Urbana			1						1	3	
Salmonella Virchow	1	3					1		12	15	
Salmonella Wandsbek subsp II	1	1					1		3	2	
Salmonella Wandsworth	1								1	2	
Salmonella Welikade						1	1		4	1	
Salmonella Weltevreden					2		1		10	10	
Salmonella species	3	5	6	4	2	2	7	34	108	46	
Salmonella subsp 1 ser 1,4,12:i:-									1	0	
Salmonella subsp IIIb 50:k:z									1	0	
Salmonella subsp IIIb 61:l,v:z35									1	0	