



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 26-MAR-18 to 20-MAY-18

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

Weekly Report for period 26-MAR-18 to 20-MAY-18

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 20			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	2018	2017	2016			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1	1			1	2		1	9	5	10	4	2.2	1.8
Hepatitis B (unspecified)	8	7	9	14	7	10	5	6	193	203	195	28	55.4	0.5
Hepatitis C (newly acquired)	1	1	1	1	4	2	1		44	48	52	7	10.1	0.7
Hepatitis C (unspecified)	16	16	17	14	17	22	19	18	372	426	417	76	84.8	0.9
Hepatitis D		1							1	3	0	0	0.1	0.0
Enteric diseases														
Campylobacteriosis	34	47	53	41	50	50	60	38	1165	1311	1143	198	197.1	1.0
Cryptosporidiosis	3	6	5	1	1		6	1	59	308	133	8	30.3	0.3
Hepatitis A			1			1			4	8	8	1	0.8	1.3
Listeriosis						1			4	1	2	1	0.3	3.0
Paratyphoid fever			1						3	4	9	0	0.8	0.0
Rotavirus	4	4	2	3	4	2	2	1	98	249	64	9	36.6	0.2
STEC/VTEC infection	2	3	2	1	2	2			33	23	10	4	1.1	3.5
Salmonellosis	47	49	49	33	40	62	51	38	952	1304	930	191	143.5	1.3
Shigellosis	4	5	3	7	2	6	5		106	67	40	13	5.9	2.2
Typhoid									8	5	3	0	0.9	0.0
Vibrio parahaemolyticus				1	1	1			7	10	15	2	1.1	1.9
Yersiniosis									4	4	6	0	0.9	0.0
Sexually transmissible infections														
Chlamydia (genital)	214	203	226	254	191	209	212	193	4578	4821	4848	805	905.1	0.9
Gonorrhoea	58	69	59	56	51	72	65	53	1307	1521	1213	241	201.5	1.2
Syphilis - Infectious	11	7	7	2	6	5	6	8	140	140	117	25	13.7	1.8
Syphilis - Non-Infectious	2	2	3	4	6	1	4	4	91	60	21	15	8.0	1.9
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.0	0.0
H. influenzae type b									1	0	1	0	0.1	0.0
Influenza	40	47	35	37	28	35	51	25	1120	624	861	139	169.1	0.8
Measles	1	3	1			1			11	12	0	1	0.7	1.5
Mumps		3		1			1	1	11	10	388	2	13.3	0.2
Pertussis	23	13	32	28	18	19	17	12	432	439	564	66	96.3	0.7
Pneumococcal infection	2	1	1	3	3	5	3	5	49	54	38	16	13.9	1.2
Varicella (chicken pox)	6	10	13	10	13	4	16	3	196	221	183	36	34.5	1.0
Varicella (shingles)	42	50	43	42	37	40	24	6	812	752	652	107	114.3	0.9
Varicella (unspecified)	25	31	29	34	37	37	41	65	723	634	602	180	105.3	1.7
Vector-borne diseases														
Barmah Forest virus	1	1		3		3			20	21	6	3	26.2	0.1
Chikungunya									0	7	3	0	2.7	0.0
Dengue fever	3	1	1	3	1	2	2	1	48	94	306	6	40.5	0.1
Malaria	1				2	1			18	30	26	3	4.5	0.7
Ross River virus	9	10	12	3	4	10	4	5	282	802	198	23	93.3	0.2
Typhus	2			3		1			9	10	12	1	1.8	0.6
Zoonotic diseases														
Brucellosis									1	0	0	0	0.0	0.0
Leptospirosis									1	1	3	0	0.3	0.0
Psittacosis				1					2	2	0	0	0.0	0.0
Q Fever									3	5	7	0	0.9	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis		1			1				13	0	0	1	0.0	0.0
Creutzfeldt-Jakob disease									1	2	4	0	0.4	0.0
Legionellosis	1			2	1		1		16	12	17	2	4.9	0.4
Melioidosis	1								1	4	2	0	0.2	0.0
Meningococcal infection									8	10	4	0	1.2	0.0
Tuberculosis	4	3	2	1	2	3	1	4	51	39	47	10	9.4	1.1
Grand Total	566	595	607	603	530	609	597	488						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 20			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	2018	2017	2016			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1	1				1			6	4	10	1	2.1	0.5
Hepatitis B (unspecified)	6	6	8	12	4	10	4	5	158	169	160	23	39.1	0.6
Hepatitis C (newly acquired)	1	1		1	4				33	34	42	4	7.2	0.6
Hepatitis C (unspecified)	10	12	14	12	14	17	17	14	280	306	290	62	56.7	1.1
Enteric diseases														
Campylobacteriosis	28	37	43	37	40	42	52	31	923	1045	909	165	155.9	1.1
Cryptosporidiosis	1	1	1		1		3		29	226	84	4	19.0	0.2
Hepatitis A			1			1			4	6	7	1	0.7	1.5
Listeriosis									2	1	1	0	0.3	0.0
Paratyphoid fever			1						3	4	8	0	0.5	0.0
Rotavirus	3	3	2	2	4	2	2	1	84	125	56	9	22.9	0.4
STEC/VTEC infection	2	3	1	1	2	1			26	14	2	3	0.7	4.5
Salmonellosis	34	37	36	21	31	46	41	32	734	998	702	150	101.5	1.5
Shigellosis	1	1		2		3	2		37	14	23	5	2.2	2.3
Typhoid									8	4	2	0	0.8	0.0
Vibrio parahaemolyticus					1	1			6	9	14	2	0.8	2.5
Yersiniosis									3	4	4	0	0.7	0.0
Sexually transmissible infections														
Chlamydia (genital)	174	155	186	192	145	171	164	161	3608	3755	3683	641	694.1	0.9
Gonorrhoea	38	54	37	40	26	50	37	37	850	1003	802	150	119.5	1.3
Syphilis - Infectious	8	6	6	2	4	3	6	7	116	97	99	20	10.9	1.8
Syphilis - Non-Infectious	1	2	3	4	4	1	4	4	77	54	15	13	5.1	2.5
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.0	0.0
Influenza	37	38	29	32	25	28	45	23	928	491	702	121	130.5	0.9
Measles	1	3	1			1			11	11	0	1	0.7	1.5
Mumps		3		1			1	1	10	8	6	2	1.9	1.1
Pertussis	15	8	13	16	11	14	6	9	281	340	406	40	74.9	0.5
Pneumococcal infection	1		1			4	1	5	25	35	18	10	8.0	1.3
Varicella (chicken pox)	3	8	10	7	13	3	13	3	148	155	145	32	26.4	1.2
Varicella (shingles)	27	33	27	30	26	33	17	1	590	541	491	77	86.7	0.9
Varicella (unspecified)	21	28	27	32	35	33	41	61	666	599	507	170	92.7	1.8
Vector-borne diseases														
Barmah Forest virus				1		1			4	4	2	1	18.9	0.1
Chikungunya									0	5	2	0	2.3	0.0
Dengue fever	3	1		1	1	2	2	1	42	77	246	6	32.1	0.2
Malaria	1				2	1			17	25	20	3	3.7	0.8
Ross River virus	6	8	9	2	2	7	2	2	206	356	114	13	41.4	0.3
Typhus	2					1			5	3	7	1	1.1	0.9
Zoonotic diseases														
Leptospirosis									1	0	2	0	0.1	0.0
Psittacosis				1					1	0	0	0	0.0	0.0
Q Fever									0	2	2	0	0.4	0.0
Other diseases														
Creutzfeldt-Jakob disease									0	1	1	0	0.2	0.0
Legionellosis	1			2					13	9	10	0	3.9	0.0
Meningococcal infection									4	9	2	0	0.9	0.0
Tuberculosis	4	2	2	1	1	3		4	39	35	43	8	7.5	1.1
Grand Total	430	451	458	452	396	480	460	402						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1 (1)	0.1			0.1			0.5
Hepatitis B (unspecified)	1	3 (6)	6.1	2	7 (5)	6.0	2	13 (15)	9.5
Hepatitis C (newly acquired)			0.4		1 (3)	1.6		3 (4)	2.6
Hepatitis C (unspecified)	1	17 (11)	9.5	7	20 (19)	13.0	6	25 (18)	16.0
Hepatitis D									
Enteric diseases									
Campylobacteriosis	6	52 (77)	41.1	14	65 (49)	47.7	11	48 (60)	37.9
Cryptosporidiosis		3 (4)	1.2		1 (8)	1.6		(4)	1.2
Hepatitis A		1	0.3			0.1			0.1
Listeriosis			0.1						0.1
Paratyphoid fever									0.4
Rotavirus		1 (9)	3.4		4 (10)	3.5	1	4 (13)	4.6
STEC/VTEC infection			1.6		(1)	0.6		3	1.4
Salmonellosis	11	53 (62)	34.8	10	45 (40)	35.7	11	52 (50)	30.0
Shigellosis		1 (1)	1.3		1 (2)	1.6		3	2.2
Typhoid			0.4			0.3		(1)	0.4
Vibrio parahaemolyticus		1	0.1		(2)	0.6		1	0.1
Yersiniosis		(1)	0.1						0.3
Sexually transmissible infections									
Chlamydia (genital)	59	201 (221)	149.4	38	197 (200)	166.7	64	243 (258)	178.2
Gonorrhoea	10	36 (63)	29.5	8	49 (46)	37.0	19	65 (70)	49.9
Syphilis - Infectious	1	7 (2)	4.3	2	4 (2)	4.4	4	9 (9)	7.2
Syphilis - Non-Infectious	2	5 (4)	3.4		2 (2)	1.8	2	6 (5)	5.3
Vaccine preventable diseases									
H. influenzae type b									
Influenza	11	50 (35)	45.0	8	38 (29)	45.2	4	33 (30)	36.8
Measles		1	0.9			0.1		(1)	0.4
Mumps			0.7	1	1	0.1		1 (1)	0.5
Pertussis	7	23 (27)	16.0	2	11 (18)	13.4		6 (12)	8.9
Pneumococcal infection	2	4 (4)	1.2	2	2 (2)	0.9	1	4 (1)	1.4
Varicella (chicken pox)		6 (7)	5.6	2	12 (8)	8.9	1	14 (6)	6.0
Varicella (shingles)		28 (44)	26.8	1	23 (38)	30.5		26 (43)	23.7
Varicella (unspecified)	17	53 (42)	30.3	23	60 (37)	35.3	21	57 (29)	25.8
Vector-borne diseases									
Barmah Forest virus		1	0.1		(1)	0.3			0.1
Dengue fever		3 (1)	2.5		1 (2)	1.8	1	2 (4)	1.5
Malaria		1	0.7		2 (1)	0.9		(2)	0.8
Ross River virus	1	6 (14)	4.6		4 (23)	15.3	1	3 (20)	8.9
Typhus		1	0.4			0.1			0.1
Zoonotic diseases									
Leptospirosis									0.1
Psittacosis						0.1			
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Legionellosis		(1)	0.4		(1)	0.6			0.8
Melioidosis									
Meningococcal infection		(1)	0.1			0.3			0.1
Tuberculosis	1	1	1.4		2 (2)	1.5	3	5	2.4
Grand Total	130	560 (638)		120	552 (551)		152	626 (656)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1	0.5						
Hepatitis B (unspecified)			4.3				1 (1)		6.3
Hepatitis C (newly acquired)			0.5		2	6.4	(1)		1.3
Hepatitis C (unspecified)		4 (4)	11.7	1	1 (2)	19.2	(8)		10.1
Hepatitis D									1.3
Enteric diseases									
Campylobacteriosis	1	11 (18)	55.9	2	5 (5)	49.7		3 (10)	27.9
Cryptosporidiosis		2 (3)	4.8			8.0			
Hepatitis A									
Listeriosis					1	1.6			
Paratyphoid fever									
Rotavirus		(1)	1.1			1.6		(2)	3.8
STEC/VTEC infection		1	1.1			4.8			
Salmonellosis	2	8 (12)	28.7		1 (1)	30.5		5 (4)	33.0
Shigellosis			1.1						
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	9	47 (34)	116.5	5	11 (16)	115.5	4	14 (15)	88.7
Gonorrhoea	1	11 (4)	27.7		4	9.6		5 (1)	13.9
Syphilis - Infectious			0.5		1	3.2		2	2.5
Syphilis - Non-Infectious			1.1						
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(5)	29.8		2 (8)	22.5		1 (1)	19.0
Measles									
Mumps									
Pertussis	1	23 (9)	47.9	1	1 (3)	41.7		(2)	5.1
Pneumococcal infection		1 (2)	1.1			3.2			
Varicella (chicken pox)		3 (2)	8.5			14.4		(1)	1.3
Varicella (shingles)	2	12 (15)	52.7		(6)	32.1	1	6 (3)	40.6
Varicella (unspecified)		(1)	0.5		1 (2)	25.7		2	7.6
Vector-borne diseases									
Barmah Forest virus			3.2			3.2		1	1.3
Dengue fever		(1)	0.5						
Malaria									
Ross River virus	1	3 (10)	13.3		(2)	4.8		(18)	7.6
Typhus			1.1			3.2			
Zoonotic diseases									
Leptospirosis									
Psittacosis									
Q Fever									1.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Legionellosis		1	0.5		1 (1)	1.6			
Melioidosis									
Meningococcal infection						1.6			
Tuberculosis		(1)	1.1		1	4.8		1	2.5
Grand Total	17	128 (122)		9	32 (46)		5	41 (67)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)				1		1.6			
Hepatitis B (unspecified)		2	5.7	(2)		4.9			7.3
Hepatitis C (newly acquired)		1	4.3			1.6			
Hepatitis C (unspecified)	2	6 (2)	24.3	1	3 (3)	23.0		(1)	11.7
Hepatitis D									
Enteric diseases									
Campylobacteriosis		2 (5)	21.5	2	4 (5)	42.7	1	4 (3)	29.2
Cryptosporidiosis		(2)	1.4				1	2 (2)	5.8
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		(2)	2.9		(9)	1.6		(16)	4.4
STEC/VTEC infection			1.4						1.5
Salmonellosis	3	6 (2)	35.8		2 (3)	19.7	1	10 (11)	43.7
Shigellosis		(2)	4.3		1 (4)	21.3		3 (3)	24.8
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			
Sexually transmissible infections									
Chlamydia (genital)	3	15 (26)	145.9	1	22 (20)	179.0	4	21 (26)	173.5
Gonorrhoea	1	5 (11)	51.5	7	28 (16)	134.7	3	12 (13)	100.6
Syphilis - Infectious			1.4		(1)	1.6			4.4
Syphilis - Non-Infectious			2.9			6.6		1	4.4
Vaccine preventable diseases									
H. influenzae type b									1.5
Influenza	1	7 (9)	41.5		(4)	14.8		2 (3)	27.7
Measles									
Mumps					(1)	1.6			
Pertussis	1	2 (2)	35.8			1.6		(2)	2.9
Pneumococcal infection		(1)	8.6		1 (1)	6.6		3 (1)	8.7
Varicella (chicken pox)			2.9		(1)	1.6		(2)	1.5
Varicella (shingles)		(1)	10.0		1 (2)	27.9		(3)	7.3
Varicella (unspecified)	2	4 (1)	38.6	1	1	1.6			1.5
Vector-borne diseases									
Barmah Forest virus						1.6		(3)	2.9
Dengue fever									2.9
Malaria									
Ross River virus		(4)	7.2		1 (9)	4.9	1	2 (4)	10.2
Typhus									
Zoonotic diseases									
Leptospirosis									
Psittacosis			1.4						
Q Fever			1.4						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)					1	4.9			
Creutzfeldt-Jakob disease									1.5
Legionellosis									1.5
Melioidosis									1.5
Meningococcal infection						3.3			
Tuberculosis			1.4						4.4
Grand Total	13	50 (70)		12	66 (81)		11	60 (93)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				1	4 (1)	0.3
Hepatitis B (unspecified)		(1)	17.6	6	28 (32)	6.9
Hepatitis C (newly acquired)			2.5	0	7 (8)	1.6
Hepatitis C (unspecified)		(3)	25.1	18	76 (71)	13.4
Hepatitis D				0	0 (0)	0.0
Enteric diseases						
Campylobacteriosis		1 (6)	35.1	38	198 (243)	42.2
Cryptosporidiosis		(2)	25.1	1	8 (28)	2.1
Hepatitis A				0	1 (1)	0.1
Listeriosis			2.5	0	1 (0)	0.1
Paratyphoid fever				0	0 (1)	0.1
Rotavirus		(35)	5.0	1	9 (97)	3.5
STEC/VTEC infection				0	4 (1)	1.2
Salmonellosis		9 (14)	105.4	38	191 (200)	34.5
Shigellosis		4 (2)	82.8	0	13 (15)	3.8
Typhoid				0	0 (1)	0.3
Vibrio parahaemolyticus				0	2 (3)	0.3
Yersiniosis				0	0 (2)	0.1
Sexually transmissible infections						
Chlamydia (genital)	3	27 (44)	599.7	193	805 (870)	165.8
Gonorrhoea	2	21 (37)	439.1	53	241 (262)	47.3
Syphilis - Infectious	1	2 (3)	30.1	8	25 (17)	5.1
Syphilis - Non-Infectious				4	15 (12)	3.1
Vaccine preventable diseases						
H. influenzae type b				0	0 (0)	0.0
Influenza	1	5 (2)	70.3	25	139 (128)	40.6
Measles				0	1 (1)	0.4
Mumps				1	2 (2)	0.4
Pertussis		(11)	2.5	12	66 (86)	15.6
Pneumococcal infection		1 (1)	10.0	5	16 (15)	1.8
Varicella (chicken pox)		1	40.1	3	36 (27)	7.1
Varicella (shingles)		8 (4)	75.3	6	107 (161)	29.4
Varicella (unspecified)			2.5	65	180 (115)	26.2
Vector-borne diseases						
Barmah Forest virus		1	10.0	0	3 (4)	0.7
Dengue fever				1	6 (9)	1.7
Malaria		(1)	2.5	0	3 (4)	0.7
Ross River virus		3 (6)	60.2	5	23 (110)	10.2
Typhus				0	1 (1)	0.3
Zoonotic diseases						
Leptospirosis				0	0 (1)	0.0
Psittacosis				0	0 (0)	0.1
Q Fever			2.5	0	0 (2)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			25.1	0	1 (0)	0.5
Creutzfeldt-Jakob disease				0	0 (1)	0.0
Legionellosis				0	2 (3)	0.6
Melioidosis				0	0 (0)	0.0
Meningococcal infection				0	0 (1)	0.3
Tuberculosis				4	10 (3)	1.3
Grand Total	7	83 (172)		488	2224 (2557)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 20	
	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	2018	2017
	Salmonella Total	47	49	49	33	40	62	51	38	952
Serotype/Phage										
Salmonella Aberdeen									1	1
Salmonella Adelaide									1	4
Salmonella Agona			1			1	1		7	2
Salmonella Albany				1					2	1
Salmonella Anatum						1			12	6
Salmonella Anatum var 15+	1			1			1		3	1
Salmonella Bareilly	1								2	4
Salmonella Bovismorbificans		3	1						10	12
Salmonella Braenderup									1	0
Salmonella Bredeney									1	2
Salmonella Cerro						1			4	0
Salmonella Chester	1	2	1	1		1			11	20
Salmonella Choleraesuis									1	0
Salmonella Choleraesuis bv Australia	1					1			8	7
Salmonella Choleraesuis bv Decatur	1								4	0
Salmonella Corvallis			1	1					3	5
Salmonella Eastbourne			1						2	3
Salmonella Enteritidis	3	3	4		4	4	2	1	59	58
Salmonella Fremantle subsp II							1		2	2
Salmonella Give									1	5
Salmonella Give var 15+,34+	1								1	0
Salmonella Hadar									1	1
Salmonella Havana				1					3	3
Salmonella Heidelberg									1	0
Salmonella Houten subsp IV									3	1
Salmonella Hvitvingfoss		1	1	1		1			20	10
Salmonella Infantis	1				1				10	15
Salmonella Irumu									1	0
Salmonella Jangwani			1						1	0
Salmonella Javiana		1				1	1		4	5
Salmonella Johannesburg					1				2	5
Salmonella Kentucky	1		2			1	1		12	11
Salmonella Kiambu	1								2	7
Salmonella Kottbus							1		2	0
Salmonella Krefeld			1						1	1
Salmonella Lindern									1	0
Salmonella Litchfield									1	5
Salmonella Livingstone							1		1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka						1		1	3	4
Salmonella Meleagridis		1							1	1
Salmonella Mississippi	1								2	0
Salmonella Muenchen		3	1		1			1	18	16
Salmonella Newport	2					3			10	10
Salmonella Ohio						1			1	1
Salmonella Oranienburg							1		3	2
Salmonella Orientalis		1							2	0
Salmonella Orion									4	2
Salmonella Oslo		1							1	2

Weekly Report for period 26-MAR-18 to 20-MAY-18

	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	Cumulative Total to end of Week 20	
									2018	2017
Salmonella Total	47	49	49	33	40	62	51	38	952	1261
Serotype/Phage										
Salmonella Paratyphi B bv Java	2	2	1	2	1				23	41
Salmonella Poona									4	4
Salmonella Potsdam				1		1			5	1
Salmonella Reading						1			1	3
Salmonella Rissen									1	0
Salmonella Saintpaul		3		3	2	3	2	1	39	30
Salmonella Schwarzengrund									1	6
Salmonella Senftenberg z27 phase									1	0
Salmonella Singapore				1	1				12	36
Salmonella Stanley			1		1		1		11	27
Salmonella Thompson			1						1	2
Salmonella Typhimurium	21	21	27	16	25	32	32	13	473	795
Salmonella Urbana		1							1	3
Salmonella Virchow	3					1			12	15
Salmonella Wandsbek subsp II	1					1			3	2
Salmonella Wandsworth									1	3
Salmonella Welikade					1	1			4	1
Salmonella Weltevreden				2		1	1	1	12	10
Salmonella species	5	6	4	2	2	4	5	20	96	47
Salmonella subsp 1 ser 1,4,12:i:-									1	0
Salmonella subsp IIIb 50:k:z									1	0
Salmonella subsp IIIb 61:l,v:z35									1	0