



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 02-APR-18 to 27-MAY-18

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 21			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	2018	2017	2016			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1			1	2		1		9	5	11	3	2.7	1.1
Hepatitis B (unspecified)	7	9	14	7	10	5	6	7	200	218	211	28	55.7	0.5
Hepatitis C (newly acquired)	1	1	1	4	2	1	2	1	46	48	53	6	10.2	0.6
Hepatitis C (unspecified)	15	17	14	17	22	19	15	16	384	456	446	72	85.4	0.8
Hepatitis D	1							1	2	3	1	1	0.1	7.5
Enteric diseases														
Campylobacteriosis	47	53	43	48	52	63	42	28	1202	1359	1198	185	198.4	0.9
Cryptosporidiosis	6	5	1	1		6	1	1	60	315	140	8	27.4	0.3
Hepatitis A		1			1				4	8	8	1	1.0	1.0
Listeriosis					1				4	1	2	1	0.4	2.5
Paratyphoid fever		1							3	4	9	0	0.7	0.0
Rotavirus	4	2	3	4	2	2	2	3	102	279	67	9	38.9	0.2
STEC/VTEC infection	3	2	2	1	2				33	25	11	2	0.9	2.3
Salmonellosis	49	49	33	42	73	54	49	29	1008	1369	958	205	134.1	1.5
Shigellosis	5	3	7	2	7	4	1	4	111	68	42	16	5.8	2.8
Typhoid									8	6	4	0	1.0	0.0
Vibrio parahaemolyticus				1	1	1		1	8	10	16	2	1.1	1.9
Yersiniosis								1	5	4	6	1	0.9	1.2
Sexually transmissible infections														
Chlamydia (genital)	203	226	254	193	209	213	230	168	4787	5017	5111	820	903.1	0.9
Gonorrhoea	69	59	56	51	72	67	75	42	1373	1580	1293	256	201.7	1.3
Syphilis - Infectious	7	7	2	6	5	4	12	5	147	148	123	26	13.2	2.0
Syphilis - Non-Infectious	2	3	4	6	2	5	5	5	99	62	22	17	8.9	1.9
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.0	0.0
H. influenzae type b									1	0	1	0	0.1	0.0
Influenza	47	35	38	27	37	55	33	33	1167	661	926	158	182.4	0.9
Measles	3	1			1				11	12	0	1	0.9	1.2
Mumps	3		1			1	1		11	10	401	2	13.1	0.2
Pertussis	13	32	28	19	21	22	19	19	468	457	583	81	95.7	0.8
Pneumococcal infection	1	1	3	3	5	4	7	1	53	58	40	17	14.3	1.2
Rubella (non-congenital)								1	1	2	0	1	0.0	0.0
Varicella (chicken pox)	10	13	10	13	4	18	7	12	214	229	192	41	35.1	1.2
Varicella (shingles)	51	43	43	38	44	32	36	15	873	787	673	127	113.5	1.1
Varicella (unspecified)	30	29	33	37	35	39	48	41	740	673	635	163	105.9	1.5
Vector-borne diseases														
Barmah Forest virus	1		3	1	3			1	22	23	7	4	25.5	0.2
Chikungunya									0	7	3	0	2.6	0.0
Dengue fever	1	1	3	1	2	2	1	2	50	97	321	7	38.5	0.2
Malaria				2	1		1		19	31	26	2	4.4	0.5
Ross River virus	10	12	3	4	11	4	5	5	288	820	205	25	85.3	0.3
Typhus			3		1				9	10	12	1	1.8	0.6
Zoonotic diseases														
Brucellosis									1	0	0	0	0.0	0.0
Leptospirosis									1	1	3	0	0.3	0.0
Psittacosis			1						2	2	0	0	0.0	0.0
Q Fever									3	5	7	0	0.8	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis	1			1					13	0	0	0	0.0	0.0
Creutzfeldt-Jakob disease									1	2	4	0	0.3	0.0
Legionellosis			2	1		1			15	12	20	1	5.5	0.2
Melioidosis									1	4	2	0	0.2	0.0
Meningococcal infection								1	9	10	4	1	1.2	0.8
Tuberculosis	3	2	1	2	3	1	4	1	52	40	48	9	9.3	1.0
Grand Total	594	607	607	533	631	622	605	442						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 21			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	2018	2017	2016			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1				1				6	4	11	1	2.3	0.4
Hepatitis B (unspecified)	6	8	12	4	10	4	5	6	164	183	174	25	38.9	0.6
Hepatitis C (newly acquired)	1		1	4					35	34	43	3	7.3	0.4
Hepatitis C (unspecified)	12	14	12	14	17	17	11	11	288	327	310	56	57.5	1.0
Hepatitis D								1	1	2	1	1	0.1	7.5
Enteric diseases														
Campylobacteriosis	37	43	38	39	44	54	35	23	954	1088	958	156	155.7	1.0
Cryptosporidiosis	1	1		1				3	29	231	90	3	17.6	0.2
Hepatitis A			1		1				4	6	7	1	0.7	1.4
Listeriosis									2	1	1	0	0.3	0.0
Paratyphoid fever		1							3	4	8	0	0.5	0.0
Rotavirus	3	2	2	4	2	2	2	2	87	139	58	8	24.7	0.3
STEC/VTEC infection	3	1	2	1	1				26	14	2	1	0.4	2.5
Salmonellosis	37	36	21	32	58	43	35	24	776	1039	723	160	95.0	1.7
Shigellosis	1		2		3	2			37	15	25	5	2.1	2.3
Typhoid									8	5	3	0	0.8	0.0
Vibrio parahaemolyticus				1	1			1	7	9	15	2	0.8	2.5
Yersiniosis								1	4	4	4	1	0.6	1.7
Sexually transmissible infections														
Chlamydia (genital)	155	186	192	146	171	165	180	142	3772	3907	3884	658	690.5	1.0
Gonorrhoea	54	37	40	26	50	40	46	28	890	1039	856	164	118.6	1.4
Syphilis - Infectious	6	6	2	4	3	4	8	1	116	104	102	16	10.3	1.6
Syphilis - Non-Infectious	2	3	4	4	2	5	5	4	84	55	16	16	5.1	3.2
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.0	0.0
Influenza	38	29	33	24	30	49	28	28	967	521	759	135	142.3	0.9
Measles	3	1			1				11	11	0	1	0.9	1.2
Mumps	3		1			1	1		10	8	9	2	2.0	1.0
Pertussis	8	13	16	11	14	7	12	9	295	350	420	42	75.4	0.6
Pneumococcal infection		1			4	1	5		25	39	19	10	8.0	1.3
Varicella (chicken pox)	8	10	7	13	3	15	7	8	162	161	152	33	26.5	1.2
Varicella (shingles)	34	27	30	27	36	23	27	5	632	561	509	91	86.1	1.1
Varicella (unspecified)	27	27	32	35	32	39	44	39	684	634	536	154	94.0	1.6
Vector-borne diseases														
Barmah Forest virus			1	1	1				5	5	2	1	18.5	0.1
Chikungunya									0	5	2	0	2.2	0.0
Dengue fever	1		1	1	2	2	1	2	44	80	259	7	30.1	0.2
Malaria				2	1				17	26	20	1	3.7	0.3
Ross River virus	8	9	2	2	8	2	2	3	210	369	116	15	37.9	0.4
Typhus					1				5	3	7	1	1.1	0.9
Zoonotic diseases														
Leptospirosis									1	0	2	0	0.1	0.0
Psittacosis			1						1	0	0	0	0.0	0.0
Q Fever									0	2	2	0	0.4	0.0
Other diseases														
Creutzfeldt-Jakob disease									0	1	1	0	0.1	0.0
Legionellosis			2						12	9	13	0	4.1	0.0
Meningococcal infection								1	5	9	2	1	0.9	1.2
Tuberculosis	2	2	1	1	3		4	1	40	36	44	8	7.3	1.1
Grand Total	451	458	455	397	500	478	461	340						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1	0.1			0.1			0.5
Hepatitis B (unspecified)	2	5 (12)	6.4	3	9 (6)	6.4	1	11 (19)	9.6
Hepatitis C (newly acquired)			0.4	1	3 (3)	2.0		(3)	2.4
Hepatitis C (unspecified)	2	15 (19)	9.8	3	16 (22)	13.1	6	25 (20)	16.6
Hepatitis D							1	1	0.1
Enteric diseases									
Campylobacteriosis	9	51 (81)	42.7	5	58 (45)	48.6	9	47 (58)	39.6
Cryptosporidiosis		2 (5)	1.2		1 (7)	1.6		(3)	1.2
Hepatitis A		1	0.3			0.1			0.1
Listeriosis			0.1						0.1
Paratyphoid fever									0.4
Rotavirus	2	3 (13)	3.8		2 (14)	3.5		3 (13)	4.6
STEC/VTEC infection			1.6		(1)	0.6		1	1.4
Salmonellosis	3	52 (62)	35.7	10	50 (30)	38.2	11	58 (60)	32.5
Shigellosis		1	1.3		1 (2)	1.6		3 (1)	2.2
Typhoid			0.4			0.3		(2)	0.4
Vibrio parahaemolyticus		1	0.3		(1)	0.6		1	0.1
Yersiniosis		(1)	0.1	1	1 (1)	0.1			0.3
Sexually transmissible infections									
Chlamydia (genital)	38	198 (223)	155.7	50	209 (197)	175.0	54	251 (259)	186.1
Gonorrhoea	6	41 (57)	30.8	9	54 (48)	39.2	13	69 (73)	51.9
Syphilis - Infectious	1	6 (3)	4.6		2 (4)	4.1		8 (12)	7.2
Syphilis - Non-Infectious	2	7 (4)	3.8	1	4 (2)	2.2	1	5 (5)	5.4
Vaccine preventable diseases									
H. influenzae type b									
Influenza	15	60 (40)	47.5	5	42 (30)	46.5	8	33 (39)	38.3
Measles		1	0.9			0.1			0.4
Mumps			0.7		1	0.1		1 (1)	0.5
Pertussis	4	24 (27)	17.0	4	14 (18)	14.1	1	4 (9)	9.1
Pneumococcal infection		4 (3)	1.2		2 (3)	0.9		4 (4)	1.4
Rubella (non-congenital)									
Varicella (chicken pox)	4	7 (6)	6.1	2	15 (8)	9.9	2	11 (6)	6.4
Varicella (shingles)	1	34 (44)	28.9	2	29 (32)	32.5	2	28 (37)	25.3
Varicella (unspecified)	16	54 (44)	31.5	12	51 (43)	35.7	11	49 (33)	26.6
Vector-borne diseases									
Barmah Forest virus		1 (1)	0.1		(1)	0.4			0.1
Dengue fever		2 (2)	2.5	1	2 (1)	1.9	1	3 (4)	1.6
Malaria		1 (1)	0.7			0.9		(2)	0.8
Ross River virus		7 (11)	4.7	2	5 (21)	15.6	1	3 (20)	9.1
Typhus		1	0.4			0.1			0.1
Zoonotic diseases									
Leptospirosis									0.1
Psittacosis						0.1			
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Legionellosis		(1)	0.4		(1)	0.6			0.7
Melioidosis									
Meningococcal infection			0.1			0.3	1	1	0.3
Tuberculosis		1	1.4	1	2 (2)	1.6		5 (1)	2.4
Grand Total	105	581 (660)		112	573 (543)		123	625 (684)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)			4.3					(1)	6.3
Hepatitis C (newly acquired)			0.5	2		6.4			1.3
Hepatitis C (unspecified)		3 (5)	11.7	1 (2)		19.2	2	2 (10)	12.7
Hepatitis D									1.3
Enteric diseases									
Campylobacteriosis	2	8 (17)	56.9	2	5 (3)	52.9	1	4 (6)	30.4
Cryptosporidiosis		2 (4)	4.8	1	1	9.6			
Hepatitis A									
Listeriosis					1	1.6			
Paratyphoid fever									
Rotavirus		(2)	1.1	1	1	3.2		(1)	3.8
STEC/VTEC infection		1	1.1			4.8			
Salmonellosis		8 (7)	30.9	1	2 (1)	32.1		3 (3)	33.0
Shigellosis			1.1						
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	2	39 (37)	119.2	3	14 (16)	120.3	3	12 (15)	92.5
Gonorrhoea	3	12 (6)	29.8	1	5	11.2		2 (2)	13.9
Syphilis - Infectious			0.5		1	3.2		2	3.8
Syphilis - Non-Infectious		(1)	1.1						
Vaccine preventable diseases									
H. influenzae type b									
Influenza	1	2 (7)	30.9		2 (10)	24.1		1	19.0
Measles									
Mumps									
Pertussis	6	31 (8)	55.9	2	2 (4)	46.5	1	2 (3)	7.6
Pneumococcal infection		1 (2)	1.6			3.2	1	2	2.5
Rubella (non-congenital)									
Varicella (chicken pox)	3	6 (2)	10.1			14.4		(1)	1.3
Varicella (shingles)	4	14 (16)	55.9		2 (4)	35.3	5	9 (4)	46.9
Varicella (unspecified)		(1)	0.5	1	1 (3)	27.3		2	7.6
Vector-borne diseases									
Barmah Forest virus			3.2			3.2		1	1.3
Dengue fever		(1)	0.5						
Malaria									
Ross River virus	2	4 (7)	14.4		(2)	4.8		(17)	7.6
Typhus			1.1			3.2			
Zoonotic diseases									
Leptospirosis									
Psittacosis									
Q Fever									1.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Legionellosis		1	0.5		(1)	1.6			
Melioidosis									
Meningococcal infection						1.6			
Tuberculosis		(1)	1.1			4.8		1	2.5
Grand Total	23	132 (124)		12	40 (46)		13	43 (63)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)				1		1.6			
Hepatitis B (unspecified)		1	5.7	(2)		4.9	1	1	8.7
Hepatitis C (newly acquired)		1	4.3			1.6			
Hepatitis C (unspecified)		5 (1)	24.3	1	3 (3)	23.0	1	1 (1)	13.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis		2 (5)	21.5		4 (5)	42.7		2 (2)	29.2
Cryptosporidiosis		(3)	1.4					2 (2)	5.8
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		(1)	2.9		(8)	1.6		(16)	4.4
STEC/VTEC infection		(1)	1.4						1.5
Salmonellosis	1	7 (3)	37.2		4 (20)	23.0		12 (8)	48.1
Shigellosis	2	2 (2)	7.2	1	3 (4)	24.6	1	3 (2)	26.2
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			
Sexually transmissible infections									
Chlamydia (genital)	2	17 (24)	154.4	9	24 (25)	198.7	3	20 (28)	179.3
Gonorrhoea	1	5 (13)	52.9	4	28 (19)	146.1	3	13 (14)	106.4
Syphilis - Infectious			1.4	2	4 (2)	8.2	1	1	5.8
Syphilis - Non-Infectious			2.9			6.6	1	1	5.8
Vaccine preventable diseases									
H. influenzae type b									1.5
Influenza	4	11 (10)	48.6		(4)	14.8		2 (1)	27.7
Measles									
Mumps					(1)	1.6			
Pertussis		3	37.2			1.6		(3)	2.9
Pneumococcal infection		(1)	8.6		1 (1)	6.6		3	10.2
Rubella (non-congenital)		1	1.4						
Varicella (chicken pox)			2.9	1	1 (1)	3.3		(1)	1.5
Varicella (shingles)		2 (1)	15.7	1	1 (3)	29.6		(3)	7.3
Varicella (unspecified)	1	4 (3)	35.8		1	1.6			1.5
Vector-borne diseases									
Barmah Forest virus						1.6		(3)	2.9
Dengue fever									2.9
Malaria									
Ross River virus		(3)	7.2		1 (6)	4.9		2 (3)	10.2
Typhus									
Zoonotic diseases									
Leptospirosis									
Psittacosis			1.4						
Q Fever			1.4						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						4.9			
Creutzfeldt-Jakob disease									1.5
Legionellosis									1.5
Melioidosis									1.5
Meningococcal infection						3.3			
Tuberculosis			1.4						4.4
Grand Total	11	61 (71)		19	76 (104)		11	63 (87)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	3 (0)	0.3
Hepatitis B (unspecified)		(1)	17.6	7	28 (43)	7.1
Hepatitis C (newly acquired)			2.5	1	6 (6)	1.7
Hepatitis C (unspecified)	1	1 (2)	27.6	16	72 (86)	13.9
Hepatitis D				1	1 (0)	0.1
Enteric diseases						
Campylobacteriosis		1 (5)	35.1	28	185 (230)	43.5
Cryptosporidiosis		(1)	25.1	1	8 (28)	2.2
Hepatitis A				0	1 (1)	0.1
Listeriosis			2.5	0	1 (0)	0.1
Paratyphoid fever				0	0 (1)	0.1
Rotavirus		(47)	5.0	3	9 (116)	3.7
STEC/VTEC infection				0	2 (3)	1.2
Salmonellosis	2	8 (17)	110.4	29	205 (211)	36.5
Shigellosis		3 (1)	82.8	4	16 (13)	4.0
Typhoid				0	0 (2)	0.3
Vibrio parahaemolyticus				0	2 (1)	0.3
Yersiniosis				1	1 (2)	0.2
Sexually transmissible infections						
Chlamydia (genital)	4	30 (44)	629.8	168	820 (877)	173.3
Gonorrhoea	2	22 (33)	461.7	42	256 (266)	49.7
Syphilis - Infectious	1	2 (2)	32.6	5	26 (23)	5.3
Syphilis - Non-Infectious				5	17 (13)	3.4
Vaccine preventable diseases						
H. influenzae type b				0	0 (0)	0.0
Influenza		4 (1)	70.3	33	158 (144)	42.3
Measles				0	1 (0)	0.4
Mumps				0	2 (2)	0.4
Pertussis		(12)	2.5	19	81 (84)	16.9
Pneumococcal infection			10.0	1	17 (15)	1.9
Rubella (non-congenital)				0	1 (0)	0.0
Varicella (chicken pox)	1		40.1	12	41 (26)	7.7
Varicella (shingles)		5 (8)	77.8	15	127 (154)	31.6
Varicella (unspecified)			2.5	41	163 (131)	26.8
Vector-borne diseases						
Barmah Forest virus	1	2	12.5	1	4 (5)	0.8
Dengue fever				2	7 (9)	1.8
Malaria		(1)	2.5	0	2 (4)	0.7
Ross River virus		2 (6)	60.2	5	25 (96)	10.4
Typhus				0	1 (1)	0.3
Zoonotic diseases						
Leptospirosis				0	0 (1)	0.0
Psittacosis				0	0 (0)	0.1
Q Fever			2.5	0	0 (2)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			25.1	0	0 (0)	0.5
Creutzfeldt-Jakob disease				0	0 (1)	0.0
Legionellosis				0	1 (3)	0.5
Melioidosis				0	0 (0)	0.0
Meningococcal infection				1	1 (0)	0.3
Tuberculosis				1	9 (4)	1.3
Grand Total	11	81 (181)		443	2301 (2626)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 21	
	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	2018	2017
	Salmonella Total	49	49	33	42	73	54	49	29	1008
Serotype/Phage										
Salmonella Aberdeen									1	1
Salmonella Adelaide									1	4
Salmonella Agona		1			1	1			7	2
Salmonella Albany			1						2	1
Salmonella Anatum					1			1	13	6
Salmonella Anatum var 15+			1			1			3	1
Salmonella Bareilly							1		3	4
Salmonella Bovismorbificans	3	1						1	11	12
Salmonella Braenderup									1	0
Salmonella Bredeney									1	2
Salmonella Cerro					1		1		5	0
Salmonella Chester	2	1	1		1				11	21
Salmonella Choleraesuis									1	0
Salmonella Choleraesuis bv Australia					1				8	7
Salmonella Choleraesuis bv Decatur									4	0
Salmonella Corvallis		1	1						3	5
Salmonella Eastbourne		1							2	3
Salmonella Enteritidis	3	4		4	4	3	5		64	61
Salmonella Fremantle subsp II						1			2	2
Salmonella Give									1	5
Salmonella Give var 15+,34+									1	0
Salmonella Hadar									1	1
Salmonella Havana			1						3	3
Salmonella Heidelberg									1	0
Salmonella Houten subsp IV									3	1
Salmonella Hvittingfoss	1	1	1		1	1		1	22	11
Salmonella Infantis				1					10	17
Salmonella Irumu									1	0
Salmonella Jangwani		1							1	0
Salmonella Javiana	1				1	1			4	5
Salmonella Johannesburg				1					2	5
Salmonella Kentucky		2			1	1	1		13	11
Salmonella Kiambu									2	7
Salmonella Kottbus						1			2	0
Salmonella Krefeld		1							1	1
Salmonella Lindern									1	0
Salmonella Litchfield									1	5
Salmonella Livingstone						1			1	0
Salmonella London		1							1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka					2				3	4
Salmonella Meleagridis	1								1	1
Salmonella Mississippi									2	0
Salmonella Muenchen	3	1		1			1		18	16
Salmonella Newport					3				10	10
Salmonella Ohio					1				1	1
Salmonella Oranienburg						1			3	2
Salmonella Orientalis	1								2	0
Salmonella Orion									4	2

Weekly Report for period 02-APR-18 to 27-MAY-18

	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	Cumulative Total to end of Week 21	
									2018	2017
Salmonella Total	49	49	33	42	73	54	49	29	1008	1322
Serotype/Phage										
Salmonella Oslo	1								1	2
Salmonella Paratyphi B bv Java	2	1	2	1			3		26	43
Salmonella Poona							1		5	4
Salmonella Potsdam			1		1				5	1
Salmonella Reading					1				1	5
Salmonella Rissen									1	0
Salmonella Saintpaul	3		3	2	3	2	1	1	40	30
Salmonella Schwarzengrund									1	6
Salmonella Senftenberg z27 phase									1	0
Salmonella Singapore			1	1					12	39
Salmonella Stanley		1		1		1			11	27
Salmonella Thompson		1							1	2
Salmonella Typhimurium	21	27	16	26	41	37	23	3	501	838
Salmonella Urbana	1								1	3
Salmonella Virchow					1				12	15
Salmonella Wandsbek subsp II					1				3	3
Salmonella Wandsworth									1	3
Salmonella Welikade				1	1				4	1
Salmonella Weltevreden			2	1	1	1			12	12
Salmonella species	6	3	2	2	5	1	11	23	105	48
Salmonella subsp 1 ser 1,4,12:i:-									1	0
Salmonella subsp IIIb 50:k:z									1	0
Salmonella subsp IIIb 61:l,v:z35									1	0
Salmonella subsp IIIb 61:z52:z53									1	0