



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program Communicable Disease Control Directorate

Report for eight week period 14-MAY-17 to 08-JUL-17

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9388 4852) or a regional Public Health Unit.
4. Varicella-zoster virus (chickenpox, shingles, unspecified) and rotavirus infections became notifiable in July 2006. Notification of amoebiasis, amoebic meningitis, giardiasis, hydatid disease, scarlet fever and trachoma has not been required since August 2007.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 1st - 28th 2001, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 4th - 31st 2000, April 1st - 28th 2000, and April 29th - May 26th 2000, and the corresponding periods for 1999, 1998, 1997 and 1996. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at: http://www.public.health.wa.gov.au/3/573/3/statewide_notif.pm

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 27			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	20/05	27/05	03/06	10/06	17/06	24/06	01/07	08/07	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1		1	2		1	10	15	17	4	2.1	1.9
Hepatitis B (unspecified)	9	15	6	10	15	7	15	9	281	374	287	46	67.7	0.7
Hepatitis C (newly acquired)		1	1	1	1		1		56	67	78	2	10.4	0.2
Hepatitis C (unspecified)	11	29	20	20	28	27	31	22	600	591	522	108	84.0	1.3
Hepatitis D									3	1	0	0	0.2	0.0
Enteric diseases														
Campylobacteriosis	49	47	51	55	55	43	47	41	1647	1585	1415	186	187.7	1.0
Cryptosporidiosis	5	7	6	6	1	4	1	1	334	165	172	7	14.3	0.5
Hepatitis A	1							1	9	8	13	1	1.2	0.8
Hepatitis E		1							2	1	2	0	0.1	0.0
Listeriosis					1	1			3	2	1	2	0.1	15.0
Paratyphoid fever	1								4	10	7	0	0.3	0.0
Rotavirus	32	30	16	11	14	17	13	10	360	78	359	54	46.9	1.2
STEC/VTEC infection			2						25	12	0	0	0.5	0.0
Salmonellosis	43	64	41	43	41	33	34	18	1576	1133	990	126	93.9	1.3
Shigellosis	4	1	3	1	3	2	4	4	87	50	69	13	4.5	2.9
Typhoid			1					1	6	4	7	1	0.7	1.4
Vibrio parahaemolyticus									10	18	6	0	1.1	0.0
Yersiniosis	2		2	2		1			10	7	20	1	0.7	1.5
Sexually transmissible infections														
Chlamydia (genital)	216	195	228	191	219	237	212	193	6290	6446	6098	861	894.5	1.0
Gonorrhoea	61	55	64	52	58	65	69	44	1925	1659	1130	236	179.9	1.3
Syphilis - Infectious	4	9	3	3	3	2	4	4	166	165	69	13	12.5	1.0
Syphilis - Non-Infectious	1	2	2	2	2	1	1	1	71	31	36	5	11.9	0.4
Vaccine preventable diseases														
Influenza	28	37	50	28	74	72	63	71	1012	1450	1922	280	580.4	0.5
Measles									12	1	5	0	1.7	0.0
Mumps	1			1					11	439	68	0	11.8	0.0
Pertussis	23	18	23	20	25	19	22	12	573	702	769	78	133.4	0.6
Pneumococcal infection	5	4	3	1	6	1	6	3	77	65	73	16	22.7	0.7
Rubella (non-congenital)									2	0	0	0	0.2	0.0
Varicella (chicken pox)	5	9	11	17	12	9	11	10	294	265	209	42	38.2	1.1
Varicella (shingles)	41	33	28	27	25	29	25	12	918	851	736	91	102.4	0.9
Varicella (unspecified)	29	41	41	37	35	33	40	43	916	811	761	151	99.4	1.5
Vector-borne diseases														
Arboviral encephalitis									4	8	1	0	0.1	0.0
Barmah Forest virus	1	2		2					25	7	26	0	17.3	0.0
Chikungunya									6	3	8	0	2.5	0.0
Dengue fever	1	3	2	5	1	5	4	3	117	389	452	13	34.7	0.4
Malaria	3	1	1	4	2			1	39	29	24	3	4.8	0.6
Ross River virus	20	17	15	13	16	6	3	1	870	231	720	26	45.3	0.6
Schistosomiasis	3	4	9	3	6	5	2	6	155	117	125	19	15.1	1.3
Typhus	1			1			1		12	16	15	1	1.9	0.5
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Leptospirosis	1							1	3	3	0	1	0.1	15.0
Psittacosis									2	0	0	0	0.1	0.0
Q Fever	2								5	7	6	0	0.5	0.0
Other diseases														
Haemolytic Uraemic Syndrome									3	0	0	0	0.1	0.0
Legionellosis	1		2	1	3	1	2		21	30	38	6	6.7	0.9
Leprosy								1	2	2	0	1	0.4	2.5
Melioidosis									4	2	2	0	0.1	0.0
Meningococcal infection					2	1		1	14	6	6	4	1.6	2.5
Tuberculosis	1	1	4	2	4			7	60	65	70	11	12.1	0.9
Grand Total	605	629	633	559	653	623	611	522						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 27			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	20/05	27/05	03/06	10/06	17/06	24/06	01/07	08/07	2017	2016	2015			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)					1			1	6	14	13	2	1.9	1.0
Hepatitis B (unspecified)	7	14	6	9	13	6	12	8	237	321	231	39	42.3	0.9
Hepatitis C (newly acquired)		1	1	1	1		1		41	51	55	2	7.4	0.3
Hepatitis C (unspecified)	10	20	13	16	22	16	22	15	431	409	358	75	56.3	1.3
Hepatitis D									2	1	0	0	0.2	0.0
Enteric diseases														
Campylobacteriosis	35	42	43	43	49	32	28	33	1313	1262	1107	142	146.3	1.0
Cryptosporidiosis	5	5	4	4	1	4	1	1	246	107	62	7	9.7	0.7
Hepatitis A								1	7	7	12	1	0.9	1.1
Hepatitis E		1							2	1	1	0	0.1	0.0
Listeriosis					1	1			3	1	1	2	0.1	15.0
Paratyphoid fever									4	9	6	0	0.3	0.0
Rotavirus	9	14	4	4	7	10	9	9	182	68	267	35	32.3	1.1
Salmonellosis	32	40	35	33	35	22	23	15	1199	849	697	95	64.9	1.5
Shigellosis	1	1	1		2	2	1	1	23	29	28	6	2.6	2.3
Typhoid		1						1	5	3	6	1	0.6	1.7
Vibrio parahaemolyticus									9	17	4	0	0.8	0.0
Yersiniosis	2		1	2		1			9	5	16	1	0.5	2.1
Sexually transmissible infections														
Chlamydia (genital)	165	151	184	150	169	177	170	152	4904	4932	4692	668	682.9	1.0
Gonorrhoea	36	36	38	36	40	43	47	33	1275	1092	665	163	98.2	1.7
Syphilis - Infectious	2	8	2	3	2	2	3	2	117	135	43	9	8.9	1.0
Syphilis - Non-Infectious	1	1	2	1	2	1		1	62	23	31	4	5.2	0.8
Vaccine preventable diseases														
Influenza	20	30	42	19	53	54	50	54	789	1192	1511	211	461.8	0.5
Measles									11	1	5	0	1.4	0.0
Mumps	1			1					9	16	17	0	2.5	0.0
Pertussis	17	10	13	16	16	14	14	8	429	524	611	52	106.3	0.5
Pneumococcal infection	3	4	3	1	4	1	6	1	53	36	41	12	13.7	0.9
Rubella (non-congenital)									2	0	0	0	0.2	0.0
Varicella (chicken pox)	3	7	9	10	12	7	9	8	213	209	166	36	28.2	1.3
Varicella (shingles)	33	19	25	23	17	17	15	9	663	647	573	58	78.2	0.7
Varicella (unspecified)	26	36	40	34	33	29	33	41	847	692	654	136	85.3	1.6
Vector-borne diseases														
Arboviral encephalitis									1	7	1	0	0.1	0.0
Barmah Forest virus		1							5	2	9	0	11.7	0.0
Chikungunya									4	2	6	0	2.3	0.0
Dengue fever		3	2	4		4	4	2	96	317	365	10	28.4	0.4
Malaria	2	1	1	3	2			1	33	21	21	3	3.7	0.8
Ross River virus	9	13	11	9	11	4	3	1	406	124	418	19	24.9	0.8
Schistosomiasis	3	4	9	3	6	4	2	6	151	113	120	18	13.3	1.4
Typhus				1			1		5	10	8	1	1.4	0.7
Zoonotic diseases														
Brucellosis									0	0	0	0	0.0	0.0
Q Fever	1								2	2	2	0	0.3	0.0
Other diseases														
Haemolytic Uraemic Syndrome					2				3	0	0	0	0.0	0.0
Legionellosis	1		2		2		1		14	21	26	3	5.2	0.6
Melioidosis									1	0	0	0	0.0	0.0
Meningococcal infection					2	1		1	13	4	3	4	1.1	3.7
Tuberculosis	1	1	2	2	3			7	52	54	53	10	9.3	1.1
Grand Total	426	464	493	428	506	452	455	412						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.4				1	2 (2)	0.4
Hepatitis B (unspecified)	4	9 (30)	8.9	1	7 (21)	9.3	3	23 (54)	14.6
Hepatitis C (newly acquired)		1	0.8		1 (1)	2.7		(5)	2.3
Hepatitis C (unspecified)	2	18 (13)	13.9	3	19 (16)	19.6	10	38 (34)	26.6
Hepatitis D			0.1			0.1			
Enteric diseases									
Campylobacteriosis	11	53 (77)	66.7	12	44 (67)	55.3	10	45 (58)	59.7
Cryptosporidiosis	1	4 (5)	8.0		2 (2)	17.3		1 (2)	9.4
Hepatitis A						0.1	1	1	0.8
Hepatitis E						0.1			0.1
Listeriosis			0.1					2	0.3
Paratyphoid fever		(1)	0.3			0.1			0.1
Rotavirus	4	14 (2)	8.3	3	10 (1)	7.7	2	11 (5)	9.2
STEC/VTEC infection			0.8			0.7			0.4
Salmonellosis	3	23 (30)	53.6	7	31 (26)	56.2	5	41 (34)	56.8
Shigellosis		1 (2)	0.5			0.7	1	5 (1)	1.9
Typhoid	1	1	0.1			0.3			0.3
Vibrio parahaemolyticus		(1)	0.3			0.9			0.1
Yersiniosis		(1)	0.8		1	0.3			0.1
Sexually transmissible infections									
Chlamydia (genital)	48	199 (189)	206.3	52	213 (244)	226.5	52	256 (251)	248.9
Gonorrhoea	11	49 (29)	48.1	8	42 (53)	55.3	14	72 (56)	73.9
Syphilis - Infectious		2 (8)	3.5		1 (3)	3.4	2	6 (7)	9.2
Syphilis - Non-Infectious		1 (2)	2.1		1 (2)	1.8	1	2	4.7
Vaccine preventable diseases									
Influenza	16	77 (128)	39.3	15	64 (122)	36.7	23	70 (98)	33.4
Measles						1.2		(1)	0.4
Mumps		(3)	0.1		(1)	0.1		(1)	1.0
Pertussis	5	35 (22)	26.6	2	13 (24)	18.5	1	4 (20)	14.1
Pneumococcal infection	1	4 (3)	2.0		3 (4)	1.8		5 (2)	3.6
Rubella (non-congenital)			0.3						
Varicella (chicken pox)	4	10 (13)	8.8	1	15 (15)	11.6	3	11 (12)	9.4
Varicella (shingles)	1	19 (27)	32.6	3	14 (32)	29.5	5	25 (29)	29.8
Varicella (unspecified)	18	46 (39)	39.6	11	42 (33)	40.6	12	48 (31)	37.5
Vector-borne diseases									
Arboviral encephalitis						0.1			
Barmah Forest virus			0.1			0.4			0.1
Chikungunya						0.4			
Dengue fever	1	5 (16)	3.8		2 (18)	4.7	1	3 (16)	4.8
Malaria		1	1.7		1 (1)	1.0	1	1	1.8
Ross River virus	1	7 (2)	12.0		4 (2)	25.0		8 (2)	20.1
Schistosomiasis	2	6 (14)	9.6		1 (3)	2.4	4	11 (14)	8.5
Typhus		(1)	0.3		1 (1)	0.3			0.1
Zoonotic diseases									
Leptospirosis									
Psittacosis									
Q Fever						0.3			
Other diseases									
Haemolytic Uraemic Syndrome			0.1			0.1			0.1
Legionellosis		2 (1)	1.1		(1)	0.4		1 (2)	0.4
Leprosy									
Melioidosis			0.1						
Meningococcal infection		2	0.8		1 (1)	0.4	1	1 (1)	0.6
Tuberculosis	4	4 (1)	2.2		1 (4)	2.1	3	5 (2)	2.9
Grand Total	138	593 (660)		118	534 (698)		156	698 (740)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		2	2.2						
Hepatitis B (unspecified)			2.7			3.2		2 (1)	13.9
Hepatitis C (newly acquired)						12.9		(1)	2.5
Hepatitis C (unspecified)	1	8 (6)	19.5	1	4 (5)	35.6		3 (3)	44.3
Hepatitis D									
Enteric diseases									
Campylobacteriosis	3	17 (24)	60.6	1	6 (11)	53.3		3 (8)	67.0
Cryptosporidiosis		(2)	7.0			3.2			11.4
Hepatitis A			0.5						
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		1	5.9			3.2			10.1
STEC/VTEC infection			2.2			1.6			1.3
Salmonellosis	1	9 (7)	40.6		1 (1)	32.3		3 (4)	44.3
Shigellosis		(2)	1.6						3.8
Typhoid			0.5						
Vibrio parahaemolyticus									
Yersiniosis			0.5						
Sexually transmissible infections									
Chlamydia (genital)	5	38 (42)	152.5	1	7 (15)	150.3	4	10 (14)	121.4
Gonorrhoea	2	6 (10)	22.2		(2)	8.1		1 (5)	16.4
Syphilis - Infectious	1	2	3.2			1.6	1	2 (2)	2.5
Syphilis - Non-Infectious			0.5						
Vaccine preventable diseases									
Influenza	5	10 (10)	20.0		2 (6)	37.2		3 (9)	24.0
Measles									1.3
Mumps									
Pertussis		3 (1)	22.7	3	11 (6)	58.2		3 (2)	11.4
Pneumococcal infection	1	1 (2)	2.7						1.3
Rubella (non-congenital)									
Varicella (chicken pox)	1	2 (2)	15.7		(4)	11.3		(1)	3.8
Varicella (shingles)	2	12 (5)	53.5		7 (7)	58.2		4 (3)	40.5
Varicella (unspecified)		(8)	4.3		1	17.8	2	6	7.6
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus			1.1			1.6			
Chikungunya			0.5						
Dengue fever	1	1 (5)	3.2			1.6			2.5
Malaria									3.8
Ross River virus		(2)	60.6			54.9		3 (4)	89.8
Schistosomiasis		1	1.6						
Typhus					(1)	1.6			1.3
Zoonotic diseases									
Leptospirosis				1	1	3.2			
Psittacosis									
Q Fever						1.6			1.3
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis		1 (1)	0.5			3.2		1	1.3
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis		1	1.1		(1)	3.2			1.3
Grand Total	23	115 (129)		7	40 (59)		7	44 (57)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		2	8.6		(1)	9.7		1	7.2
Hepatitis C (newly acquired)			2.9		(1)	1.6		(1)	2.9
Hepatitis C (unspecified)	3	6 (3)	38.6		2 (3)	21.1	1	3 (2)	11.6
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	6 (7)	55.8		4 (3)	53.5	1	3 (4)	33.3
Cryptosporidiosis			21.5			27.5		(2)	26.1
Hepatitis A						1.6			
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus	1	4 (1)	18.6		1	43.7		2	56.5
STEC/VTEC infection			4.3			1.6			
Salmonellosis	1	5 (4)	70.1		3 (3)	85.9		2 (2)	71.0
Shigellosis			40.0	3	3	14.6		3	20.3
Typhoid									
Vibrio parahaemolyticus									1.4
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	3	25 (26)	228.8	5	19 (26)	262.5	6	32 (19)	289.9
Gonorrhoea	1	13 (13)	93.0		6 (6)	176.6	2	13 (11)	168.2
Syphilis - Infectious						4.9			1.4
Syphilis - Non-Infectious					1	4.9			1.4
Vaccine preventable diseases									
Influenza	4	37 (5)	100.1		1 (2)	30.8	4	8 (32)	21.7
Measles									
Mumps					(8)	1.6		(1)	1.4
Pertussis		1	8.6		1	8.1	1	1	18.8
Pneumococcal infection		(1)	2.9		2	8.1	1	1 (1)	5.8
Rubella (non-congenital)									
Varicella (chicken pox)			1.4		1 (4)	8.1		(1)	27.5
Varicella (shingles)		3 (5)	14.3		(1)	38.9		2 (1)	23.2
Varicella (unspecified)		8 (4)	44.3		(2)	1.6			
Vector-borne diseases									
Arboviral encephalitis									
Barmah Forest virus						1.6			10.1
Chikungunya						1.6			
Dengue fever			1.4		1	6.5		1 (1)	2.9
Malaria						1.6			1.4
Ross River virus		1	20.0		(2)	124.8		1	69.6
Schistosomiasis			1.4						
Typhus			1.4			3.2			
Zoonotic diseases									
Leptospirosis									
Psittacosis			2.9						
Q Fever						1.6			
Other diseases									
Haemolytic Uraemic Syndrome									
Legionellosis			1.4					1	1.4
Leprosy									
Melioidosis			1.4						
Meningococcal infection									1.4
Tuberculosis		(2)	1.4						2.9
Grand Total	15	111 (71)		8	45 (62)		16	74 (78)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				1	4 (4)	0.4
Hepatitis B (unspecified)		1 (1)	19.8	9	46 (110)	10.4
Hepatitis C (newly acquired)				0	2 (10)	2.1
Hepatitis C (unspecified)	1	3 (9)	57.0	22	108 (95)	21.9
Hepatitis D			2.5	0	0 (0)	0.1
Enteric diseases						
Campylobacteriosis	1	4 (2)	44.6	41	186 (261)	60.4
Cryptosporidiosis		(2)	34.7	1	7 (16)	12.2
Hepatitis A				1	1 (0)	0.3
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	2 (0)	0.1
Paratyphoid fever				0	0 (1)	0.1
Rotavirus		9 (1)	178.6	10	54 (10)	13.2
STEC/VTEC infection			2.5	0	0 (0)	0.9
Salmonellosis	1	5 (5)	171.1	18	126 (119)	57.8
Shigellosis		1	9.9	4	13 (5)	3.2
Typhoid				1	1 (0)	0.2
Vibrio parahaemolyticus				0	0 (1)	0.4
Yersiniosis				0	1 (1)	0.4
Sexually transmissible infections						
Chlamydia (genital)	11	53 (40)	833.3	193	861 (871)	230.6
Gonorrhoea	6	29 (27)	706.8	44	236 (215)	70.6
Syphilis - Infectious		(2)	89.3	4	13 (24)	6.1
Syphilis - Non-Infectious			2.5	1	5 (5)	2.5
Vaccine preventable diseases						
Influenza	3	5 (4)	57.0	71	280 (420)	37.1
Measles				0	0 (1)	0.4
Mumps				0	0 (23)	0.4
Pertussis		6 (1)	79.4	12	78 (76)	21.0
Pneumococcal infection		(1)	12.4	3	16 (14)	2.8
Rubella (non-congenital)				0	0 (0)	0.1
Varicella (chicken pox)	1	3	29.8	10	42 (52)	10.8
Varicella (shingles)		4 (3)	64.5	12	91 (117)	33.7
Varicella (unspecified)			2.5	43	151 (118)	33.6
Vector-borne diseases						
Arboviral encephalitis			7.4	0	0 (0)	0.1
Barmah Forest virus			22.3	0	0 (0)	0.9
Chikungunya				0	0 (0)	0.2
Dengue fever			2.5	3	13 (56)	4.3
Malaria			2.5	1	3 (2)	1.4
Ross River virus		2 (1)	255.4	1	26 (15)	31.9
Schistosomiasis				6	19 (33)	5.7
Typhus			5.0	0	1 (3)	0.4
Zoonotic diseases						
Leptospirosis				1	1 (0)	0.1
Psittacosis				0	0 (0)	0.1
Q Fever				0	0 (0)	0.2
Other diseases						
Haemolytic Uraemic Syndrome				0	0 (0)	0.1
Legionellosis			2.5	0	6 (5)	0.8
Leprosy	1	1	5.0	1	1 (1)	0.1
Melioidosis			5.0	0	0 (0)	0.1
Meningococcal infection				1	4 (2)	0.5
Tuberculosis				7	11 (10)	1.7
Grand Total	25	126 (99)		523	2412 (2697)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 27	
	20/05	27/05	03/06	10/06	17/06	24/06	01/07	08/07	2017	2016
	Salmonella Total	43	64	41	43	41	33	34	18	1576
Serotype/Phage										
Salmonella Aberdeen						1			2	6
Salmonella Abony									1	0
Salmonella Adelaide									4	2
Salmonella Agona			1					1	4	8
Salmonella Albany						1			2	1
Salmonella Anatum	1				2	1			9	9
Salmonella Anatum var 15+									1	1
Salmonella Bahrenfeld	1								3	2
Salmonella Ball									2	0
Salmonella Bareilly									4	3
Salmonella Bovismorbificans	2		1				1		14	11
Salmonella Bredeney	1								2	3
Salmonella Champaign									1	0
Salmonella Charity	1								1	1
Salmonella Chester		1		3	1		1	1	27	18
Salmonella Choleraesuis bv Australia									7	6
Salmonella Corvallis	1								5	8
Salmonella Derby									1	1
Salmonella Eastbourne	1								3	9
Salmonella Enteritidis	3	2	1	3	4	4	6	1	79	122
Salmonella Fremantle subsp II						1			3	1
Salmonella Fresno									1	0
Salmonella Give									5	3
Salmonella Give var 15+									0	0
Salmonella Hadar									1	8
Salmonella Havana							2		5	4
Salmonella Heidelberg			1	1					2	1
Salmonella Hessarek									1	0
Salmonella Houten subsp IV									1	1
Salmonella Hvittingfoss		1				1			12	11
Salmonella Infantis	1	2			1				18	28
Salmonella Isangi									1	0
Salmonella Javiana									5	4
Salmonella Johannesburg					1				6	1
Salmonella Kentucky						2	1		14	13
Salmonella Kiambu				1					8	22
Salmonella Krefeld									1	0
Salmonella Lansing									3	3
Salmonella Litchfield									5	2
Salmonella Liverpool									1	5
Salmonella Mbandaka					1				5	20
Salmonella Meleagridis									1	0
Salmonella Mgulani						1			1	1
Salmonella Montevideo	1	1							4	4
Salmonella Muenchen			1		1				18	11
Salmonella Newport				2					12	16
Salmonella Ohio									1	0
Salmonella Ohlstedt									2	6
Salmonella Onderstepoort									1	0

Weekly Report for period 14-MAY-17 to 08-JUL-17

	20/05	27/05	03/06	10/06	17/06	24/06	01/07	08/07	Cumulative Total to end of Week 27	
									2017	2016
Salmonella Total	43	64	41	43	41	33	34	18	1576	1089
Serotype/Phage										
Salmonella Oranienburg					1				3	5
Salmonella Orion							1		3	6
Salmonella Orion var 15+									1	0
Salmonella Oslo									2	1
Salmonella Panama		1							1	0
Salmonella Paratyphi B bv Java		2	2	1	1	1	3		51	43
Salmonella Poona							1		5	3
Salmonella Potsdam									1	4
Salmonella Ramatgan									1	0
Salmonella Reading		2	1						6	1
Salmonella Rubislaw		1		1			1		7	2
Salmonella Saintpaul	2		1	3			2	1	37	26
Salmonella Sandiego									1	0
Salmonella Schwarzengrund				1	1				8	5
Salmonella Senftenberg		1			1	1			6	11
Salmonella Singapore	1	3	2	2		2	3		48	12
Salmonella Stanley	1		1	1		2	1		32	18
Salmonella Tennessee									3	0
Salmonella Thompson									2	2
Salmonella Typhimurium	24	43	23	20	23	13	8	8	931	471
Salmonella Urbana									3	2
Salmonella Virchow				1	1	1	1		19	24
Salmonella Wandsbek subsp II		1							3	2
Salmonella Wandsworth	1								3	0
Salmonella Waycross									2	0
Salmonella Welikade									1	6
Salmonella Weltevreden		2	1	2	1				16	16
Salmonella Weltevreden var 15+									3	2
Salmonella Zanzibar									1	0
Salmonella species	1	1	5			1	2	6	63	47
Salmonella subsp 1 ser 4,5,12:i:-				1					1	0
Salmonella subsp I ser 16:i,v:-									1	3
Salmonella subsp IIIb 61:z52:z35					1				1	1