



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 15-JUL-20 to 08-SEP-20

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 36			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	21/07	28/07	04/08	11/08	18/08	25/08	01/09	08/09	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	2			1	1	1			12	18	17	2	1.5	1.4
Hepatitis B (unspecified)	12	13	9	11	8	12	8	10	356	305	340	38	39.6	1.0
Hepatitis C (newly acquired)		2		2	1	6		2	72	78	73	9	11.1	0.8
Hepatitis C (unspecified)	17	17	18	19	15	14	16	16	555	633	630	61	72.3	0.8
Hepatitis D			1	1					2	7	6	0	0.3	0.0
Enteric diseases														
Campylobacteriosis	43	54	54	44	56	48	53	29	1763	2295	2256	186	277.7	0.7
Cryptosporidiosis	1			1		1			466	132	82	1	9.9	0.1
Hepatitis A									6	20	7	0	1.1	0.0
Hepatitis E									3	2	0	0	0.1	0.0
Listeriosis	2							1	4	7	7	1	0.9	1.2
Paratyphoid fever									0	6	4	0	0.5	0.0
Rotavirus	4	8	4	5		3	6		152	361	211	9	34.5	0.3
STEC/VTEC infection	1		1	3	3	4		1	83	105	54	8	4.4	1.8
Salmonellosis	37	20	23	17	17	15	22	6	1297	1447	1555	60	116.5	0.5
Shigellosis	2	3	2	3	1	5		2	178	284	187	8	15.4	0.5
Typhoid									3	15	9	0	0.9	0.0
Vibrio parahaemolyticus									2	15	11	0	0.8	0.0
Yersiniosis			2		1				11	16	8	1	2.0	0.5
Sexually transmissible infections														
Chlamydia (genital)	212	182	201	217	210	208	203	127	7545	8228	8186	748	852.2	0.9
Gonorrhoea	82	48	72	60	77	71	63	16	2606	2805	2304	227	248.7	0.9
Syphilis (congenital)						1			2	1	0	1	0.0	0.0
Syphilis - Infectious	11	10	16	13	17	23	16	1	497	419	283	57	31.5	1.8
Syphilis - Non-Infectious	1	5	5	10	4	2	3	6	153	159	161	15	10.9	1.4
Vaccine preventable diseases														
H. influenzae type b									1	2	1	0	0.1	0.0
Influenza	3	3	2	1	3		1		1200	22474	3703	4	1209.5	0.0
Measles									4	26	26	0	2.9	0.0
Mumps									9	20	18	0	14.1	0.0
Pertussis	5	2		1	1				111	408	956	1	124.4	0.0
Pneumococcal infection	8	6	4	2	2	7	3	2	112	181	145	14	24.4	0.6
Varicella (chicken pox)	14	9	13	15	11	17	10	6	340	452	436	44	57.7	0.8
Varicella (shingles)	58	44	49	56	54	37	24	6	1637	1519	1576	121	149.9	0.8
Varicella (unspecified)	41	44	49	40	46	39	59	45	1136	980	1066	189	107.6	1.8
Vector-borne diseases														
Barmah Forest virus	2								15	11	31	0	1.8	0.0
Chikungunya		1							7	5	2	0	0.9	0.0
Dengue fever									62	247	90	0	17.9	0.0
Malaria									27	42	35	0	4.5	0.0
Ross River virus	1	3		1	2	3	2		193	316	383	7	28.9	0.2
Typhus		1							16	20	13	0	1.8	0.0
Zoonotic diseases														
Leptospirosis							1		2	3	2	1	0.3	3.8
Q Fever									4	6	9	0	0.5	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis				1					2	6	18	0	0.5	0.0
COVID-19	2	5	1	3	6	2	3	2	690	0	0	13	0.0	0.0
Creutzfeldt-Jakob disease									3	5	5	0	0.4	0.0
Haemolytic Uraemic Syndrome									4	1	1	0	0.1	0.0
Legionellosis	2	1			1	1			50	21	28	2	5.1	0.4
Leprosy				1					1	0	0	0	0.3	0.0
Melioidosis									5	4	4	0	0.4	0.0
Meningococcal infection									7	16	24	0	3.5	0.0
Tuberculosis	4	3	2	5	3	1	4	4	89	84	77	12	10.3	1.2
Grand Total	567	484	528	533	540	521	497	282						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 36			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	21/07	28/07	04/08	11/08	18/08	25/08	01/09	08/09	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1			1					7	12	13	0	1.2	0.0
Hepatitis B (unspecified)	10	11	7	9	7	10	7	10	302	264	282	34	33.6	1.0
Hepatitis C (newly acquired)		2		1	1	6		1	55	55	58	8	8.3	1.0
Hepatitis C (unspecified)	13	15	12	11	12	9	12	13	395	437	460	46	50.7	0.9
Hepatitis D				1					1	7	5	0	0.3	0.0
Enteric diseases														
Campylobacteriosis	34	46	40	30	48	35	45	25	1413	1872	1785	153	219.9	0.7
Cryptosporidiosis	1			1		1			407	74	40	1	7.5	0.1
Hepatitis A									5	17	6	0	1.0	0.0
Hepatitis E									3	2	0	0	0.1	0.0
Listeriosis	2							1	3	7	4	1	0.8	1.3
Paratyphoid fever									0	6	4	0	0.5	0.0
Rotavirus	4	4	2	4		3	6		121	308	142	9	25.5	0.4
STEC/VTEC infection				3	3	4		1	64	82	45	8	3.7	2.2
Salmonellosis	26	15	20	13	14	13	20	6	993	1134	1196	53	90.7	0.6
Shigellosis	1	1	2	1		3		1	86	200	78	4	9.2	0.4
Typhoid									3	13	9	0	0.7	0.0
Vibrio parahaemolyticus									2	11	10	0	0.6	0.0
Yersiniosis			2		1				10	15	7	1	1.8	0.6
Sexually transmissible infections														
Chlamydia (genital)	172	138	153	160	162	169	159	106	5873	6457	6351	596	655.6	0.9
Gonorrhoea	54	37	58	38	46	42	40	12	1788	2056	1513	140	168.7	0.8
Syphilis (congenital)									1	0	0	0	0.0	0.0
Syphilis - Infectious	6	8	12	8	12	16	15		331	237	209	43	21.3	2.0
Syphilis - Non-Infectious	1	3	5	8	2	1	2	6	127	102	120	11	8.1	1.4
Vaccine preventable diseases														
Influenza	2	2	2		3		1		961	17726	3088	4	920.3	0.0
Measles									4	15	25	0	2.6	0.0
Mumps									6	13	17	0	1.2	0.0
Pertussis	3	2		1	1				89	328	641	1	91.7	0.0
Pneumococcal infection	1	1	1	1	2	3	2	2	40	112	83	9	14.8	0.6
Varicella (chicken pox)	9	8	10	13	9	15	8	5	252	333	316	37	41.4	0.9
Varicella (shingles)	41	30	34	40	43	30	15	5	1196	1082	1109	93	107.9	0.9
Varicella (unspecified)	37	39	48	34	45	36	52	40	1061	936	1037	173	100.1	1.7
Vector-borne diseases														
Barmah Forest virus									3	4	6	0	0.6	0.0
Chikungunya		1							3	5	1	0	0.7	0.0
Dengue fever									48	201	75	0	14.4	0.0
Malaria									21	36	32	0	3.6	0.0
Ross River virus		1		1	2	2	1		109	209	273	5	18.9	0.3
Typhus									8	12	8	0	1.1	0.0
Zoonotic diseases														
Leptospirosis									0	2	2	0	0.2	0.0
Q Fever									2	2	4	0	0.3	0.0
Other diseases														
COVID-19	1	3	1	2	6	1	1	1	448	0	0	9	0.0	0.0
Creutzfeldt-Jakob disease									3	4	3	0	0.4	0.0
Legionellosis	2	1			1	1			32	18	22	2	3.8	0.5
Leprosy				1					1	0	0	0	0.2	0.0
Meningococcal infection									3	6	14	0	2.1	0.0
Tuberculosis	4	1	2	4	3	1	4	4	79	76	61	12	9.3	1.3
Grand Total	425	369	411	386	423	401	390	239						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.3			0.3		(1)	0.4
Hepatitis B (unspecified)	3	10 (12)	11.4	3	8 (5)	11.8	4	16 (12)	16.2
Hepatitis C (newly acquired)		(1)	0.8	1	2 (2)	2.5		6 (3)	3.9
Hepatitis C (unspecified)	1	9 (10)	9.7	7	20 (19)	20.8	5	17 (23)	21.6
Hepatitis D									0.1
Enteric diseases									
Campylobacteriosis	9	47 (99)	61.2	6	45 (74)	63.1	10	61 (88)	60.7
Cryptosporidiosis		(5)	26.2		(3)	13.1		1 (1)	13.4
Hepatitis A			0.1			0.1			0.4
Hepatitis E			0.3						0.1
Listeriosis	1	1 (1)	0.4						
Rotavirus		2 (17)	5.5		(27)	3.9		7 (15)	6.3
STEC/VTEC infection		2 (3)	3.1		3 (2)	1.7	1	3 (4)	3.5
Salmonellosis	2	20 (27)	45.9	1	12 (40)	38.9	3	21 (27)	44.8
Shigellosis		1 (7)	3.8		(6)	3.3	1	3 (9)	4.1
Typhoid			0.1			0.1		(1)	0.1
Vibrio parahaemolyticus						0.3			
Yersiniosis		(1)	0.4		1 (2)	0.7		(2)	0.3
Sexually transmissible infections									
Chlamydia (genital)	41	210 (222)	226.9	27	171 (219)	262.9	38	215 (249)	278.0
Gonorrhoea	5	50 (49)	63.1	2	32 (71)	79.2	5	58 (70)	91.2
Syphilis (congenital)									0.1
Syphilis - Infectious		8 (5)	12.3		7 (14)	11.7		28 (19)	19.0
Syphilis - Non-Infectious	1	2 (3)	5.1	1	2 (4)	3.5	4	7 (4)	7.8
Vaccine preventable diseases									
H. influenzae type b									
Influenza		2 (174)	47.2		(168)	38.3		2 (171)	39.9
Measles			0.3			0.3			
Mumps			0.5			0.1		(1)	0.1
Pertussis		1 (5)	4.0		(12)	5.3		(6)	2.3
Pneumococcal infection	1	4 (7)	2.1	1	4 (7)	1.7		1 (10)	1.4
Varicella (chicken pox)	2	21 (15)	12.0	2	11 (12)	12.0	1	5 (21)	9.0
Varicella (shingles)	1	33 (51)	55.8	1	36 (39)	58.1	3	24 (26)	42.9
Varicella (unspecified)	15	57 (27)	45.7	14	62 (41)	55.6	11	54 (28)	38.3
Vector-borne diseases									
Barmah Forest virus					(1)	0.3			0.1
Chikungunya						0.1			0.3
Dengue fever		(3)	1.9		(9)	2.2		(2)	2.2
Malaria		(1)	0.6			0.6		(1)	1.5
Ross River virus		1 (4)	2.1		4 (5)	9.9		(7)	2.7
Typhus			0.4		(1)	0.3		(2)	0.4
Zoonotic diseases									
Leptospirosis									
Q Fever									0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19			20.5		5	21.2	1	4	17.1
Creutzfeldt-Jakob disease			0.1					(1)	0.3
Haemolytic Uraemic Syndrome									
Legionellosis		2 (2)	1.6			1.3		(1)	1.3
Leprosy			0.1						
Melioidosis									
Meningococcal infection									0.4
Tuberculosis	1	4 (6)	3.5		2 (2)	3.1	3	6 (2)	3.7
Grand Total	83	487 (757)		66	427 (785)		90	539 (807)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1	1.0						
Hepatitis B (unspecified)			3.1		(1)	1.6		(1)	11.3
Hepatitis C (newly acquired)		(1)	3.1			3.1			2.5
Hepatitis C (unspecified)	2	6 (3)	26.5		3 (3)	39.2		(5)	23.9
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	14 (27)	68.4		5 (4)	53.3		6 (9)	66.6
Cryptosporidiosis		(1)	12.3			6.3			6.3
Hepatitis A			1.6			1.6			
Hepatitis E						1.6			
Listeriosis						1.6			
Rotavirus		(5)	5.6			1.6			6.3
STEC/VTEC infection		(1)	3.6			3.1			2.5
Salmonellosis		5 (4)	51.0			22.0		1	41.5
Shigellosis			0.5		(1)	3.1			2.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			
Sexually transmissible infections									
Chlamydia (genital)	4	27 (46)	203.2	1	12 (17)	174.1	2	13 (12)	125.7
Gonorrhoea		2 (12)	52.6		1 (4)	22.0		3 (2)	30.2
Syphilis (congenital)									
Syphilis - Infectious	1	1	8.2			7.8			3.8
Syphilis - Non-Infectious		1	1.5					(1)	2.5
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(39)	29.1		(27)	43.9		(7)	30.2
Measles									
Mumps									
Pertussis			7.1			1.6			
Pneumococcal infection		(3)	2.0		(1)	1.6			7.5
Varicella (chicken pox)	1	3 (3)	15.8		(4)	6.3		1 (4)	8.8
Varicella (shingles)		18 (21)	110.3	1	3 (9)	95.7		2 (2)	47.8
Varicella (unspecified)				3	9 (1)	45.5		(1)	10.1
Vector-borne diseases									
Barmah Forest virus			0.5			4.7			
Chikungunya			2.0						
Dengue fever			1.0						2.5
Malaria			0.5						
Ross River virus		2 (6)	11.2		(1)	11.0		(1)	6.3
Typhus		(1)	1.0			1.6			2.5
Zoonotic diseases									
Leptospirosis		1	1.0						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19			9.2			11.0			13.8
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			0.5			1.6			
Legionellosis			3.6			1.6			5.0
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis									
Grand Total	10	81 (173)		5	33 (73)		2	26 (45)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			1.4				1		1.4
Hepatitis B (unspecified)			7.0	1 (1)		14.7	2 (1)		14.2
Hepatitis C (newly acquired)		(1)	2.8			3.3			2.8
Hepatitis C (unspecified)	1	2 (5)	32.3	2		31.1			17.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	3 (4)	56.1	2 (2)		54.0	1 (4)		35.5
Cryptosporidiosis			7.0						27.0
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus		(6)	5.6			3.3			7.1
STEC/VTEC infection			11.2						
Salmonellosis		(1)	42.1	(3)		34.3	1 (3)		68.2
Shigellosis		1	39.3	1 (4)		11.4	1		19.9
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	4	19 (15)	273.7	6	22 (16)	338.5	3	15 (33)	298.5
Gonorrhoea		8 (4)	99.7	3	18 (5)	152.1		18 (16)	228.8
Syphilis (congenital)		1	1.4						
Syphilis - Infectious		2 (1)	12.6	(2)		18.0	6 (7)		68.2
Syphilis - Non-Infectious		1 (1)	2.8	2 (5)		13.1			7.1
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(90)	63.2	(8)		32.7	(19)		37.0
Measles									
Mumps						1.6	(1)		2.8
Pertussis		(3)	2.8			1.6			1.4
Pneumococcal infection		1	18.2	3		34.3	1 (2)		11.4
Varicella (chicken pox)		(2)	7.0	(1)		29.4	2		18.5
Varicella (shingles)		(1)	25.3	(4)		58.9	3 (3)		34.1
Varicella (unspecified)	1	3 (2)	36.5	1	2	3.3	2		5.7
Vector-borne diseases									
Barmah Forest virus						1.6			1.4
Chikungunya									
Dengue fever		(1)	1.4			6.5			1.4
Malaria						1.6			
Ross River virus		(1)	5.6	(2)		4.9	(3)		21.3
Typhus									2.8
Zoonotic diseases									
Leptospirosis									
Q Fever			2.8						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.6			1.4
COVID-19			4.2			13.1			5.7
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			1.4						
Legionellosis			2.8			4.9			1.4
Leprosy									
Melioidosis									
Meningococcal infection			1.4			1.6	(1)		1.4
Tuberculosis									1.4
Grand Total	7	41 (138)		10	53 (53)		3	53 (93)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	2 (2)	0.4
Hepatitis B (unspecified)		1	32.0	10	38 (33)	12.3
Hepatitis C (newly acquired)	1	1 (1)	2.5	2	9 (9)	2.5
Hepatitis C (unspecified)		1 (1)	19.7	16	61 (71)	19.3
Hepatitis D			2.5	0	0 (0)	0.1
Enteric diseases						
Campylobacteriosis		(1)	46.8	29	186 (316)	61.3
Cryptosporidiosis		(1)	2.5	0	1 (11)	16.2
Hepatitis A				0	0 (1)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				1	1 (2)	0.1
Rotavirus			2.5	0	9 (70)	5.3
STEC/VTEC infection				1	8 (10)	2.9
Salmonellosis		(3)	103.4	6	60 (110)	45.1
Shigellosis			86.2	2	8 (29)	6.2
Typhoid				0	0 (2)	0.1
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	1 (5)	0.4
Sexually transmissible infections						
Chlamydia (genital)		37 (36)	923.1	127	748 (873)	262.4
Gonorrhoea	1	36 (24)	795.1	16	227 (260)	90.6
Syphilis (congenital)				0	1 (0)	0.1
Syphilis - Infectious		5 (4)	155.1	1	57 (52)	17.3
Syphilis - Non-Infectious		(1)	2.5	6	15 (20)	5.0
Vaccine preventable diseases						
H. influenzae type b			2.5	0	0 (0)	0.0
Influenza		(14)	29.5	0	4 (731)	41.7
Measles				0	0 (1)	0.1
Mumps				0	0 (3)	0.3
Pertussis		(2)	7.4	0	1 (28)	3.9
Pneumococcal infection		(4)	41.8	2	14 (35)	3.9
Varicella (chicken pox)		1	14.8	6	44 (65)	11.8
Varicella (shingles)		2 (3)	83.7	6	121 (162)	56.9
Varicella (unspecified)				45	189 (100)	39.5
Vector-borne diseases						
Barmah Forest virus			14.8	0	0 (1)	0.5
Chikungunya				0	0 (2)	0.2
Dengue fever			2.5	0	0 (17)	2.2
Malaria				0	0 (2)	0.9
Ross River virus			64.0	0	7 (30)	6.7
Typhus			2.5	0	0 (4)	0.6
Zoonotic diseases						
Leptospirosis				0	1 (0)	0.1
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				0	0 (0)	0.1
COVID-19			49.2	2	13 (0)	24.0
Creutzfeldt-Jakob disease				0	0 (1)	0.1
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.1
Legionellosis				0	2 (3)	1.7
Leprosy				0	0 (0)	0.0
Melioidosis			12.3	0	0 (0)	0.2
Meningococcal infection				0	0 (3)	0.2
Tuberculosis			4.9	4	12 (10)	2.4
Grand Total	2	84 (95)		282	1840 (3074)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 36	
	21/07	28/07	04/08	11/08	18/08	25/08	01/09	08/09	2020	2019
	Salmonella Total	37	20	23	17	17	15	22	6	1297
Serotype/Phage										
Salmonella Adelaide									3	1
Salmonella Agona			1						5	6
Salmonella Amsterdam var 15+									2	0
Salmonella Anatum	3								13	17
Salmonella Anatum var 15+									4	2
Salmonella Bahrenfeld									1	0
Salmonella Bareilly									3	3
Salmonella Birkenhead									2	0
Salmonella Bleadon subsp II									1	1
Salmonella Bovismorbificans		1			1	1			9	12
Salmonella Bredeney									1	1
Salmonella Cerro									2	0
Salmonella Chailey									2	1
Salmonella Charity	1								1	0
Salmonella Chester		1	1						21	16
Salmonella Choleraesuis bv Australia									13	9
Salmonella Choleraesuis bv Decatur				1					10	3
Salmonella Corvallis									3	5
Salmonella Derby									1	3
Salmonella Dublin									1	0
Salmonella Eastbourne									1	4
Salmonella Enteritidis	1					1			46	138
Salmonella Fremantle subsp II									3	4
Salmonella Give									3	2
Salmonella Hadar									1	1
Salmonella Haifa									1	0
Salmonella Havana						1			4	7
Salmonella Hessarek									1	0
Salmonella Houten subsp IV		1							1	2
Salmonella Hvittingfoss									4	5
Salmonella Ibadan									2	0
Salmonella Infantis	2		1	1					21	18
Salmonella Jangwani									1	0
Salmonella Javiana					1				4	11
Salmonella Johannesburg									1	1
Salmonella Kentucky									3	17
Salmonella Kiambu	1						1		3	4
Salmonella Kottbus									3	1
Salmonella Lansing									1	1
Salmonella Litchfield									4	3
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	4
Salmonella Mississippi									1	1
Salmonella Montevideo									1	2
Salmonella Muenchen									21	26
Salmonella Newport			1						10	20
Salmonella Oranienburg					1		1		5	6
Salmonella Orientalis									2	1
Salmonella Orion									2	1

Weekly Report for period 15-JUL-20 to 08-SEP-20

	21/07	28/07	04/08	11/08	18/08	25/08	01/09	08/09	Cumulative Total to end of Week 36		
										2020	2019
Salmonella Total	37	20	23	17	17	15	22	6	1297	1405	
Serotype/Phage											
Salmonella Orion var 15+									1	0	
Salmonella Oslo									1	2	
Salmonella Paratyphi B bv Java									22	65	
Salmonella Pomona									0	0	
Salmonella Poona									1	3	
Salmonella Potsdam									9	4	
Salmonella Reading									2	7	
Salmonella Richmond									1	0	
Salmonella Rissen									4	4	
Salmonella Rubislaw									1	0	
Salmonella Saintpaul	2		3						34	32	
Salmonella Schwarzengrund									2	5	
Salmonella Senftenberg				1					3	3	
Salmonella Singapore									3	2	
Salmonella Stanley									8	29	
Salmonella Thompson									3	3	
Salmonella Typhimurium	24	15	14	14	12	12	18		834	740	
Salmonella Urbana									1	2	
Salmonella Virchow			1		1				18	24	
Salmonella Wandsbek subsp II									4	3	
Salmonella Wandsworth									1	0	
Salmonella Waycross									2	0	
Salmonella Welikade	1								4	3	
Salmonella Weltevreden									6	12	
Salmonella Weltevreden var 15+									1	2	
Salmonella Zanzibar									1	0	
Salmonella species	2	2	1		1		2	6	71	83	
Salmonella subsp 1 ser 4,5:d:-									1	13	
Salmonella subsp I ser 16:l,v:-									2	2	
Salmonella subsp I ser 4,5:-:- non-motile									2	2	
Salmonella subsp IIIb 48:k:1,5,7									1	0	
Salmonella subsp IIIb 61:l,v:1,5,7:/z57/									1	0	
Salmonella subsp IIIb ser									1	0	