



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 19-AUG-20 to 13-OCT-20

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 41			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	25/08	01/09	08/09	15/09	22/09	29/09	06/10	13/10	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1				1	1			13	20	18	2	1.5	1.4
Hepatitis B (unspecified)	12	8	11	9	8	9	16	10	410	338	388	43	38.7	1.1
Hepatitis C (newly acquired)	4	2	4						75	92	91	0	11.7	0.0
Hepatitis C (unspecified)	17	14	14	21	13	14	27	20	648	697	709	74	74.7	1.0
Hepatitis D				1					3	9	7	0	0.2	0.0
Enteric diseases														
Campylobacteriosis	57	59	59	75	49	52	55	36	2080	2685	2612	192	288.8	0.7
Cryptosporidiosis	1	1		3	1	2	2	5	480	146	94	10	9.9	1.0
Hepatitis A									6	24	7	0	1.4	0.0
Hepatitis E									3	2	0	0	0.2	0.0
Listeriosis			1			1			5	7	7	1	0.5	1.9
Paratyphoid fever									0	7	6	0	0.5	0.0
Rotavirus	3	6	2	4	2	4	5	1	170	417	221	12	29.9	0.4
STEC/VTEC infection	4		2	2		1		2	90	119	60	3	4.3	0.7
Salmonellosis	20	28	20	31	22	31	17	17	1441	1624	1692	87	132.2	0.7
Shigellosis	5	1	2		1	5	2		187	306	214	8	14.3	0.6
Typhoid									3	15	12	0	0.9	0.0
Vibrio parahaemolyticus					1				3	17	13	1	0.6	1.7
Yersiniosis									10	19	9	0	1.2	0.0
Sexually transmissible infections														
Chlamydia (genital)	212	210	217	199	191	160	190	137	8547	9197	9236	678	856.5	0.8
Gonorrhoea	74	70	66	64	65	44	52	23	2916	3128	2653	184	242.7	0.8
Syphilis (congenital)	1								3	1	0	0	0.0	0.0
Syphilis - Infectious	22	16	8	10	19	21	20	21	587	463	321	81	31.3	2.6
Syphilis - Non-Infectious	2	4	6	12	6	2	3	1	184	184	178	12	11.9	1.0
Vaccine preventable diseases														
H. influenzae type b			1						2	2	1	0	0.0	0.0
Influenza		1	2						1202	22834	4896	0	879.2	0.0
Measles									4	52	26	0	2.6	0.0
Mumps									9	24	18	0	16.3	0.0
Pertussis			1			1		1	115	453	1116	2	121.7	0.0
Pneumococcal infection	6	4	2	2	2	4	3	1	125	203	167	10	19.7	0.5
Varicella (chicken pox)	17	15	18	13	13	8	19	4	417	494	530	44	55.7	0.8
Varicella (shingles)	45	41	45	47	38	42	26	9	1867	1748	1781	115	154.8	0.7
Varicella (unspecified)	35	45	40	47	56	45	55	62	1377	1092	1198	218	108.4	2.0
Vector-borne diseases														
Barmah Forest virus	1			1					17	11	33	0	2.2	0.0
Chikungunya									7	6	3	0	1.1	0.0
Dengue fever									62	266	99	0	15.5	0.0
Malaria					1				28	47	41	1	4.1	0.2
Ross River virus	5	4	4	3	7	5	6	3	228	350	422	21	33.8	0.6
Typhus							1		17	22	15	1	2.1	0.5
Zoonotic diseases														
Leptospirosis									1	3	2	0	0.2	0.0
Q Fever									4	6	10	0	0.9	0.0
Other diseases														
Acute post-streptococcal glomerulon		1			1				4	8	22	1	0.7	1.5
COVID-19	2	3	3	3	11	12	5	14	740	0	0	42	0.0	0.0
Creutzfeldt-Jakob disease									3	6	6	0	0.7	0.0
Haemolytic Uraemic Syndrome									4	1	1	0	0.0	0.0
Legionellosis	1	1	2		1	5	2		61	25	40	8	6.1	1.3
Leprosy									1	0	0	0	0.4	0.0
Melioidosis									5	4	4	0	0.5	0.0
Meningococcal infection					1				8	19	30	1	4.0	0.3
Tuberculosis	1	4	4	6	3	1	4	3	105	97	89	11	11.9	0.9
Grand Total	548	538	534	553	513	470	510	370						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 41			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	25/08	01/09	08/09	15/09	22/09	29/09	06/10	13/10	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)							1		7	14	14	1	1.3	0.8
Hepatitis B (unspecified)	10	7	10	9	7	7	12	9	347	288	326	35	32.8	1.1
Hepatitis C (newly acquired)	4	2	4						59	65	74	0	9.1	0.0
Hepatitis C (unspecified)	12	10	10	21	10	10	22	17	472	480	521	59	55.5	1.1
Hepatitis D				1					2	9	6	0	0.2	0.0
Enteric diseases														
Campylobacteriosis	37	51	45	62	40	42	41	27	1656	2189	2054	150	223.9	0.7
Cryptosporidiosis	1			3	1		1	4	416	85	48	6	6.4	0.9
Hepatitis A									5	21	6	0	1.3	0.0
Hepatitis E									3	2	0	0	0.2	0.0
Listeriosis			1			1			4	7	4	1	0.5	1.9
Paratyphoid fever									0	7	6	0	0.5	0.0
Rotavirus	3	6	2	1	1	4	4		133	350	154	9	24.0	0.4
STEC/VTEC infection	4		2	2				1	69	93	49	1	3.5	0.3
Salmonellosis	18	26	13	28	18	23	13	13	1107	1275	1300	67	102.1	0.7
Shigellosis	3	1	1				1		88	218	92	1	7.9	0.1
Typhoid									3	13	11	0	0.7	0.0
Vibrio parahaemolyticus					1				3	12	12	1	0.5	2.1
Yersiniosis									9	18	8	0	1.1	0.0
Sexually transmissible infections														
Chlamydia (genital)	173	160	158	164	154	127	146	113	6653	7222	7155	540	663.1	0.8
Gonorrhoea	42	42	30	32	37	18	33	17	1946	2300	1748	105	166.7	0.6
Syphilis (congenital)									2	0	0	0	0.0	0.0
Syphilis - Infectious	15	15	5	9	12	16	13	20	400	262	231	61	21.5	2.8
Syphilis - Non-Infectious	1	3	6	9	5	2	3	1	153	121	136	11	9.1	1.2
Vaccine preventable diseases														
Influenza		1	2						963	18010	3993	0	649.2	0.0
Measles									4	40	25	0	2.2	0.0
Mumps									6	13	17	0	1.5	0.0
Pertussis			1					1	91	363	770	1	86.3	0.0
Pneumococcal infection	3	3	2	1		2	1	1	46	122	98	4	12.0	0.3
Varicella (chicken pox)	16	13	15	11	10	6	16	1	314	364	380	33	41.1	0.8
Varicella (shingles)	34	30	35	36	21	31	12	6	1353	1246	1253	70	111.1	0.6
Varicella (unspecified)	34	41	35	42	43	37	51	60	1276	1045	1163	191	101.5	1.9
Vector-borne diseases														
Barmah Forest virus									3	4	6	0	0.5	0.0
Chikungunya									3	6	1	0	0.9	0.0
Dengue fever									48	217	82	0	12.6	0.0
Malaria					1				22	41	36	1	3.3	0.3
Ross River virus	4	1	4	2	7	2	3	2	132	234	297	14	21.5	0.7
Typhus							1		9	14	9	1	1.7	0.6
Zoonotic diseases														
Leptospirosis									0	2	2	0	0.1	0.0
Q Fever									2	2	5	0	0.4	0.0
Other diseases														
COVID-19	1	1	2	1	4	3	5	7	472	0	0	19	0.0	0.0
Creutzfeldt-Jakob disease									3	5	4	0	0.6	0.0
Legionellosis	1	1	2		1	5	1		42	21	33	7	4.7	1.5
Leprosy									1	0	0	0	0.2	0.0
Meningococcal infection									3	8	18	0	2.5	0.0
Tuberculosis	1	4	4	3	3	1	3	2	90	87	73	9	10.4	0.9
Grand Total	417	418	389	437	376	339	381	302						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		(1)	0.3		(1)	0.1		1	0.5
Hepatitis B (unspecified)	5	16 (3)	13.4	2	8 (2)	13.8	2	11 (13)	18.1
Hepatitis C (newly acquired)			0.8		(3)	2.9		(3)	4.0
Hepatitis C (unspecified)	4	11 (6)	12.0	6	19 (14)	24.1	7	29 (18)	26.0
Hepatitis D									0.3
Enteric diseases									
Campylobacteriosis	13	66 (72)	73.5	7	43 (76)	73.3	7	41 (85)	70.0
Cryptosporidiosis	1	1 (5)	26.5	2	3 (3)	13.6	1	2	13.8
Hepatitis A		(2)	0.1			0.1		(2)	0.4
Hepatitis E			0.3						0.1
Listeriosis			0.4		1	0.1			
Rotavirus		5 (5)	6.4		2 (8)	4.2		2 (15)	6.7
STEC/VTEC infection	1	1 (4)	3.4		(4)	1.7		(3)	3.9
Salmonellosis	2	19 (41)	51.1	4	17 (34)	42.9	7	31 (49)	50.4
Shigellosis		(6)	3.9		(5)	3.3		1 (4)	4.2
Typhoid			0.1			0.1			0.1
Vibrio parahaemolyticus						0.3		1	0.1
Yersiniosis		(2)	0.4		(1)	0.6			0.3
Sexually transmissible infections									
Chlamydia (genital)	23	159 (184)	256.1	23	151 (180)	294.7	67	230 (258)	319.0
Gonorrhoea	5	28 (54)	67.5	6	28 (57)	85.7	6	49 (83)	101.1
Syphilis (congenital)						0.1			0.1
Syphilis - Infectious	6	13 (8)	14.1	3	20 (3)	15.2	11	28 (17)	22.9
Syphilis - Non-Infectious	1	4 (2)	6.7		2 (1)	4.0		5 (11)	9.1
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(79)	47.2		(58)	38.3		(64)	40.1
Measles		(1)	0.3		(19)	0.3			
Mumps			0.5			0.1			0.1
Pertussis		(14)	4.0		(13)	5.3	1	1 (5)	2.6
Pneumococcal infection		2 (1)	2.5		1 (3)	1.8	1	1 (4)	1.7
Varicella (chicken pox)	1	16 (4)	15.7		10 (6)	14.5		7 (9)	10.9
Varicella (shingles)	4	31 (41)	64.2	1	13 (46)	64.2	1	26 (40)	48.9
Varicella (unspecified)	22	63 (28)	53.8	27	76 (41)	67.4	11	52 (24)	46.7
Vector-borne diseases									
Barmah Forest virus						0.3			0.1
Chikungunya					(1)	0.1			0.3
Dengue fever		(4)	1.9		(7)	2.2		(2)	2.2
Malaria		1 (2)	0.8		(1)	0.6		(2)	1.5
Ross River virus	1	3 (10)	2.6	1	5 (6)	11.6		6 (6)	3.6
Typhus			0.4		(1)	0.3		1 (1)	0.5
Zoonotic diseases									
Leptospirosis									
Q Fever									0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	2	9	22.0		3	21.9	5	7	18.0
Creutzfeldt-Jakob disease			0.1						0.3
Haemolytic Uraemic Syndrome									
Legionellosis		1 (1)	1.9		2	1.8		4	1.8
Leprosy			0.1						
Melioidosis									
Meningococcal infection								(1)	0.4
Tuberculosis	1	3	3.9		1 (2)	3.2	1	5 (5)	4.6
Grand Total	92	452 (580)		82	405 (596)		128	541 (724)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			1.0				1		1.3
Hepatitis B (unspecified)		(1)	3.1		(1)	1.6	(1)		11.3
Hepatitis C (newly acquired)		(1)	3.1		(1)	3.1			2.5
Hepatitis C (unspecified)		4 (4)	28.6	1	1 (2)	40.8	1 (1)		25.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis	3	22 (19)	85.8	1	6 (6)	73.7		2 (7)	71.7
Cryptosporidiosis	1	2 (1)	13.8		1 (1)	7.8			6.3
Hepatitis A						1.6			
Hepatitis E						1.6			
Listeriosis						1.6			
Rotavirus	1	1 (2)	6.1		1 (2)	7.8		(1)	6.3
STEC/VTEC infection			3.6		1	4.7			2.5
Salmonellosis		4 (7)	56.1	1	3 (2)	26.7		1 (4)	42.7
Shigellosis			0.5			3.1			2.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			
Sexually transmissible infections									
Chlamydia (genital)	4	29 (36)	226.6	3	14 (7)	203.9	2	7 (12)	137.0
Gonorrhoea	4	6 (6)	56.1		1 (1)	23.5		2 (3)	37.7
Syphilis (congenital)									
Syphilis - Infectious			8.2		1 (1)	9.4			3.8
Syphilis - Non-Infectious			2.0						2.5
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(20)	29.1		(6)	43.9		(9)	30.2
Measles									
Mumps									
Pertussis		1 (4)	7.7			1.6		(2)	1.3
Pneumococcal infection		(1)	2.0		(1)	1.6			7.5
Varicella (chicken pox)	1	3 (1)	17.4			6.3		(1)	10.1
Varicella (shingles)	2	24 (18)	127.1		2 (13)	106.7	1	4 (5)	56.6
Varicella (unspecified)		1	1.0	2	16 (1)	70.6		4 (1)	15.1
Vector-borne diseases									
Barmah Forest virus			0.5			4.7			
Chikungunya			2.0						
Dengue fever		(2)	1.0						2.5
Malaria			0.5						
Ross River virus		1 (6)	14.3		(1)	11.0	1	1	7.5
Typhus			1.0			1.6			2.5
Zoonotic diseases									
Leptospirosis			0.5						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19			9.2			11.0			13.8
Creutzfeldt-Jakob disease						1.6			
Haemolytic Uraemic Syndrome			0.5			1.6			
Legionellosis		1 (1)	4.1			1.6			5.0
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis	1	2	1.5					(1)	1.3
Grand Total	17	101 (130)		8	47 (46)		4	23 (48)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			1.4			1.6			
Hepatitis B (unspecified)	1	2 (1)	11.2		1 (2)	14.7		2 (1)	18.5
Hepatitis C (newly acquired)			2.8		(2)	3.3			2.8
Hepatitis C (unspecified)	1	5 (8)	39.3		1 (2)	32.7			17.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	4 (5)	64.6		1 (4)	60.5	2	2 (6)	42.6
Cryptosporidiosis			7.0						27.0
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus		(2)	5.6		(4)	3.3		(2)	7.1
STEC/VTEC infection			11.2	1	1	1.6			
Salmonellosis	1	2 (4)	44.9		1 (2)	42.5	1	2 (6)	71.1
Shigellosis		2 (1)	42.1		(2)	11.4		1	21.3
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	5	21 (15)	327.1	5	21 (18)	384.3	4	18 (24)	343.9
Gonorrhoea	1	6 (7)	117.9	1	23 (7)	210.9		13 (11)	272.9
Syphilis (congenital)			1.4						
Syphilis - Infectious		1	11.2	1	3 (3)	22.9		9 (7)	85.3
Syphilis - Non-Infectious			4.2		1 (3)	14.7			7.1
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(11)	63.2		(4)	32.7		(2)	37.0
Measles									
Mumps					(1)	1.6		(1)	2.8
Pertussis		(1)	2.8		(1)	1.6			1.4
Pneumococcal infection		1 (1)	19.7		1	37.6		2 (2)	14.2
Varicella (chicken pox)			7.0	1	2	34.3	1	6	29.8
Varicella (shingles)		(3)	25.3		5 (3)	73.6		3 (10)	42.6
Varicella (unspecified)		4	46.3						1.4
Vector-borne diseases									
Barmah Forest virus						3.3			1.4
Chikungunya									
Dengue fever		(1)	1.4			6.5			1.4
Malaria						1.6			
Ross River virus		4	11.2			4.9		(1)	21.3
Typhus									2.8
Zoonotic diseases									
Leptospirosis									
Q Fever			2.8						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.6			1.4
COVID-19			4.2			13.1			5.7
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			1.4						
Legionellosis			2.8			4.9			1.4
Leprosy									
Melioidosis									
Meningococcal infection			1.4			1.6		(1)	1.4
Tuberculosis									1.4
Grand Total	11	52 (60)		9	61 (58)		8	58 (74)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	2 (2)	0.5
Hepatitis B (unspecified)		2	36.9	10	43 (25)	14.3
Hepatitis C (newly acquired)				0	0 (10)	2.6
Hepatitis C (unspecified)		2 (1)	27.1	20	74 (57)	22.5
Hepatitis D			2.5	0	0 (1)	0.1
Enteric diseases						
Campylobacteriosis	1	5 (5)	66.5	36	192 (291)	72.3
Cryptosporidiosis			2.5	5	10 (10)	16.7
Hepatitis A				0	0 (4)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	1 (0)	0.2
Rotavirus		1	4.9	1	12 (41)	5.9
STEC/VTEC infection				2	3 (11)	3.1
Salmonellosis	1	7 (3)	120.6	17	87 (154)	50.1
Shigellosis		4 (1)	96.0	0	8 (19)	6.5
Typhoid				0	0 (0)	0.1
Vibrio parahaemolyticus				0	1 (2)	0.1
Yersiniosis				0	0 (3)	0.3
Sexually transmissible infections						
Chlamydia (genital)		23 (42)	1029.0	137	678 (779)	297.3
Gonorrhoea		26 (24)	930.5	23	184 (256)	101.4
Syphilis (congenital)				0	0 (0)	0.1
Syphilis - Infectious		5 (3)	167.4	21	81 (42)	20.4
Syphilis - Non-Infectious			4.9	1	12 (18)	5.9
Vaccine preventable diseases						
H. influenzae type b			4.9	0	0 (0)	0.1
Influenza			29.5	0	0 (256)	41.8
Measles				0	0 (26)	0.1
Mumps				0	0 (4)	0.3
Pertussis			7.4	1	2 (40)	4.0
Pneumococcal infection		2 (2)	46.8	1	10 (15)	4.3
Varicella (chicken pox)		(1)	14.8	4	44 (23)	14.5
Varicella (shingles)		7 (3)	105.9	9	115 (185)	64.9
Varicella (unspecified)				62	218 (95)	47.9
Vector-borne diseases						
Barmah Forest virus			17.2	0	0 (0)	0.6
Chikungunya				0	0 (1)	0.2
Dengue fever			2.5	0	0 (16)	2.2
Malaria				0	1 (5)	1.0
Ross River virus		1	66.5	3	21 (30)	7.9
Typhus			2.5	0	1 (2)	0.6
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.0
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		1 (2)	4.9	0	1 (2)	0.1
COVID-19			49.2	14	42 (0)	25.7
Creutzfeldt-Jakob disease				0	0 (1)	0.1
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.1
Legionellosis				0	8 (2)	2.1
Leprosy				0	0 (0)	0.0
Melioidosis			12.3	0	0 (0)	0.2
Meningococcal infection		1	2.5	0	1 (3)	0.3
Tuberculosis			4.9	3	11 (9)	3.0
Grand Total	2	87 (87)		371	1866 (2441)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 41	
	25/08	01/09	08/09	15/09	22/09	29/09	06/10	13/10	2020	2019
	Salmonella Total	20	28	20	31	22	31	17	17	1441
Serotype/Phage										
Salmonella Adelaide									3	2
Salmonella Agona			1						6	9
Salmonella Amsterdam var 15+									2	0
Salmonella Anatum						1			14	17
Salmonella Anatum var 15+									4	2
Salmonella Bahrenfeld									1	0
Salmonella Bareilly									3	4
Salmonella Birkenhead									2	0
Salmonella Bleadon subsp II									1	1
Salmonella Blukwa						1			1	0
Salmonella Bovismorbificans	1								9	15
Salmonella Bredeney									1	2
Salmonella Cerro									2	1
Salmonella Chailey									2	1
Salmonella Charity									1	0
Salmonella Chester							1		22	18
Salmonella Choleraesuis bv Australia									13	10
Salmonella Choleraesuis bv Decatur									10	4
Salmonella Corvallis									3	5
Salmonella Derby									1	4
Salmonella Dublin									1	0
Salmonella Eastbourne					1				2	4
Salmonella Enteritidis	1			1					47	168
Salmonella Fremantle subsp II			1						4	4
Salmonella Give						1			4	3
Salmonella Hadar									1	1
Salmonella Haifa									1	0
Salmonella Havana	1								4	8
Salmonella Hessarek									1	0
Salmonella Houten subsp IV									1	2
Salmonella Hvittingfoss									4	5
Salmonella Ibadan									2	0
Salmonella Infantis			2	1					24	19
Salmonella Jangwani									1	0
Salmonella Javiana									4	11
Salmonella Johannesburg									1	2
Salmonella Kentucky									3	18
Salmonella Kiambu		1							3	5
Salmonella Kottbus	1								4	1
Salmonella Lansing									1	1
Salmonella Litchfield									4	3
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	4
Salmonella Mississippi									1	1
Salmonella Montevideo									1	2
Salmonella Muenchen								1	22	29
Salmonella Newport									10	24
Salmonella Oranienburg		1	2						7	7
Salmonella Orientalis									2	1

Weekly Report for period 19-AUG-20 to 13-OCT-20

	25/08	01/09	08/09	15/09	22/09	29/09	06/10	13/10	Cumulative Total to end of Week 41	
									2020	2019
Salmonella Total	20	28	20	31	22	31	17	17	1441	1580
Serotype/Phage										
Salmonella Orion									2	2
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	2
Salmonella Paratyphi B bv Java									22	73
Salmonella Pomona									0	0
Salmonella Poona									1	3
Salmonella Potsdam							1	1	11	4
Salmonella Reading		1							3	7
Salmonella Richmond									1	0
Salmonella Rissen									4	4
Salmonella Rubislaw									1	0
Salmonella Saintpaul									34	34
Salmonella Schwarzengrund									2	5
Salmonella Senftenberg						1	1		5	4
Salmonella Singapore									3	3
Salmonella Stanley		1							9	38
Salmonella Thompson									3	3
Salmonella Typhimurium	15	24	13	26	17	18	8	1	927	818
Salmonella Urbana									1	2
Salmonella Virchow			1						19	25
Salmonella Wandsbek subsp II									4	3
Salmonella Wandsworth									1	0
Salmonella Waycross									2	0
Salmonella Welikade									4	4
Salmonella Weltevreden									6	18
Salmonella Weltevreden var 15+									1	2
Salmonella Zanzibar									1	0
Salmonella species	1			3	3	8	7	15	100	90
Salmonella subsp 1 ser 4,5:d:-									1	14
Salmonella subsp I ser 16:l,v:-									2	2
Salmonella subsp I ser 4,5:-:- non-motile									2	2
Salmonella subsp IIIb 48:k:1,5,7									1	0
Salmonella subsp IIIb 61:l,v:1,5,7:/z57/									1	0
Salmonella subsp IIIb ser									1	0