



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 07-OCT-20 to 01-DEC-20

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 48			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	13/10	20/10	27/10	03/11	10/11	17/11	24/11	01/12	2020	2019	2018			
Blood-borne diseases[2]														
Hepatitis B (newly acquired)						2	2		19	22	23	4	2.1	1.9
Hepatitis B (unspecified)	10	12	12	8	13	11	5	10	477	398	445	39	37.9	1.0
Hepatitis C (newly acquired)	1	1				1		1	81	107	112	2	12.5	0.2
Hepatitis C (unspecified)	19	15	16	20	16	30	11	29	779	806	839	86	75.3	1.1
Hepatitis D									3	9	8	0	0.1	0.0
Enteric diseases														
Campylobacteriosis	58	57	62	79	64	67	75	35	2559	3288	3182	241	295.8	0.8
Cryptosporidiosis	6			3	1	1	1		487	185	109	3	14.5	0.2
Hepatitis A									6	24	10	0	1.3	0.0
Hepatitis E									3	3	2	0	0.3	0.0
Listeriosis		1					1		7	7	7	1	0.1	7.5
Paratyphoid fever									0	7	8	0	0.5	0.0
Rotavirus	2	1	4	1	5	6	3	3	194	498	279	17	29.3	0.6
STEC/VTEC infection	2		2	1			2		96	139	76	2	7.1	0.3
Salmonellosis	23	34	27	22	29	16	26	14	1621	2008	1963	85	164.0	0.5
Shigellosis		5	6	2	4	5	3	1	213	366	243	13	16.2	0.8
Typhoid					1	1	1		6	17	13	3	1.4	2.1
Vibrio parahaemolyticus									3	17	13	0	1.0	0.0
Yersiniosis			2	1	1				14	21	10	1	1.1	0.9
Sexually transmissible infections														
Chlamydia (genital)	200	218	212	189	183	211	204	94	9964	10843	10831	692	845.7	0.8
Gonorrhoea	62	66	62	52	59	49	42	15	3320	3663	3177	165	249.0	0.7
Syphilis (congenital)									3	1	1	0	0.1	0.0
Syphilis - Infectious	15	18	23	16	15	10	14	6	677	545	391	45	29.2	1.5
Syphilis - Non-Infectious	3	7		1	5	7	1	1	207	221	213	14	12.1	1.2
Vaccine preventable diseases														
H. influenzae type b					1				3	2	1	1	0.1	15.0
Influenza	2	1			2			1	1208	23142	5510	3	275.1	0.0
Measles									4	54	35	0	1.9	0.0
Mumps	1								10	31	18	0	16.0	0.0
Pertussis	1			1	1	1		1	118	501	1262	3	111.1	0.0
Pneumococcal infection	5	5	5	5	6	2	1	1	155	238	196	10	13.3	0.8
Varicella (chicken pox)	19	22	27	36	14	11	6	4	564	578	623	35	51.8	0.7
Varicella (shingles)	50	45	48	52	44	56	22	1	2196	2093	2082	123	156.1	0.8
Varicella (unspecified)	47	48	47	45	50	44	58	49	1686	1305	1411	201	114.8	1.8
Vector-borne diseases														
Barmah Forest virus	1			1	1				21	13	36	1	2.5	0.4
Chikungunya									7	7	3	0	0.9	0.0
Dengue fever									62	312	124	0	16.7	0.0
Malaria									28	57	46	0	3.7	0.0
Ross River virus	7	18	14	19	19	19	26	17	377	376	474	81	41.3	2.0
Typhus									17	25	16	0	2.7	0.0
Zoonotic diseases														
Leptospirosis			1						2	3	3	0	0.5	0.0
Q Fever						1			6	6	12	1	1.1	0.9
Other diseases														
Acute post-streptococcal glomerulonephritis					1				5	10	24	1	0.7	1.5
COVID-19	22	36	16	9	10	10	23	8	864	0	0	51	0.0	0.0
Creutzfeldt-Jakob disease									3	9	7	0	0.5	0.0
Haemolytic Uraemic Syndrome									4	1	1	0	0.1	0.0
Legionellosis			1			1	5	2	72	35	44	8	4.3	1.8
Leprosy						1			2	1	1	1	0.3	3.8
Melioidosis									5	4	5	0	0.3	0.0
Meningococcal infection		1							9	23	37	0	3.1	0.0
Tuberculosis	3	5	7		5	1	3	5	131	124	112	14	10.4	1.3
Grand Total	559	616	594	563	550	564	535	298						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 48			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	13/10	20/10	27/10	03/11	10/11	17/11	24/11	01/12	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)						1	2		10	15	19	3	1.7	1.7
Hepatitis B (unspecified)	9	10	9	7	10	10	4	7	402	341	370	31	31.1	1.0
Hepatitis C (newly acquired)	1	1				1		1	65	75	88	2	10.3	0.2
Hepatitis C (unspecified)	17	10	11	11	14	26	7	24	571	554	620	71	56.1	1.3
Hepatitis D									2	9	7	0	0.1	0.0
Enteric diseases														
Campylobacteriosis	41	42	50	65	52	51	62	28	2031	2662	2497	193	227.6	0.8
Cryptosporidiosis	4			1	1	1	1		420	104	55	3	9.3	0.3
Hepatitis A									5	21	9	0	1.2	0.0
Hepatitis E									3	3	2	0	0.3	0.0
Listeriosis		1					1		6	7	4	1	0.1	7.5
Paratyphoid fever									0	7	8	0	0.5	0.0
Rotavirus	1	1	4	1	5	6	3	3	157	421	202	17	24.4	0.7
STEC/VTEC infection	1		1	1			1		73	109	63	1	5.9	0.2
Salmonellosis	17	26	22	18	22	13	19	13	1249	1564	1511	67	127.6	0.5
Shigellosis		1		2	2		1	1	95	257	111	4	8.5	0.5
Typhoid					1	1	1		6	15	12	3	1.3	2.4
Vibrio parahaemolyticus									3	12	12	0	0.9	0.0
Yersiniosis			2		1				12	20	9	1	0.9	1.1
Sexually transmissible infections														
Chlamydia (genital)	151	166	159	145	139	158	153	77	7715	8529	8421	527	661.6	0.8
Gonorrhoea	32	36	32	27	32	21	32	13	2159	2694	2126	98	172.3	0.6
Syphilis (congenital)									2	0	1	0	0.1	0.0
Syphilis - Infectious	8	7	13	12	13	8	7	6	447	316	285	34	20.6	1.7
Syphilis - Non-Infectious	2	5		1	3	7	1	1	171	144	162	12	8.7	1.4
Vaccine preventable diseases														
H. influenzae type b					1				1	1	0	1	0.1	15.0
Influenza	2	1			2				968	18268	4420	2	199.0	0.0
Measles									4	42	31	0	1.6	0.0
Mumps	1								7	15	17	0	2.6	0.0
Pertussis	1			1	1	1		1	95	403	875	3	74.1	0.0
Pneumococcal infection	1	3	3	2	3	1	1	1	61	142	116	6	7.2	0.8
Varicella (chicken pox)	16	20	17	25	12	10	6		429	429	453	28	40.4	0.7
Varicella (shingles)	44	33	41	38	33	45	13		1613	1490	1479	91	113.0	0.8
Varicella (unspecified)	41	40	38	41	45	39	54	47	1546	1246	1371	185	108.6	1.7
Vector-borne diseases														
Barmah Forest virus									3	5	7	0	0.7	0.0
Chikungunya									3	7	1	0	0.9	0.0
Dengue fever									48	255	105	0	13.9	0.0
Malaria									22	49	40	0	3.1	0.0
Ross River virus	6	9	6	5	2	10	10	7	194	255	332	29	23.3	1.2
Typhus									9	16	10	0	2.3	0.0
Zoonotic diseases														
Leptospirosis									0	2	3	0	0.4	0.0
Q Fever					1				3	2	6	1	0.5	2.1
Other diseases														
COVID-19	5	4	5	4	5	5	10	5	515	0	0	25	0.0	0.0
Creutzfeldt-Jakob disease									3	7	5	0	0.4	0.0
Legionellosis						1	4	2	52	29	36	7	3.0	2.3
Leprosy						1			2	0	1	1	0.1	7.5
Meningococcal infection		1							4	11	21	0	1.9	0.0
Tuberculosis	2	5	7		5	1	3	5	118	114	93	14	9.1	1.5
Grand Total	403	422	420	407	404	419	396	242						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.3		2 (1)	0.4		1	0.6
Hepatitis B (unspecified)	1	6 (11)	14.7	3	10 (7)	16.6	3	15 (14)	21.3
Hepatitis C (newly acquired)	1	1 (1)	1.0		(1)	2.9		1 (4)	4.5
Hepatitis C (unspecified)	6	14 (11)	14.2	6	23 (16)	29.4	12	34 (16)	31.6
Hepatitis D									0.3
Enteric diseases									
Campylobacteriosis	9	65 (82)	89.5	7	63 (97)	89.1	12	65 (93)	87.2
Cryptosporidiosis		(1)	26.5			13.6		3 (11)	14.3
Hepatitis A			0.1			0.1			0.4
Hepatitis E			0.3						0.1
Listeriosis			0.4		1	0.4			
Rotavirus	1	6 (13)	7.4		5 (12)	5.0	2	6 (11)	8.0
STEC/VTEC infection		1 (2)	3.5		(1)	1.8		(9)	4.1
Salmonellosis	5	25 (58)	57.2	4	19 (50)	48.6	4	23 (53)	57.1
Shigellosis		(7)	4.0		(7)	3.5	1	4 (9)	4.9
Typhoid		1	0.3			0.1		2	0.4
Vibrio parahaemolyticus						0.3			0.1
Yersiniosis		1	0.5			0.7		(1)	0.4
Sexually transmissible infections									
Chlamydia (genital)	23	157 (230)	298.2	25	178 (236)	338.6	29	192 (260)	371.9
Gonorrhoea	3	35 (70)	76.8	4	20 (73)	92.8	6	43 (91)	112.3
Syphilis (congenital)						0.1			0.1
Syphilis - Infectious	1	9 (5)	15.4		4 (8)	16.7	5	21 (18)	26.1
Syphilis - Non-Infectious		2 (4)	6.9	1	4 (4)	4.9		6 (5)	10.4
Vaccine preventable diseases									
H. influenzae type b								1	0.1
Influenza		1 (42)	47.3		(46)	38.4		1 (65)	40.5
Measles			0.3			0.3			
Mumps		(1)	0.6			0.1		(1)	0.1
Pertussis		1 (10)	4.3	1	1 (8)	5.4		1 (6)	2.7
Pneumococcal infection		2 (3)	3.1	1	2 (4)	2.6		2 (4)	2.2
Varicella (chicken pox)		10 (14)	22.7		8 (13)	18.1		10 (7)	15.2
Varicella (shingles)		32 (40)	75.8		31 (50)	77.4		28 (49)	58.3
Varicella (unspecified)	18	66 (41)	64.4	20	67 (38)	80.4	9	52 (41)	58.6
Vector-borne diseases									
Barmah Forest virus					(1)	0.3			0.1
Chikungunya					(1)	0.1			0.3
Dengue fever		(10)	1.9		(9)	2.2		(5)	2.2
Malaria		(1)	0.8		(1)	0.6		(2)	1.5
Ross River virus	1	6 (2)	3.9	4	18 (8)	17.3	2	5 (2)	5.0
Typhus		(1)	0.4		(1)	0.3			0.5
Zoonotic diseases									
Leptospirosis									
Q Fever					1	0.1			0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	1	8	24.1		6	23.3	4	11	20.1
Creutzfeldt-Jakob disease		(2)	0.1						0.3
Haemolytic Uraemic Syndrome									
Legionellosis		3 (2)	2.3		1 (2)	2.2	2	3 (2)	2.3
Leprosy			0.1		1	0.1			
Melioidosis									
Meningococcal infection						0.1		(1)	0.4
Tuberculosis		2 (10)	4.6	3	6 (2)	4.6	2	6 (7)	6.2
Grand Total	70	454 (674)		79	471 (697)		93	536 (787)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1	1.5						1.3
Hepatitis B (unspecified)		(1)	3.1			1.6			16.3
Hepatitis C (newly acquired)		(1)	3.1			3.1			2.5
Hepatitis C (unspecified)	2	4 (9)	32.2		2 (2)	45.5	1	2 (4)	33.9
Hepatitis D									
Enteric diseases									
Campylobacteriosis	4	20 (31)	107.7		7 (10)	87.8	2	7 (11)	96.8
Cryptosporidiosis		(12)	14.8			7.8			6.3
Hepatitis A						1.6			
Hepatitis E						1.6			
Listeriosis						1.6			
Rotavirus		(2)	6.1			7.8		(2)	6.3
STEC/VTEC infection			4.1		(1)	4.7		(1)	2.5
Salmonellosis		4 (20)	62.8		1 (2)	29.8		3 (8)	47.8
Shigellosis			0.5			3.1			3.8
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis			0.5			1.6			
Sexually transmissible infections									
Chlamydia (genital)	5	32 (40)	261.3	1	11 (10)	246.3		8 (17)	172.2
Gonorrhoea		4 (11)	60.7		2	26.7		1 (1)	46.5
Syphilis (congenital)									
Syphilis - Infectious			9.7			9.4		(2)	5.0
Syphilis - Non-Infectious			2.6						2.5
Vaccine preventable diseases									
H. influenzae type b									
Influenza	1	1 (11)	29.6		(2)	43.9		(4)	30.2
Measles									
Mumps									
Pertussis		(3)	7.1			1.6			1.3
Pneumococcal infection		1 (1)	2.6		1	3.1		(2)	8.8
Varicella (chicken pox)	1	3 (3)	19.4			6.3	2	2 (2)	15.1
Varicella (shingles)	1	25 (21)	150.1		2 (8)	112.9		1 (6)	61.6
Varicella (unspecified)	1	2	2.0		4 (2)	87.8		1 (4)	18.9
Vector-borne diseases									
Barmah Forest virus		1	1.5			4.7			
Chikungunya			2.0						
Dengue fever		(2)	1.0						2.5
Malaria			0.5						
Ross River virus	10	42 (2)	49.5		4 (1)	18.8		2	12.6
Typhus		(1)	1.0			1.6			2.5
Zoonotic diseases									
Leptospirosis			0.5			1.6			
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		1	10.7			11.0		1	16.3
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			0.5			1.6			
Legionellosis		1	4.1			3.1			5.0
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis			1.5						1.3
Grand Total	25	142 (171)		1	34 (38)		5	28 (64)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			2.8			1.6			1.4
Hepatitis B (unspecified)	1	2	12.6			16.4	2		22.7
Hepatitis C (newly acquired)			2.8		(2)	3.3			2.8
Hepatitis C (unspecified)	1	2 (3)	44.9		2 (2)	42.5			19.9
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	7 (7)	81.4		3 (5)	76.9		1 (6)	51.2
Cryptosporidiosis			7.0					(1)	28.4
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus			5.6			3.3		(1)	7.1
STEC/VTEC infection		1 (1)	12.6			1.6			
Salmonellosis		(7)	49.1		(8)	42.5		1 (6)	75.3
Shigellosis		1 (2)	46.3		(1)	11.4		3 (1)	27.0
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	6	33 (14)	401.5	2	20 (25)	461.1	1	19 (30)	413.6
Gonorrhoea	1	6 (6)	134.8		10 (5)	269.8		10 (17)	309.8
Syphilis (congenital)			1.4						
Syphilis - Infectious		1	19.7		2 (2)	32.7		3 (5)	98.1
Syphilis - Non-Infectious		(1)	4.2		1 (4)	18.0		(1)	8.5
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(3)	63.2		(2)	32.7		(2)	37.0
Measles									
Mumps						1.6			2.8
Pertussis			2.8		(1)	1.6			1.4
Pneumococcal infection		(1)	22.5		1 (2)	47.4		(2)	17.1
Varicella (chicken pox)			8.4		(4)	36.0	1	2	59.7
Varicella (shingles)		(5)	28.1		3 (3)	85.0			46.9
Varicella (unspecified)		6	71.6	1	1 (1)	1.6		1	4.3
Vector-borne diseases									
Barmah Forest virus			1.4			3.3			1.4
Chikungunya									
Dengue fever		(1)	1.4		(1)	6.5			1.4
Malaria						1.6			
Ross River virus		4	23.9			4.9			21.3
Typhus									2.8
Zoonotic diseases									
Leptospirosis									
Q Fever			4.2						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)					(1)	1.6			1.4
COVID-19			4.2		2	18.0			7.1
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			1.4						
Legionellosis			2.8			4.9			1.4
Leprosy									
Melioidosis									
Meningococcal infection			1.4			1.6		(1)	1.4
Tuberculosis									1.4
Grand Total	10	63 (51)		3	45 (69)		2	42 (73)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	4 (1)	0.7
Hepatitis B (unspecified)	1	3 (1)	44.3	10	39 (34)	16.6
Hepatitis C (newly acquired)				1	2 (10)	2.8
Hepatitis C (unspecified)	1	3	36.9	29	86 (63)	27.1
Hepatitis D			2.5	0	0 (0)	0.1
Enteric diseases						
Campylobacteriosis		3 (2)	76.3	35	241 (347)	89.0
Cryptosporidiosis		(1)	2.5	0	3 (26)	16.9
Hepatitis A				0	0 (0)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	1 (0)	0.2
Rotavirus			4.9	3	17 (41)	6.7
STEC/VTEC infection				0	2 (16)	3.3
Salmonellosis		6 (5)	145.2	14	85 (218)	56.4
Shigellosis		5 (7)	123.1	1	13 (34)	7.4
Typhoid				0	3 (0)	0.2
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	1 (1)	0.5
Sexually transmissible infections						
Chlamydia (genital)		36 (45)	1213.6	94	692 (911)	346.5
Gonorrhoea	1	34 (37)	1171.7	15	165 (317)	115.5
Syphilis (congenital)				0	0 (0)	0.1
Syphilis - Infectious		5 (6)	214.2	6	45 (46)	23.5
Syphilis - Non-Infectious		1 (1)	7.4	1	14 (23)	6.6
Vaccine preventable diseases						
H. influenzae type b			4.9	0	1 (0)	0.1
Influenza			29.5	1	3 (179)	42.0
Measles				0	0 (0)	0.1
Mumps				0	0 (4)	0.3
Pertussis			7.4	1	3 (28)	4.1
Pneumococcal infection		1 (1)	51.7	1	10 (20)	5.4
Varicella (chicken pox)		(1)	17.2	4	35 (45)	19.6
Varicella (shingles)		1 (4)	115.7	1	123 (189)	76.4
Varicella (unspecified)				49	201 (127)	58.6
Vector-borne diseases						
Barmah Forest virus			19.7	0	1 (1)	0.7
Chikungunya				0	0 (1)	0.2
Dengue fever			2.5	0	0 (29)	2.2
Malaria				0	0 (4)	1.0
Ross River virus			66.5	17	81 (15)	13.1
Typhus			2.5	0	0 (3)	0.6
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.1
Q Fever				0	1 (0)	0.2
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		1 (1)	7.4	0	1 (2)	0.2
COVID-19			44.3	8	51 (0)	30.0
Creutzfeldt-Jakob disease				0	0 (2)	0.1
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.1
Legionellosis				2	8 (6)	2.5
Leprosy				0	1 (0)	0.1
Melioidosis			12.3	0	0 (0)	0.2
Meningococcal infection			2.5	0	0 (3)	0.3
Tuberculosis			4.9	5	14 (19)	3.8
Grand Total	3	99 (112)		298	1950 (2765)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 48	
	13/10	20/10	27/10	03/11	10/11	17/11	24/11	01/12	2020	2019
	Salmonella Total	23	34	27	22	29	16	26	14	1621
Serotype/Phage										
Salmonella Adelaide	1								4	3
Salmonella Agona									6	10
Salmonella Amsterdam var 15+									2	0
Salmonella Anatum									15	19
Salmonella Anatum var 15+									5	3
Salmonella Bahrenfeld									1	0
Salmonella Bareilly									3	5
Salmonella Birkenhead				1					3	0
Salmonella Bleadon subsp II									1	1
Salmonella Blukwa									1	0
Salmonella Bovismorbificans			1						11	17
Salmonella Bredeney									1	2
Salmonella Cerro									2	2
Salmonella Chailey									2	1
Salmonella Charity									1	0
Salmonella Chester				1					25	21
Salmonella Choleraesuis bv Australia			1		1	1	1		18	11
Salmonella Choleraesuis bv Decatur									11	5
Salmonella Corvallis									3	8
Salmonella Derby									1	4
Salmonella Dublin									1	0
Salmonella Eastbourne									2	5
Salmonella Enteritidis									47	200
Salmonella Fremantle subsp II						1			5	5
Salmonella Give	1		1	1	1				8	3
Salmonella Hadar									1	2
Salmonella Haifa									1	0
Salmonella Havana									4	9
Salmonella Hessarek									1	0
Salmonella Houten subsp IV									1	2
Salmonella Hvittingfoss		2							6	5
Salmonella Ibadan									2	0
Salmonella Infantis		1		1					26	26
Salmonella Jangwani									1	0
Salmonella Javiana									4	12
Salmonella Johannesburg									1	4
Salmonella Kentucky									3	21
Salmonella Kiambu							1		4	8
Salmonella Kottbus									4	1
Salmonella Lansing			1	1	1				4	1
Salmonella Litchfield									4	4
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	7
Salmonella Mississippi									1	1
Salmonella Montevideo				1					2	2
Salmonella Muenchen	2	1		1		1			26	33
Salmonella Newport			1		1				12	26
Salmonella Oranienburg									7	7
Salmonella Orientalis									2	2

Weekly Report for period 07-OCT-20 to 01-DEC-20

	13/10	20/10	27/10	03/11	10/11	17/11	24/11	01/12	Cumulative Total to end of Week 48	
									2020	2019
Salmonella Total	23	34	27	22	29	16	26	14	1621	1962
Serotype/Phage										
Salmonella Orion						1			3	2
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	2
Salmonella Paratyphi B bv Java									22	86
Salmonella Pomona									0	0
Salmonella Poona					1				2	3
Salmonella Potsdam	1			1			1		14	4
Salmonella Reading				1		1			5	11
Salmonella Richmond									1	0
Salmonella Rissen									4	5
Salmonella Rubislaw									1	0
Salmonella Saintpaul		1		1			2		39	42
Salmonella Schwarzengrund									2	6
Salmonella Senftenberg		1				1			7	6
Salmonella Singapore									3	5
Salmonella Stanley							1		10	42
Salmonella Tennessee		1							1	2
Salmonella Thompson									3	4
Salmonella Typhimurium	16	24	20	8	19	9	14	4	1050	1038
Salmonella Urbana									1	2
Salmonella Virchow							1		20	31
Salmonella Wandsbek subsp II				1					5	3
Salmonella Wandsworth					1				2	0
Salmonella Waycross									2	0
Salmonella Welikade									4	5
Salmonella Weltevreden									7	30
Salmonella Weltevreden var 15+									1	2
Salmonella Zanzibar					1				2	0
Salmonella species	2	3	1	3	3	1	5	10	91	113
Salmonella subsp 1 ser 4,5:d:-									1	15
Salmonella subsp I ser 16:l,v:-									3	2
Salmonella subsp I ser 4,5:- non-motile									9	2
Salmonella subsp IIIb 48:k:1,5,7									1	0
Salmonella subsp IIIb 61:l,v:1,5,7:/z57/									1	0
Salmonella subsp IIIb 61:l,v:z35			1						2	1
Salmonella subsp IIIb ser									1	0