



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 14-MAY-19 to 08-JUL-19

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 27			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	20/05	27/05	03/06	10/06	17/06	24/06	01/07	08/07	2019	2018	2017			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1		1		1				15	11	9	1	2.3	0.4
Hepatitis B (unspecified)	7	10	8	6	12	11	9	6	242	262	281	38	51.8	0.7
Hepatitis C (newly acquired)	3	1	2		6	3		1	53	62	57	10	10.4	1.0
Hepatitis C (unspecified)	20	18	12	23	20	19	20	20	480	470	588	79	77.5	1.0
Hepatitis D									11	4	3	0	0.3	0.0
Enteric diseases														
Campylobacteriosis	64	40	62	55	72	51	42	48	1554	1576	1678	213	230.7	0.9
Cryptosporidiosis		2	4		2	2	2	2	109	70	338	8	13.3	0.6
Hepatitis A					1	1			17	5	9	2	0.9	2.3
Hepatitis E									2	0	3	0	0.2	0.0
Listeriosis									5	6	4	0	0.5	0.0
Paratyphoid fever									5	3	4	0	0.4	0.0
Rotavirus	9	15	11	14	11	11	19	8	206	138	362	49	44.9	1.1
STEC/VTEC infection	4	1	4	2	2	1	4	1	83	39	26	8	1.9	4.3
Salmonellosis	42	45	39	31	28	27	27	18	1134	1274	1592	100	126.9	0.8
Shigellosis	6	5	3	3	10	5		2	204	140	88	17	10.2	1.7
Typhoid	1						1		13	8	7	1	0.9	1.1
Vibrio parahaemolyticus		2			1	2			15	8	10	3	0.6	5.0
Yersiniosis			1		1				4	8	9	1	1.4	0.7
Sexually transmissible infections														
Chlamydia (genital)	208	200	178	206	229	234	200	111	6098	6188	6348	774	876.6	0.9
Gonorrhoea	62	76	64	71	91	75	50	31	2066	1767	1962	247	219.9	1.1
Syphilis (congenital)									1	0	0	0	0.0	0.0
Syphilis - Infectious	11	13	10	21	13	13	11	4	301	194	167	41	19.9	2.1
Syphilis - Non-Infectious	6	3	2	5	2	4	2	5	112	130	73	13	8.6	1.5
Vaccine preventable diseases														
H. influenzae type b									1	1	0	0	0.1	0.0
Influenza	782	1252	1385	2577	2465	2551	2645	1346	17779	1915	1054	9007	518.9	17.4
Measles								1	21	11	12	1	2.3	0.4
Mumps			1			1			14	17	11	1	12.0	0.1
Pertussis	8	11	13	10	7	7	6	6	329	674	627	26	112.5	0.2
Pneumococcal infection	2	9	9	11	3	5	8	1	99	89	88	17	21.1	0.8
Rubella (non-congenital)									1	0	2	0	0.1	0.0
Varicella (chicken pox)	8	8	7	15	15	10	8	1	295	313	310	34	47.5	0.7
Varicella (shingles)	46	37	41	48	39	34	26	10	1063	1214	988	109	127.5	0.9
Varicella (unspecified)	33	25	26	29	31	31	36	32	785	843	864	130	111.7	1.2
Vector-borne diseases														
Barmah Forest virus	1				1				7	24	25	1	2.4	0.4
Chikungunya									1	0	7	0	0.7	0.0
Dengue fever	12	7	7	3	3	6	4		187	67	120	13	26.5	0.5
Malaria		1	2	1	3	4		1	32	22	40	8	4.0	2.0
Ross River virus	9	7	8	4	8	8	9	6	241	326	875	31	43.1	0.7
Typhus		2	1		2	1	1		12	10	11	4	1.6	2.5
Zoonotic diseases														
Leptospirosis									3	1	1	0	0.2	0.0
Q Fever				1					3	6	5	0	0.7	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis									4	15	0	0	0.3	0.0
Creutzfeldt-Jakob disease									3	5	3	0	0.4	0.0
Haemolytic Uraemic Syndrome									1	1	3	0	0.2	0.0
Legionellosis			2			1	2		17	22	19	3	4.3	0.7
Melioidosis									4	3	5	0	0.4	0.0
Meningococcal infection	1						1		11	12	15	1	1.7	0.6
Tuberculosis	2	1	6	7	1	2	2	2	64	65	54	7	10.3	0.7
Grand Total	1348	1791	1909	3143	3080	3120	3135	1663						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 27			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	20/05	27/05	03/06	10/06	17/06	24/06	01/07	08/07	2019	2018	2017			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1		1				10	9	5	1	1.8	0.6
Hepatitis B (unspecified)	5	10	8	6	9	9	8	5	209	215	238	31	43.3	0.7
Hepatitis C (newly acquired)	3	1	2		5	2			40	49	41	7	7.6	0.9
Hepatitis C (unspecified)	12	14	8	20	14	13	16	15	329	352	423	58	54.3	1.1
Hepatitis D									10	3	2	0	0.3	0.0
Enteric diseases														
Campylobacteriosis	50	30	49	48	57	38	32	37	1263	1256	1336	164	182.9	0.9
Cryptosporidiosis		1	2		2	1	2	1	54	33	249	6	9.1	0.7
Hepatitis A					1				15	5	7	1	0.7	1.4
Hepatitis E									2	0	3	0	0.2	0.0
Listeriosis									5	4	4	0	0.5	0.0
Paratyphoid fever									5	3	4	0	0.3	0.0
Rotavirus	8	12	11	13	11	10	18	7	181	103	184	46	28.4	1.6
STEC/VTEC infection	4	1	2	2	1	1	4	1	63	30	15	7	1.1	6.2
Salmonellosis	34	33	28	24	16	17	20	14	879	986	1207	67	92.0	0.7
Shigellosis	3	4	2	2	8	4		2	140	47	23	14	4.9	2.8
Typhoid	1						1		12	8	6	1	0.8	1.3
Vibrio parahaemolyticus					1	1			11	7	9	2	0.4	5.0
Yersiniosis					1				3	7	8	1	1.1	0.9
Sexually transmissible infections														
Chlamydia (genital)	170	167	146	157	185	184	157	90	4779	4839	4945	616	674.9	0.9
Gonorrhoea	43	61	47	54	72	54	33	25	1517	1154	1292	184	137.0	1.3
Syphilis - Infectious	6	7	5	14	7	6	6	2	171	148	116	21	13.7	1.5
Syphilis - Non-Infectious	4	2		3		1	2	2	71	100	64	5	6.2	0.8
Vaccine preventable diseases														
H. influenzae type b									1	0	0	0	0.0	0.0
Influenza	557	895	1027	2100	2000	2139	2242	1159	14086	1621	820	7540	416.4	18.1
Measles								1	14	11	11	1	1.9	0.5
Mumps			1			1			10	16	9	1	2.8	0.4
Pertussis	7	9	10	9	7	7	6	5	261	439	456	25	85.2	0.3
Pneumococcal infection	1	5	6	8	2	3	4	1	64	48	62	10	13.1	0.8
Rubella (non-congenital)									1	0	2	0	0.1	0.0
Varicella (chicken pox)	4	6	5	14	13	8	6	1	215	227	229	28	35.7	0.8
Varicella (shingles)	29	22	30	34	33	24	19	6	770	863	701	82	94.5	0.9
Varicella (unspecified)	32	20	23	28	25	28	34	27	727	816	817	114	100.5	1.1
Vector-borne diseases														
Barmah Forest virus					1				2	5	5	1	0.6	1.7
Chikungunya									1	0	5	0	0.5	0.0
Dengue fever	11	5	5	2	2	6	3		154	56	98	11	21.9	0.5
Malaria		1	2	1	2	2		1	28	20	34	5	3.1	1.6
Ross River virus	7	6	5	3	6	4	2	3	168	238	408	15	25.1	0.6
Typhus		2	1		1	1	1		10	5	4	3	1.1	2.8
Zoonotic diseases														
Leptospirosis									2	1	0	0	0.1	0.0
Q Fever				1					1	1	2	0	0.4	0.0
Other diseases														
Creutzfeldt-Jakob disease									3	3	1	0	0.3	0.0
Legionellosis			1			1	2		15	17	14	3	3.3	0.9
Melioidosis									2	0	2	0	0.1	0.0
Meningococcal infection							1		4	7	13	1	1.3	0.8
Tuberculosis	2		4	5	1	2	2	2	53	52	48	7	8.9	0.8
Grand Total	993	1314	1431	2548	2484	2567	2621	1407						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.3		1 (1)	0.4		(2)	0.7
Hepatitis B (unspecified)	1	8 (11)	7.8	3	10 (10)	8.0	1	13 (16)	12.1
Hepatitis C (newly acquired)		(1)	0.8		3 (3)	2.0		4 (2)	2.6
Hepatitis C (unspecified)	1	9 (17)	8.9	4	20 (16)	16.7	10	29 (19)	18.7
Hepatitis D			0.1			0.4		(2)	0.8
Enteric diseases									
Campylobacteriosis	15	55 (65)	57.9	12	60 (67)	59.4	10	49 (55)	51.8
Cryptosporidiosis		2 (1)	2.6		1	2.3	1	3	2.4
Hepatitis A			0.3			0.4		1 (1)	1.3
Hepatitis E									0.3
Listeriosis			0.1		(1)	0.3		(1)	0.3
Paratyphoid fever			0.3			0.1			0.3
Rotavirus	1	12 (4)	7.9	3	14 (4)	7.1	3	20 (3)	9.1
STEC/VTEC infection		2 (1)	2.4	1	2 (1)	2.4		3	3.6
Salmonellosis	5	27 (38)	40.1	2	16 (42)	35.2	7	24 (44)	41.9
Shigellosis		5 (1)	4.2	2	7 (2)	7.3		2 (2)	7.4
Typhoid			0.1			0.3		1	1.2
Vibrio parahaemolyticus			0.5			0.4		2	0.5
Yersiniosis		(1)	0.1		1 (1)	0.3			
Sexually transmissible infections									
Chlamydia (genital)	40	224 (190)	188.1	12	165 (231)	215.4	38	227 (238)	236.7
Gonorrhoea	4	55 (40)	50.2	8	54 (55)	66.1	13	75 (70)	87.0
Syphilis (congenital)									
Syphilis - Infectious		4 (7)	5.2		4 (4)	6.7	2	13 (9)	10.9
Syphilis - Non-Infectious		1 (3)	2.8		(3)	1.9	2	4 (7)	4.7
Vaccine preventable diseases									
H. influenzae type b			0.1						
Influenza	385	2640 (191)	679.4	396	2453 (128)	604.7	378	2447 (169)	596.7
Measles			0.4			0.7	1	1	0.8
Mumps		1 (3)	0.4			0.7		(1)	0.3
Pertussis	1	6 (46)	9.6	2	14 (13)	17.5	2	5 (19)	8.3
Pneumococcal infection	1	4 (7)	2.9		2 (4)	2.7		4 (6)	2.9
Rubella (non-congenital)									0.1
Varicella (chicken pox)	1	11 (14)	10.4		10 (11)	11.0		7 (15)	7.5
Varicella (shingles)	4	34 (45)	35.9	1	32 (31)	37.5	1	16 (38)	29.8
Varicella (unspecified)	8	29 (35)	30.5	9	44 (36)	39.8	10	41 (29)	27.6
Vector-borne diseases									
Barmah Forest virus						0.1		1	0.1
Chikungunya						0.1			
Dengue fever		2 (1)	7.2		6 (5)	8.0		3 (4)	5.5
Malaria	1	2 (1)	1.8		1	0.3		2	1.6
Ross River virus		1 (3)	4.2	1	4 (3)	12.3	2	10 (6)	6.5
Typhus			0.5		2	0.7		1	0.1
Zoonotic diseases									
Leptospirosis			0.3						
Q Fever					(1)	0.1			
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									0.3
Creutzfeldt-Jakob disease			0.1						
Haemolytic Uraemic Syndrome									
Legionellosis		(1)	0.5		3	1.0		(1)	0.5
Melioidosis						0.1			0.1
Meningococcal infection						0.3		1 (1)	0.3
Tuberculosis		1 (5)	1.9		1 (2)	1.9	2	5	3.3
Grand Total	468	3135 (732)		456	2930 (675)		483	3014 (760)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)		2 (3)	2.1	1	2 (1)	6.3		1	3.8
Hepatitis C (newly acquired)			0.5	1	3	9.5			
Hepatitis C (unspecified)	1	5 (4)	20.8	1	4 (2)	33.3	1	1 (5)	21.5
Hepatitis D									
Enteric diseases									
Campylobacteriosis	3	13 (13)	53.7	2	4 (7)	65.0		10 (2)	41.7
Cryptosporidiosis	1	1 (2)	3.1			1.6			
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus	1	2	7.3			1.6			3.8
STEC/VTEC infection		(1)	3.6			3.2			2.5
Salmonellosis	2	8 (8)	37.0		2 (2)	20.6		6 (3)	41.7
Shigellosis			0.5			1.6			1.3
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis			0.5						
Sexually transmissible infections									
Chlamydia (genital)	6	41 (50)	151.1	1	9 (16)	136.4	1	9 (11)	113.6
Gonorrhoea		8 (7)	38.6	2	3 (1)	15.9		1	26.5
Syphilis (congenital)									
Syphilis - Infectious			0.5		1	4.8			1.3
Syphilis - Non-Infectious	1	2 (2)	2.6					2 (1)	3.8
Vaccine preventable diseases									
H. influenzae type b									
Influenza	67	519 (34)	513.8	20	123 (7)	667.8	23	152 (5)	527.7
Measles			1.0			3.2			1.3
Mumps			1.0						
Pertussis		(13)	5.7		(11)	4.8		(2)	8.8
Pneumococcal infection		1 (1)	2.6		1 (1)	3.2		1 (1)	1.3
Rubella (non-congenital)									
Varicella (chicken pox)		2 (9)	15.1		1	11.1		(1)	2.5
Varicella (shingles)	2	7 (15)	57.3	1	10 (7)	65.0		(2)	44.2
Varicella (unspecified)	1	1	2.1	2	4	27.0		6	13.9
Vector-borne diseases									
Barmah Forest virus		(1)	1.6						
Chikungunya									
Dengue fever			7.3						2.5
Malaria								2	2.5
Ross River virus	2	8	16.7			14.3		2	12.6
Typhus					1	3.2			
Zoonotic diseases									
Leptospirosis									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			0.5						
Legionellosis			0.5						1.3
Melioidosis									
Meningococcal infection									
Tuberculosis			1.0			3.2			
Grand Total	87	620 (163)		31	168 (55)		25	193 (33)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)						3.3			1.4
Hepatitis B (unspecified)			1.4		1 (1)	13.1		(1)	8.6
Hepatitis C (newly acquired)			2.8			1.6		(1)	4.3
Hepatitis C (unspecified)		3 (1)	29.8	1	5 (3)	39.3		1	14.4
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	2 (7)	31.2	1	3 (4)	32.7	1	6 (4)	50.4
Cryptosporidiosis			4.3			6.5			10.1
Hepatitis A			1.4						
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus		1 (1)	2.8		(2)	3.3		(1)	2.9
STEC/VTEC infection		1	5.7			1.6			1.4
Salmonellosis		2 (4)	32.6	1	3 (1)	39.3	1	4 (2)	46.1
Shigellosis		(1)	8.5		1	31.1			13.0
Typhoid									1.4
Vibrio parahaemolyticus			1.4			1.6		1	1.4
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	2	11 (15)	184.2	2	22 (41)	296.4	4	29 (30)	269.2
Gonorrhoea		7	75.1		6 (37)	147.4	2	16 (11)	156.9
Syphilis (congenital)									1.4
Syphilis - Infectious		1 (3)	8.5		1 (2)	27.8	2	8 (2)	74.9
Syphilis - Non-Infectious		(1)	5.7	2	2 (1)	29.5		2 (1)	7.2
Vaccine preventable diseases									
H. influenzae type b									
Influenza	27	276 (16)	1021.8	10	95 (2)	651.7	19	182 (3)	472.2
Measles									
Mumps						3.3			
Pertussis		(2)	2.8			1.6			2.9
Pneumococcal infection		1 (1)	5.7		1 (2)	14.7		2 (1)	7.2
Rubella (non-congenital)									
Varicella (chicken pox)		(1)	4.3		(1)	14.7		(4)	17.3
Varicella (shingles)		(2)	12.8		2 (4)	55.7	1	4 (3)	33.1
Varicella (unspecified)		2	19.8			1.6		(1)	1.4
Vector-borne diseases									
Barmah Forest virus									1.4
Chikungunya									
Dengue fever			4.3			3.3			8.6
Malaria								1	2.9
Ross River virus	1	2	4.3		1	6.5		2 (1)	13.0
Typhus									
Zoonotic diseases									
Leptospirosis									
Q Fever			2.8						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.6			
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis									
Melioidosis									
Meningococcal infection		(1)	1.4						7.2
Tuberculosis									4.3
Grand Total	31	309 (56)		17	143 (101)		30	258 (66)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)			2.5	0	1 (3)	0.5
Hepatitis B (unspecified)		(1)	2.5	6	38 (45)	8.6
Hepatitis C (newly acquired)				1	10 (8)	1.8
Hepatitis C (unspecified)	1	1 (2)	32.2	20	79 (71)	17.0
Hepatitis D			2.5	0	0 (2)	0.4
Enteric diseases						
Campylobacteriosis	3	8 (2)	52.1	48	213 (231)	55.1
Cryptosporidiosis		1 (1)	84.3	2	8 (6)	3.9
Hepatitis A				0	2 (1)	0.6
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	0 (2)	0.2
Paratyphoid fever				0	0 (0)	0.2
Rotavirus				8	49 (27)	7.3
STEC/VTEC infection				1	8 (3)	2.9
Salmonellosis		4 (3)	94.3	18	100 (153)	40.2
Shigellosis		2 (7)	62.0	2	17 (13)	7.2
Typhoid				0	1 (0)	0.5
Vibrio parahaemolyticus				0	3 (0)	0.5
Yersiniosis				0	1 (2)	0.1
Sexually transmissible infections						
Chlamydia (genital)	1	27 (30)	719.4	111	774 (857)	216.4
Gonorrhoea	1	19 (17)	414.3	31	247 (241)	73.3
Syphilis (congenital)				0	0 (0)	0.0
Syphilis - Infectious		9 (3)	116.6	4	41 (30)	10.7
Syphilis - Non-Infectious		(2)	2.5	5	13 (22)	3.5
Vaccine preventable diseases						
H. influenzae type b				0	0 (0)	0.0
Influenza	12	79 (2)	749.1	1346	9007 (557)	630.8
Measles				1	1 (0)	0.7
Mumps				0	1 (4)	0.5
Pertussis	1	1	99.2	6	26 (106)	11.7
Pneumococcal infection		(1)	19.8	1	17 (25)	3.5
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)		2	34.7	1	34 (56)	10.5
Varicella (shingles)		4 (3)	69.5	10	109 (151)	37.7
Varicella (unspecified)		1	2.5	32	130 (104)	27.9
Vector-borne diseases						
Barmah Forest virus			2.5	0	1 (1)	0.2
Chikungunya				0	0 (0)	0.0
Dengue fever			5.0	0	13 (11)	6.6
Malaria				1	8 (1)	1.1
Ross River virus			9.9	6	31 (14)	8.6
Typhus				0	4 (0)	0.4
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.1
Q Fever				0	0 (1)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			7.4	0	0 (0)	0.1
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Haemolytic Uraemic Syndrome				0	0 (0)	0.0
Legionellosis				0	3 (3)	0.6
Melioidosis			2.5	0	0 (2)	0.1
Meningococcal infection				0	1 (2)	0.4
Tuberculosis				2	7 (9)	1.8
Grand Total	19	158 (74)		1664	10999 (2765)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 27	
	20/05	27/05	03/06	10/06	17/06	24/06	01/07	08/07	2019	2018
	Salmonella Total	42	45	39	31	28	27	27	18	1134
Serotype/Phage										
Salmonella Adelaide									1	1
Salmonella Agona									4	10
Salmonella Albany									1	2
Salmonella Anatum	2		1	1					15	16
Salmonella Anatum var 15+									2	4
Salmonella Ball									1	0
Salmonella Bareilly		1							3	4
Salmonella Bleadon subsp II	1								1	0
Salmonella Bootle									1	0
Salmonella Bovismorbificans									8	15
Salmonella Braenderup									3	4
Salmonella Bredeney			1						1	1
Salmonella Chailey									1	0
Salmonella Chester							1		11	16
Salmonella Choleraesuis bv Australia						1			9	10
Salmonella Choleraesuis bv Decatur									3	5
Salmonella Coeln									1	0
Salmonella Corvallis						1	1		5	3
Salmonella Derby	1								2	0
Salmonella Eastbourne		1				1	1		4	2
Salmonella Erkek	1								1	0
Salmonella Enteritidis	4	2	4		2	4	1	1	92	89
Salmonella Fremantle subsp II									3	3
Salmonella Give var 15+									1	0
Salmonella Hadar			1						1	2
Salmonella Havana		1	1						7	7
Salmonella Heidelberg								1	8	1
Salmonella Houten subsp IV						1			2	3
Salmonella Hvitvingfoss						1			4	25
Salmonella Infantis	1	1	2				1		13	14
Salmonella Javiana	1	1							6	6
Salmonella Kentucky									9	18
Salmonella Kiambu		1			1				4	2
Salmonella Kottbus									1	3
Salmonella Lansing			1						1	0
Salmonella Litchfield									3	1
Salmonella London									2	1
Salmonella Mbandaka					1		1		3	3
Salmonella Mississippi									1	2
Salmonella Montevideo									1	0
Salmonella Muenchen	1	1	1		1	1			13	20
Salmonella Muenster		1							1	1
Salmonella Newport		1			1	1			16	14
Salmonella Ohio									1	1
Salmonella Oranienburg									4	3
Salmonella Orientalis									1	2
Salmonella Orion									0	6
Salmonella Oslo	1								2	1
Salmonella Papuana									1	0

Weekly Report for period 14-MAY-19 to 08-JUL-19

	20/05	27/05	03/06	10/06	17/06	24/06	01/07	08/07	Cumulative Total to end of Week 27	
									2019	2018
Salmonella Total	42	45	39	31	28	27	27	18	1134	1230
Serotype/Phage										
Salmonella Paratyphi B bv Java	2	3		1	2	2			50	30
Salmonella Poona									3	7
Salmonella Potsdam				1	1				4	6
Salmonella Reading									6	1
Salmonella Rissen	1								3	1
Salmonella Saintpaul	2	2			1		1		26	48
Salmonella Schwarzengrund	1	1							4	1
Salmonella Senftenberg						1			3	1
Salmonella Singapore		1							2	13
Salmonella Stanley	2		2				2	1	18	19
Salmonella Tennessee				1					2	0
Salmonella Thompson		1					1		3	1
Salmonella Typhimurium	18	22	22	20	14	11	12	6	607	673
Salmonella Uganda									1	0
Salmonella Urbana									2	1
Salmonella Virchow		1		2	1				16	16
Salmonella Wandsbek subsp II									3	4
Salmonella Wangata									1	0
Salmonella Welikade									2	5
Salmonella Weltevreden		1	1	1					10	17
Salmonella Weltevreden var 15+									1	0
Salmonella species	3	2	2	4	3	2	5	9	88	65