



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 12-FEB-20 to 07-APR-20

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 14			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	18/02	25/02	03/03	10/03	17/03	24/03	31/03	07/04	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)							2		2	9	5	2	1.8	1.1
Hepatitis B (unspecified)	8	9	8	9	11	13	8	6	126	126	138	38	40.7	0.9
Hepatitis C (newly acquired)	2		2	2	2	2	2		20	23	35	6	10.0	0.6
Hepatitis C (unspecified)	14	18	23	21	22	19	19	7	235	256	264	67	80.0	0.8
Enteric diseases														
Campylobacteriosis	82	60	54	46	60	38	29	15	827	836	880	142	221.3	0.6
Cryptosporidiosis	29	36	41	45	44	22	18	12	406	71	45	96	33.1	2.9
Hepatitis A		2				1		1	6	15	2	2	1.9	1.1
Hepatitis E			1						3	2	0	0	0.1	0.0
Listeriosis					1				1	5	3	1	0.3	3.0
Paratyphoid fever									0	5	2	0	0.9	0.0
Rotavirus	6	8	2	9	5	3	2	3	73	71	84	13	25.1	0.5
STEC/VTEC infection	7	2	2	4	3	6		2	50	46	25	11	5.3	2.1
Salmonellosis	53	57	36	51	46	29	17	20	623	668	680	112	201.3	0.6
Shigellosis	7	8	9	13	5	5	3	2	118	140	84	15	16.3	0.9
Typhoid		1							2	11	8	0	1.2	0.0
Vibrio parahaemolyticus			1						2	8	4	0	1.7	0.0
Yersiniosis				1					4	0	4	0	1.3	0.0
Sexually transmissible infections														
Chlamydia (genital)	312	265	201	273	228	224	138	99	3175	3488	3306	689	928.0	0.7
Gonorrhoea	106	89	79	97	81	64	56	26	1124	1214	955	227	256.7	0.9
Syphilis - Infectious	15	20	15	10	11	16	10	3	180	167	105	40	25.5	1.6
Syphilis - Non-Infectious	4	4	3	7	8	3	1	3	58	63	69	15	11.6	1.3
Vaccine preventable diseases														
H. influenzae type b									1	0	1	0	0.1	0.0
Influenza	92	94	86	103	51	21	15	5	1122	1670	917	92	247.5	0.4
Measles									4	16	9	0	1.6	0.0
Mumps	1	1				1			5	7	8	1	18.5	0.1
Pertussis	7	3	8	5	2	2		1	80	201	320	5	81.1	0.1
Pneumococcal infection	2	3	3	3	1	3	2		32	32	30	6	9.6	0.6
Varicella (chicken pox)	12	5	10	12	4	3	5	1	120	173	145	13	40.6	0.3
Varicella (shingles)	53	52	43	48	33	38	20	9	566	619	655	100	149.7	0.7
Varicella (unspecified)	31	29	45	33	46	33	16	32	435	393	446	127	116.2	1.1
Vector-borne diseases														
Barmah Forest virus	1			1	3	1	1		9	4	14	5	3.4	1.5
Chikungunya	2	1	1						6	1	0	0	0.6	0.0
Dengue fever	4	3	3	7	6	8	3		60	102	39	17	41.0	0.4
Malaria	4	2	3	2	1	1			23	14	15	2	3.7	0.5
Ross River virus	7	7	4	8	9	9	7	4	94	135	247	29	84.5	0.3
Typhus	2	1		2	1				14	2	5	1	1.9	0.5
Zoonotic diseases														
Brucellosis							1		1	0	1	1	0.1	15.0
Leptospirosis	1								3	3	1	0	0.3	0.0
Q Fever					1	1			2	1	4	2	1.0	2.0
Other diseases														
Acute post-streptococcal glomerulonephritis									0	4	12	0	0.4	0.0
COVID-19		2	3	14	44	169	179	70	481	0	0	462	0.0	0.0
Creutzfeldt-Jakob disease									0	1	4	0	0.7	0.0
Haemolytic Uraemic Syndrome									1	1	0	0	0.2	0.0
Legionellosis	1		2	1		1	2		12	10	11	3	3.5	0.8
Melioidosis			1			1			3	1	1	1	0.7	1.5
Meningococcal infection		1							3	7	8	0	1.3	0.0
Tuberculosis	6	6	1	3	7		1	4	40	28	38	12	9.5	1.3
Grand Total	871	789	690	830	735	739	556	325						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 14			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	18/02	25/02	03/03	10/03	17/03	24/03	31/03	07/04	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)						2			2	6	5	2	1.5	1.3
Hepatitis B (unspecified)	7	7	7	8	11	9	6	6	108	107	112	32	33.4	1.0
Hepatitis C (newly acquired)	1		2	1	2	2	1		14	16	28	5	7.5	0.7
Hepatitis C (unspecified)	9	13	20	19	12	16	12	6	171	172	191	46	55.7	0.8
Enteric diseases														
Campylobacteriosis	64	49	47	37	48	28	23	10	672	687	684	109	176.7	0.6
Cryptosporidiosis	27	33	37	38	40	19	16	10	364	36	24	85	17.4	4.9
Hepatitis A		2				1		1	6	14	2	2	1.7	1.2
Hepatitis E			1						3	2	0	0	0.1	0.0
Paratyphoid fever									0	5	2	0	0.9	0.0
Rotavirus	6	5	1	8	2	3	2	3	60	62	71	10	17.7	0.6
STEC/VTEC infection	5	2	2	3	1	5		2	39	31	20	8	3.8	2.1
Salmonellosis	46	47	29	40	31	21	12	13	472	538	527	77	151.5	0.5
Shigellosis	6	4	5	7	2	1	2		68	92	31	5	8.3	0.6
Typhoid		1							2	10	8	0	1.0	0.0
Vibrio parahaemolyticus			1						2	7	4	0	1.5	0.0
Yersiniosis				1					4	0	3	0	1.0	0.0
Sexually transmissible infections														
Chlamydia (genital)	242	207	162	186	174	177	103	75	2462	2689	2596	529	721.1	0.7
Gonorrhoea	74	64	49	71	55	50	43	21	797	880	625	169	173.2	1.0
Syphilis - Infectious	13	13	5	5	9	9	6	2	106	92	87	26	17.5	1.5
Syphilis - Non-Infectious	4	4	1	6	7	2	1	2	49	45	56	12	9.5	1.3
Vaccine preventable diseases														
Influenza	80	70	63	78	34	12	3	4	915	1200	754	53	183.7	0.3
Measles									4	10	9	0	1.4	0.0
Mumps	1					1			4	6	7	1	1.1	0.9
Pertussis	5	1	5	4	2	2		1	63	152	221	5	59.5	0.1
Pneumococcal infection			2	2			2		14	20	15	2	5.1	0.4
Varicella (chicken pox)	6	5	6	11	3	2	2	1	82	127	102	8	29.8	0.3
Varicella (shingles)	42	42	25	39	26	26	15	5	417	449	464	72	107.5	0.7
Varicella (unspecified)	30	27	35	26	44	32	14	28	396	377	430	118	107.7	1.1
Vector-borne diseases														
Barmah Forest virus									1	1	2	0	0.9	0.0
Chikungunya		1	1						2	1	0	0	0.5	0.0
Dengue fever	2	2	3	5	4	6	2		45	88	35	12	33.4	0.4
Malaria	2	2	1	2	1	1			17	13	14	2	3.3	0.6
Ross River virus	3	6	1	5	5	1	1	2	50	98	183	9	45.7	0.2
Typhus	1			2	1				10	1	4	1	1.1	0.9
Zoonotic diseases														
Brucellosis							1		1	0	0	1	0.0	0.0
Leptospirosis									0	2	1	0	0.2	0.0
Q Fever					1	1			2	0	0	2	0.3	7.5
Other diseases														
COVID-19		1	3	14	37	134	115	46	350	0	0	332	0.0	0.0
Legionellosis							2		5	9	10	2	2.5	0.8
Meningococcal infection									1	2	4	0	0.6	0.0
Tuberculosis	5	4	1	3	6		1	3	35	25	29	10	8.1	1.2
Grand Total	681	612	515	621	557	563	386	241						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)							2		0.3
Hepatitis B (unspecified)	4	12 (6)	4.3		4 (13)	3.8	2	16 (11)	6.0
Hepatitis C (newly acquired)		1 (3)	0.1		2 (3)	0.6		2 (2)	1.0
Hepatitis C (unspecified)	1	6 (7)	4.1	2	21 (24)	10.4	3	19 (22)	8.0
Enteric diseases									
Campylobacteriosis	3	38 (65)	29.9	3	27 (54)	28.7	4	44 (49)	29.3
Cryptosporidiosis	5	48 (6)	23.7	4	22 (1)	11.3	1	15 (6)	12.1
Hepatitis A	1	1	0.3		(2)	0.1		1 (2)	0.4
Hepatitis E			0.3						0.1
Listeriosis									
Rotavirus	1	5 (1)	3.4	1	3 (5)	2.1	1	2 (6)	2.3
STEC/VTEC infection		1 (1)	2.0		(3)	0.8	2	7 (8)	2.2
Salmonellosis	5	20 (64)	21.0	2	22 (49)	18.1	6	35 (72)	22.4
Shigellosis		1 (3)	2.6		1 (8)	3.2		3 (12)	3.1
Typhoid						0.1		(1)	0.1
Vibrio parahaemolyticus						0.3			
Yersiniosis			0.3			0.1			0.1
Sexually transmissible infections									
Chlamydia (genital)	19	184 (217)	95.1	20	159 (232)	114.1	36	186 (300)	111.9
Gonorrhoea	6	55 (63)	27.1	7	47 (81)	34.8	8	67 (81)	41.1
Syphilis - Infectious		6 (5)	3.5		9 (3)	4.6	2	11 (11)	5.7
Syphilis - Non-Infectious		5 (6)	2.0		3 (3)	1.8	2	4 (8)	2.4
Vaccine preventable diseases									
H. influenzae type b									
Influenza		17 (106)	45.7		18 (84)	36.3	4	18 (91)	37.3
Measles			0.3			0.3			
Mumps		1	0.4		(1)	0.1			
Pertussis	1	2 (7)	2.8		1 (17)	4.0		2 (14)	1.4
Pneumococcal infection		1 (3)	0.9		1 (2)	0.8		(3)	0.1
Varicella (chicken pox)	1	4 (19)	3.9		2 (6)	3.9		2 (9)	3.0
Varicella (shingles)	1	29 (51)	17.8	2	26 (40)	22.3	2	17 (52)	14.8
Varicella (unspecified)	13	49 (35)	18.2	9	45 (50)	21.0	6	24 (26)	12.9
Vector-borne diseases									
Barmah Forest virus									0.1
Chikungunya					(1)	0.1			0.1
Dengue fever		4 (13)	1.8		7 (7)	2.1		1 (5)	2.1
Malaria		(2)	0.4			0.4		2 (4)	1.4
Ross River virus		(5)	1.5		4 (16)	3.2	2	5 (4)	1.9
Typhus		1	0.6			0.4			0.3
Zoonotic diseases									
Brucellosis					1	0.1			
Leptospirosis									
Q Fever					1	0.1		1	0.1
Other diseases									
COVID-19	10	126	16.9	17	116	16.6	19	90	12.3
Haemolytic Uraemic Syndrome									
Legionellosis		1 (1)	0.4		1 (2)	0.1			0.1
Melioidosis									
Meningococcal infection									0.1
Tuberculosis	1	6 (2)	1.9		1 (4)	1.1	2	3 (4)	1.5
Grand Total	72	624 (691)		67	544 (711)		102	579 (803)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(1)	0.5				1		5.0
Hepatitis C (newly acquired)						1.6			2.5
Hepatitis C (unspecified)	1	7 (10)	9.7		5 (6)	18.8	1 (4)		10.1
Enteric diseases									
Campylobacteriosis	3	13 (14)	29.1		3 (2)	22.0	1	6 (6)	31.4
Cryptosporidiosis		4	8.2			3.1			5.0
Hepatitis A									
Hepatitis E									
Listeriosis					1	1.6			
Rotavirus		1 (5)	2.6				(1)		2.5
STEC/VTEC infection		(2)	2.6		(2)	1.6			1.3
Salmonellosis	1	5 (8)	20.9	1	5 (5)	12.5	2 (2)		21.4
Shigellosis					1	3.1			2.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	9	37 (42)	85.2	2	5 (26)	70.6	9 (11)		49.0
Gonorrhoea		8 (8)	25.5			11.0	(1)		6.3
Syphilis - Infectious			1.5			1.6			
Syphilis - Non-Infectious		(1)	1.0				1	1	1.3
Vaccine preventable diseases									
H. influenzae type b									
Influenza		5 (30)	25.0		4 (5)	42.3	7 (14)		25.1
Measles									
Mumps									
Pertussis		(1)	5.6						
Pneumococcal infection			1.0				1		2.5
Varicella (chicken pox)		2 (6)	5.6				(2)		5.0
Varicella (shingles)	1	13 (13)	37.8	1	7 (4)	40.8	(4)		10.1
Varicella (unspecified)	2	4	3.1			12.5	2 (2)		11.3
Vector-borne diseases									
Barmah Forest virus			0.5		3	4.7			
Chikungunya			2.0						
Dengue fever			1.0				1 (1)		2.5
Malaria			0.5						
Ross River virus		1 (6)	4.1			4.7	2 (2)		3.8
Typhus			0.5						1.3
Zoonotic diseases									
Brucellosis									
Leptospirosis									
Q Fever									
Other diseases									
COVID-19		10	5.6	1	8	12.5	8		10.1
Haemolytic Uraemic Syndrome									
Legionellosis			2.0		1	1.6			1.3
Melioidosis									
Meningococcal infection									
Tuberculosis									
Grand Total	17	110 (147)		5	43 (50)		2	41 (50)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		2 (1)	4.2		(3)	4.9		2 (1)	4.3
Hepatitis C (newly acquired)			1.4		1 (1)	3.3			
Hepatitis C (unspecified)		2 (7)	7.0		4 (4)	18.0		2 (3)	8.5
Enteric diseases									
Campylobacteriosis		6 (1)	23.9	1	3 (2)	22.9		1 (6)	14.2
Cryptosporidiosis		1 (2)	2.8				2	5 (4)	24.2
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus			1.4		1	3.3			1.4
STEC/VTEC infection		3 (1)	5.6						
Salmonellosis		6 (5)	23.9		3 (4)	19.6	3	5 (6)	28.4
Shigellosis	1	4 (1)	23.9		1 (1)	4.9		2 (3)	8.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	1	15 (24)	95.5	2	20 (30)	158.6	3	20 (28)	135.0
Gonorrhoea	1	5 (4)	29.5	1	5 (18)	54.0	1	15 (15)	103.7
Syphilis - Infectious		1 (1)	2.8		1 (3)	11.4		6 (17)	31.3
Syphilis - Non-Infectious					1 (5)	4.9			
Vaccine preventable diseases									
H. influenzae type b									
Influenza		3 (18)	57.6		6 (6)	26.2	1	12 (7)	29.8
Measles									
Mumps						1.6			
Pertussis			2.8			1.6			
Pneumococcal infection			7.0		1	3.3			1.4
Varicella (chicken pox)			2.8		1 (2)	13.1		2 (1)	9.9
Varicella (shingles)		1 (4)	7.0		2 (5)	9.8	1	2 (1)	14.2
Varicella (unspecified)			15.4	1	1	1.6			
Vector-borne diseases									
Barmah Forest virus									1.4
Chikungunya									
Dengue fever		1	2.8		1 (1)	6.5		1	1.4
Malaria						1.6			
Ross River virus		1	2.8		2 (2)	4.9	1	4	9.9
Typhus									1.4
Zoonotic diseases									
Brucellosis									
Leptospirosis									
Q Fever									
Other diseases									
COVID-19		3	4.2		3	4.9		3	4.3
Haemolytic Uraemic Syndrome									
Legionellosis			1.4						
Melioidosis									
Meningococcal infection						1.6			
Tuberculosis								1	1.4
Grand Total	3	54 (69)		5	57 (87)		12	83 (92)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	2 (0)	0.1
Hepatitis B (unspecified)		1	9.8	6	38 (36)	4.3
Hepatitis C (newly acquired)				0	6 (9)	0.7
Hepatitis C (unspecified)		(4)	4.9	7	67 (91)	8.2
Enteric diseases						
Campylobacteriosis		(2)	24.6	15	142 (202)	28.8
Cryptosporidiosis		1 (19)	2.5	12	96 (38)	14.1
Hepatitis A				1	2 (5)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	1 (0)	0.0
Rotavirus				3	13 (18)	2.5
STEC/VTEC infection				2	11 (19)	1.7
Salmonellosis	1	6 (4)	56.6	20	112 (225)	21.7
Shigellosis	1	1 (4)	46.8	2	15 (33)	4.1
Typhoid				0	0 (1)	0.1
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	0 (0)	0.1
Sexually transmissible infections						
Chlamydia (genital)	6	44 (48)	396.3	99	689 (969)	110.4
Gonorrhoea	1	23 (37)	305.2	26	227 (310)	39.1
Syphilis - Infectious	1	5 (8)	73.8	3	40 (48)	6.3
Syphilis - Non-Infectious		(1)	2.5	3	15 (28)	1.9
Vaccine preventable diseases						
H. influenzae type b			2.5	0	0 (0)	0.0
Influenza		(14)	14.8	5	92 (383)	39.0
Measles				0	0 (1)	0.1
Mumps				0	1 (1)	0.2
Pertussis		(3)	7.4	1	5 (44)	2.8
Pneumococcal infection		1 (2)	9.8	0	6 (10)	1.1
Varicella (chicken pox)		(6)	7.4	1	13 (51)	4.2
Varicella (shingles)	1	2 (5)	32.0	9	100 (182)	19.7
Varicella (unspecified)	1	1	2.5	32	127 (116)	15.1
Vector-borne diseases						
Barmah Forest virus		2	7.4	0	5 (1)	0.3
Chikungunya				0	0 (1)	0.2
Dengue fever		1 (1)	2.5	0	17 (29)	2.1
Malaria				0	2 (7)	0.8
Ross River virus	1	10 (1)	41.8	4	29 (36)	3.3
Typhus			2.5	0	1 (1)	0.5
Zoonotic diseases						
Brucellosis				0	1 (0)	0.0
Leptospirosis			2.5	0	0 (1)	0.1
Q Fever				0	2 (0)	0.1
Other diseases						
COVID-19	2	13	32.0	70	462 (0)	16.7
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.0
Legionellosis				0	3 (3)	0.4
Melioidosis		1	7.4	0	1 (0)	0.1
Meningococcal infection				0	0 (3)	0.1
Tuberculosis			2.5	4	12 (11)	0.9
Grand Total	15	112 (159)		325	2355 (2915)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 14	
	18/02	25/02	03/03	10/03	17/03	24/03	31/03	07/04	2020	2019
	Salmonella Total	53	57	36	51	46	29	17	20	623
Serotype/Phage										
Salmonella Adelaide				1					2	1
Salmonella Agona					2				3	3
Salmonella Anatum	1				1		1		5	9
Salmonella Anatum var 15+									2	1
Salmonella Bareilly		1							2	2
Salmonella Birkenhead			1						1	0
Salmonella Bleadon subsp II					1				1	0
Salmonella Bovismorbificans						1	1		5	7
Salmonella Bredeney									1	0
Salmonella Cerro									1	0
Salmonella Chailey							1		2	0
Salmonella Chester		2		1	2	1		1	14	4
Salmonella Choleraesuis bv Australia					1				5	8
Salmonella Choleraesuis bv Decatur	1	1	1	1	1				8	1
Salmonella Corvallis	1								3	2
Salmonella Derby									1	0
Salmonella Eastbourne	1								1	1
Salmonella Enteritidis	5	7	4	2	1				42	58
Salmonella Fremantle subsp II									2	3
Salmonella Hadar									1	0
Salmonella Haifa									1	0
Salmonella Hessarek									1	0
Salmonella Hvittingfoss									1	3
Salmonella Ibadan									1	0
Salmonella Infantis	2	1	1	1	1	2			10	5
Salmonella Jangwani								1	1	0
Salmonella Javiana		1							2	2
Salmonella Johannesburg					1				1	0
Salmonella Kentucky		1							3	9
Salmonella Litchfield									2	3
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	1
Salmonella Mississippi					1				1	1
Salmonella Montevideo	1								1	0
Salmonella Muenchen	1		1	1			2		15	4
Salmonella Newport		1	1						6	9
Salmonella Oranienburg				1	1				2	3
Salmonella Orientalis		1							1	1
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	1
Salmonella Paratyphi B bv Java	1	2			2	2			21	29
Salmonella Pomona									0	0
Salmonella Poona									1	2
Salmonella Potsdam				1	1		2		5	1
Salmonella Reading									2	4
Salmonella Richmond									0	0
Salmonella Rissen									2	1
Salmonella Rubislaw							1		1	0
Salmonella Saintpaul	1		1	4				1	19	17

Weekly Report for period 12-FEB-20 to 07-APR-20

	18/02	25/02	03/03	10/03	17/03	24/03	31/03	07/04	Cumulative Total to end of Week 14	
									2020	2019
Salmonella Total	53	57	36	51	46	29	17	20	623	635
Serotype/Phage										
Salmonella Schwarzengrund				1					1	2
Salmonella Singapore						1			2	1
Salmonella Stanley				1	1	1			6	6
Salmonella Thompson	1		1						3	1
Salmonella Typhimurium	30	34	21	30	20	18	7	6	320	371
Salmonella Virchow			2		2	1	1		11	9
Salmonella Wandsbek subsp II				1					2	2
Salmonella Waycross									1	0
Salmonella Welikade				1	1				3	2
Salmonella Weltevreden									5	2
Salmonella Weltevreden var 15+				1					1	1
Salmonella Zanzibar			1						1	0
Salmonella species	7	5	1	3	6	2	1	11	60	41
Salmonella subsp 1 ser 4,5:d:-									0	1
Salmonella subsp I ser 4,5:-:- non-motile									0	0