



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 19-FEB-20 to 14-APR-20

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 15			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	25/02	03/03	10/03	17/03	24/03	31/03	07/04	14/04	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)						2		1	3	10	5	3	1.7	1.8
Hepatitis B (unspecified)	9	8	9	11	13	8	6	7	133	137	146	34	40.7	0.8
Hepatitis C (newly acquired)		2	2	2	2	2			20	25	36	4	10.6	0.4
Hepatitis C (unspecified)	18	23	21	22	19	19	7	7	242	270	281	52	80.0	0.7
Enteric diseases														
Campylobacteriosis	61	53	47	60	38	30	20	12	846	905	934	100	218.1	0.5
Cryptosporidiosis	36	41	45	44	22	20	15	2	413	75	50	59	31.8	1.9
Hepatitis A	2				1	1			6	15	3	2	1.6	1.3
Hepatitis E		1							3	2	0	0	0.1	0.0
Listeriosis				1					1	5	3	0	0.1	0.0
Paratyphoid fever									0	5	3	0	0.7	0.0
Rotavirus	8	2	9	6	4	2	2	3	77	78	86	11	26.1	0.4
STEC/VTEC infection	2	2	4	3	6		2	1	51	54	27	9	5.2	1.7
Salmonellosis	57	36	52	48	29	19	23	7	638	710	731	78	197.8	0.4
Shigellosis	7	9	13	5	5	4	2	2	121	144	87	13	15.5	0.8
Typhoid	1							1	3	11	8	1	0.9	1.1
Vibrio parahaemolyticus		1							2	8	4	0	1.7	0.0
Yersiniosis			1						4	0	4	0	1.3	0.0
Sexually transmissible infections														
Chlamydia (genital)	267	201	272	229	226	134	151	30	3257	3734	3534	541	926.3	0.6
Gonorrhoea	90	78	98	82	67	56	50	12	1165	1286	1015	185	255.5	0.7
Syphilis - Infectious	20	15	10	11	16	11	5	2	185	179	112	34	24.4	1.4
Syphilis - Non-Infectious	4	3	7	8	3	1	3		58	69	72	7	11.4	0.6
Vaccine preventable diseases														
H. influenzae type b									1	0	1	0	0.1	0.0
Influenza	94	86	103	52	20	15	8	2	1127	1832	953	45	271.1	0.2
Measles									4	19	10	0	1.5	0.0
Mumps	1				1				5	8	8	1	17.9	0.1
Pertussis	3	8	5	2	2		2	1	82	213	355	5	80.7	0.1
Pneumococcal infection	3	3	3	1	3	2	1		33	36	32	6	10.1	0.6
Varicella (chicken pox)	5	10	12	4	3	5	4		123	184	158	12	40.3	0.3
Varicella (shingles)	52	43	48	33	39	24	25	2	589	658	701	90	147.7	0.6
Varicella (unspecified)	29	45	33	46	33	16	38	27	468	422	472	114	115.1	1.0
Vector-borne diseases														
Barmah Forest virus			1	3	1	1			9	4	14	2	3.4	0.6
Chikungunya	1	1							6	1	0	0	0.5	0.0
Dengue fever	3	3	7	6	9	3	1		62	109	40	13	39.7	0.3
Malaria	2	3	2	1	1				23	17	15	1	3.7	0.3
Ross River virus	8	4	8	9	9	6	11	2	103	148	260	28	83.9	0.3
Typhus	1		2	1			1		15	2	5	1	2.1	0.5
Zoonotic diseases														
Brucellosis						1			1	0	1	1	0.1	15.0
Leptospirosis									3	3	1	0	0.3	0.0
Q Fever				1	1				2	2	4	2	1.0	2.0
Other diseases														
Acute post-streptococcal glomerulonephritis									0	4	12	0	0.3	0.0
COVID-19	2	3	14	44	170	180	83	30	527	0	0	464	0.0	0.0
Creutzfeldt-Jakob disease									0	1	4	0	0.7	0.0
Haemolytic Uraemic Syndrome									1	1	0	0	0.2	0.0
Legionellosis		1	1		1	2	2		13	10	11	5	3.6	1.4
Melioidosis		1			1				3	1	1	1	0.6	1.7
Meningococcal infection	1								3	8	8	0	1.2	0.0
Tuberculosis	6	1	3	7		1	4	1	41	31	40	6	9.3	0.6
Grand Total	793	687	832	741	747	564	466	152						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 15			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	25/02	03/03	10/03	17/03	24/03	31/03	07/04	14/04	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)					2			1	3	7	5	3	1.5	2.0
Hepatitis B (unspecified)	7	7	8	11	9	6	6	5	113	116	119	26	33.7	0.8
Hepatitis C (newly acquired)		2	1	2	2	1			14	17	28	3	7.9	0.4
Hepatitis C (unspecified)	13	20	19	12	16	12	6	6	177	180	205	40	55.5	0.7
Enteric diseases														
Campylobacteriosis	50	46	38	48	28	24	13	8	685	746	728	73	174.0	0.4
Cryptosporidiosis	33	37	38	40	19	18	11	2	369	37	25	50	16.5	3.0
Hepatitis A	2				1				5	14	3	1	1.4	0.7
Hepatitis E		1							3	2	0	0	0.1	0.0
Paratyphoid fever									0	5	3	0	0.7	0.0
Rotavirus	5	1	8	3	4	2	2	3	64	68	73	11	17.2	0.6
STEC/VTEC infection	2	2	3	1	5		2	1	40	39	21	8	3.9	2.1
Salmonellosis	47	29	40	33	21	12	16	6	483	565	565	55	148.4	0.4
Shigellosis	4	5	7	2	1	2	1	1	70	95	31	5	7.7	0.6
Typhoid	1							1	3	10	8	1	0.7	1.4
Vibrio parahaemolyticus		1							2	7	4	0	1.4	0.0
Yersiniosis			1						4	0	3	0	0.9	0.0
Sexually transmissible infections														
Chlamydia (genital)	207	162	186	174	178	106	121	27	2539	2883	2783	432	717.9	0.6
Gonorrhoea	64	49	72	55	53	43	43	11	834	930	662	150	171.5	0.9
Syphilis - Infectious	13	5	5	9	9	7	3	2	110	99	93	21	16.4	1.3
Syphilis - Non-Infectious	4	1	6	7	2	1	2		49	49	59	5	9.3	0.5
Vaccine preventable diseases														
Influenza	70	63	78	34	12	3	4	1	916	1297	783	20	201.1	0.1
Measles									4	13	10	0	1.3	0.0
Mumps					1				4	7	7	1	1.2	0.8
Pertussis	1	5	4	2	2		1	1	64	159	236	4	58.3	0.1
Pneumococcal infection		2	2			2			14	23	16	2	5.4	0.4
Varicella (chicken pox)	5	6	11	3	2	2	3		84	133	112	7	30.1	0.2
Varicella (shingles)	42	25	39	26	27	18	15	1	432	477	492	61	106.7	0.6
Varicella (unspecified)	27	35	26	44	32	14	32	23	423	404	456	101	107.1	0.9
Vector-borne diseases														
Barmah Forest virus									1	1	2	0	1.0	0.0
Chikungunya	1	1							2	1	0	0	0.4	0.0
Dengue fever	2	3	5	4	7	2	1		47	92	35	10	31.6	0.3
Malaria	2	1	2	1	1				17	16	14	1	3.1	0.3
Ross River virus	6	1	5	5	1	1	3	2	53	109	193	7	44.7	0.2
Typhus			2	1					10	1	4	0	1.1	0.0
Zoonotic diseases														
Brucellosis						1			1	0	0	1	0.0	0.0
Leptospirosis									0	2	1	0	0.1	0.0
Q Fever				1	1				2	0	0	2	0.3	7.5
Other diseases														
COVID-19	1	3	14	37	135	115	50	14	370	0	0	315	0.0	0.0
Legionellosis					2	1			6	9	10	3	2.7	1.1
Meningococcal infection									1	3	4	0	0.5	0.0
Tuberculosis	4	1	3	6		1	3	1	36	28	31	5	7.9	0.6
Grand Total	613	514	623	560	571	396	339	117						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)							1	3 (1)	0.4
Hepatitis B (unspecified)	3	11 (6)	4.6		3 (13)	3.8	2	12 (12)	6.3
Hepatitis C (newly acquired)		1 (3)	0.1		(3)	0.6		2 (2)	1.0
Hepatitis C (unspecified)	1	6 (9)	4.3	4	19 (20)	11.0	1	15 (15)	8.1
Enteric diseases									
Campylobacteriosis	4	22 (75)	30.6	3	17 (54)	29.2	1	34 (44)	29.7
Cryptosporidiosis		29 (6)	24.0	1	13	11.4	1	8 (5)	12.3
Hepatitis A			0.1		(1)	0.1		1	0.4
Hepatitis E			0.3						0.1
Listeriosis									
Rotavirus	1	5 (3)	3.5		3 (4)	2.2	2	3 (8)	2.6
STEC/VTEC infection	1	1 (5)	2.1		(4)	0.8		7 (8)	2.2
Salmonellosis	2	16 (52)	21.5	3	16 (42)	18.9	1	23 (57)	22.5
Shigellosis	1	2 (3)	2.8		2 (8)	3.3		1 (9)	3.1
Typhoid	1	1	0.1			0.1			0.1
Vibrio parahaemolyticus						0.3			0.3
Yersiniosis			0.3			0.1			0.1
Sexually transmissible infections									
Chlamydia (genital)	8	148 (214)	97.9	7	128 (239)	118.1	12	156 (307)	115.2
Gonorrhoea	5	54 (56)	29.4	2	42 (70)	36.3	4	54 (78)	42.3
Syphilis - Infectious		5 (2)	3.5		7 (1)	4.6	2	9 (16)	6.2
Syphilis - Non-Infectious		2 (5)	2.0		(2)	1.8		3 (11)	2.4
Vaccine preventable diseases									
H. influenzae type b									
Influenza		4 (112)	45.7		7 (89)	36.3	1	9 (104)	37.4
Measles		(1)	0.3		(1)	0.3			
Mumps		1	0.4		(1)	0.1			
Pertussis		2 (5)	2.8	1	2 (15)	4.2		(12)	1.4
Pneumococcal infection		1 (3)	0.9		1	0.8		(5)	0.1
Varicella (chicken pox)		4 (15)	4.0		1 (8)	3.9		2 (10)	3.1
Varicella (shingles)		26 (46)	18.8		18 (40)	22.7	1	17 (37)	15.3
Varicella (unspecified)	8	37 (34)	19.2	5	35 (42)	22.1	10	29 (28)	14.3
Vector-borne diseases									
Barmah Forest virus									0.1
Chikungunya					(1)	0.1			0.1
Dengue fever		4 (11)	1.9		6 (9)	2.2		(2)	2.1
Malaria		(3)	0.4			0.4		1 (5)	1.4
Ross River virus		1 (8)	1.6	2	3 (18)	3.5		3 (4)	1.9
Typhus			0.6			0.4			0.3
Zoonotic diseases									
Brucellosis					1	0.1			
Leptospirosis									
Q Fever					1	0.1		1	0.1
Other diseases									
COVID-19	2	105	17.2	3	115	17.3	10	95	14.0
Haemolytic Uraemic Syndrome									
Legionellosis		2 (1)	0.5		1 (1)	0.1			0.1
Melioidosis								(1)	0.1
Meningococcal infection								4 (5)	1.7
Tuberculosis		1 (1)	1.9		(2)	1.1	1		
Grand Total	37	491 (679)		31	441 (688)		50	492 (786)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(1)	0.5				1 (1)		5.0
Hepatitis C (newly acquired)						1.6			2.5
Hepatitis C (unspecified)		6 (4)	9.7		4 (6)	18.8	1	1 (3)	11.3
Enteric diseases									
Campylobacteriosis	1	9 (15)	30.1		2 (5)	22.0	1	4 (6)	32.7
Cryptosporidiosis		1	8.2		1	4.7			5.0
Hepatitis A					1	1.6			
Hepatitis E									
Listeriosis						1.6			
Rotavirus		(5)	2.6				(1)		2.5
STEC/VTEC infection			2.6		(1)	1.6			1.3
Salmonellosis	1	5 (12)	22.5		4 (5)	12.5		2 (5)	21.4
Shigellosis						3.1			2.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	3	32 (34)	88.8		4 (20)	70.6		10 (9)	50.3
Gonorrhoea	1	7 (13)	26.5		(1)	11.0		(1)	6.3
Syphilis - Infectious			1.5			1.6			
Syphilis - Non-Infectious			1.0					1	1.3
Vaccine preventable diseases									
H. influenzae type b									
Influenza		1 (55)	25.0		1 (12)	42.3		4 (17)	26.4
Measles									
Mumps									
Pertussis		(2)	5.6						
Pneumococcal infection			1.0					1	2.5
Varicella (chicken pox)		3 (10)	6.1					(2)	5.0
Varicella (shingles)		13 (10)	39.3					(5)	10.1
Varicella (unspecified)	1	4	3.6		7 (5) (1)	45.5 12.5	1	3 (2)	13.8
Vector-borne diseases									
Barmah Forest virus			0.5		1	4.7			
Chikungunya			2.0						
Dengue fever		(1)	1.0					1 (2)	2.5
Malaria			0.5						
Ross River virus		2 (5)	4.6		1	6.3		2 (3)	3.8
Typhus			0.5						1.3
Zoonotic diseases									
Brucellosis									
Leptospirosis									
Q Fever									
Other diseases									
COVID-19		6	5.6		8	12.5	1	9	11.3
Haemolytic Uraemic Syndrome									
Legionellosis			2.0		1	1.6		1	1.3
Melioidosis									
Meningococcal infection									
Tuberculosis									
Grand Total	7	89 (167)		1	35 (56)		4	40 (57)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		2 (1)	4.2		(3)	4.9		2 (2)	4.3
Hepatitis C (newly acquired)		(1)	1.4		1 (1)	3.3			
Hepatitis C (unspecified)		(6)	7.0		1 (5)	18.0		(1)	8.5
Enteric diseases									
Campylobacteriosis	1	6 (1)	25.3		2 (1)	22.9	1	2 (3)	15.6
Cryptosporidiosis		2 (1)	4.2					4 (2)	24.2
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus			1.4			3.3			1.4
STEC/VTEC infection		1	5.6						
Salmonellosis		3 (4)	23.9		2 (4)	19.6		3 (4)	29.8
Shigellosis	1	3	25.3		1 (2)	4.9		2 (2)	8.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)		7 (24)	94.1		15 (25)	161.9		14 (28)	139.3
Gonorrhoea		2 (5)	29.5		6 (18)	55.6		3 (17)	102.3
Syphilis - Infectious		1 (2)	2.8		1 (3)	11.4		6 (18)	32.7
Syphilis - Non-Infectious					(6)	4.9			
Vaccine preventable diseases									
H. influenzae type b									
Influenza		2 (12)	57.6		6 (10)	29.4	1	11 (7)	31.3
Measles									
Mumps						1.6			
Pertussis			2.8		(1)	1.6		1	1.4
Pneumococcal infection		1 (1)	8.4			3.3			1.4
Varicella (chicken pox)			2.8		1	13.1		1 (1)	9.9
Varicella (shingles)		1 (5)	7.0		2 (6)	9.8		2	14.2
Varicella (unspecified)	1	1	16.8		1	1.6			
Vector-borne diseases									
Barmah Forest virus									1.4
Chikungunya									
Dengue fever			2.8		1	6.5		(1)	1.4
Malaria						1.6			
Ross River virus		1	2.8		2 (3)	4.9		6	12.8
Typhus								1	2.8
Zoonotic diseases									
Brucellosis									
Leptospirosis									
Q Fever									
Other diseases									
COVID-19		3	4.2	2	7	11.4		3	4.3
Haemolytic Uraemic Syndrome									
Legionellosis			1.4						
Melioidosis									
Meningococcal infection						1.6			
Tuberculosis									1.4
Grand Total	3	36 (63)		2	49 (88)		2	61 (86)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				1	3 (1)	0.1
Hepatitis B (unspecified)		1	9.8	7	34 (39)	4.6
Hepatitis C (newly acquired)				0	4 (10)	0.7
Hepatitis C (unspecified)		(5)	4.9	7	52 (74)	8.4
Enteric diseases						
Campylobacteriosis		1 (1)	27.1	12	100 (206)	29.4
Cryptosporidiosis		1 (16)	2.5	2	59 (31)	14.4
Hepatitis A				0	2 (2)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	0 (0)	0.0
Rotavirus				3	11 (21)	2.7
STEC/VTEC infection				1	9 (19)	1.8
Salmonellosis		2 (8)	56.6	7	78 (196)	22.2
Shigellosis		1 (2)	46.8	2	13 (27)	4.2
Typhoid				1	1 (0)	0.1
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	0 (0)	0.1
Sexually transmissible infections						
Chlamydia (genital)		22 (49)	379.1	30	541 (957)	113.3
Gonorrhoea		16 (33)	310.2	12	185 (295)	40.5
Syphilis - Infectious		4 (9)	73.8	2	34 (51)	6.4
Syphilis - Non-Infectious		(1)	2.5	0	7 (30)	1.9
Vaccine preventable diseases						
H. influenzae type b			2.5	0	0 (0)	0.0
Influenza		(15)	14.8	2	45 (445)	39.2
Measles				0	0 (4)	0.1
Mumps				0	1 (2)	0.2
Pertussis		(5)	7.4	1	5 (41)	2.9
Pneumococcal infection		1 (2)	9.8	0	6 (11)	1.1
Varicella (chicken pox)		(4)	7.4	0	12 (51)	4.3
Varicella (shingles)		3 (3)	36.9	2	90 (162)	20.5
Varicella (unspecified)				27	114 (110)	16.3
Vector-borne diseases						
Barmah Forest virus		1	7.4	0	2 (1)	0.3
Chikungunya				0	0 (1)	0.2
Dengue fever		1 (1)	2.5	0	13 (28)	2.2
Malaria				0	1 (9)	0.8
Ross River virus		7 (1)	46.8	2	28 (42)	3.6
Typhus			2.5	0	1 (0)	0.5
Zoonotic diseases						
Brucellosis				0	1 (0)	0.0
Leptospirosis			2.5	0	0 (1)	0.1
Q Fever				0	2 (1)	0.1
Other diseases						
COVID-19		14	34.5	32	465 (0)	18.4
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.0
Legionellosis				0	5 (2)	0.5
Melioidosis		1	7.4	0	1 (0)	0.1
Meningococcal infection				0	0 (2)	0.1
Tuberculosis			2.5	1	6 (9)	0.9
Grand Total		76 (155)		154	1933 (2884)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 15	
	25/02	03/03	10/03	17/03	24/03	31/03	07/04	14/04	2020	2019
	Salmonella Total	57	36	52	48	29	19	23	7	638
Serotype/Phage										
Salmonella Adelaide			1						2	1
Salmonella Agona				2					3	3
Salmonella Anatum				1	1				5	10
Salmonella Anatum var 15+									2	1
Salmonella Bareilly	1								2	2
Salmonella Birkenhead		1							1	0
Salmonella Bleadon subsp II				1					1	0
Salmonella Bovismorbificans					1	1			5	7
Salmonella Bredeney									1	0
Salmonella Cerro									1	0
Salmonella Chailey						1			2	1
Salmonella Chester	2		1	2	1		1		14	7
Salmonella Choleraesuis bv Australia				1			1		6	8
Salmonella Choleraesuis bv Decatur	1	1	1	1					8	2
Salmonella Corvallis									3	2
Salmonella Derby									1	0
Salmonella Eastbourne									1	1
Salmonella Enteritidis	7	4	2	1		1			43	61
Salmonella Fremantle subsp II									2	3
Salmonella Hadar									1	0
Salmonella Haifa									1	0
Salmonella Hessarek									1	0
Salmonella Hvittingfoss									1	3
Salmonella Ibadan							1		2	0
Salmonella Infantis	1	1	1	1	2				10	5
Salmonella Jangwani							1		1	0
Salmonella Javiana	1								2	3
Salmonella Johannesburg				1					1	0
Salmonella Kentucky	1								3	9
Salmonella Kottbus						1			1	1
Salmonella Litchfield									2	3
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	1
Salmonella Mississippi				1					1	1
Salmonella Montevideo									1	0
Salmonella Muenchen		1	2			2	2		18	6
Salmonella Newport	1	1							6	11
Salmonella Oranienburg			1	1					2	3
Salmonella Orientalis	1								1	1
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	1
Salmonella Paratyphi B bv Java	2			2	2				21	31
Salmonella Pomona									0	0
Salmonella Poona									1	2
Salmonella Potsdam			1	1		2			5	1
Salmonella Reading									2	4
Salmonella Richmond									0	0
Salmonella Rissen									2	1
Salmonella Rubislaw						1			1	0

Weekly Report for period 19-FEB-20 to 14-APR-20

	25/02	03/03	10/03	17/03	24/03	31/03	07/04	14/04	Cumulative Total to end of Week 15	
									2020	2019
Salmonella Total	57	36	52	48	29	19	23	7	638	678
Serotype/Phage										
Salmonella Saintpaul		1	4				1		19	17
Salmonella Schwarzengrund			1						1	2
Salmonella Singapore					1				2	1
Salmonella Stanley			1	1	1				6	6
Salmonella Thompson		1							3	1
Salmonella Typhimurium	34	21	30	22	17	7	11		326	394
Salmonella Virchow		2		2	1	1		1	12	10
Salmonella Wandsbek subsp II			1						2	2
Salmonella Waycross									1	0
Salmonella Welikade			1	1					3	2
Salmonella Weltevreden									5	2
Salmonella Weltevreden var 15+			1						1	1
Salmonella Zanzibar		1							1	0
Salmonella species	5	1	3	6	2	2	5	6	61	43
Salmonella subsp 1 ser 4,5:d:-									0	1
Salmonella subsp I ser 4,5:-:- non-motile									0	0