



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 26-FEB-20 to 21-APR-20

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

## STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 16			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	03/03	10/03	17/03	24/03	31/03	07/04	14/04	21/04	2020	2019	2018			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)				2			2		4	12	5	2	1.8	1.1
Hepatitis B (unspecified)	8	9	11	13	8	6	6	7	139	144	160	27	39.6	0.7
Hepatitis C (newly acquired)	2	2	2	3	1			1	20	29	38	2	10.3	0.2
Hepatitis C (unspecified)	23	21	22	18	20	7	7	14	257	291	294	48	79.6	0.6
<b>Enteric diseases</b>														
Campylobacteriosis	53	47	60	38	31	23	21	16	875	949	977	91	216.1	0.4
Cryptosporidiosis	41	45	44	22	21	15	4	11	427	76	51	51	30.0	1.7
Hepatitis A				1	1				6	15	3	1	1.5	0.7
Hepatitis E	1								3	2	0	0	0.1	0.0
Listeriosis			1						1	5	3	0	0.1	0.0
Paratyphoid fever									0	5	3	0	0.7	0.0
Rotavirus	2	9	6	4	2	2	4	2	80	81	89	10	28.2	0.4
STEC/VTEC infection	2	4	3	6	1	2	1	1	53	55	29	5	5.1	1.0
Salmonellosis	36	52	49	29	23	22	14	17	666	752	764	76	196.4	0.4
Shigellosis	9	13	5	5	4	3	1	1	122	150	94	9	14.8	0.6
Typhoid							1		3	11	8	1	1.0	1.0
Vibrio parahaemolyticus	1								2	10	5	0	1.7	0.0
Yersiniosis		1							4	1	4	0	1.3	0.0
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	201	274	234	228	140	149	104	109	3455	3908	3788	502	915.7	0.5
Gonorrhoea	78	98	82	71	53	67	58	35	1264	1339	1072	213	252.5	0.8
Syphilis - Infectious	15	10	11	17	11	7	8	11	204	187	114	37	24.1	1.5
Syphilis - Non-Infectious	3	7	8	3	1	3			58	74	76	4	11.4	0.4
<b>Vaccine preventable diseases</b>														
H. influenzae type b									1	0	1	0	0.1	0.0
Influenza	87	104	50	20	14	10	7		1133	1946	991	31	315.5	0.1
Measles									4	20	10	0	1.5	0.0
Mumps				1			1		6	9	9	1	17.2	0.1
Pertussis	9	5	2	2		3	1		84	224	384	4	81.6	0.0
Pneumococcal infection	3	3	1	3	2	1		1	34	40	34	4	10.9	0.4
Varicella (chicken pox)	10	12	4	3	6	4	4		128	191	168	14	39.9	0.4
Varicella (shingles)	43	48	36	40	29	39	28	9	648	688	745	105	148.2	0.7
Varicella (unspecified)	45	33	45	31	15	28	24	31	482	439	504	98	115.2	0.9
<b>Vector-borne diseases</b>														
Barmah Forest virus		1	3	1	1				9	4	17	1	3.3	0.3
Chikungunya	1								6	1	0	0	0.5	0.0
Dengue fever	3	7	6	9	3	2	1	1	65	113	43	7	38.1	0.2
Malaria	3	2	1	1					23	18	15	0	3.7	0.0
Ross River virus	4	8	10	8	5	12	3	4	109	151	263	24	82.7	0.3
Typhus		1	1			1			14	2	8	1	2.1	0.5
<b>Zoonotic diseases</b>														
Brucellosis					1				1	0	1	1	0.1	15.0
Leptospirosis									0	3	1	0	0.3	0.0
Q Fever			1	1	1	1	1		4	2	4	3	1.0	3.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis									0	4	12	0	0.3	0.0
COVID-19	3	14	44	170	180	85	39	7	544	0	0	311	0.0	0.0
Creutzfeldt-Jakob disease									0	3	4	0	0.5	0.0
Haemolytic Uraemic Syndrome									1	1	0	0	0.1	0.0
Legionellosis	1	1		1	3	1	2		15	10	13	6	3.5	1.7
Melioidosis	1			1					3	2	1	0	0.5	0.0
Meningococcal infection									3	8	8	0	1.2	0.0
Tuberculosis	1	3	7		1	4	1	2	42	33	41	8	9.5	0.8
<b>Grand Total</b>	<b>689</b>	<b>834</b>	<b>748</b>	<b>752</b>	<b>578</b>	<b>497</b>	<b>343</b>	<b>280</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 16			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	03/03	10/03	17/03	24/03	31/03	07/04	14/04	21/04	2020	2019	2018			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)				2			2		4	8	5	2	1.5	1.4
Hepatitis B (unspecified)	7	8	11	9	6	6	5	5	118	123	131	22	32.9	0.7
Hepatitis C (newly acquired)	2	1	2	3	1				15	20	30	1	7.9	0.1
Hepatitis C (unspecified)	20	19	12	15	12	6	6	9	185	194	216	33	54.5	0.6
<b>Enteric diseases</b>														
Campylobacteriosis	46	39	47	28	25	15	15	9	704	782	766	64	172.6	0.4
Cryptosporidiosis	37	38	40	19	19	11	4	5	377	37	25	39	15.2	2.6
Hepatitis A				1					5	14	3	0	1.2	0.0
Hepatitis E	1								3	2	0	0	0.1	0.0
Paratyphoid fever									0	5	3	0	0.7	0.0
Rotavirus	1	8	3	4	2	2	4	2	67	69	75	10	18.3	0.5
STEC/VTEC infection	2	3	1	5	1	2	1	1	42	40	23	5	3.8	1.3
Salmonellosis	29	40	34	20	14	18	9	13	503	595	587	54	147.6	0.4
Shigellosis	5	7	2	1	2	1	1		70	98	33	4	6.9	0.6
Typhoid							1		3	10	8	1	0.8	1.3
Vibrio parahaemolyticus	1								2	9	4	0	1.5	0.0
Yersiniosis		1							4	1	3	0	1.0	0.0
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	162	187	177	180	109	120	77	91	2689	3039	2975	397	710.9	0.6
Gonorrhoea	49	72	55	56	41	51	42	28	902	970	702	162	168.5	1.0
Syphilis - Infectious	5	5	9	10	7	3	2	7	117	105	95	19	15.9	1.2
Syphilis - Non-Infectious	1	6	7	2	1	2			49	52	63	3	9.0	0.3
<b>Vaccine preventable diseases</b>														
Influenza	64	79	32	12	3	5	4		920	1369	816	12	232.7	0.1
Measles									4	13	10	0	1.3	0.0
Mumps				1					4	7	8	0	1.7	0.0
Pertussis	6	4	2	2		2	1		66	167	253	3	58.7	0.1
Pneumococcal infection	2	2			2			1	15	25	16	3	6.2	0.5
Varicella (chicken pox)	6	11	3	2	2	3	3		87	137	119	8	30.1	0.3
Varicella (shingles)	25	39	28	28	20	27	18	8	475	500	523	73	106.9	0.7
Varicella (unspecified)	35	26	44	30	14	25	19	27	437	421	487	85	107.0	0.8
<b>Vector-borne diseases</b>														
Barmah Forest virus									1	1	3	0	1.1	0.0
Chikungunya	1								2	1	0	0	0.4	0.0
Dengue fever	3	5	4	7	2	2	1	1	50	96	36	6	30.4	0.2
Malaria	1	2	1	1					17	17	14	0	2.9	0.0
Ross River virus	1	5	4	1	1	3	2	4	57	112	195	10	42.8	0.2
Typhus		1	1						9	1	4	0	1.1	0.0
<b>Zoonotic diseases</b>														
Brucellosis					1				1	0	0	1	0.0	0.0
Leptospirosis									0	2	1	0	0.1	0.0
Q Fever			1	1	1				3	0	0	2	0.3	7.5
<b>Other diseases</b>														
COVID-19	3	14	37	134	115	47	19	4	374	0	0	185	0.0	0.0
Legionellosis					3		1		7	9	12	4	2.6	1.5
Meningococcal infection									1	3	4	0	0.6	0.0
Tuberculosis	1	3	6		1	4	1	2	38	28	32	8	8.0	1.0
<b>Grand Total</b>	<b>516</b>	<b>625</b>	<b>562</b>	<b>574</b>	<b>405</b>	<b>356</b>	<b>238</b>	<b>217</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)								2 (1)	0.5
Hepatitis B (unspecified)	1	9 (7)	4.8	3	5 (11)	4.2	1	8 (15)	6.4
Hepatitis C (newly acquired)		(5)	0.1		(3)	0.6		1 (1)	1.2
Hepatitis C (unspecified)	1	5 (11)	4.4	4	16 (23)	11.6	4	12 (16)	8.5
<b>Enteric diseases</b>									
Campylobacteriosis	1	17 (68)	31.4	6	22 (51)	30.5	2	25 (49)	30.2
Cryptosporidiosis	2	21 (6)	24.5		9	11.6	3	9 (3)	12.7
Hepatitis A			0.1		(1)	0.1			0.4
Hepatitis E			0.3						0.1
Listeriosis									
Rotavirus	2	5 (3)	3.8		1 (3)	2.2		4 (6)	2.7
STEC/VTEC infection		2 (5)	2.3		(3)	0.8	1	3 (8)	2.3
Salmonellosis	8	22 (44)	22.8	2	13 (51)	19.4	3	19 (43)	23.3
Shigellosis		2 (3)	2.8		1 (9)	3.3		1 (8)	3.1
Typhoid		1	0.1			0.1			0.1
Vibrio parahaemolyticus					(2)	0.3			
Yersiniosis		(1)	0.3			0.1			0.1
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	30	135 (222)	104.3	34	126 (220)	125.9	27	136 (295)	120.7
Gonorrhoea	10	58 (43)	32.0	7	48 (60)	39.4	11	56 (80)	45.5
Syphilis - Infectious	1	4 (6)	4.1		3 (1)	4.6	6	12 (16)	6.4
Syphilis - Non-Infectious		1 (3)	2.0		(2)	1.8		2 (11)	2.4
<b>Vaccine preventable diseases</b>									
H. influenzae type b									
Influenza		2 (107)	45.9		2 (101)	36.3		8 (118)	37.7
Measles		(1)	0.3		(1)	0.3			
Mumps			0.4		(1)	0.1			
Pertussis		1 (7)	2.9		2 (17)	4.3		(12)	1.4
Pneumococcal infection		1 (1)	0.9		1 (2)	0.8	1	1 (5)	0.3
Varicella (chicken pox)		6 (8)	4.3		1 (8)	4.0		1 (9)	3.1
Varicella (shingles)	4	29 (44)	20.7	2	22 (38)	24.5	2	22 (35)	17.2
Varicella (unspecified)	8	27 (28)	19.2	12	32 (41)	23.4	7	26 (24)	14.9
<b>Vector-borne diseases</b>									
Barmah Forest virus									0.1
Chikungunya					(1)	0.1			0.1
Dengue fever	1	1 (8)	2.0		4 (7)	2.4		1 (2)	2.2
Malaria		(4)	0.4			0.4		(4)	1.4
Ross River virus	1	2 (7)	1.8	2	4 (17)	3.8	1	4 (3)	2.1
Typhus			0.6			0.3			0.3
<b>Zoonotic diseases</b>									
Brucellosis					1	0.1			
Q Fever					1	0.1		1	0.3
<b>Other diseases</b>									
COVID-19	1	62	17.4	1	68	17.8	2	55	13.8
Haemolytic Uraemic Syndrome									
Legionellosis		3 (1)	0.6		1 (1)	0.1			0.1
Melioidosis								(1)	0.1
Meningococcal infection								4 (3)	1.7
Tuberculosis	1	2 (1)	2.0	1	2 (1)	1.3			
<b>Grand Total</b>	<b>72</b>	<b>418 (644)</b>		<b>74</b>	<b>385 (676)</b>		<b>71</b>	<b>413 (768)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	1 (1)	1.0				(1)	5.0	
Hepatitis C (newly acquired)	1	1	0.5			1.6		1.3	
Hepatitis C (unspecified)	2	6 (5)	10.7	1	5 (3)	20.4	1 (2)	12.6	
<b>Enteric diseases</b>									
Campylobacteriosis	1	8 (14)	31.1	1	3 (7)	25.1	1	3 (6)	33.9
Cryptosporidiosis	1	1	8.7	1	2	6.3	1	1	6.3
Hepatitis A					1	1.6			
Hepatitis E									
Listeriosis						1.6			
Rotavirus		(4)	2.6				(1)	2.5	
STEC/VTEC infection			2.6		(1)	1.6		1.3	
Salmonellosis	2	9 (14)	25.0		1 (5)	12.5	1 (7)	21.4	
Shigellosis						3.1		2.5	
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	4	25 (31)	93.4	1	4 (11)	73.7	2	6 (6)	52.8
Gonorrhoea	2	8 (10)	27.6	1	2 (2)	14.1		6.3	
Syphilis - Infectious	1	2	2.6			1.6			
Syphilis - Non-Infectious			1.0				1 (1)	1.3	
<b>Vaccine preventable diseases</b>									
H. influenzae type b									
Influenza		(72)	24.5		(14)	42.3	2 (19)	27.7	
Measles									
Mumps									
Pertussis		(2)	5.6						
Pneumococcal infection			1.0					2.5	
Varicella (chicken pox)		4 (9)	6.6				(1)	5.0	
Varicella (shingles)	1	13 (7)	43.4		7 (5)	48.6	3 (5)	15.1	
Varicella (unspecified)	2	5	4.6		1 (1)	14.1	1 (2)	10.1	
<b>Vector-borne diseases</b>									
Barmah Forest virus			0.5			4.7			
Chikungunya			2.0						
Dengue fever		(1)	1.0				(2)	2.5	
Malaria			0.5						
Ross River virus		1 (3)	4.6		1	6.3	(2)	2.5	
Typhus			0.5					1.3	
<b>Zoonotic diseases</b>									
Brucellosis									
Q Fever									
<b>Other diseases</b>									
COVID-19		3	5.6		5	12.5	6	11.3	
Haemolytic Uraemic Syndrome									
Legionellosis			2.0			1.6	1	1.3	
Melioidosis									
Meningococcal infection									
Tuberculosis									
<b>Grand Total</b>	<b>18</b>	<b>87 (173)</b>		<b>5</b>	<b>32 (49)</b>		<b>4</b>	<b>26 (55)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	2	5.6		(3)	4.9		1 (2)	4.3
Hepatitis C (newly acquired)		(1)	1.4			1.6			
Hepatitis C (unspecified)	2	2 (3)	9.8		1 (3)	19.6		(2)	8.5
<b>Enteric diseases</b>									
Campylobacteriosis	3	8 (3)	30.9	1	2 (1)	22.9		2	17.1
Cryptosporidiosis		2 (1)	4.2				2	4 (1)	27.0
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus			1.4		(1)	3.3			1.4
STEC/VTEC infection			5.6						
Salmonellosis	1	3 (4)	26.7		1 (7)	19.6		3 (3)	29.8
Shigellosis		2	25.3		(3)	4.9	1	2	9.9
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	3	11 (20)	105.3	1	13 (20)	168.4		16 (27)	149.2
Gonorrhoea		4 (8)	33.7		4 (16)	57.2	1	10 (16)	115.1
Syphilis - Infectious		(4)	2.8		3 (2)	14.7		6 (15)	38.4
Syphilis - Non-Infectious					(4)	4.9			
<b>Vaccine preventable diseases</b>									
H. influenzae type b									
Influenza		2 (9)	57.6		5 (15)	29.4		8 (8)	31.3
Measles									
Mumps					(1)	1.6		1	1.4
Pertussis			2.8		(1)	1.6		1	1.4
Pneumococcal infection		1 (1)	8.4		(1)	3.3		(1)	1.4
Varicella (chicken pox)			2.8			13.1		1	9.9
Varicella (shingles)		1 (6)	7.0		2 (5)	9.8		1 (2)	14.2
Varicella (unspecified)		1	16.8		1	1.6	2	2	2.8
<b>Vector-borne diseases</b>									
Barmah Forest virus									1.4
Chikungunya									
Dengue fever			2.8		1	6.5		(1)	1.4
Malaria						1.6			
Ross River virus		1	2.8		1 (1)	4.9		4	15.6
Typhus								1	2.8
<b>Zoonotic diseases</b>									
Brucellosis									
Q Fever					1	1.6			
<b>Other diseases</b>									
COVID-19		1	4.2		6	13.1		3	4.3
Haemolytic Uraemic Syndrome									
Legionellosis			1.4		1	1.6			
Melioidosis									
Meningococcal infection						1.6			
Tuberculosis								(1)	1.4
<b>Grand Total</b>	<b>10</b>	<b>41 (60)</b>		<b>2</b>	<b>42 (84)</b>		<b>6</b>	<b>66 (79)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	2 (3)	0.1
Hepatitis B (unspecified)			9.8	7	27 (40)	4.7
Hepatitis C (newly acquired)				1	2 (11)	0.7
Hepatitis C (unspecified)		(7)	4.9	14	48 (75)	8.9
<b>Enteric diseases</b>						
Campylobacteriosis		1 (1)	27.1	16	91 (201)	30.4
Cryptosporidiosis		1 (14)	2.5	11	51 (26)	14.9
Hepatitis A				0	1 (1)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	0 (0)	0.0
Rotavirus				2	10 (18)	2.8
STEC/VTEC infection				1	5 (18)	1.8
Salmonellosis	1	3 (6)	61.5	17	76 (187)	23.2
Shigellosis		1 (2)	46.8	1	9 (26)	4.2
Typhoid				0	1 (0)	0.1
Vibrio parahaemolyticus				0	0 (2)	0.1
Yersiniosis				0	0 (1)	0.1
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	5	26 (42)	413.6	109	502 (901)	120.2
Gonorrhoea	3	22 (23)	344.6	35	213 (259)	44.0
Syphilis - Infectious	2	5 (6)	81.2	11	37 (50)	7.1
Syphilis - Non-Infectious		(1)	2.5	0	4 (27)	1.9
<b>Vaccine preventable diseases</b>						
H. influenzae type b			2.5	0	0 (0)	0.0
Influenza		2 (12)	19.7	0	31 (490)	39.4
Measles				0	0 (5)	0.1
Mumps				0	1 (3)	0.2
Pertussis		(6)	7.4	0	4 (46)	2.9
Pneumococcal infection		(2)	9.8	1	4 (13)	1.2
Varicella (chicken pox)		(3)	7.4	0	14 (39)	4.5
Varicella (shingles)		4 (2)	39.4	9	105 (152)	22.5
Varicella (unspecified)				31	98 (99)	16.8
<b>Vector-borne diseases</b>						
Barmah Forest virus		1	7.4	0	1 (1)	0.3
Chikungunya				0	0 (1)	0.2
Dengue fever			2.5	1	7 (22)	2.3
Malaria				0	0 (8)	0.8
Ross River virus		6	49.2	4	24 (33)	3.8
Typhus			2.5	0	1 (0)	0.5
<b>Zoonotic diseases</b>						
Brucellosis				0	1 (0)	0.0
Q Fever				0	3 (1)	0.1
<b>Other diseases</b>						
COVID-19		8	34.5	7	311 (0)	18.9
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.0
Legionellosis				0	6 (2)	0.5
Melioidosis			7.4	0	0 (1)	0.1
Meningococcal infection				0	0 (1)	0.1
Tuberculosis			2.5	2	8 (8)	0.9
<b>Grand Total</b>	<b>11</b>	<b>80 (127)</b>		<b>280</b>	<b>1698 (2778)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 16	
	03/03	10/03	17/03	24/03	31/03	07/04	14/04	21/04	2020	2019
	<b>Salmonella Total</b>	<b>36</b>	<b>52</b>	<b>49</b>	<b>29</b>	<b>23</b>	<b>22</b>	<b>14</b>	<b>17</b>	<b>666</b>
<b>Serotype/Phage</b>										
Salmonella Adelaide		1							2	1
Salmonella Agona			2						3	3
Salmonella Anatum			1	1					5	10
Salmonella Anatum var 15+							1		3	1
Salmonella Bareilly						1			3	2
Salmonella Birkenhead	1								1	0
Salmonella Bleadon subsp II			1						1	0
Salmonella Bovismorbificans				1	1				5	7
Salmonella Bredeney									1	0
Salmonella Cerro									1	0
Salmonella Chailey					1				2	1
Salmonella Chester		1	2	1		1			14	7
Salmonella Choleraesuis bv Australia			1			1			6	8
Salmonella Choleraesuis bv Decatur	1	1	1						8	2
Salmonella Corvallis									3	2
Salmonella Derby									1	0
Salmonella Eastbourne									1	1
Salmonella Enteritidis	4	2	1		1			1	44	67
Salmonella Fremantle subsp II									2	3
Salmonella Hadar									1	0
Salmonella Haifa									1	0
Salmonella Hessarek									1	0
Salmonella Hvittingfoss									1	3
Salmonella Ibadan					1				2	0
Salmonella Infantis	1	1	1	2		2			12	6
Salmonella Jangwani						1			1	0
Salmonella Javiana									2	3
Salmonella Johannesburg			1						1	0
Salmonella Kentucky									3	9
Salmonella Kottbus					1				1	1
Salmonella Litchfield									2	3
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	1
Salmonella Mississippi			1						1	1
Salmonella Montevideo									1	0
Salmonella Muenchen	1	2			2	2			18	6
Salmonella Newport	1								6	11
Salmonella Oranienburg		1	1						2	3
Salmonella Orientalis									1	1
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	1
Salmonella Paratyphi B bv Java			2	2					21	31
Salmonella Pomona									0	0
Salmonella Poona									1	2
Salmonella Potsdam		1	1		2	1			6	1
Salmonella Reading									2	4
Salmonella Richmond									0	0
Salmonella Rissen									2	2
Salmonella Rubislaw					1				1	0



# Weekly Report for period 26-FEB-20 to 21-APR-20

	03/03	10/03	17/03	24/03	31/03	07/04	14/04	21/04	Cumulative Total to end of Week 16	
									2020	2019
<b>Salmonella Total</b>	<b>36</b>	<b>52</b>	<b>49</b>	<b>29</b>	<b>23</b>	<b>22</b>	<b>14</b>	<b>17</b>	<b>666</b>	<b>718</b>
<b>Serotype/Phage</b>										
Salmonella Saintpaul	1	4		1					19	17
Salmonella Schwarzengrund		1							1	2
Salmonella Singapore				1					2	1
Salmonella Stanley		1	1	1					6	7
Salmonella Thompson	1								3	1
Salmonella Typhimurium	21	30	23	16	10	9	11	3	341	424
Salmonella Virchow	2		2	1	1	1		1	13	10
Salmonella Wandsbek subsp II		1							2	2
Salmonella Waycross									1	0
Salmonella Welikade		1	1						3	2
Salmonella Weltevreden									5	2
Salmonella Weltevreden var 15+		1							1	1
Salmonella Zanzibar	1								1	0
Salmonella species	1	3	6	2	2	3	2	12	67	43
Salmonella subsp 1 ser 4,5:d:-									0	1
Salmonella subsp I ser 4,5:-:- non-motile									0	1