



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 18-MAR-20 to 12-MAY-20

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

**[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)**

Weekly Report for period 18-MAR-20 to 12-MAY-20

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 19			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	24/03	31/03	07/04	14/04	21/04	28/04	05/05	12/05	2020	2019	2018			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1			2	1				4	12	7	1	1.8	0.6
Hepatitis B (unspecified)	14	8	6	6	5	11	7	7	163	166	180	30	40.2	0.7
Hepatitis C (newly acquired)	3	1	1	1	1	1	1	3	26	37	45	5	9.6	0.5
Hepatitis C (unspecified)	18	20	5	6	14	9	10	18	291	328	351	51	76.3	0.7
<b>Enteric diseases</b>														
Campylobacteriosis	39	30	23	26	27	28	36	19	974	1122	1144	110	212.5	0.5
Cryptosporidiosis	24	23	15	9	11	3	3	3	445	95	58	20	23.9	0.8
Hepatitis A	1	1							6	15	4	0	0.8	0.0
Hepatitis E									3	2	0	0	0.3	0.0
Listeriosis									1	5	4	0	0.1	0.0
Paratyphoid fever									0	5	3	0	0.4	0.0
Rotavirus	4	2	2	5	1		3	1	84	108	97	5	37.1	0.1
STEC/VTEC infection	6		2	4	1				55	64	33	1	4.8	0.2
Salmonellosis	30	23	22	18	86	30	27	23	820	878	941	166	177.3	0.9
Shigellosis	5	4	3	1	1	2	4		127	171	106	7	13.2	0.5
Typhoid			1						3	11	8	0	0.7	0.0
Vibrio parahaemolyticus									2	10	7	0	1.4	0.0
Yersiniosis					1				5	1	4	1	1.2	0.8
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	230	143	153	106	177	173	187	99	3999	4538	4423	636	893.3	0.7
Gonorrhoea	71	53	74	57	84	57	63	26	1469	1548	1274	230	246.6	0.9
Syphilis - Infectious	17	12	10	9	11	8	6	11	234	209	129	36	24.8	1.5
Syphilis - Non-Infectious	3	2	3		3	5	2	6	75	84	90	16	10.8	1.5
<b>Vaccine preventable diseases</b>														
H. influenzae type b									1	1	1	0	0.1	0.0
Influenza	20	15	10	8	1	5	3	1	1146	2809	1113	10	664.2	0.0
Measles									4	20	11	0	0.9	0.0
Mumps	1		1	1					7	12	10	0	14.0	0.0
Pertussis	2		3	5	1	1			91	264	464	2	82.5	0.0
Pneumococcal infection	3	1	1	1			2		36	51	47	2	14.2	0.1
Varicella (chicken pox)	3	6	4	4	1	4	4	1	138	224	204	10	40.9	0.2
Varicella (shingles)	43	30	45	39	32	35	32	8	771	800	873	107	145.1	0.7
Varicella (unspecified)	27	15	26	18	33	29	26	44	569	529	606	132	111.9	1.2
<b>Vector-borne diseases</b>														
Barmah Forest virus	1	1							9	5	21	0	3.5	0.0
Chikungunya									6	1	0	0	0.5	0.0
Dengue fever	8	2	2		1				62	145	49	1	33.7	0.0
Malaria	1			1					24	20	18	0	4.1	0.0
Ross River virus	9	6	12	2	4	6	5	3	125	184	286	18	67.0	0.3
Typhus			1			1			12	5	9	1	1.8	0.6
<b>Zoonotic diseases</b>														
Leptospirosis									0	3	1	0	0.3	0.0
Q Fever	1	1		1					3	3	4	0	0.9	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis									1	4	13	0	0.3	0.0
COVID-19	170	183	86	36	10	2		2	553	0	0	14	0.0	0.0
Creutzfeldt-Jakob disease									0	3	4	0	0.5	0.0
Haemolytic Uraemic Syndrome									1	1	0	0	0.2	0.0
Legionellosis	2	3	2	1		1	1	1	19	12	17	3	3.6	0.8
Melioidosis	1					1			4	4	1	1	0.4	2.5
Meningococcal infection									4	9	8	1	0.9	1.2
Tuberculosis			1	4	1	2	1	1	47	37	47	7	9.6	0.7
<b>Grand Total</b>	<b>758</b>	<b>586</b>	<b>517</b>	<b>368</b>	<b>508</b>	<b>413</b>	<b>424</b>	<b>279</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 19			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	24/03	31/03	07/04	14/04	21/04	28/04	05/05	12/05	2020	2019	2018			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1			1					2	8	6	0	1.4	0.0
Hepatitis B (unspecified)	10	5	6	6	5	9	6	7	141	144	146	27	33.5	0.8
Hepatitis C (newly acquired)	3	1	1	1	1	1	1	1	20	27	34	3	7.3	0.4
Hepatitis C (unspecified)	15	12	4	5	8	6	8	11	206	217	264	33	52.3	0.6
<b>Enteric diseases</b>														
Campylobacteriosis	28	25	15	18	20	20	29	15	782	922	907	84	170.8	0.5
Cryptosporidiosis	20	19	12	6	9	3	2	2	392	45	29	16	12.1	1.3
Hepatitis A	1								5	14	4	0	0.7	0.0
Hepatitis E									3	2	0	0	0.2	0.0
Paratyphoid fever									0	5	3	0	0.3	0.0
Rotavirus	4	2	2	5	1		2	1	70	91	83	4	23.4	0.2
STEC/VTEC infection	5		2	4	1				44	47	27	1	3.7	0.3
Salmonellosis	20	14	18	12	76	20	20	15	624	693	726	131	131.9	1.0
Shigellosis	1	2	1	1				1	70	115	37	1	5.9	0.2
Typhoid			1						3	10	8	0	0.5	0.0
Vibrio parahaemolyticus									2	9	6	0	1.0	0.0
Yersiniosis					1				5	1	3	1	0.8	1.3
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	181	113	122	80	142	132	148	74	3107	3528	3469	496	697.2	0.7
Gonorrhoea	56	41	56	42	60	33	43	22	1040	1130	825	158	162.3	1.0
Syphilis - Infectious	11	7	7	4	6	6	5	8	141	116	105	25	15.9	1.6
Syphilis - Non-Infectious	2	1	2		1	5	2	6	63	59	74	14	8.1	1.7
<b>Vaccine preventable diseases</b>														
Influenza	12	3	5	4		3	1	1	925	1987	921	5	506.4	0.0
Measles									4	13	11	0	0.8	0.0
Mumps	1			1					5	8	9	0	2.2	0.0
Pertussis	2		2	5		1			71	203	298	1	59.7	0.0
Pneumococcal infection		1		1					15	34	22	0	8.6	0.0
Varicella (chicken pox)	2	2	3	3	1	3	3	1	95	159	150	8	30.4	0.3
Varicella (shingles)	31	20	33	24	22	25	22	4	558	579	618	73	103.9	0.7
Varicella (unspecified)	27	14	24	16	32	26	25	39	523	508	587	122	104.6	1.2
<b>Vector-borne diseases</b>														
Barmah Forest virus									1	1	5	0	1.1	0.0
Chikungunya									2	1	0	0	0.4	0.0
Dengue fever	6	1	2		1				48	120	41	1	26.3	0.0
Malaria	1			1					18	19	17	0	3.4	0.0
Ross River virus	2	1	3	2	4	2	1	2	63	133	208	9	34.1	0.3
Typhus						1			7	4	5	1	1.1	0.9
<b>Zoonotic diseases</b>														
Leptospirosis									0	2	1	0	0.1	0.0
Q Fever	1	1							2	0	0	0	0.3	0.0
<b>Other diseases</b>														
COVID-19	134	117	37	14	5	2		2	366	0	0	9	0.0	0.0
Legionellosis		3		1				1	8	11	14	1	2.7	0.4
Meningococcal infection							1		2	3	4	1	0.4	2.5
Tuberculosis		1	4	1	2	1	1	3	43	32	36	7	8.1	0.9
<b>Grand Total</b>	<b>577</b>	<b>406</b>	<b>362</b>	<b>258</b>	<b>397</b>	<b>299</b>	<b>321</b>	<b>215</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									0.3
Hepatitis B (unspecified)	3	9 (6)	5.8	3	11 (5)	5.3	1	7 (17)	7.3
Hepatitis C (newly acquired)		(3)	0.3		(4)	0.6	1	3 (3)	1.7
Hepatitis C (unspecified)	3	5 (13)	4.8	2	11 (13)	12.4	6	17 (11)	10.0
<b>Enteric diseases</b>									
Campylobacteriosis	3	25 (67)	34.5	6	34 (53)	34.5	6	25 (56)	33.3
Cryptosporidiosis	1	7 (4)	25.5		4 (4)	12.1	1	5	13.1
Hepatitis A			0.1			0.1			0.4
Hepatitis E			0.3						0.1
Listeriosis									
Rotavirus		2 (10)	3.9		1 (2)	2.4	1	1 (11)	2.8
STEC/VTEC infection		(2)	2.4		(3)	0.8		1 (3)	2.4
Salmonellosis	2	62 (35)	29.7	6	28 (53)	23.4	7	41 (40)	28.2
Shigellosis		1 (4)	2.8		(8)	3.3		(8)	3.1
Typhoid			0.1			0.1			0.1
Vibrio parahaemolyticus					(2)	0.3			
Yersiniosis		(1)	0.3		1	0.3			0.1
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	17	133 (210)	117.8	26	165 (217)	145.0	31	198 (218)	143.0
Gonorrhoea	9	42 (43)	36.8	6	52 (63)	46.0	7	64 (94)	52.7
Syphilis - Infectious	4	8 (8)	5.3	3	6 (2)	5.4	1	11 (7)	7.6
Syphilis - Non-Infectious	2	3 (2)	2.4		1 (2)	1.9	4	10 (6)	3.7
<b>Vaccine preventable diseases</b>									
H. influenzae type b									
Influenza	1	2 (240)	46.2		1 (180)	36.5		2 (270)	37.9
Measles			0.3			0.3			
Mumps			0.4		(1)	0.1			0.1
Pertussis		(14)	3.4		1 (20)	4.3		(10)	1.5
Pneumococcal infection		(2)	0.9		(7)	0.8		(2)	0.3
Varicella (chicken pox)	1	1 (10)	4.4		3 (10)	4.5		4 (6)	3.6
Varicella (shingles)	3	30 (37)	25.0		18 (28)	27.6	1	25 (36)	20.7
Varicella (unspecified)	16	45 (41)	23.3	10	39 (34)	26.7	13	38 (29)	18.6
<b>Vector-borne diseases</b>									
Barmah Forest virus									0.1
Chikungunya						0.1			0.1
Dengue fever		1 (12)	1.9		(10)	2.2		(6)	2.2
Malaria		(2)	0.5			0.4		(1)	1.4
Ross River virus		1 (8)	1.8	2	7 (10)	4.5		1 (6)	2.2
Typhus		(1)	0.3		(2)	0.3		1	0.4
<b>Zoonotic diseases</b>									
Q Fever						0.1			0.1
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	1	3	17.7		2	18.2	1	4	12.1
Haemolytic Uraemic Syndrome									
Legionellosis		(1)	0.6	1	1	0.3		(1)	0.1
Melioidosis									
Meningococcal infection								1	0.3
Tuberculosis		1 (2)	2.0	2	3	1.5	1	3 (2)	2.1
<b>Grand Total</b>	<b>66</b>	<b>381 (778)</b>		<b>67</b>	<b>389 (733)</b>		<b>82</b>	<b>462 (843)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)		1	0.5						
Hepatitis B (unspecified)		1	1.0				1		6.3
Hepatitis C (newly acquired)	1	1	0.5			1.6			1.3
Hepatitis C (unspecified)	2	8 (5)	13.8		1 (3)	20.4	4	4 (2)	17.6
<b>Enteric diseases</b>									
Campylobacteriosis	2	10 (9)	35.7		2 (10)	28.2	1	4 (3)	37.7
Cryptosporidiosis		2 (2)	9.7			6.3	1		6.3
Hepatitis A						1.6			
Hepatitis E						1.6			
Listeriosis						1.6			
Rotavirus		(3)	2.6						2.5
STEC/VTEC infection		(1)	2.6			1.6			1.3
Salmonellosis		11 (14)	29.6	1	2 (1)	15.7	1	3 (2)	25.1
Shigellosis						3.1			2.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	7	34 (31)	108.7	4	16 (11)	97.2	2	9 (13)	61.6
Gonorrhoea	1	13 (13)	33.7		1 (3)	14.1	1	3 (6)	10.1
Syphilis - Infectious	2	2	4.1			1.6		1	1.3
Syphilis - Non-Infectious		(1)	1.0					(1)	1.3
<b>Vaccine preventable diseases</b>									
H. influenzae type b									
Influenza		2 (78)	26.0		(45)	42.3		(41)	28.9
Measles									
Mumps									
Pertussis		(1)	6.1		1	1.6			
Pneumococcal infection			1.0						2.5
Varicella (chicken pox)		1 (5)	7.1						5.0
Varicella (shingles)	3	17 (15)	53.6	1	2 (4)	51.8		2 (3)	17.6
Varicella (unspecified)	2	3	3.6		1 (2)	15.7	1	2 (1)	12.6
<b>Vector-borne diseases</b>									
Barmah Forest virus			0.5			4.7			
Chikungunya			2.0						
Dengue fever		(2)	1.0						2.5
Malaria			0.5						
Ross River virus		1 (2)	5.1		1 (2)	7.8		(1)	2.5
Typhus			0.5						1.3
<b>Zoonotic diseases</b>									
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		1	6.6			11.0			11.3
Haemolytic Uraemic Syndrome									
Legionellosis			2.6			1.6		1	2.5
Melioidosis									
Meningococcal infection									
Tuberculosis									
<b>Grand Total</b>	<b>20</b>	<b>108 (182)</b>		<b>6</b>	<b>27 (81)</b>		<b>10</b>	<b>31 (73)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			4.2			4.9			5.7
Hepatitis B (unspecified)			1.4			1.6	1	1 (2)	1.4
Hepatitis C (newly acquired)	1	3 (2)	11.2		(2)	19.6		1 (3)	9.9
Hepatitis C (unspecified)									
<b>Enteric diseases</b>									
Campylobacteriosis		4 (5)	32.3		(7)	22.9	1	3 (3)	21.3
Cryptosporidiosis	1	1	5.6					(1)	27.0
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus		(1)	1.4		(1)	3.3		(1)	1.4
STEC/VTEC infection			5.6						
Salmonellosis	1	2 (2)	28.1	2	3 (5)	26.2	1	7 (7)	41.2
Shigellosis		2	28.1		(4)	4.9		1	9.9
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	3	20 (16)	126.3	2	16 (22)	202.8	2	15 (24)	172.0
Gonorrhoea		2 (6)	36.5	1	5 (7)	67.0	1	14 (6)	133.6
Syphilis - Infectious	1	3 (2)	5.6		(2)	13.1		1 (4)	38.4
Syphilis - Non-Infectious			1.4		(1)	4.9		1 (1)	1.4
<b>Vaccine preventable diseases</b>									
H. influenzae type b									
Influenza		1 (32)	59.0		(47)	29.4		1 (10)	34.1
Measles									
Mumps					(2)	1.6			1.4
Pertussis			2.8			1.6		(1)	1.4
Pneumococcal infection		1	9.8		1 (1)	4.9		(2)	1.4
Varicella (chicken pox)		(1)	2.8		(2)	13.1		1 (1)	11.4
Varicella (shingles)		(8)	8.4		6 (2)	21.3		3 (4)	19.9
Varicella (unspecified)	1	2	18.2				1	1	1.4
<b>Vector-borne diseases</b>									
Barmah Forest virus								(1)	1.4
Chikungunya									
Dengue fever		(2)	1.4			6.5		(3)	1.4
Malaria						1.6			
Ross River virus		2 (1)	5.6			4.9		1 (6)	17.1
Typhus									2.8
<b>Zoonotic diseases</b>									
Q Fever						1.6			
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)						1.6			
COVID-19			4.2			13.1			5.7
Haemolytic Uraemic Syndrome									
Legionellosis			1.4		1	3.3			
Melioidosis									
Meningococcal infection						1.6			
Tuberculosis								(1)	1.4
<b>Grand Total</b>	<b>8</b>	<b>43 (78)</b>		<b>5</b>	<b>32 (105)</b>		<b>7</b>	<b>51 (81)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	1 (2)	0.1
Hepatitis B (unspecified)			9.8	7	30 (29)	5.6
Hepatitis C (newly acquired)				3	5 (12)	0.9
Hepatitis C (unspecified)		(3)	4.9	18	51 (58)	10.2
<b>Enteric diseases</b>						
Campylobacteriosis		2 (3)	32.0	19	110 (217)	33.9
Cryptosporidiosis		(9)	2.5	3	20 (20)	15.5
Hepatitis A				0	0 (0)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	0 (0)	0.0
Rotavirus		1	2.5	1	5 (30)	2.9
STEC/VTEC infection				0	1 (10)	1.9
Salmonellosis	2	5 (6)	71.4	23	166 (168)	28.5
Shigellosis		3 (3)	54.2	0	7 (27)	4.4
Typhoid				0	0 (0)	0.1
Vibrio parahaemolyticus				0	0 (2)	0.1
Yersiniosis				0	1 (1)	0.2
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	3	25 (35)	460.3	99	636 (804)	139.1
Gonorrhoea		32 (16)	416.0	26	230 (262)	51.1
Syphilis - Infectious		3 (4)	83.7	11	36 (30)	8.1
Syphilis - Non-Infectious			2.5	6	16 (15)	2.5
<b>Vaccine preventable diseases</b>						
H. influenzae type b			2.5	0	0 (1)	0.0
Influenza		1 (21)	22.2	1	10 (977)	39.9
Measles				0	0 (1)	0.1
Mumps				0	0 (4)	0.2
Pertussis		(5)	7.4	0	2 (51)	3.2
Pneumococcal infection		(1)	9.8	0	2 (15)	1.3
Varicella (chicken pox)		(3)	7.4	1	10 (40)	4.8
Varicella (shingles)		3 (2)	46.8	8	107 (141)	26.8
Varicella (unspecified)				44	132 (107)	19.8
<b>Vector-borne diseases</b>						
Barmah Forest virus			7.4	0	0 (1)	0.3
Chikungunya				0	0 (0)	0.2
Dengue fever		(1)	2.5	0	1 (36)	2.2
Malaria				0	0 (3)	0.8
Ross River virus	1	4	61.5	3	18 (36)	4.3
Typhus			2.5	0	1 (3)	0.4
<b>Zoonotic diseases</b>						
Q Fever				0	0 (1)	0.1
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)				0	0 (0)	0.0
COVID-19			41.8	2	14 (0)	19.2
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.0
Legionellosis				1	3 (2)	0.7
Melioidosis		1 (1)	9.8	0	1 (3)	0.1
Meningococcal infection				0	1 (1)	0.1
Tuberculosis			2.5	3	7 (6)	1.0
<b>Grand Total</b>	<b>6</b>	<b>80 (113)</b>		<b>279</b>	<b>1625 (3119)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 19	
	24/03	31/03	07/04	14/04	21/04	28/04	05/05	12/05	2020	2019
	<b>Salmonella Total</b>	<b>30</b>	<b>23</b>	<b>22</b>	<b>18</b>	<b>86</b>	<b>30</b>	<b>27</b>	<b>23</b>	<b>820</b>
<b>Serotype/Phage</b>										
Salmonella Adelaide									2	1
Salmonella Agona					1				4	4
Salmonella Amsterdam var 15+						1			1	0
Salmonella Anatum	1						1		6	11
Salmonella Anatum var 15+				1					3	2
Salmonella Bareilly			1						3	2
Salmonella Birkenhead									1	0
Salmonella Bleadon subsp II									1	0
Salmonella Bovismorbificans	1	1							5	8
Salmonella Bredeney									1	0
Salmonella Cerro						1			2	0
Salmonella Chailey	1								2	1
Salmonella Chester	1		1					1	15	10
Salmonella Choleraesuis bv Australia			1						7	8
Salmonella Choleraesuis bv Decatur							1		9	3
Salmonella Corvallis									3	3
Salmonella Derby									1	1
Salmonella Dublin									1	0
Salmonella Eastbourne									1	1
Salmonella Enteritidis		1			1				43	74
Salmonella Fremantle subsp II							1		3	3
Salmonella Hadar									1	0
Salmonella Haifa									1	0
Salmonella Hessarek									1	0
Salmonella Hvitvingfoss									1	3
Salmonella Ibadan		1							2	0
Salmonella Infantis	2		2						12	8
Salmonella Jangwani		1							1	0
Salmonella Javiana									2	4
Salmonella Johannesburg									1	0
Salmonella Kentucky									3	9
Salmonella Kiambu							1		1	2
Salmonella Kottbus		1			1				2	1
Salmonella Litchfield							1		3	3
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	1
Salmonella Mississippi									1	1
Salmonella Montevideo									1	1
Salmonella Muenchen		2	2						18	8
Salmonella Newport			1		1				8	13
Salmonella Oranienburg						1			3	4
Salmonella Orientalis									1	1
Salmonella Orion						1			1	0
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	1
Salmonella Paratyphi B bv Java	2								21	40
Salmonella Pomona									0	0
Salmonella Poona									1	3
Salmonella Potsdam		1	1			2			8	2



# Weekly Report for period 18-MAR-20 to 12-MAY-20

	24/03	31/03	07/04	14/04	21/04	28/04	05/05	12/05	Cumulative Total to end of Week 19	
									2020	2019
<b>Salmonella Total</b>	<b>30</b>	<b>23</b>	<b>22</b>	<b>18</b>	<b>86</b>	<b>30</b>	<b>27</b>	<b>23</b>	<b>820</b>	<b>839</b>
<b>Serotype/Phage</b>										
Salmonella Reading									2	6
Salmonella Richmond									0	0
Salmonella Rissen					1				3	2
Salmonella Rubislaw		1							1	0
Salmonella Saintpaul	1					1			20	20
Salmonella Schwarzengrund									1	2
Salmonella Singapore	1								2	1
Salmonella Stanley	1								6	11
Salmonella Thompson									3	1
Salmonella Typhimurium	16	11	10	13	77	22	21	9	471	482
Salmonella Virchow	1	1	2	1	1				15	12
Salmonella Wandsbek subsp II						1			3	3
Salmonella Waycross									1	0
Salmonella Welikade									3	2
Salmonella Weltevreden									5	7
Salmonella Weltevreden var 15+									1	1
Salmonella Zanzibar									1	0
Salmonella species	2	2	1	3	3		1	13	69	50
Salmonella subsp 1 ser 4,5:d:-									0	1
Salmonella subsp I ser 4,5:-:- non-motile									0	1