



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 22-APR-20 to 16-JUN-20

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

## STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 24			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	28/04	05/05	12/05	19/05	26/05	02/06	09/06	16/06	2020	2019	2018			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)				1	1				6	15	9	1	2.2	0.5
Hepatitis B (unspecified)	11	7	7	6	8	13	13	8	211	207	217	42	45.8	0.9
Hepatitis C (newly acquired)	1	1	6	3	7	2	3	5	50	48	55	17	8.9	1.9
Hepatitis C (unspecified)	9	10	14	17	17	13	15	16	364	421	420	61	75.0	0.8
<b>Enteric diseases</b>														
Campylobacteriosis	29	41	32	54	43	36	26	17	1170	1422	1398	122	224.7	0.5
Cryptosporidiosis	3	5	4	2	3		1	2	456	104	66	6	13.9	0.4
Hepatitis A									6	16	4	0	0.8	0.0
Hepatitis E									3	2	0	0	0.1	0.0
Listeriosis									1	5	6	0	0.4	0.0
Paratyphoid fever									0	5	3	0	0.4	0.0
Rotavirus		3	2	7	4	5	3	3	107	169	119	15	48.7	0.3
STEC/VTEC infection				1	3		2	1	62	77	36	6	3.6	1.7
Salmonellosis	31	40	46	30	29	27	36	17	995	1068	1152	109	149.5	0.7
Shigellosis	3	3	2	5	5	3	2	3	146	199	129	13	13.1	1.0
Typhoid									3	12	8	0	0.7	0.0
Vibrio parahaemolyticus									2	13	8	0	1.2	0.0
Yersiniosis			1				1		7	3	6	1	1.6	0.6
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	178	210	210	204	221	172	200	83	5014	5570	5552	676	876.3	0.8
Gonorrhoea	57	72	71	53	79	56	68	10	1791	1919	1593	213	246.1	0.9
Syphilis (congenital)							1		1	1	0	1	0.0	0.0
Syphilis - Infectious	7	7	15	25	17	13	17	7	320	269	175	54	25.1	2.1
Syphilis - Non-Infectious	5	2	6	7	5	5	1	4	98	105	112	15	11.0	1.4
<b>Vaccine preventable diseases</b>														
H. influenzae type b									1	1	1	0	0.1	0.0
Influenza	6	7	4	4	3	1	3		1165	11621	1445	7	1486.7	0.0
Measles									4	20	11	0	0.7	0.0
Mumps	1		1						9	13	15	0	11.5	0.0
Pertussis	1			3	3	3	1		102	316	596	7	88.6	0.1
Pneumococcal infection	1	2		4	2	3	5	5	56	86	71	15	19.9	0.8
Varicella (chicken pox)	5	4	3	8	8	12	8	3	185	282	276	31	44.9	0.7
Varicella (shingles)	42	53	49	38	48	49	33	9	1045	1027	1107	139	141.7	1.0
Varicella (unspecified)	28	16	28	22	31	34	43	31	668	656	767	139	116.5	1.2
<b>Vector-borne diseases</b>														
Barmah Forest virus			1	2		1			13	7	24	1	2.3	0.4
Chikungunya									6	1	0	0	0.2	0.0
Dengue fever									62	178	58	0	27.5	0.0
Malaria							1		25	28	21	1	3.9	0.3
Ross River virus	8	7	7	10	3	3	3	2	163	225	316	11	46.7	0.2
Typhus					1	1	1		14	9	10	3	2.1	1.5
<b>Zoonotic diseases</b>														
Leptospirosis				1					1	3	1	0	0.1	0.0
Q Fever					1			1	4	4	5	2	0.8	2.5
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis									1	4	15	0	0.3	0.0
COVID-19	2		5	9	11	9	6	1	602	0	0	27	0.0	0.0
Creutzfeldt-Jakob disease	1								1	4	5	0	0.5	0.0
Haemolytic Uraemic Syndrome					1				2	1	1	1	0.1	7.5
Legionellosis	3	3	3	3	5	2		1	37	15	20	8	3.7	2.2
Melioidosis									5	4	1	0	0.4	0.0
Meningococcal infection		1				1			5	10	11	1	1.4	0.7
Tuberculosis	1	1	3		5	1	2	2	57	53	58	10	10.6	0.9
<b>Grand Total</b>	<b>433</b>	<b>495</b>	<b>520</b>	<b>519</b>	<b>564</b>	<b>465</b>	<b>495</b>	<b>231</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 24			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	28/04	05/05	12/05	19/05	26/05	02/06	09/06	16/06	2020	2019	2018			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)				1	1				4	10	7	1	1.7	0.6
Hepatitis B (unspecified)	9	6	7	6	7	10	13	6	183	181	178	36	38.8	0.9
Hepatitis C (newly acquired)	1	1	2	2	5	2	2	4	37	37	43	13	6.8	1.9
Hepatitis C (unspecified)	6	8	9	12	14	11	9	10	259	285	313	44	52.3	0.8
<b>Enteric diseases</b>														
Campylobacteriosis	20	33	27	41	35	30	20	14	938	1161	1110	99	178.6	0.6
Cryptosporidiosis	3	3	2	1	2		1	1	398	50	32	4	8.3	0.5
Hepatitis A									5	15	4	0	0.7	0.0
Hepatitis E									3	2	0	0	0.1	0.0
Paratyphoid fever									0	5	3	0	0.3	0.0
Rotavirus		2	2	4	3	4	3	1	86	146	98	11	31.6	0.3
STEC/VTEC infection				1	2		1	1	49	57	28	4	2.7	1.5
Salmonellosis	20	31	33	21	20	18	31	14	756	832	887	83	110.4	0.8
Shigellosis		1		1	2	2	1	2	76	135	43	7	6.8	1.0
Typhoid									3	11	8	0	0.5	0.0
Vibrio parahaemolyticus									2	10	7	0	0.8	0.0
Yersiniosis			1						6	2	5	0	1.3	0.0
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	135	162	158	160	170	133	157	71	3899	4360	4347	531	680.5	0.8
Gonorrhoea	33	49	53	27	58	38	49	10	1260	1411	1032	155	161.6	1.0
Syphilis (congenital)							1		1	0	0	1	0.0	0.0
Syphilis - Infectious	5	6	12	18	14	10	9	7	206	146	133	40	16.3	2.5
Syphilis - Non-Infectious	5	2	6	7	5	5	1	4	86	70	89	15	7.9	1.9
<b>Vaccine preventable diseases</b>														
Influenza	4	2	4	2	2	1	3		937	8891	1211	6	1196.2	0.0
Measles									4	13	11	0	0.7	0.0
Mumps	1								6	9	14	0	2.5	0.0
Pertussis	1			3	3	3	1		82	247	381	7	66.1	0.1
Pneumococcal infection				1		1	2	1	20	57	34	4	12.8	0.3
Varicella (chicken pox)	4	3	3	6	8	9	6	2	131	203	203	25	34.8	0.7
Varicella (shingles)	30	39	39	26	36	44	24	4	770	732	781	108	102.1	1.1
Varicella (unspecified)	25	15	26	18	31	29	35	26	613	630	744	121	108.7	1.1
<b>Vector-borne diseases</b>														
Barmah Forest virus			1	1					3	2	5	0	0.7	0.0
Chikungunya									2	1	0	0	0.1	0.0
Dengue fever									48	145	48	0	21.8	0.0
Malaria							1		19	26	19	1	3.1	0.3
Ross River virus	4	3	5	9	3	2	3	2	92	160	230	10	24.2	0.4
Typhus					1	1			8	7	5	2	1.3	1.5
<b>Zoonotic diseases</b>														
Leptospirosis									0	2	1	0	0.0	0.0
Q Fever									2	1	0	0	0.3	0.0
<b>Other diseases</b>														
COVID-19	2		3		2	3	6	1	386	0	0	12	0.0	0.0
Creutzfeldt-Jakob disease	1								1	3	3	0	0.2	0.0
Legionellosis	2	1	3	2	3	2		1	21	13	16	6	2.6	2.3
Meningococcal infection		1							2	3	6	0	1.1	0.0
Tuberculosis	1	1	3		5	1	1	1	50	46	47	8	9.1	0.9
<b>Grand Total</b>	<b>312</b>	<b>369</b>	<b>399</b>	<b>370</b>	<b>432</b>	<b>359</b>	<b>380</b>	<b>183</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)		1	0.1		(2)	0.1			0.3
Hepatitis B (unspecified)	1	11 (13)	7.4	1	8 (6)	6.7	4	17 (13)	9.8
Hepatitis C (newly acquired)		1	0.4		7 (3)	1.8	4	5 (4)	2.6
Hepatitis C (unspecified)		10 (13)	6.4	2	13 (18)	14.3	8	21 (26)	13.4
<b>Enteric diseases</b>									
Campylobacteriosis	5	33 (64)	40.5	5	36 (64)	42.6	4	30 (61)	39.7
Cryptosporidiosis		(2)	25.6		3	12.7	1	1 (3)	13.2
Hepatitis A			0.1			0.1		(1)	0.4
Hepatitis E			0.3						0.1
Listeriosis									
Rotavirus	1	3 (19)	4.4		1 (10)	2.6		7 (18)	4.1
STEC/VTEC infection		(1)	2.5		1 (3)	1.0	1	3 (2)	2.8
Salmonellosis	2	27 (43)	35.4	5	30 (24)	29.2	7	26 (38)	33.9
Shigellosis	1	3 (7)	3.1	1	1 (7)	3.3		3 (3)	3.5
Typhoid			0.1			0.1			0.1
Vibrio parahaemolyticus						0.3			
Yersiniosis			0.3		(1)	0.4			0.1
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	15	141 (221)	144.2	23	170 (192)	181.6	33	220 (249)	184.0
Gonorrhoea	4	40 (69)	44.2		41 (76)	54.2	6	74 (93)	65.8
Syphilis (congenital)								1	0.1
Syphilis - Infectious	2	10 (7)	7.4	2	11 (8)	7.5	3	19 (10)	11.7
Syphilis - Non-Infectious	3	5 (1)	3.4		2 (3)	2.6	1	8 (3)	5.0
<b>Vaccine preventable diseases</b>									
H. influenzae type b									
Influenza		1*****	46.4		3*****	37.5		2*****	38.3
Measles			0.3			0.3			
Mumps			0.5		(1)	0.1			0.1
Pertussis		3 (12)	3.8		2 (18)	4.7		2 (7)	2.2
Pneumococcal infection		2 (9)	1.3		1 (5)	1.0	1	1 (7)	0.4
Varicella (chicken pox)	1	10 (14)	5.6		7 (16)	6.3	1	8 (8)	5.3
Varicella (shingles)	2	44 (44)	35.4	1	35 (49)	36.8	1	29 (28)	28.8
Varicella (unspecified)	7	33 (33)	26.2	10	49 (29)	32.0	9	39 (32)	22.4
<b>Vector-borne diseases</b>									
Barmah Forest virus						0.3		(1)	0.1
Chikungunya						0.1			0.1
Dengue fever		(3)	1.9		(8)	2.2		(3)	2.2
Malaria		(1)	0.5		1 (1)	0.6		(5)	1.4
Ross River virus		(1)	2.0	2	8 (7)	7.9		2 (12)	2.4
Typhus		1 (2)	0.4		(1)	0.3		1	0.4
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever									0.3
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19			18.1			18.8	1	12	13.8
Creutzfeldt-Jakob disease									0.1
Haemolytic Uraemic Syndrome									
Legionellosis	1	3 (1)	1.3		2	1.0		1 (1)	0.5
Melioidosis									
Meningococcal infection									0.3
Tuberculosis		2 (5)	2.3		4 (2)	1.9	1	2 (5)	2.3
<b>Grand Total</b>	<b>45</b>	<b>384 *****</b>		<b>52</b>	<b>436 *****</b>		<b>86</b>	<b>534 *****</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)		1 (1)	1.5				1 (1)		7.5
Hepatitis C (newly acquired)	1	2	2.0		(1)	1.6			2.5
Hepatitis C (unspecified)	3	3 (5)	16.8	1	4	26.7	2	2 (3)	18.9
<b>Enteric diseases</b>									
Campylobacteriosis	1	10 (20)	43.4		2 (5)	32.9		2 (4)	42.7
Cryptosporidiosis		1	11.7			6.3			6.3
Hepatitis A						1.6			
Hepatitis E						1.6			
Listeriosis						1.6			
Rotavirus	1	3 (2)	4.1				(2)		5.0
STEC/VTEC infection		(1)	2.6		1	3.1		(1)	1.3
Salmonellosis	1	4 (7)	35.7		2	20.4	1	5 (8)	36.5
Shigellosis						3.1			2.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis					1	1.6			
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	4	45 (37)	139.9	1	11 (13)	120.8		7 (9)	74.2
Gonorrhoea		7 (13)	41.3		(1)	14.1		3 (4)	16.3
Syphilis (congenital)									
Syphilis - Infectious		1	5.1		(2)	1.6			1.3
Syphilis - Non-Infectious			1.0						1.3
<b>Vaccine preventable diseases</b>									
H. influenzae type b									
Influenza		(425)	27.1		(208)	42.3		(192)	28.9
Measles									
Mumps									
Pertussis		(1)	6.1		(1)	1.6			
Pneumococcal infection		(3)	1.0		1	1.6	1	1	3.8
Varicella (chicken pox)		4 (2)	9.7		(3)	1.6			5.0
Varicella (shingles)	4	20 (21)	69.9	1	2 (3)	59.6		1 (9)	26.4
Varicella (unspecified)	3	4	4.6		7 (3)	25.1		(3)	10.1
<b>Vector-borne diseases</b>									
Barmah Forest virus			0.5			4.7			
Chikungunya			2.0						
Dengue fever		(2)	1.0						2.5
Malaria			0.5						
Ross River virus		1 (2)	8.2		(1)	7.8		(3)	3.8
Typhus			0.5		1 (1)	1.6			1.3
<b>Zoonotic diseases</b>									
Leptospirosis			0.5						
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19			6.6			11.0			13.8
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome					1	1.6			
Legionellosis			3.1			1.6		1 (1)	3.8
Melioidosis									
Meningococcal infection									
Tuberculosis									
<b>Grand Total</b>	<b>20</b>	<b>106 (542)</b>		<b>3</b>	<b>33 (242)</b>		<b>4</b>	<b>23 (240)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			4.2		2	8.2		1	7.1
Hepatitis B (unspecified)			2.8		1	3.3			2.8
Hepatitis C (newly acquired)		1							
Hepatitis C (unspecified)		3 (2)	15.4		2 (4)	22.9		1 (1)	12.8
<b>Enteric diseases</b>									
Campylobacteriosis	1	2 (2)	36.5		2 (4)	34.3	1	3 (4)	25.6
Cryptosporidiosis	1	1	7.0						27.0
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus			1.4			3.3	1	1	4.3
STEC/VTEC infection		1 (1)	7.0						
Salmonellosis		4 (5)	33.7		(6)	26.2		3 (4)	48.3
Shigellosis		(1)	30.9		2 (1)	9.8	1	2 (1)	14.2
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	1	18 (16)	168.4	3	13 (24)	233.8		12 (27)	203.2
Gonorrhoea		16 (10)	63.2		2 (18)	81.8		6 (8)	154.9
Syphilis (congenital)									
Syphilis - Infectious		1	7.0		(4)	13.1		3 (7)	45.5
Syphilis - Non-Infectious		(1)	1.4		(4)	4.9		(2)	1.4
<b>Vaccine preventable diseases</b>									
H. influenzae type b									
Influenza		1 (343)	60.4		(232)	32.7		(119)	35.5
Measles									
Mumps						1.6			2.8
Pertussis			2.8			1.6			1.4
Pneumococcal infection		2 (1)	12.6	3	4 (2)	14.7		1 (1)	2.8
Varicella (chicken pox)		(1)	5.6		2 (2)	18.0			11.4
Varicella (shingles)		(3)	16.8		4 (4)	31.1		1 (9)	24.2
Varicella (unspecified)		5	18.2	1	1	1.6			2.8
<b>Vector-borne diseases</b>									
Barmah Forest virus						1.6			1.4
Chikungunya									
Dengue fever		(1)	1.4		(1)	6.5		(1)	1.4
Malaria						1.6			
Ross River virus			5.6			4.9		(3)	18.5
Typhus									2.8
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever	1	2	2.8						
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)						1.6			
COVID-19			4.2			13.1			5.7
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis		1	2.8			4.9			1.4
Melioidosis						1.6			
Meningococcal infection						1.6		1	1.4
Tuberculosis								(1)	1.4
<b>Grand Total</b>	<b>4</b>	<b>58 (387)</b>		<b>7</b>	<b>35 (306)</b>		<b>3</b>	<b>35 (188)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	1 (2)	0.2
Hepatitis B (unspecified)	1	1	12.3	8	42 (35)	7.3
Hepatitis C (newly acquired)				5	17 (8)	1.7
Hepatitis C (unspecified)		2	9.8	16	61 (74)	12.7
<b>Enteric diseases</b>						
Campylobacteriosis		2 (5)	44.3	17	122 (236)	40.7
Cryptosporidiosis		(2)	2.5	2	6 (9)	15.9
Hepatitis A				0	0 (1)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	0 (0)	0.0
Rotavirus			2.5	3	15 (52)	3.7
STEC/VTEC infection				1	6 (9)	2.2
Salmonellosis	1	8 (9)	96.0	17	109 (148)	34.6
Shigellosis		2 (2)	66.5	3	13 (22)	5.1
Typhoid				0	0 (0)	0.1
Vibrio parahaemolyticus				0	0 (3)	0.1
Yersiniosis				0	1 (2)	0.2
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	1	31 (29)	600.6	83	676 (824)	174.4
Gonorrhoea		20 (17)	499.7	10	213 (309)	62.3
Syphilis (congenital)				0	1 (0)	0.0
Syphilis - Infectious		7 (12)	110.8	7	54 (50)	11.1
Syphilis - Non-Infectious			2.5	4	15 (15)	3.3
<b>Vaccine preventable diseases</b>						
H. influenzae type b			2.5	0	0 (0)	0.0
Influenza		(124)	24.6	0	7*****	40.5
Measles				0	0 (0)	0.1
Mumps				0	0 (1)	0.3
Pertussis		(3)	7.4	0	7 (44)	3.5
Pneumococcal infection		2 (3)	19.7	5	15 (32)	1.9
Varicella (chicken pox)		(1)	7.4	3	31 (47)	6.4
Varicella (shingles)		1 (3)	49.2	9	139 (176)	36.3
Varicella (unspecified)	1	1	2.5	31	139 (101)	23.2
<b>Vector-borne diseases</b>						
Barmah Forest virus		1	9.8	0	1 (1)	0.5
Chikungunya				0	0 (0)	0.2
Dengue fever			2.5	0	0 (21)	2.2
Malaria				0	1 (8)	0.9
Ross River virus		(2)	61.5	2	11 (31)	5.7
Typhus			2.5	0	3 (4)	0.5
<b>Zoonotic diseases</b>						
Leptospirosis				0	0 (0)	0.0
Q Fever				1	2 (1)	0.1
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)				0	0 (0)	0.0
COVID-19			44.3	1	27 (0)	20.9
Creutzfeldt-Jakob disease				0	0 (1)	0.0
Haemolytic Uraemic Syndrome			2.5	0	1 (0)	0.1
Legionellosis				1	8 (3)	1.3
Melioidosis			9.8	0	0 (0)	0.2
Meningococcal infection				0	1 (0)	0.2
Tuberculosis			2.5	2	10 (14)	1.3
<b>Grand Total</b>	<b>4</b>	<b>78 (212)</b>		<b>231</b>	<b>1755*****</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 24	
	28/04	05/05	12/05	19/05	26/05	02/06	09/06	16/06	2020	2019
	<b>Salmonella Total</b>	<b>31</b>	<b>40</b>	<b>46</b>	<b>30</b>	<b>29</b>	<b>27</b>	<b>36</b>	<b>17</b>	<b>995</b>
<b>Serotype/Phage</b>										
Salmonella Adelaide									2	1
Salmonella Agona									4	4
Salmonella Amsterdam var 15+	1								2	0
Salmonella Anatum		1	1		1				8	15
Salmonella Anatum var 15+					1				4	2
Salmonella Bahrenfeld						1			1	0
Salmonella Bareilly									3	3
Salmonella Birkenhead									1	0
Salmonella Bleadon subsp II									1	1
Salmonella Bovismorbificans									5	8
Salmonella Bredeney									1	1
Salmonella Cerro	1								2	0
Salmonella Chailey									2	1
Salmonella Chester			1	1		1			18	10
Salmonella Choleraesuis bv Australia			1			1			9	8
Salmonella Choleraesuis bv Decatur		1							9	3
Salmonella Corvallis									3	3
Salmonella Derby									1	2
Salmonella Dublin									1	0
Salmonella Eastbourne									1	2
Salmonella Enteritidis									43	89
Salmonella Fremantle subsp II		1							3	3
Salmonella Give		1			1				2	0
Salmonella Hadar									1	1
Salmonella Haifa									1	0
Salmonella Havana			1			1			3	7
Salmonella Hessarek									1	0
Salmonella Hvittingfoss									1	3
Salmonella Ibadan									2	0
Salmonella Infantis			3						15	12
Salmonella Jangwani									1	0
Salmonella Javiana						1			3	6
Salmonella Johannesburg									1	0
Salmonella Kentucky									3	10
Salmonella Kiambu		1							1	4
Salmonella Kottbus				1					3	1
Salmonella Lansing			1						1	1
Salmonella Litchfield		1							4	3
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	2
Salmonella Mississippi									1	1
Salmonella Montevideo									1	1
Salmonella Muenchen									19	14
Salmonella Newport							1		9	15
Salmonella Oranienburg	1								3	4
Salmonella Orientalis									1	1
Salmonella Orion	1								1	0
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	2



# Weekly Report for period 22-APR-20 to 16-JUN-20

	28/04	05/05	12/05	19/05	26/05	02/06	09/06	16/06	Cumulative Total to end of Week 24		
										2020	2019
<b>Salmonella Total</b>	<b>31</b>	<b>40</b>	<b>46</b>	<b>30</b>	<b>29</b>	<b>27</b>	<b>36</b>	<b>17</b>	<b>995</b>	<b>1032</b>	
<b>Serotype/Phage</b>											
Salmonella Paratyphi B bv Java									21	49	
Salmonella Pomona									0	0	
Salmonella Poona									1	3	
Salmonella Potsdam	2								8	4	
Salmonella Reading									2	6	
Salmonella Richmond									0	0	
Salmonella Rissen									3	3	
Salmonella Rubislaw									1	0	
Salmonella Saintpaul	1	1	1	2		1	2		27	25	
Salmonella Schwarzengrund									1	4	
Salmonella Senftenberg									1	2	
Salmonella Singapore					1				3	2	
Salmonella Stanley			1						7	15	
Salmonella Thompson									3	2	
Salmonella Typhimurium	23	31	35	25	22	19	15	2	592	578	
Salmonella Virchow									15	16	
Salmonella Wandsbek subsp II	1				1				4	3	
Salmonella Wandsworth					1				1	0	
Salmonella Waycross									1	0	
Salmonella Welikade									3	2	
Salmonella Weltevreden						1			6	10	
Salmonella Weltevreden var 15+									1	1	
Salmonella Zanzibar									1	0	
Salmonella species		2	1	1	1	1	18	15	82	60	
Salmonella subsp 1 ser 4,5:d:-									1	1	
Salmonella subsp I ser 16:l,v:-									1	0	
Salmonella subsp I ser 4,5:-:- non-motile									0	2	
Salmonella subsp IIIb 48:k:1,5,7									1	0	
Salmonella subsp IIIb 61:l,v:1,5,7:/z57/									1	0	