



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 06-MAY-20 to 30-JUN-20

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 26			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	12/05	19/05	26/05	02/06	09/06	16/06	23/06	30/06	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)		1	1				1		7	15	11	1	2.0	0.5
Hepatitis B (unspecified)	7	6	8	13	13	8	19	14	244	223	238	54	46.3	1.2
Hepatitis C (newly acquired)	6	3	8	2	3	7	2	2	57	51	60	14	8.9	1.6
Hepatitis C (unspecified)	14	17	16	13	15	14	11	16	388	457	458	56	75.1	0.7
Enteric diseases														
Campylobacteriosis	32	54	44	36	31	33	44	23	1260	1530	1508	131	232.9	0.6
Cryptosporidiosis	4	2	3		2	2	1		458	109	70	5	11.8	0.4
Hepatitis A									6	18	5	0	0.9	0.0
Hepatitis E									3	2	0	0	0.1	0.0
Listeriosis									1	5	6	0	0.5	0.0
Paratyphoid fever									0	5	3	0	0.3	0.0
Rotavirus	2	7	4	5	3	3	3		110	203	131	9	50.6	0.2
STEC/VTEC infection		1	3		2	2			63	84	37	4	3.3	1.2
Salmonellosis	47	29	29	29	46	28	25	12	1055	1129	1219	111	140.7	0.8
Shigellosis	2	5	6	2	4	3	4		152	207	136	11	13.7	0.8
Typhoid									3	12	8	0	0.6	0.0
Vibrio parahaemolyticus									2	15	8	0	0.7	0.0
Yersiniosis	1				1		1		8	4	8	2	1.7	1.2
Sexually transmissible infections														
Chlamydia (genital)	210	205	222	176	213	178	190	102	5420	6029	6004	683	877.5	0.8
Gonorrhoea	71	53	81	58	79	65	49	19	1929	2060	1719	212	245.4	0.9
Syphilis (congenital)					1				1	1	0	1	0.0	0.0
Syphilis - Infectious	14	24	17	19	18	11	15	6	350	289	192	50	26.9	1.9
Syphilis - Non-Infectious	6	8	5	4	1	5	3	5	107	116	125	14	10.8	1.3
Vaccine preventable diseases														
H. influenzae type b									1	2	1	0	0.1	0.0
Influenza	4	4	3	1	3	9	5		1179	16820	1716	17	1621.4	0.0
Measles									4	21	11	0	1.2	0.0
Mumps	1								9	14	16	0	11.3	0.0
Pertussis		3	3	3	1		1		103	336	650	2	90.3	0.0
Pneumococcal infection		4	2	4	5	6	3	1	62	103	82	15	21.9	0.7
Varicella (chicken pox)	3	8	8	12	9	21	6	1	211	303	305	37	47.7	0.8
Varicella (shingles)	49	38	51	53	42	54	29	3	1138	1105	1187	128	143.5	0.9
Varicella (unspecified)	28	22	30	32	41	31	61	26	750	713	823	159	115.9	1.4
Vector-borne diseases														
Barmah Forest virus	1	3							13	7	24	0	2.0	0.0
Chikungunya									6	1	0	0	0.1	0.0
Dengue fever									62	190	64	0	25.5	0.0
Malaria					1				25	32	22	1	4.1	0.2
Ross River virus	7	10	4	3	3	3	6	2	173	241	321	14	37.9	0.4
Typhus			1	1	1	1			15	11	10	2	1.9	1.0
Zoonotic diseases														
Leptospirosis		1							1	3	1	0	0.1	0.0
Q Fever			1		1	1			5	4	5	2	0.7	2.7
Other diseases														
Acute post-streptococcal glomerulonephritis									1	5	15	0	0.3	0.0
COVID-19	4	13	14	3	5	2	3	4	612	0	0	14	0.0	0.0
Creutzfeldt-Jakob disease									1	4	5	0	0.3	0.0
Haemolytic Uraemic Syndrome			1						2	1	1	0	0.1	0.0
Legionellosis	3	3	5	2		2	3		41	17	22	5	3.5	1.4
Melioidosis									4	4	3	0	0.3	0.0
Meningococcal infection				1					5	11	11	0	1.7	0.0
Tuberculosis	2		5	1	2	2		4	60	57	60	8	9.7	0.8
Grand Total	518	524	575	473	546	491	485	240						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 26			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	12/05	19/05	26/05	02/06	09/06	16/06	23/06	30/06	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1	1				1	5	10	9	1	1.5	0.7
Hepatitis B (unspecified)	7	6	7	9	13	6	15	9	206	195	196	43	39.7	1.1
Hepatitis C (newly acquired)	2	2	6	2	2	6	2	1	43	39	47	11	6.9	1.6
Hepatitis C (unspecified)	9	12	13	10	9	8	6	12	273	311	343	35	52.2	0.7
Enteric diseases														
Campylobacteriosis	27	41	35	31	24	28	39	16	1013	1239	1199	107	185.7	0.6
Cryptosporidiosis	2	1	2		1	1	1		399	55	33	3	8.0	0.4
Hepatitis A									5	16	5	0	0.7	0.0
Hepatitis E									3	2	0	0	0.1	0.0
Paratyphoid fever									0	5	3	0	0.3	0.0
Rotavirus	2	4	3	4	3	1	1		87	177	102	5	32.9	0.2
STEC/VTEC infection		1	2		1	2			50	64	29	3	2.4	1.3
Salmonellosis	34	20	20	20	40	20	22	9	804	876	940	91	104.1	0.9
Shigellosis		1	2	2	2	1			76	141	44	3	7.7	0.4
Typhoid									3	11	8	0	0.5	0.0
Vibrio parahaemolyticus									2	11	7	0	0.5	0.0
Yersiniosis	1						1		7	3	7	1	1.4	0.7
Sexually transmissible infections														
Chlamydia (genital)	158	160	171	136	164	144	160	84	4227	4721	4697	552	681.1	0.8
Gonorrhoea	53	27	60	39	55	43	33	15	1349	1509	1117	146	161.6	0.9
Syphilis (congenital)					1				1	0	0	1	0.0	0.0
Syphilis - Infectious	12	17	14	16	10	9	12	6	232	156	147	37	17.3	2.1
Syphilis - Non-Infectious	6	7	5	4	1	5	1	4	91	77	97	11	7.5	1.5
Vaccine preventable diseases														
Influenza	4	2	2	1	3	7	3		947	13232	1449	13	1307.7	0.0
Measles									4	14	11	0	0.9	0.0
Mumps									6	10	15	0	2.9	0.0
Pertussis		3	3	3	1		1		83	267	422	2	67.3	0.0
Pneumococcal infection		1		1	2	2	1		22	66	42	5	13.7	0.4
Varicella (chicken pox)	3	6	8	9	6	16	3	1	149	220	220	26	36.9	0.7
Varicella (shingles)	39	26	38	48	30	36	21		835	788	841	87	102.9	0.8
Varicella (unspecified)	26	18	30	27	33	31	54	22	689	684	799	140	108.2	1.3
Vector-borne diseases														
Barmah Forest virus	1	1							3	2	5	0	0.5	0.0
Chikungunya									2	1	0	0	0.1	0.0
Dengue fever									48	156	53	0	20.4	0.0
Malaria					1				19	28	20	1	3.1	0.3
Ross River virus	5	9	3	2	3	3	3	2	98	167	233	11	20.3	0.5
Typhus			1	1		1			9	8	5	1	1.1	0.9
Zoonotic diseases														
Leptospirosis									0	2	1	0	0.1	0.0
Q Fever					1				3	1	0	1	0.3	3.0
Other diseases														
COVID-19	3		2	3	5	2	3	4	395	0	0	14	0.0	0.0
Creutzfeldt-Jakob disease									1	3	3	0	0.2	0.0
Legionellosis	3	2	3	2		2	2		24	15	17	4	2.7	1.5
Meningococcal infection									2	4	6	0	1.3	0.0
Tuberculosis	2		5	1	1	1		4	53	50	49	6	8.3	0.7
Grand Total	399	368	436	371	412	375	385	189						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.1		(1)	0.1		1	0.4
Hepatitis B (unspecified)	2	10 (9)	8.2	4	13 (6)	8.1	3	20 (13)	10.7
Hepatitis C (newly acquired)		1	0.6	1	4 (3)	2.1		6 (3)	2.8
Hepatitis C (unspecified)	1	3 (11)	6.4	2	8 (22)	14.8	9	24 (28)	14.8
Enteric diseases									
Campylobacteriosis	6	33 (66)	43.4	4	41 (69)	46.8	6	33 (51)	42.6
Cryptosporidiosis		(3)	25.6		2 (1)	12.8		1 (3)	13.2
Hepatitis A			0.1			0.1		(2)	0.4
Hepatitis E			0.3						0.1
Listeriosis									
Rotavirus		3 (15)	4.5		(15)	2.6		2 (25)	4.1
STEC/VTEC infection		1 (2)	2.6		(3)	1.0		2 (4)	2.8
Salmonellosis	4	28 (37)	37.8	3	35 (22)	31.3	2	28 (28)	35.7
Shigellosis		2 (7)	3.1		1 (5)	3.3		(5)	3.5
Typhoid			0.1			0.1			0.1
Vibrio parahaemolyticus						0.3			
Yersiniosis			0.3		1 (1)	0.6		(1)	0.1
Sexually transmissible infections									
Chlamydia (genital)	24	146 (246)	156.3	26	184 (201)	196.5	34	222 (264)	200.0
Gonorrhoea	7	39 (71)	47.6	3	45 (72)	58.8	5	62 (84)	69.6
Syphilis (congenital)								1	0.1
Syphilis - Infectious	2	14 (3)	8.9	2	9 (9)	8.6	2	14 (12)	12.5
Syphilis - Non-Infectious		3 (5)	3.4	1	1 (2)	2.8	3	7 (5)	5.5
Vaccine preventable diseases									
H. influenzae type b									
Influenza		4*****	46.8		5*****	38.0		4*****	38.7
Measles			0.3			0.3			
Mumps		(1)	0.5			0.1			0.1
Pertussis		2 (11)	3.9		(20)	4.7		(7)	2.2
Pneumococcal infection		4 (7)	1.5		(4)	1.0		1 (7)	0.4
Varicella (chicken pox)	1	5 (15)	6.1		12 (19)	7.4		9 (10)	6.0
Varicella (shingles)		35 (46)	38.3		26 (50)	39.7		26 (28)	31.5
Varicella (unspecified)	6	50 (27)	30.0	12	53 (41)	36.2	4	37 (37)	24.4
Vector-borne diseases									
Barmah Forest virus						0.3		(1)	0.1
Chikungunya						0.1			0.1
Dengue fever		(4)	1.9		(7)	2.2		(3)	2.2
Malaria		(2)	0.5		1 (1)	0.6		(1)	1.4
Ross River virus		(1)	2.0	1	9 (5)	8.6	1	2 (11)	2.6
Typhus		(1)	0.4		(1)	0.3		1	0.5
Zoonotic diseases									
Leptospirosis									
Q Fever		1	0.1						0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	1	1	18.3			18.8	3	13	14.7
Creutzfeldt-Jakob disease									0.1
Haemolytic Uraemic Syndrome									
Legionellosis		2 (1)	1.4		1 (2)	1.1		1	0.6
Melioidosis									
Meningococcal infection								(1)	0.3
Tuberculosis	1	1 (4)	2.4	1	2 (3)	2.1	2	3 (5)	2.4
Grand Total	55	388 *****		60	453 *****		74	520 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)	1	3 (2)	3.1				1	1 (1)	8.8
Hepatitis C (newly acquired)	1	2	2.6		(2)	1.6			2.5
Hepatitis C (unspecified)	1	5 (5)	17.9		4 (3)	28.2		2 (2)	18.9
Enteric diseases									
Campylobacteriosis	3	11 (14)	47.0		(5)	32.9		1 (12)	44.0
Cryptosporidiosis		1	12.3			6.3			6.3
Hepatitis A						1.6			
Hepatitis E						1.6			
Listeriosis						1.6			
Rotavirus		2 (3)	4.6				1		6.3
STEC/VTEC infection			2.6			3.1			1.3
Salmonellosis	2	11 (7)	40.3		1 (2)	20.4		1 (9)	36.5
Shigellosis						3.1			2.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis					1	1.6			
Sexually transmissible infections									
Chlamydia (genital)	10	42 (49)	151.6	1	9 (14)	128.6	3	5 (10)	80.4
Gonorrhoea	1	5 (13)	43.9		1 (1)	15.7	1	3 (1)	18.9
Syphilis (congenital)									
Syphilis - Infectious		1	5.1		1 (2)	3.1			1.3
Syphilis - Non-Infectious		1 (1)	2.0					(2)	1.3
Vaccine preventable diseases									
H. influenzae type b									
Influenza		1 (625)	27.6		1 (151)	43.9		1 (168)	30.2
Measles									
Mumps									
Pertussis			6.1		(1)	1.6			
Pneumococcal infection		(2)	1.0		(1)	1.6		(1)	3.8
Varicella (chicken pox)		6 (2)	11.7			1.6			5.0
Varicella (shingles)	2	28 (15)	79.6		2 (10)	59.6		1 (3)	27.7
Varicella (unspecified)	2	3	4.6		7 (2)	29.8		(5)	10.1
Vector-borne diseases									
Barmah Forest virus			0.5			4.7			
Chikungunya			2.0						
Dengue fever			1.0						2.5
Malaria			0.5						
Ross River virus		(5)	8.2		1 (1)	9.4		(2)	5.0
Typhus			0.5		1 (2)	1.6			1.3
Zoonotic diseases									
Leptospirosis			0.5						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19			6.6			11.0			13.8
Creutzfeldt-Jakob disease						1.6			
Haemolytic Uraemic Syndrome						1.6			
Legionellosis		1	3.6						3.8
Melioidosis									
Meningococcal infection									
Tuberculosis									
Grand Total	23	123 (743)		1	29 (197)		5	16 (216)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	1	5.6			8.2		2	9.9
Hepatitis C (newly acquired)		1	2.8			3.3			2.8
Hepatitis C (unspecified)	1	5 (3)	19.7	1	3 (4)	26.2	1	1 (1)	14.2
Enteric diseases									
Campylobacteriosis	3	6 (3)	42.1		2 (4)	36.0	1	3 (5)	27.0
Cryptosporidiosis		1	7.0						27.0
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus		1 (1)	2.8			3.3			2.8
STEC/VTEC infection		1 (1)	7.0						
Salmonellosis		1 (4)	35.1		(2)	26.2	1	4 (3)	51.2
Shigellosis			30.9		1 (1)	9.8		3	17.1
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)		17 (14)	185.3	3	14 (30)	246.9	1	9 (34)	210.3
Gonorrhoea		11 (12)	70.2	1	10 (13)	98.1	1	9 (15)	163.4
Syphilis (congenital)									
Syphilis - Infectious		1 (1)	7.0		(4)	13.1		3 (7)	46.9
Syphilis - Non-Infectious			1.4		(2)	4.9	1	2 (2)	4.3
Vaccine preventable diseases									
H. influenzae type b									
Influenza		1 (341)	61.8		(159)	32.7		(203)	35.5
Measles									
Mumps						1.6			2.8
Pertussis			2.8			1.6			1.4
Pneumococcal infection		(1)	12.6	1	5 (2)	16.4		2 (2)	5.7
Varicella (chicken pox)		(1)	5.6		4	22.9		1	12.8
Varicella (shingles)		(3)	16.8		3 (3)	34.3	1	3 (4)	27.0
Varicella (unspecified)	1	7	22.5		1	1.6			2.8
Vector-borne diseases									
Barmah Forest virus						1.6			1.4
Chikungunya									
Dengue fever		(1)	1.4			6.5			1.4
Malaria						1.6			
Ross River virus		(1)	5.6		(1)	4.9		1 (3)	19.9
Typhus									2.8
Zoonotic diseases									
Leptospirosis									
Q Fever		1	2.8						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.6			
COVID-19			4.2			13.1			5.7
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis			2.8			4.9			1.4
Melioidosis									
Meningococcal infection						1.6			1.4
Tuberculosis									1.4
Grand Total	6	55 (387)		6	43 (225)		7	43 (279)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (1)	0.2
Hepatitis B (unspecified)	2	4	19.7	14	54 (33)	8.4
Hepatitis C (newly acquired)				2	14 (8)	2.0
Hepatitis C (unspecified)		1	12.3	16	56 (80)	13.5
Enteric diseases						
Campylobacteriosis		1 (8)	46.8	23	131 (240)	43.8
Cryptosporidiosis		(1)	2.5	0	5 (8)	15.9
Hepatitis A				0	0 (3)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	0 (0)	0.0
Rotavirus			2.5	0	9 (60)	3.8
STEC/VTEC infection				0	4 (10)	2.2
Salmonellosis		2 (5)	96.0	12	111 (123)	36.7
Shigellosis		4 (3)	76.3	0	11 (22)	5.3
Typhoid				0	0 (0)	0.1
Vibrio parahaemolyticus				0	0 (3)	0.1
Yersiniosis				0	2 (2)	0.3
Sexually transmissible infections						
Chlamydia (genital)		32 (38)	649.9	102	683 (905)	188.5
Gonorrhoea		24 (24)	541.6	19	212 (307)	67.1
Syphilis (congenital)				0	1 (0)	0.0
Syphilis - Infectious		7 (11)	118.2	6	50 (49)	12.2
Syphilis - Non-Infectious			2.5	5	14 (20)	3.6
Vaccine preventable diseases						
H. influenzae type b			2.5	0	0 (1)	0.0
Influenza		(112)	24.6	0	17*****	41.0
Measles				0	0 (1)	0.1
Mumps				0	0 (1)	0.3
Pertussis			7.4	0	2 (39)	3.6
Pneumococcal infection		3 (2)	22.2	1	15 (30)	2.2
Varicella (chicken pox)		(3)	7.4	1	37 (51)	7.3
Varicella (shingles)		3 (6)	56.6	3	128 (169)	39.6
Varicella (unspecified)	1	1	2.5	26	159 (112)	26.1
Vector-borne diseases						
Barmah Forest virus			9.8	0	0 (1)	0.5
Chikungunya				0	0 (0)	0.2
Dengue fever			2.5	0	0 (18)	2.2
Malaria				0	1 (7)	0.9
Ross River virus		(1)	61.5	2	14 (32)	6.0
Typhus			2.5	0	2 (4)	0.5
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.0
Q Fever				0	2 (1)	0.2
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				0	0 (1)	0.0
COVID-19			46.8	4	14 (0)	21.3
Creutzfeldt-Jakob disease				0	0 (1)	0.0
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.1
Legionellosis				0	5 (3)	1.4
Melioidosis			9.8	0	0 (0)	0.1
Meningococcal infection				0	0 (1)	0.2
Tuberculosis			2.5	4	8 (12)	1.4
Grand Total	3	82 (214)		242	1764*****	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 26	
	12/05	19/05	26/05	02/06	09/06	16/06	23/06	30/06	2020	2019
	Salmonella Total	47	29	29	29	46	28	25	12	1055
Serotype/Phage										
Salmonella Adelaide									2	1
Salmonella Agona									4	4
Salmonella Amsterdam var 15+									2	0
Salmonella Anatum	1		1		1				9	15
Salmonella Anatum var 15+			1						4	2
Salmonella Bahrenfeld				1					1	0
Salmonella Bareilly									3	3
Salmonella Birkenhead							1		2	0
Salmonella Bleadon subsp II									1	1
Salmonella Bovismorbificans									5	8
Salmonella Bredeney									1	1
Salmonella Cerro									2	0
Salmonella Chailey									2	1
Salmonella Chester	1	1		1					18	11
Salmonella Choleraesuis bv Australia	1			1		1			10	9
Salmonella Choleraesuis bv Decatur									9	3
Salmonella Corvallis									3	5
Salmonella Derby									1	2
Salmonella Dublin									1	0
Salmonella Eastbourne									1	4
Salmonella Enteritidis									43	96
Salmonella Fremantle subsp II									3	3
Salmonella Give			1						2	0
Salmonella Hadar									1	1
Salmonella Haifa									1	0
Salmonella Havana	1			1					3	7
Salmonella Hessarek									1	0
Salmonella Hvittingfoss							2		3	4
Salmonella Ibadan									2	0
Salmonella Infantis	3						1		16	13
Salmonella Jangwani									1	0
Salmonella Javiana				1					3	6
Salmonella Johannesburg									1	0
Salmonella Kentucky									3	11
Salmonella Kiambu									1	4
Salmonella Kottbus		1							3	1
Salmonella Lansing	1								1	1
Salmonella Litchfield									4	3
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	4
Salmonella Mississippi									1	1
Salmonella Montevideo									1	1
Salmonella Muenchen							1		20	14
Salmonella Newport					1				9	16
Salmonella Oranienburg									3	4
Salmonella Orientalis									1	1
Salmonella Orion					1				2	0
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	2

Weekly Report for period 06-MAY-20 to 30-JUN-20

	12/05	19/05	26/05	02/06	09/06	16/06	23/06	30/06	Cumulative Total to end of Week 26		
										2020	2019
Salmonella Total	47	29	29	29	46	28	25	12	1055	1091	
Serotype/Phage											
Salmonella Paratyphi B bv Java									21	51	
Salmonella Pomona									0	0	
Salmonella Poona									1	3	
Salmonella Potsdam									8	4	
Salmonella Reading									2	6	
Salmonella Richmond									0	0	
Salmonella Rissen							1		4	3	
Salmonella Rubislaw									1	0	
Salmonella Saintpaul	1	2		1	2				27	26	
Salmonella Schwarzengrund									1	4	
Salmonella Senftenberg							1		2	3	
Salmonella Singapore			1						3	2	
Salmonella Stanley	1					1			8	17	
Salmonella Thompson									3	3	
Salmonella Typhimurium	36	24	22	21	39	19	7	2	644	607	
Salmonella Virchow									15	16	
Salmonella Wandsbek subsp II			1						4	3	
Salmonella Wandsworth			1						1	0	
Salmonella Waycross									1	0	
Salmonella Welikade									3	2	
Salmonella Weltevreden				1					6	11	
Salmonella Weltevreden var 15+									1	1	
Salmonella Zanzibar									1	0	
Salmonella species	1	1	1	1	2	3	15	10	79	62	
Salmonella subsp 1 ser 4,5:d:-									1	1	
Salmonella subsp I ser 16:l,v:-									1	1	
Salmonella subsp I ser 4,5:-:- non-motile									0	2	
Salmonella subsp IIIb 48:k:1,5,7									1	0	
Salmonella subsp IIIb 61:l,v:1,5,7:/z57/									1	0	