



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 13-MAY-20 to 07-JUL-20

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 27			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	19/05	26/05	02/06	09/06	16/06	23/06	30/06	07/07	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1	1				1			7	15	11	1	2.1	0.5
Hepatitis B (unspecified)	6	8	13	13	8	19	14	16	260	227	250	57	46.5	1.2
Hepatitis C (newly acquired)	3	8	2	3	7	2	2		57	52	62	11	8.9	1.2
Hepatitis C (unspecified)	17	16	13	15	14	11	15	23	410	474	470	63	76.1	0.8
Enteric diseases														
Campylobacteriosis	54	44	36	31	38	46	42	22	1308	1594	1576	148	239.3	0.6
Cryptosporidiosis	2	3		2	2	1			458	110	70	3	11.3	0.3
Hepatitis A									6	18	5	0	0.9	0.0
Hepatitis E									3	2	0	0	0.2	0.0
Listeriosis									1	5	6	0	0.5	0.0
Paratyphoid fever									0	5	3	0	0.3	0.0
Rotavirus	7	4	5	3	3	3	1	2	113	216	138	9	50.5	0.2
STEC/VTEC infection	1	3		2	2	1		4	68	84	39	7	3.9	1.8
Salmonellosis	28	30	29	47	30	26	31	17	1096	1167	1274	104	137.5	0.8
Shigellosis	5	6	2	4	3	4	2	2	156	214	140	11	14.5	0.8
Typhoid									3	12	8	0	0.8	0.0
Vibrio parahaemolyticus									2	15	8	0	0.7	0.0
Yersiniosis				2			1		8	4	8	1	1.9	0.5
Sexually transmissible infections														
Chlamydia (genital)	205	222	177	213	183	197	216	88	5638	6259	6186	684	874.9	0.8
Gonorrhoea	53	81	58	80	67	61	58	15	2001	2158	1766	201	245.9	0.8
Syphilis (congenital)				1					1	1	0	0	0.0	0.0
Syphilis - Infectious	24	17	19	18	11	14	14	11	367	301	196	50	27.8	1.8
Syphilis - Non-Infectious	8	5	4	1	5	3	5		108	123	128	13	10.7	1.2
Vaccine preventable diseases														
H. influenzae type b									1	2	1	0	0.1	0.0
Influenza	4	3	1	3	9	5	5		1184	18720	1912	19	1662.7	0.0
Measles									4	22	11	0	1.4	0.0
Mumps									9	14	17	0	12.1	0.0
Pertussis	3	3	3	1		1			103	347	674	1	94.3	0.0
Pneumococcal infection	4	2	4	5	7	3	7	1	70	108	89	18	22.8	0.8
Varicella (chicken pox)	8	8	13	9	21	9	11		225	311	315	41	50.5	0.8
Varicella (shingles)	40	51	55	45	56	46	26	7	1194	1142	1214	135	142.3	0.9
Varicella (unspecified)	20	30	30	40	30	45	30	15	747	747	842	120	114.7	1.0
Vector-borne diseases														
Barmah Forest virus	3								13	7	24	0	2.1	0.0
Chikungunya									6	2	0	0	0.2	0.0
Dengue fever									62	196	67	0	25.1	0.0
Malaria				1					25	32	22	0	4.4	0.0
Ross River virus	10	4	3	4	3	6	4		177	250	326	13	35.1	0.4
Typhus		1	1	1	1				15	11	10	1	2.1	0.5
Zoonotic diseases														
Leptospirosis	1								1	3	1	0	0.1	0.0
Q Fever		1			1				4	4	6	1	0.8	1.3
Other diseases														
Acute post-streptococcal glomerulonephritis									1	5	15	0	0.3	0.0
COVID-19	13	14	3	5	3	3	2	9	621	0	0	17	0.0	0.0
Creutzfeldt-Jakob disease									1	4	5	0	0.4	0.0
Haemolytic Uraemic Syndrome		1							2	1	1	0	0.1	0.0
Legionellosis	3	5	3			3	3		43	17	22	6	3.4	1.8
Melioidosis									4	4	3	0	0.3	0.0
Meningococcal infection			1				1	1	7	11	12	2	1.6	1.3
Tuberculosis		5	1	2	2		4		60	58	65	6	9.9	0.6
Grand Total	523	576	476	551	506	510	494	233						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 27			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	19/05	26/05	02/06	09/06	16/06	23/06	30/06	07/07	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1	1				1			5	10	9	1	1.5	0.7
Hepatitis B (unspecified)	6	7	9	13	6	15	9	14	220	198	205	44	39.7	1.1
Hepatitis C (newly acquired)	2	6	2	2	6	2	1		43	40	49	9	6.7	1.3
Hepatitis C (unspecified)	12	13	10	9	8	6	12	16	289	324	352	42	52.9	0.8
Enteric diseases														
Campylobacteriosis	41	35	31	24	31	40	34	18	1053	1291	1257	123	190.7	0.6
Cryptosporidiosis	1	2		1	1	1			399	55	33	2	7.9	0.3
Hepatitis A									5	16	5	0	0.7	0.0
Hepatitis E									3	2	0	0	0.2	0.0
Paratyphoid fever									0	5	3	0	0.3	0.0
Rotavirus	4	3	4	3	1	1	1	2	90	189	103	5	33.6	0.1
STEC/VTEC infection	1	2		1	2	1			53	64	30	5	2.9	1.7
Salmonellosis	20	21	20	41	21	21	23	13	833	904	986	78	101.5	0.8
Shigellosis	1	2	2	2	1				77	146	47	2	8.3	0.2
Typhoid									3	11	8	0	0.7	0.0
Vibrio parahaemolyticus									2	11	7	0	0.4	0.0
Yersiniosis				1			1		7	3	7	1	1.6	0.6
Sexually transmissible infections														
Chlamydia (genital)	160	171	137	163	148	162	170	71	4391	4903	4837	551	680.1	0.8
Gonorrhoea	27	60	39	56	44	38	38	12	1391	1574	1153	132	162.4	0.8
Syphilis (congenital)				1					1	0	0	0	0.0	0.0
Syphilis - Infectious	17	14	16	10	9	9	8	9	239	161	149	35	17.7	2.0
Syphilis - Non-Infectious	7	5	4	1	5	1	4		92	81	99	10	7.2	1.4
Vaccine preventable diseases														
Influenza	2	2	1	3	7	3	2		949	14800	1622	12	1343.5	0.0
Measles									4	14	11	0	1.1	0.0
Mumps									6	10	16	0	2.9	0.0
Pertussis	3	3	3	1		1			83	275	439	1	71.9	0.0
Pneumococcal infection	1		1	2	3	1	1	1	25	68	48	6	14.1	0.4
Varicella (chicken pox)	6	8	9	6	16	6	8		159	226	229	30	38.2	0.8
Varicella (shingles)	26	38	49	32	38	34	21	5	879	814	863	98	101.9	1.0
Varicella (unspecified)	18	30	27	33	30	40	26	15	693	717	815	111	106.9	1.0
Vector-borne diseases														
Barmah Forest virus	1								3	2	5	0	0.5	0.0
Chikungunya									2	2	0	0	0.2	0.0
Dengue fever									48	160	56	0	20.2	0.0
Malaria				1					19	28	20	0	3.4	0.0
Ross River virus	9	3	2	3	3	4	3		100	173	238	10	19.3	0.5
Typhus		1	1		1				9	8	5	1	1.3	0.8
Zoonotic diseases														
Leptospirosis									0	2	1	0	0.1	0.0
Q Fever									2	1	1	0	0.4	0.0
Other diseases														
COVID-19		2	3	5	3	3	2	7	402	0	0	15	0.0	0.0
Creutzfeldt-Jakob disease									1	3	3	0	0.3	0.0
Legionellosis	2	3	3			2	3		26	15	17	5	2.6	1.9
Meningococcal infection								1	3	4	7	1	1.3	0.8
Tuberculosis		5	1	1	1		4		53	51	52	5	8.6	0.6
Grand Total	368	437	374	415	385	392	371	187						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.1		(1)	0.1		1	0.4
Hepatitis B (unspecified)	2	9 (6)	8.4	4	15 (8)	8.6	8	20 (11)	11.7
Hepatitis C (newly acquired)		1	0.6		2 (3)	2.1		6 (4)	2.8
Hepatitis C (unspecified)	4	5 (9)	6.9	3	8 (19)	15.2	9	29 (26)	15.9
Enteric diseases									
Campylobacteriosis	4	37 (65)	44.9	8	47 (67)	48.9	6	39 (56)	44.2
Cryptosporidiosis		(3)	25.6		1 (1)	12.8		1 (3)	13.2
Hepatitis A			0.1			0.1		(2)	0.4
Hepatitis E			0.3						0.1
Listeriosis									
Rotavirus		2 (14)	4.5		1 (18)	2.8	2	2 (22)	4.4
STEC/VTEC infection	2	3 (2)	2.9		2 (2)	1.0		2 (4)	3.0
Salmonellosis	7	34 (34)	39.8	2	20 (22)	32.3	4	24 (35)	36.5
Shigellosis		(7)	3.1		1 (7)	3.3	1	1 (5)	3.6
Typhoid			0.1			0.1			0.1
Vibrio parahaemolyticus						0.3			
Yersiniosis		1	0.4		(1)	0.4		(1)	0.1
Sexually transmissible infections									
Chlamydia (genital)	28	172 (253)	164.1	16	169 (211)	202.5	27	210 (268)	207.5
Gonorrhoea	1	32 (66)	48.3	4	44 (72)	60.9	7	56 (99)	72.3
Syphilis (congenital)									0.1
Syphilis - Infectious	2	15 (3)	9.3	1	7 (7)	8.6	6	13 (9)	13.0
Syphilis - Non-Infectious		3 (5)	3.4		1 (1)	2.8		6 (7)	5.7
Vaccine preventable diseases									
H. influenzae type b									
Influenza		4*****	46.9		4*****	38.0		4*****	38.8
Measles			0.3			0.3			
Mumps		(1)	0.5			0.1			0.1
Pertussis		1 (13)	3.9		(18)	4.7		(6)	2.2
Pneumococcal infection		3 (5)	1.6		(2)	1.0	1	3 (6)	0.6
Varicella (chicken pox)		10 (16)	6.8		9 (11)	7.5		11 (9)	6.6
Varicella (shingles)		38 (45)	40.3	4	30 (41)	41.6	1	30 (30)	33.3
Varicella (unspecified)	5	34 (27)	29.7	8	48 (44)	37.0	2	29 (40)	24.4
Vector-borne diseases									
Barmah Forest virus						0.3		(1)	0.1
Chikungunya					(1)	0.1			0.1
Dengue fever		(5)	1.9		(7)	2.2		(4)	2.2
Malaria		(2)	0.5		(1)	0.6		(1)	1.4
Ross River virus		(2)	2.0		9 (7)	8.9		1 (11)	2.6
Typhus		(1)	0.4		(1)	0.3		1	0.5
Zoonotic diseases									
Leptospirosis									
Q Fever									0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		1	18.3			18.8	7	14	15.6
Creutzfeldt-Jakob disease									0.1
Haemolytic Uraemic Syndrome									
Legionellosis		1 (1)	1.4		1 (2)	1.1		3	0.9
Melioidosis									
Meningococcal infection							1	1 (1)	0.4
Tuberculosis		1 (1)	2.4		1 (1)	2.1		3 (4)	2.4
Grand Total	55	407 *****		50	418 *****		82	510 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)		3 (2)	3.1				1 (1)		8.8
Hepatitis C (newly acquired)		2	2.6		(2)	1.6			2.5
Hepatitis C (unspecified)	4	9 (5)	19.9		2 (3)	28.2	1	3 (1)	20.1
Enteric diseases									
Campylobacteriosis	2	12 (18)	49.5	1	1 (5)	34.5		1 (12)	44.0
Cryptosporidiosis		(1)	12.3			6.3			6.3
Hepatitis A						1.6			
Hepatitis E									
Listeriosis						1.6			
Rotavirus		2 (2)	4.6				1		6.3
STEC/VTEC infection	1	1	3.1			3.1			1.3
Salmonellosis	2	15 (9)	42.9		1 (3)	22.0		1 (7)	36.5
Shigellosis						3.1			2.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			
Sexually transmissible infections									
Chlamydia (genital)	3	33 (52)	155.2	2	8 (9)	131.8	1	7 (13)	84.2
Gonorrhoea		9 (14)	45.9		2 (2)	17.3		2 (2)	20.1
Syphilis (congenital)									
Syphilis - Infectious	1	3 (1)	6.1		1 (1)	3.1			1.3
Syphilis - Non-Infectious		1 (2)	2.0					(2)	1.3
Vaccine preventable diseases									
H. influenzae type b									
Influenza		2 (603)	28.1		1 (132)	43.9		1 (179)	30.2
Measles									
Mumps									
Pertussis			6.1			1.6			
Pneumococcal infection		(2)	1.0		(1)	1.6		(2)	3.8
Varicella (chicken pox)		6 (2)	12.8		(1)	3.1			5.0
Varicella (shingles)	1	23 (8)	80.7	1	4 (15)	67.4		2 (1)	28.9
Varicella (unspecified)		2	4.1		2 (2)	23.5		(5)	10.1
Vector-borne diseases									
Barmah Forest virus			0.5			4.7			
Chikungunya			2.0						
Dengue fever		(1)	1.0						2.5
Malaria			0.5						
Ross River virus		(7)	9.2		1	9.4		(2)	5.0
Typhus			0.5		(2)	1.6			1.3
Zoonotic diseases									
Leptospirosis			0.5						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19			6.6			11.0			13.8
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome						1.6			
Legionellosis		1	3.6			1.6			3.8
Melioidosis									
Meningococcal infection									
Tuberculosis									
Grand Total	14	124 (729)		4	23 (178)		2	19 (227)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1	5.6			8.2	2		9.9
Hepatitis C (newly acquired)			2.8			3.3			2.8
Hepatitis C (unspecified)		2 (3)	18.2		2 (5)	26.2	1 (1)		14.2
Enteric diseases									
Campylobacteriosis		5 (3)	42.1	1	3 (3)	39.2		2 (6)	27.0
Cryptosporidiosis		1	7.0						27.0
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus		1 (1)	2.8			3.3		(1)	2.8
STEC/VTEC infection	1	1 (1)	8.4						
Salmonellosis		1 (3)	35.1		1 (3)	27.8	2	5 (5)	55.4
Shigellosis	1	1	32.3		(1)	9.8		3	18.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	2	23 (13)	200.7	1	12 (31)	255.1	1	13 (33)	221.7
Gonorrhoea		5 (13)	70.2		13 (12)	109.6	1	11 (20)	170.5
Syphilis (congenital)									
Syphilis - Infectious		1 (2)	8.4		1 (3)	14.7		5 (10)	52.6
Syphilis - Non-Infectious			1.4		(3)	4.9		2 (2)	4.3
Vaccine preventable diseases									
H. influenzae type b									
Influenza		2 (288)	63.2		(108)	32.7		(222)	35.5
Measles									
Mumps						1.6			2.8
Pertussis		(1)	2.8			1.6			1.4
Pneumococcal infection		1 (1)	14.0		4 (2)	16.4		3 (3)	7.1
Varicella (chicken pox)			5.6		4	24.5		1 (1)	12.8
Varicella (shingles)		(4)	16.8		2 (3)	34.3		2 (4)	29.8
Varicella (unspecified)		3	22.5		2	3.3			
Vector-borne diseases									
Barmah Forest virus						1.6			1.4
Chikungunya									
Dengue fever			1.4			6.5		(1)	1.4
Malaria						1.6			
Ross River virus		(2)	5.6		(1)	4.9		1 (1)	19.9
Typhus									2.8
Zoonotic diseases									
Leptospirosis									
Q Fever		1	2.8						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.6			
COVID-19			4.2			13.1			5.7
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis			2.8			4.9			1.4
Melioidosis									
Meningococcal infection		1	1.4			1.6			1.4
Tuberculosis									1.4
Grand Total	4	50 (335)		2	44 (175)		4	51 (310)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (1)	0.2
Hepatitis B (unspecified)	2	6	24.6	16	57 (31)	9.0
Hepatitis C (newly acquired)				0	11 (9)	2.0
Hepatitis C (unspecified)	2	2 (1)	17.2	23	63 (74)	14.3
Enteric diseases						
Campylobacteriosis		1 (9)	46.8	22	148 (247)	45.5
Cryptosporidiosis		(1)	2.5	0	3 (9)	15.9
Hepatitis A				0	0 (3)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	0 (0)	0.0
Rotavirus			2.5	2	9 (58)	3.9
STEC/VTEC infection				4	7 (9)	2.4
Salmonellosis		2 (4)	100.9	17	104 (131)	38.1
Shigellosis		5 (4)	78.8	2	11 (25)	5.4
Typhoid				0	0 (0)	0.1
Vibrio parahaemolyticus				0	0 (3)	0.1
Yersiniosis				0	1 (2)	0.3
Sexually transmissible infections						
Chlamydia (genital)	4	31 (34)	684.3	88	684 (923)	196.1
Gonorrhoea	2	25 (28)	571.1	15	201 (332)	69.6
Syphilis (congenital)				0	0 (0)	0.0
Syphilis - Infectious	1	4 (8)	123.1	11	50 (44)	12.8
Syphilis - Non-Infectious			2.5	0	13 (22)	3.6
Vaccine preventable diseases						
H. influenzae type b			2.5	0	0 (1)	0.0
Influenza		1 (94)	27.1	0	19*****	41.2
Measles				0	0 (2)	0.1
Mumps				0	0 (1)	0.3
Pertussis		(2)	7.4	0	1 (40)	3.6
Pneumococcal infection		4 (1)	29.5	1	18 (25)	2.4
Varicella (chicken pox)		(3)	7.4	0	41 (44)	7.8
Varicella (shingles)		4 (5)	61.5	7	135 (157)	41.5
Varicella (unspecified)				15	120 (119)	26.0
Vector-borne diseases						
Barmah Forest virus			9.8	0	0 (1)	0.5
Chikungunya				0	0 (1)	0.2
Dengue fever			2.5	0	0 (21)	2.2
Malaria				0	0 (7)	0.9
Ross River virus		1 (1)	64.0	0	13 (35)	6.2
Typhus			2.5	0	1 (4)	0.5
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.0
Q Fever				0	1 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				0	0 (1)	0.0
COVID-19			46.8	9	17 (0)	21.6
Creutzfeldt-Jakob disease				0	0 (0)	0.0
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.1
Legionellosis				0	6 (3)	1.5
Melioidosis			9.8	0	0 (0)	0.1
Meningococcal infection				1	2 (1)	0.2
Tuberculosis			2.5	0	6 (6)	1.4
Grand Total	11	86 (195)		233	1746*****	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 27	
	19/05	26/05	02/06	09/06	16/06	23/06	30/06	07/07	2020	2019
	Salmonella Total	28	30	29	47	30	26	31	17	1096
Serotype/Phage										
Salmonella Adelaide							1		3	1
Salmonella Agona									4	4
Salmonella Amsterdam var 15+									2	0
Salmonella Anatum		1		1					9	17
Salmonella Anatum var 15+		1							4	2
Salmonella Bahrenfeld			1						1	0
Salmonella Bareilly									3	3
Salmonella Birkenhead					1				2	0
Salmonella Bleadon subsp II									1	1
Salmonella Bovismorbificans									5	8
Salmonella Bredeney									1	1
Salmonella Cerro									2	0
Salmonella Chailey									2	1
Salmonella Chester	1		1		1				19	11
Salmonella Choleraesuis bv Australia			1		1		1		11	9
Salmonella Choleraesuis bv Decatur									9	3
Salmonella Corvallis									3	5
Salmonella Derby									1	2
Salmonella Dublin									1	0
Salmonella Eastbourne									1	4
Salmonella Enteritidis									43	101
Salmonella Fremantle subsp II									3	4
Salmonella Give		1							2	0
Salmonella Hadar									1	1
Salmonella Haifa									1	0
Salmonella Havana			1						3	7
Salmonella Hessarek									1	0
Salmonella Hvittingfoss					2		1		4	4
Salmonella Ibadan									2	0
Salmonella Infantis					1	1			17	14
Salmonella Jangwani									1	0
Salmonella Javiana			1						3	7
Salmonella Johannesburg									1	0
Salmonella Kentucky									3	11
Salmonella Kiambu									1	4
Salmonella Kottbus	1								3	1
Salmonella Lansing									1	1
Salmonella Litchfield									4	3
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	4
Salmonella Mississippi									1	1
Salmonella Montevideo									1	1
Salmonella Muenchen					1		1		21	15
Salmonella Newport				1					9	17
Salmonella Oranienburg									3	5
Salmonella Orientalis									1	1
Salmonella Orion				1					2	0
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	2

Weekly Report for period 13-MAY-20 to 07-JUL-20

	19/05	26/05	02/06	09/06	16/06	23/06	30/06	07/07	Cumulative Total to end of Week 27	
									2020	2019
Salmonella Total	28	30	29	47	30	26	31	17	1096	1126
Serotype/Phage										
Salmonella Paratyphi B bv Java									21	51
Salmonella Pomona									0	0
Salmonella Poona									1	3
Salmonella Potsdam									8	4
Salmonella Reading									2	6
Salmonella Richmond									0	0
Salmonella Rissen						1			4	3
Salmonella Rubislaw									1	0
Salmonella Saintpaul	2		1	2			1		28	26
Salmonella Schwarzengrund									1	4
Salmonella Senftenberg						1			2	3
Salmonella Singapore		1							3	2
Salmonella Stanley					1				8	18
Salmonella Thompson									3	3
Salmonella Typhimurium	23	23	21	40	19	21	12	2	672	625
Salmonella Virchow									15	16
Salmonella Wandsbek subsp II		1							4	3
Salmonella Wandsworth		1							1	0
Salmonella Waycross									1	0
Salmonella Welikade									3	2
Salmonella Weltevreden			1						6	11
Salmonella Weltevreden var 15+									1	1
Salmonella Zanzibar									1	0
Salmonella species	1	1	1	2	3	2	14	15	85	65
Salmonella subsp 1 ser 4,5:d:-									1	1
Salmonella subsp I ser 16:l,v:-									1	1
Salmonella subsp I ser 4,5:-:- non-motile									0	2
Salmonella subsp IIIb 48:k:1,5,7									1	0
Salmonella subsp IIIb 61:l,v:1,5,7:/z57/									1	0