



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 20-MAY-20 to 14-JUL-20

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 28			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	26/05	02/06	09/06	16/06	23/06	30/06	07/07	14/07	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1				1				7	15	12	1	2.0	0.5
Hepatitis B (unspecified)	8	13	13	8	18	14	16	17	276	239	260	65	47.7	1.4
Hepatitis C (newly acquired)	8	2	3	6	2	2	2		57	58	64	6	9.1	0.7
Hepatitis C (unspecified)	16	13	15	15	11	15	22	15	425	495	484	63	75.2	0.8
Enteric diseases														
Campylobacteriosis	44	36	31	38	50	44	40	19	1351	1675	1644	153	243.4	0.6
Cryptosporidiosis	3		2	2	1	1		2	461	111	71	4	11.3	0.4
Hepatitis A							2	1	9	18	5	3	0.9	3.5
Hepatitis E									3	2	0	0	0.2	0.0
Listeriosis									1	5	6	0	0.5	0.0
Paratyphoid fever									0	5	4	0	0.3	0.0
Rotavirus	4	5	3	3	3	2	5	4	121	234	145	14	49.9	0.3
STEC/VTEC infection	3		2	2	2	1	2	1	69	86	39	6	3.9	1.6
Salmonellosis	30	29	47	30	33	28	22	17	1122	1203	1315	100	134.4	0.7
Shigellosis	6	2	4	3	4	2	2	3	159	222	148	11	14.7	0.7
Typhoid									3	13	8	0	0.7	0.0
Vibrio parahaemolyticus									2	15	8	0	0.8	0.0
Yersiniosis			2		1				8	5	8	1	2.1	0.5
Sexually transmissible infections														
Chlamydia (genital)	222	177	213	184	202	214	188	135	5878	6460	6389	739	872.3	0.8
Gonorrhoea	81	58	80	67	62	69	49	18	2065	2240	1831	198	249.1	0.8
Syphilis (congenital)			1						1	1	0	0	0.0	0.0
Syphilis - Infectious	17	19	17	10	12	14	24	14	390	310	206	64	28.1	2.3
Syphilis - Non-Infectious	5	4	1	7	4	6	2	6	120	124	131	18	10.8	1.7
Vaccine preventable diseases														
H. influenzae type b									1	2	1	0	0.1	0.0
Influenza	3	1	3	9	5	6		1	1186	19948	2114	12	1695.1	0.0
Measles									4	23	11	0	1.9	0.0
Mumps									9	14	17	0	11.1	0.0
Pertussis	3	3	1		1		1		104	352	707	2	97.3	0.0
Pneumococcal infection	2	4	5	7	3	7	4	2	75	116	97	16	23.0	0.7
Varicella (chicken pox)	8	13	9	21	9	12	4	3	233	325	328	28	51.9	0.5
Varicella (shingles)	51	56	45	56	48	34	35	9	1248	1177	1240	126	142.5	0.9
Varicella (unspecified)	30	29	40	30	43	27	28	42	790	780	861	140	114.7	1.2
Vector-borne diseases														
Chikungunya									6	2	0	0	0.2	0.0
Dengue fever									62	198	70	0	24.5	0.0
Malaria			1					1	26	36	22	1	3.9	0.3
Ross River virus	4	3	4	3	6	4		3	180	260	332	13	32.1	0.4
Typhus	1	1	1	1					15	11	11	0	2.1	0.0
Zoonotic diseases														
Leptospirosis							1		2	3	1	1	0.1	7.5
Q Fever	1			1					4	6	6	0	0.7	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis									1	5	16	0	0.4	0.0
COVID-19	14	3	5	3	3	2	16	12	643	0	0	33	0.0	0.0
Creutzfeldt-Jakob disease									2	4	5	0	0.4	0.0
Haemolytic Uraemic Syndrome	1								2	1	1	0	0.2	0.0
Legionellosis	5	3			3	3			43	17	23	6	3.5	1.7
Melioidosis									4	4	3	0	0.3	0.0
Meningococcal infection		1				1	1		7	13	13	2	1.9	1.1
Tuberculosis	5	1	2	2		4		5	65	62	65	9	9.6	0.9
Grand Total	576	476	550	508	527	512	466	330						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 28			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	26/05	02/06	09/06	16/06	23/06	30/06	07/07	14/07	2020	2019	2018			
Blood-borne diseases[2]														
Hepatitis B (newly acquired)	1				1				5	10	10	1	1.6	0.6
Hepatitis B (unspecified)	7	9	13	6	15	9	14	14	234	209	214	52	40.5	1.3
Hepatitis C (newly acquired)	6	2	2	5	2	1	2		44	43	50	5	6.7	0.7
Hepatitis C (unspecified)	13	10	9	9	6	12	15	9	298	341	361	42	52.1	0.8
Enteric diseases														
Campylobacteriosis	35	31	24	31	43	35	35	13	1087	1360	1309	126	193.7	0.7
Cryptosporidiosis	2		1	1	1	1		2	402	56	34	4	8.3	0.5
Hepatitis A								1	6	16	5	1	0.7	1.4
Hepatitis E									3	2	0	0	0.2	0.0
Paratyphoid fever									0	5	4	0	0.2	0.0
Rotavirus	3	4	3	1	1	2	4	4	97	205	106	11	34.0	0.3
STEC/VTEC infection	2		1	2	2			1	53	66	30	3	3.0	1.0
Salmonellosis	21	20	41	21	26	22	17	15	856	932	1012	80	99.9	0.8
Shigellosis	2	2	2	1				1	77	152	53	1	8.7	0.1
Typhoid									3	12	8	0	0.6	0.0
Vibrio parahaemolyticus									2	11	7	0	0.5	0.0
Yersiniosis			1		1				7	4	7	1	1.7	0.6
Sexually transmissible infections														
Chlamydia (genital)	171	137	162	149	165	168	142	112	4576	5051	4998	587	676.1	0.9
Gonorrhoea	60	39	56	44	38	45	34	15	1435	1632	1196	132	166.3	0.8
Syphilis (congenital)			1						1	0	0	0	0.0	0.0
Syphilis - Infectious	14	16	9	8	7	8	18	14	258	167	156	47	18.1	2.6
Syphilis - Non-Infectious	5	4	1	7	1	5	2	2	99	83	101	10	7.2	1.4
Vaccine preventable diseases														
Influenza	2	1	3	7	3	3		1	950	15804	1793	7	1372.7	0.0
Measles									4	15	11	0	1.6	0.0
Mumps									6	10	16	0	2.5	0.0
Pertussis	3	3	1		1		1		84	280	462	2	74.1	0.0
Pneumococcal infection		1	2	3	1	1	2	1	27	75	54	5	13.9	0.4
Varicella (chicken pox)	8	9	6	16	6	9	3	2	165	233	239	20	39.1	0.5
Varicella (shingles)	38	49	32	38	34	26	25	6	910	842	879	91	102.3	0.9
Varicella (unspecified)	30	27	33	30	40	26	26	38	742	749	834	130	106.7	1.2
Vector-borne diseases														
Chikungunya									2	2	0	0	0.2	0.0
Dengue fever									48	162	57	0	19.7	0.0
Malaria			1					1	20	31	20	1	3.2	0.3
Ross River virus	3	2	3	3	4	3		1	101	177	239	8	18.7	0.4
Typhus	1	1		1					9	8	6	0	1.3	0.0
Zoonotic diseases														
Leptospirosis									0	2	1	0	0.1	0.0
Q Fever									2	2	1	0	0.4	0.0
Other diseases														
COVID-19	2	3	5	3	3	2	10	10	418	0	0	25	0.0	0.0
Creutzfeldt-Jakob disease									2	3	3	0	0.3	0.0
Legionellosis	3	3			2	3			26	15	17	5	2.5	2.0
Meningococcal infection							1		3	5	8	1	1.4	0.7
Tuberculosis	5	1	1	1		4		5	58	54	52	9	8.5	1.1
Grand Total	437	374	413	387	403	385	353	266						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.1			0.1		1	0.4
Hepatitis B (unspecified)	3	12 (7)	8.9	2	15 (11)	9.1	9	25 (10)	12.6
Hepatitis C (newly acquired)		3	0.9		2 (3)	2.1		(3)	2.7
Hepatitis C (unspecified)	2	6 (11)	7.0	6	12 (16)	16.0	1	24 (29)	16.2
Enteric diseases									
Campylobacteriosis	5	43 (70)	46.8	4	45 (72)	49.9	4	38 (57)	45.8
Cryptosporidiosis	2	2 (3)	25.8		2 (1)	13.0		(2)	13.2
Hepatitis A			0.1			0.1	1	1 (1)	0.5
Hepatitis E			0.3						0.1
Listeriosis									
Rotavirus	1	2 (20)	4.6	2	4 (19)	3.2	1	5 (20)	4.8
STEC/VTEC infection		2 (3)	2.9		(3)	1.0		1 (3)	3.0
Salmonellosis	2	36 (35)	40.5	7	21 (29)	33.3	6	23 (36)	37.8
Shigellosis		(4)	3.1		(8)	3.3		1 (5)	3.6
Typhoid			0.1			0.1		(1)	0.1
Vibrio parahaemolyticus						0.3			
Yersiniosis		1 (1)	0.4			0.4		(1)	0.1
Sexually transmissible infections									
Chlamydia (genital)	35	182 (233)	170.9	26	177 (200)	209.9	51	228 (258)	217.6
Gonorrhoea	2	29 (60)	49.4	7	52 (71)	63.9	6	51 (91)	73.9
Syphilis (congenital)									0.1
Syphilis - Infectious	1	12 (3)	9.4	4	13 (5)	9.7	9	22 (13)	14.3
Syphilis - Non-Infectious		3 (4)	3.9		1 (1)	2.8	2	6 (8)	6.0
Vaccine preventable diseases									
H. influenzae type b									
Influenza		2*****	46.9		1*****	38.0	1	4*****	39.0
Measles			0.3			0.3			
Mumps		(1)	0.5			0.1			0.1
Pertussis		1 (9)	3.9		1 (18)	4.9		(6)	2.2
Pneumococcal infection		2 (5)	1.6		1 (6)	1.1	1	2 (7)	0.8
Varicella (chicken pox)		9 (10)	7.0	1	3 (12)	7.7	1	8 (8)	6.9
Varicella (shingles)	2	35 (39)	41.8	1	29 (37)	43.3	3	27 (34)	34.2
Varicella (unspecified)	15	42 (31)	32.0	14	55 (50)	39.4	9	33 (38)	26.2
Vector-borne diseases									
Barmah Forest virus						0.3			0.1
Chikungunya					(1)	0.1			0.1
Dengue fever		(6)	1.9		(6)	2.2		(5)	2.2
Malaria	1	1 (3)	0.6		(1)	0.6		(1)	1.4
Ross River virus		(2)	2.0	1	7 (7)	9.1		1 (8)	2.6
Typhus			0.4		(1)	0.3			0.5
Zoonotic diseases									
Leptospirosis									
Q Fever									0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19			18.4			19.1	10	25	17.2
Creutzfeldt-Jakob disease									0.3
Haemolytic Uraemic Syndrome									
Legionellosis		1	1.4		1 (2)	1.1		3	0.9
Melioidosis									
Meningococcal infection								1 (1)	0.4
Tuberculosis	3	4	2.8		1 (2)	2.1	2	4 (6)	2.7
Grand Total	74	430 *****		75	443 *****		117	534 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)		2 (2)	3.1	1	1 (2)	1.6	1	2	10.1
Hepatitis C (newly acquired)		1	2.6		(2)	1.6			1.3
Hepatitis C (unspecified)	3	9 (3)	21.4	1	2 (3)	29.8	1	2 (2)	22.6
Enteric diseases									
Campylobacteriosis	2	13 (17)	52.1	1	2 (6)	36.1	1	2 (11)	45.3
Cryptosporidiosis		(1)	12.3			6.3			6.3
Hepatitis A						1.6		1	1.3
Hepatitis E									
Listeriosis						1.6			
Rotavirus		2 (2)	5.1					(2)	6.3
STEC/VTEC infection		1	3.1			3.1	1	1	2.5
Salmonellosis		10 (10)	43.4		1 (5)	22.0		(4)	36.5
Shigellosis					(1)	3.1			2.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			
Sexually transmissible infections									
Chlamydia (genital)	7	39 (54)	162.3	1	6 (7)	133.3	2	12 (18)	90.5
Gonorrhoea		8 (13)	46.5		1 (3)	17.3		3 (3)	21.4
Syphilis (congenital)									
Syphilis - Infectious		2 (1)	6.1		2	4.7			1.3
Syphilis - Non-Infectious		1 (2)	2.0					(2)	1.3
Vaccine preventable diseases									
H. influenzae type b									
Influenza		1 (505)	28.1		1 (117)	43.9		1 (143)	30.2
Measles									
Mumps									
Pertussis			6.1			1.6			
Pneumococcal infection		(2)	1.0		(1)	1.6	1	1 (2)	5.0
Varicella (chicken pox)		5 (2)	13.3		(4)	3.1			5.0
Varicella (shingles)	1	16 (9)	86.8	2	7 (15)	73.7		2	28.9
Varicella (unspecified)	1	1	0.5		2 (1)	23.5	1	1 (3)	11.3
Vector-borne diseases									
Barmah Forest virus			0.5			4.7			
Chikungunya			2.0						
Dengue fever		(1)	1.0						2.5
Malaria		(1)	0.5						
Ross River virus		(6)	9.2		1	9.4	1	1 (1)	6.3
Typhus			0.5		(1)	1.6			1.3
Zoonotic diseases									
Leptospirosis		1	1.0						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		3	8.2			11.0			13.8
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome						1.6			
Legionellosis		1	3.6			1.6			3.8
Melioidosis									
Meningococcal infection									
Tuberculosis									
Grand Total	14	116 (631)		6	26 (168)		9	29 (191)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			7.0			8.2			8.5
Hepatitis B (unspecified)	1	2					1		
Hepatitis C (newly acquired)		(2)	2.8			3.3			2.8
Hepatitis C (unspecified)	1	3 (4)	19.7		2 (4)	26.2		1 (1)	14.2
Enteric diseases									
Campylobacteriosis	2	6 (4)	44.9		2 (3)	39.2		1 (4)	27.0
Cryptosporidiosis			7.0						27.0
Hepatitis A				1		1.6			
Hepatitis E									
Listeriosis									
Rotavirus		1 (1)	2.8			3.3		(1)	2.8
STEC/VTEC infection		1	8.4						
Salmonellosis	1	1 (2)	36.5		1 (2)	27.8	1	6 (3)	56.8
Shigellosis	1	2	33.7			9.8		3	18.5
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	2	25 (15)	212.0	4	17 (29)	271.4	2	14 (29)	227.4
Gonorrhoea		6 (18)	75.8		9 (7)	111.2		12 (20)	174.8
Syphilis (congenital)									
Syphilis - Infectious		1 (2)	8.4		1 (3)	14.7		6 (7)	54.0
Syphilis - Non-Infectious			1.4	4	5 (2)	13.1		2	4.3
Vaccine preventable diseases									
H. influenzae type b									
Influenza		1 (224)	63.2		(86)	32.7		(220)	37.0
Measles									
Mumps						1.6			2.8
Pertussis		(1)	2.8			1.6			1.4
Pneumococcal infection		1 (1)	14.0		3 (2)	19.6		2 (3)	7.1
Varicella (chicken pox)		(1)	5.6		1	24.5	1	2 (1)	14.2
Varicella (shingles)		1 (3)	19.7		5 (5)	40.9		1 (2)	29.8
Varicella (unspecified)		4	22.5	1	1	1.6			
Vector-borne diseases									
Barmah Forest virus						1.6			1.4
Chikungunya									
Dengue fever			1.4			6.5		(1)	1.4
Malaria						1.6			
Ross River virus		(2)	5.6		(2)	4.9	1	2 (4)	21.3
Typhus									2.8
Zoonotic diseases									
Leptospirosis									
Q Fever			2.8						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.6			
COVID-19			4.2			13.1			5.7
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis			2.8			4.9			1.4
Melioidosis									
Meningococcal infection		1 (1)	1.4			1.6			1.4
Tuberculosis									1.4
Grand Total	8	56 (281)		9	48 (145)		5	53 (296)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (0)	0.2
Hepatitis B (unspecified)		5	24.6	17	65 (32)	9.6
Hepatitis C (newly acquired)				0	6 (10)	2.0
Hepatitis C (unspecified)		2 (1)	17.2	15	63 (74)	14.9
Enteric diseases						
Campylobacteriosis		1 (7)	46.8	19	153 (253)	47.0
Cryptosporidiosis			2.5	2	4 (7)	16.0
Hepatitis A				1	3 (2)	0.3
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	0 (0)	0.0
Rotavirus			2.5	4	14 (65)	4.2
STEC/VTEC infection				1	6 (9)	2.4
Salmonellosis		1 (2)	100.9	17	100 (135)	39.0
Shigellosis	1	4 (3)	81.2	3	11 (23)	5.5
Typhoid				0	0 (1)	0.1
Vibrio parahaemolyticus				0	0 (2)	0.1
Yersiniosis				0	1 (2)	0.3
Sexually transmissible infections						
Chlamydia (genital)	3	32 (40)	709.0	135	739 (890)	204.4
Gonorrhoea	2	25 (30)	593.3	18	198 (321)	71.8
Syphilis (congenital)				0	0 (0)	0.0
Syphilis - Infectious		5 (6)	128.0	14	64 (41)	13.6
Syphilis - Non-Infectious			2.5	6	18 (19)	4.0
Vaccine preventable diseases						
H. influenzae type b			2.5	0	0 (1)	0.0
Influenza		1 (74)	27.1	1	12*****	41.2
Measles				0	0 (3)	0.1
Mumps				0	0 (1)	0.3
Pertussis		(2)	7.4	0	2 (36)	3.6
Pneumococcal infection		4 (1)	29.5	2	16 (30)	2.6
Varicella (chicken pox)		(3)	7.4	3	28 (42)	8.1
Varicella (shingles)		3 (5)	64.0	9	126 (150)	43.4
Varicella (unspecified)				42	140 (125)	27.5
Vector-borne diseases						
Barmah Forest virus			9.8	0	0 (1)	0.5
Chikungunya				0	0 (1)	0.2
Dengue fever			2.5	0	0 (20)	2.2
Malaria				1	1 (8)	0.9
Ross River virus		1	64.0	3	13 (35)	6.3
Typhus			2.5	0	0 (2)	0.5
Zoonotic diseases						
Leptospirosis				0	1 (0)	0.1
Q Fever				0	0 (2)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				0	0 (1)	0.0
COVID-19			46.8	12	33 (0)	22.4
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.1
Legionellosis				0	6 (2)	1.5
Melioidosis			9.8	0	0 (0)	0.1
Meningococcal infection				0	2 (3)	0.2
Tuberculosis			2.5	5	9 (9)	1.6
Grand Total	6	84 (174)		330	1837*****	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 28	
	26/05	02/06	09/06	16/06	23/06	30/06	07/07	14/07	2020	2019
	Salmonella Total	30	29	47	30	33	28	22	17	1122
Serotype/Phage										
Salmonella Adelaide						1			3	1
Salmonella Agona									4	4
Salmonella Amsterdam var 15+									2	0
Salmonella Anatum	1		1						9	17
Salmonella Anatum var 15+	1								4	2
Salmonella Bahrenfeld		1							1	0
Salmonella Bareilly									3	3
Salmonella Birkenhead				1					2	0
Salmonella Bleadon subsp II									1	1
Salmonella Bovismorbificans								1	6	8
Salmonella Bredeney									1	1
Salmonella Cerro									2	0
Salmonella Chailey									2	1
Salmonella Chester		1		1					19	13
Salmonella Choleraesuis bv Australia		1		1		3			13	9
Salmonella Choleraesuis bv Decatur									9	3
Salmonella Corvallis									3	5
Salmonella Derby									1	2
Salmonella Dublin									1	0
Salmonella Eastbourne									1	4
Salmonella Enteritidis									43	108
Salmonella Fremantle subsp II									3	4
Salmonella Give	1								2	0
Salmonella Hadar									1	1
Salmonella Haifa									1	0
Salmonella Havana		1							3	7
Salmonella Hessarek									1	0
Salmonella Hvittingfoss				2		1			4	4
Salmonella Ibadan									2	0
Salmonella Infantis				1	1				17	15
Salmonella Jangwani									1	0
Salmonella Javiana		1							3	7
Salmonella Johannesburg									1	0
Salmonella Kentucky									3	12
Salmonella Kiambu									1	4
Salmonella Kottbus									3	1
Salmonella Lansing									1	1
Salmonella Litchfield									4	3
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	4
Salmonella Mississippi									1	1
Salmonella Montevideo									1	1
Salmonella Muenchen				1		1			21	17
Salmonella Newport			1						9	17
Salmonella Oranienburg									3	5
Salmonella Orientalis									1	1
Salmonella Orion			1						2	0
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	2

Weekly Report for period 20-MAY-20 to 14-JUL-20

	26/05	02/06	09/06	16/06	23/06	30/06	07/07	14/07	Cumulative Total to end of Week 28	
									2020	2019
Salmonella Total	30	29	47	30	33	28	22	17	1122	1164
Serotype/Phage										
Salmonella Paratyphi B bv Java									21	53
Salmonella Pomona									0	0
Salmonella Poona									1	3
Salmonella Potsdam						1			9	4
Salmonella Reading									2	6
Salmonella Richmond									0	0
Salmonella Rissen					1				4	3
Salmonella Rubislaw									1	0
Salmonella Saintpaul		1	2			1	1		29	27
Salmonella Schwarzengrund						1			2	4
Salmonella Senftenberg					1				2	3
Salmonella Singapore	1								3	2
Salmonella Stanley				1					8	18
Salmonella Thompson									3	3
Salmonella Typhimurium	23	21	40	19	28	16	19	4	704	641
Salmonella Urbana							1		1	2
Salmonella Virchow									15	17
Salmonella Wandsbek subsp II	1								4	3
Salmonella Wandsworth	1								1	0
Salmonella Waycross							1		2	0
Salmonella Welikade									3	2
Salmonella Weltevreden		1							6	11
Salmonella Weltevreden var 15+									1	1
Salmonella Zanzibar									1	0
Salmonella species	1	1	2	3	2	3		12	71	65
Salmonella subsp 1 ser 4,5:d:-									1	3
Salmonella subsp I ser 16:l,v:-									1	2
Salmonella subsp I ser 4,5:- non-motile									0	2
Salmonella subsp IIIb 48:k:1,5,7									1	0
Salmonella subsp IIIb 61:l,v:1,5,7:/z57/									1	0