



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 25-DEC-19 to 18-FEB-20

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

**[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)**

## STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 7			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	31/12	07/01	14/01	21/01	28/01	04/02	11/02	18/02	2020	2019	2018			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1								0	9	1	0	1.7	0.0
Hepatitis B (unspecified)	6	6	13	8	10	11	7	9	64	60	69	37	36.5	1.0
Hepatitis C (newly acquired)	1		3	1	1	3		1	9	11	19	5	9.0	0.6
Hepatitis C (unspecified)	5	11	14	11	18	22	16	16	108	113	138	72	74.2	1.0
Hepatitis D									0	2	0	0	0.4	0.0
<b>Enteric diseases</b>														
Campylobacteriosis	52	92	77	66	53	72	50	41	451	467	507	216	253.1	0.9
Cryptosporidiosis	6	23	11	22	18	23	37	15	149	27	28	93	31.3	3.0
Hepatitis A						1	1	1	3	9	0	3	2.3	1.3
Hepatitis E			1						1	2	0	0	0.3	0.0
Listeriosis									0	5	3	0	0.8	0.0
Paratyphoid fever									0	4	2	0	1.5	0.0
Rotavirus	5	6	5	7	5	5	5	3	36	37	52	18	24.2	0.7
STEC/VTEC infection	1	4	1	2	6	5	2	2	22	18	16	15	5.4	2.8
Salmonellosis	35	43	42	46	48	70	46	20	315	330	339	184	201.3	0.9
Shigellosis	5	10	12	15	7	3	15	5	67	86	47	30	21.6	1.4
Typhoid	2						1		1	8	5	1	1.7	0.6
Vibrio parahaemolyticus		1							1	7	3	0	2.3	0.0
Yersiniosis			1	2		1			4	0	2	1	1.3	0.8
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	107	193	223	228	198	246	241	142	1471	1839	1676	827	935.9	0.9
Gonorrhoea	51	92	106	94	61	67	79	23	522	663	482	230	261.9	0.9
Syphilis (congenital)									0	0	0	0	0.0	0.0
Syphilis - Infectious		15	10	13	14	16	14	7	89	93	53	51	27.4	1.9
Syphilis - Non-Infectious	3	3	10	3	2	3	3	6	30	25	33	14	11.7	1.2
<b>Vaccine preventable diseases</b>														
H. influenzae type b									0	0	1	0	0.1	0.0
Influenza	67	84	104	107	126	117	86	37	661	904	491	366	238.8	1.5
Measles		1	1		2				4	13	1	2	2.3	0.9
Mumps				1	1				2	3	4	1	20.3	0.0
Pertussis	7	10	10	7	9	5	5	2	49	108	189	22	103.0	0.2
Pneumococcal infection	3	2	2	2	4	3	1		14	14	18	8	7.9	1.0
Rubella (non-congenital)									0	0	0	0	0.1	0.0
Varicella (chicken pox)	7	12	16	7	13	8	7	3	66	78	81	31	39.7	0.8
Varicella (shingles)	37	58	46	44	33	38	32	11	262	307	338	114	151.5	0.8
Varicella (unspecified)	26	20	32	29	25	24	39	31	200	188	222	119	121.6	1.0
<b>Vector-borne diseases</b>														
Barmah Forest virus									2	3	3	2	2.3	0.9
Chikungunya	2				1				1	0	0	1	0.7	1.4
Dengue fever	2	4	9	6	1	3	3		26	47	22	7	41.0	0.2
Malaria		1	3	1	3	1	1	1	11	3	9	6	5.1	1.2
Ross River virus	3	11	1	9	6	4	4	3	38	73	114	17	85.9	0.2
Typhus	1	1	1	1		3	1	1	8	0	1	5	1.8	2.8
<b>Zoonotic diseases</b>														
Leptospirosis			1			2			3	2	1	2	0.3	7.5
Q Fever							1		1	1	2	1	0.7	1.4
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis									0	2	10	0	1.0	0.0
Creutzfeldt-Jakob disease	2								0	0	1	0	0.6	0.0
Haemolytic Uraemic Syndrome									0	0	0	0	0.1	0.0
Legionellosis	1		2		1	1			4	3	5	2	4.3	0.5
Leprosy									0	0	0	0	0.3	0.0
Melioidosis				1					1	1	0	0	0.5	0.0
Meningococcal infection	1	1				1			2	4	5	1	2.1	0.5
Tuberculosis	2	1	1	3	3	3	1	6	18	12	16	13	10.7	1.2
<b>Grand Total</b>	<b>441</b>	<b>705</b>	<b>758</b>	<b>736</b>	<b>669</b>	<b>761</b>	<b>698</b>	<b>386</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 7			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	31/12	07/01	14/01	21/01	28/01	04/02	11/02	18/02	2020	2019	2018			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1								0	6	1	0	1.2	0.0
Hepatitis B (unspecified)	6	5	11	7	8	10	6	8	55	51	55	32	30.4	1.1
Hepatitis C (newly acquired)	1		2	1	1	1		1	6	6	16	3	6.7	0.4
Hepatitis C (unspecified)	5	5	10	9	13	16	11	10	74	82	96	50	53.9	0.9
Hepatitis D									0	2	0	0	0.4	0.0
<b>Enteric diseases</b>														
Campylobacteriosis	43	77	58	53	44	66	45	32	377	380	391	189	200.3	0.9
Cryptosporidiosis	3	20	10	22	18	19	33	14	139	20	17	87	20.5	4.3
Hepatitis A						1	1	1	3	9	0	3	2.1	1.4
Hepatitis E			1						1	2	0	0	0.3	0.0
Listeriosis									0	5	2	0	0.7	0.0
Paratyphoid fever									0	4	2	0	1.4	0.0
Rotavirus	4	5	5	5	5	4	4	3	31	35	44	16	20.3	0.8
STEC/VTEC infection	1	4		2	4	4	2	1	21	15	12	15	3.3	4.5
Salmonellosis	27	36	34	32	32	50	37	15	237	268	271	135	155.1	0.9
Shigellosis	2	7	9	10	3	2	8	5	44	56	15	18	10.4	1.7
Typhoid	2						1		1	8	5	1	1.7	0.6
Vibrio parahaemolyticus		1							1	6	3	0	2.3	0.0
Yersiniosis			1	2					3	0	2	0	1.2	0.0
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	85	151	170	180	165	200	190	121	1188	1411	1313	687	722.0	1.0
Gonorrhoea	38	69	68	65	43	49	56	21	371	482	303	169	175.9	1.0
Syphilis - Infectious		11	4	9	7	10	8	6	56	59	50	32	19.8	1.6
Syphilis - Non-Infectious	2	2	9	2	2	2	3	4	24	19	28	11	9.5	1.2
<b>Vaccine preventable diseases</b>														
H. influenzae type b									0	0	0	0	0.0	0.0
Influenza	57	66	90	90	113	107	77	33	577	667	399	331	184.5	1.8
Measles		1	1		2				4	8	1	2	1.8	1.1
Mumps				1	1				2	2	3	1	1.6	0.6
Pertussis	5	9	8	6	7	4	4	1	40	83	136	17	76.8	0.2
Pneumococcal infection	1	2	1	1	3	1			8	10	10	4	4.3	0.9
Rubella (non-congenital)									0	0	0	0	0.1	0.0
Varicella (chicken pox)	6	8	11	5	10	5	6	1	46	61	53	22	28.9	0.8
Varicella (shingles)	26	44	32	35	28	26	23	6	194	215	248	83	110.0	0.8
Varicella (unspecified)	23	20	26	27	24	21	34	28	180	181	216	107	113.3	0.9
<b>Vector-borne diseases</b>														
Barmah Forest virus									1	0	0	1	0.5	2.1
Chikungunya	2								0	0	0	0	0.5	0.0
Dengue fever	2	3	7	6	1	2	2		21	45	19	5	34.1	0.1
Malaria		1	3	1	1	1	1		8	3	9	3	4.6	0.7
Ross River virus	2	7		6	6	2	4	3	28	57	82	15	52.9	0.3
Typhus	1	1	1	1		1	1		5	0	1	2	1.0	2.0
<b>Zoonotic diseases</b>														
Leptospirosis			1						1	2	1	0	0.3	0.0
Q Fever							1		1	0	0	1	0.1	7.5
<b>Other diseases</b>														
Creutzfeldt-Jakob disease	2								0	0	1	0	0.3	0.0
Legionellosis			1		1				2	2	5	1	3.1	0.3
Leprosy									0	0	0	0	0.1	0.0
Melioidosis									0	0	0	0	0.1	0.0
Meningococcal infection		1							1	1	4	0	1.3	0.0
Tuberculosis	2	1	1	3	3	3	1	5	17	11	13	12	9.3	1.3
<b>Grand Total</b>	<b>349</b>	<b>557</b>	<b>575</b>	<b>581</b>	<b>545</b>	<b>607</b>	<b>559</b>	<b>319</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (unspecified)	1	8 (7)	2.1	1	8 (6)	1.8	6	16 (14)	3.2
Hepatitis C (newly acquired)							1	3 (1)	0.8
Hepatitis C (unspecified)		9 (18)	2.1	4	24 (12)	4.5	6	17 (25)	3.1
<b>Enteric diseases</b>									
Campylobacteriosis	7	65 (67)	17.1	9	62 (70)	17.3	18	62 (77)	15.0
Cryptosporidiosis	7	38 (5)	7.9	2	22 (8)	4.9	8	27 (5)	5.3
Hepatitis A	1	1	0.1		1	0.1		1 (5)	0.1
Hepatitis E			0.1						
Rotavirus		4 (11)	1.8	1	4 (9)	1.0	2	8 (7)	1.3
STEC/VTEC infection	3	7 (1)	1.0		3 (4)	0.7	2	5 (4)	1.0
Salmonellosis	8	52 (45)	11.5	3	30 (57)	8.9	5	53 (58)	10.4
Shigellosis	3	6 (8)	1.9	1	3 (11)	2.1	1	9 (7)	1.8
Typhoid								1 (6)	0.1
Vibrio parahaemolyticus						0.1			
Yersiniosis			0.3			0.1			
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	35	217 (221)	45.4	41	223 (271)	53.3	55	247 (306)	56.1
Gonorrhoea	2	39 (74)	11.9	5	58 (74)	16.7	14	72 (130)	19.5
Syphilis - Infectious	3	10 (6)	2.5		7 (18)	1.8	4	15 (16)	3.0
Syphilis - Non-Infectious		2 (5)	0.9	1	4 (1)	1.1	3	5 (3)	1.2
<b>Vaccine preventable diseases</b>									
Influenza	16	135 (131)	29.2	3	87 (111)	21.0	15	109 (116)	24.8
Measles		1 (1)	0.3		1 (1)	0.3			
Mumps			0.1		1 (1)	0.1			
Pertussis		5 (17)	1.8	1	10 (16)	2.8		2 (10)	0.6
Pneumococcal infection		2 (2)	0.4		2 (2)	0.6		(1)	0.1
Varicella (chicken pox)	1	8 (16)	2.3		7 (11)	2.5		7 (8)	1.3
Varicella (shingles)	1	26 (46)	7.8	4	30 (45)	10.0	1	27 (40)	7.7
Varicella (unspecified)	8	36 (29)	7.7	11	43 (40)	10.0	9	28 (34)	6.0
<b>Vector-borne diseases</b>									
Barmah Forest virus							1	1	0.1
Chikungunya									
Dengue fever		1 (6)	1.0		2 (8)	0.6		2 (13)	1.2
Malaria		(2)	0.1		(1)	0.1		3	0.8
Ross River virus	1	3 (5)	0.9	1	6 (15)	1.9	1	6 (9)	0.9
Typhus			0.1			0.1		2	0.4
<b>Zoonotic diseases</b>									
Leptospirosis									0.1
Q Fever					1	0.1			
<b>Other diseases</b>									
Legionellosis		1	0.1						0.1
Melioidosis									
Meningococcal infection									0.1
Tuberculosis	2	5 (1)	0.9	1	2 (4)	0.3	2	5 (2)	0.9
<b>Grand Total</b>	<b>99</b>	<b>681 (724)</b>		<b>89</b>	<b>641 (796)</b>		<b>154</b>	<b>733 (897)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (unspecified)		1 (1)	0.5				1		2.5
Hepatitis C (newly acquired)					(2)	1.6	1		1.3
Hepatitis C (unspecified)	2	9 (6)	5.1	1	4 (3)	6.3	2	4 (1)	8.8
<b>Enteric diseases</b>									
Campylobacteriosis	1	8 (11)	12.8	2	4 (6)	11.0	2	6 (6)	13.8
Cryptosporidiosis	1	4 (1)	2.0			1.6	1		1.3
Hepatitis A									
Hepatitis E			1.0				1		1.3
Rotavirus			1.0			1.6			1.3
STEC/VTEC infection	1	2	1.0		1	1.6			1.3
Salmonellosis	1	13 (13)	12.3		(1)	3.1	4 (8)		8.8
Shigellosis						1.6	1		1.3
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis		1	0.5						
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	1	33 (53)	33.2	4	15 (14)	36.1	8 (22)		21.4
Gonorrhoea		7 (5)	13.3		2 (1)	6.3	1 (5)		3.8
Syphilis - Infectious			0.5						
Syphilis - Non-Infectious	1	1 (1)	1.0						
<b>Vaccine preventable diseases</b>									
Influenza	2	12 (16)	13.8		4 (10)	14.1	2	3 (5)	7.5
Measles									
Mumps									
Pertussis	1	3 (3)	3.1				(1)		1.3
Pneumococcal infection			0.5						
Varicella (chicken pox)	1	4 (3)	3.6				1		3.8
Varicella (shingles)	5	20 (19)	18.9		4 (10)	18.8	3 (10)		10.1
Varicella (unspecified)		(1)	1.0		2 (3)	3.1	1		2.5
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Chikungunya		1	0.5						
Dengue fever		1 (2)	1.0						
Malaria		1	0.5						
Ross River virus		(4)	2.6		(3)	1.6			
Typhus		1	0.5				1		1.3
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever									
<b>Other diseases</b>									
Legionellosis		1 (1)	1.0						
Melioidosis									
Meningococcal infection									
Tuberculosis									
<b>Grand Total</b>	<b>17</b>	<b>123 (140)</b>		<b>7</b>	<b>36 (53)</b>		<b>6</b>	<b>37 (58)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (unspecified)				2 (1)		3.3		(1)	2.8
Hepatitis C (newly acquired)		1 (1)	1.4						
Hepatitis C (unspecified)		(2)	2.8	2 (4)		8.2	1	2	4.3
<b>Enteric diseases</b>									
Campylobacteriosis	1	1 (5)	9.8	1 (1)		9.8	1	2 (8)	8.5
Cryptosporidiosis		1	1.4					3	8.5
Hepatitis A									
Hepatitis E								(1)	1.4
Rotavirus									
STEC/VTEC infection		1	1.4						
Salmonellosis	1	4 (6)	11.2	5 (4)		9.8	1	7 (5)	15.6
Shigellosis		4 (2)	8.4	1 (5)		3.3		2 (2)	4.3
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	3	19 (21)	37.9	4	25 (25)	67.0	3	16 (33)	55.4
Gonorrhoea		4 (15)	15.4	1	7 (16)	21.3		8 (23)	39.8
Syphilis - Infectious		1	1.4	1	2 (6)	3.3		5 (7)	14.2
Syphilis - Non-Infectious					1 (4)	1.6			1.4
<b>Vaccine preventable diseases</b>									
Influenza		10 (37)	22.5	2 (10)		8.2		1 (26)	5.7
Measles									
Mumps									
Pertussis				1		1.6			
Pneumococcal infection		2	4.2						
Varicella (chicken pox)		(1)	2.8	1		4.9			
Varicella (shingles)		(1)	2.8		(7)	1.6		1 (3)	5.7
Varicella (unspecified)	1	5	8.4	1	1	1.6	1	3	7.1
<b>Vector-borne diseases</b>									
Barmah Forest virus							1	1	1.4
Chikungunya									
Dengue fever		1	1.4			1.6			
Malaria									
Ross River virus			1.4					2	2.8
Typhus									
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever									
<b>Other diseases</b>									
Legionellosis									
Melioidosis									
Meningococcal infection				1		1.6			
Tuberculosis									
<b>Grand Total</b>	<b>6</b>	<b>54 (91)</b>		<b>7</b>	<b>52 (83)</b>		<b>8</b>	<b>53 (109)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (unspecified)	1	1 (1)	4.9	9	37 (33)	2.2
Hepatitis C (newly acquired)				1	5 (6)	0.3
Hepatitis C (unspecified)		1 (3)	4.9	16	72 (74)	3.9
<b>Enteric diseases</b>						
Campylobacteriosis	1	3 (3)	19.7	44	219 (257)	15.8
Cryptosporidiosis				18	96 (21)	5.3
Hepatitis A				1	3 (5)	0.1
Hepatitis E				0	0 (0)	0.0
Rotavirus				3	18 (29)	1.3
STEC/VTEC infection				6	19 (10)	0.9
Salmonellosis	2	13 (5)	36.9	21	185 (203)	11.0
Shigellosis		4 (3)	24.6	5	30 (39)	2.3
Typhoid				0	1 (7)	0.0
Vibrio parahaemolyticus				0	0 (4)	0.0
Yersiniosis				0	1 (0)	0.1
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	4	27 (61)	150.2	152	838*****	51.5
Gonorrhoea	1	25 (30)	135.4	23	230 (376)	18.2
Syphilis - Infectious		8 (5)	34.5	8	52 (59)	3.1
Syphilis - Non-Infectious	1	1	4.9	6	14 (15)	1.0
<b>Vaccine preventable diseases</b>						
Influenza		1 (15)	9.8	38	367 (483)	23.0
Measles				0	2 (7)	0.1
Mumps				0	1 (1)	0.1
Pertussis		1 (8)	2.5	2	22 (58)	1.7
Pneumococcal infection		2	4.9	0	8 (6)	0.5
Varicella (chicken pox)		1	2.5	3	31 (46)	2.3
Varicella (shingles)		1 (4)	2.5	11	114 (185)	9.1
Varicella (unspecified)			2.5	31	119 (107)	7.0
<b>Vector-borne diseases</b>						
Barmah Forest virus				2	2 (1)	0.1
Chikungunya				0	1 (0)	0.0
Dengue fever				0	7 (29)	0.9
Malaria				1	6 (3)	0.4
Ross River virus				3	17 (37)	1.3
Typhus	1	1	2.5	1	5 (0)	0.3
<b>Zoonotic diseases</b>						
Leptospirosis				0	2 (1)	0.1
Q Fever				0	1 (0)	0.0
<b>Other diseases</b>						
Legionellosis				0	2 (1)	0.1
Melioidosis			2.5	0	0 (1)	0.0
Meningococcal infection				0	1 (3)	0.1
Tuberculosis	1	1	2.5	6	13 (8)	0.3
<b>Grand Total</b>	<b>12</b>	<b>91 (138)</b>		<b>411</b>	<b>2542 (3170)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 7	
	31/12	07/01	14/01	21/01	28/01	04/02	11/02	18/02	2020	2019
	<b>Salmonella Total</b>	<b>35</b>	<b>43</b>	<b>42</b>	<b>46</b>	<b>48</b>	<b>70</b>	<b>46</b>	<b>21</b>	<b>316</b>
<b>Serotype/Phage</b>										
Salmonella Adelaide			1						1	1
Salmonella Agona				1					1	1
Salmonella Anatum						2		1	3	3
Salmonella Anatum var 15+					1				1	0
Salmonella Bareilly			1						1	1
Salmonella Bovismorbificans						2	1		3	1
Salmonella Bredeney						1			1	0
Salmonella Cerro						1			1	0
Salmonella Chailey			1						1	0
Salmonella Chester	1	1			2	2	1		6	3
Salmonella Choleraesuis bv Australia	1	3					1		4	2
Salmonella Choleraesuis bv Decatur		1	1						2	1
Salmonella Corvallis			1		1				2	2
Salmonella Derby				1					1	0
Salmonella Enteritidis		3	5	4	4	2	2	2	22	32
Salmonella Fremantle subsp II					1	1			2	2
Salmonella Hadar					1				1	0
Salmonella Haifa							1		1	0
Salmonella Hessarek					1				1	0
Salmonella Hvittingfoss					1				1	0
Salmonella Ibadan							1		1	0
Salmonella Infantis		1				1			2	2
Salmonella Javiana					1				1	1
Salmonella Kentucky	1				2				2	4
Salmonella Litchfield					1	1			2	2
Salmonella Lohbruegge subsp IV				1					1	0
Salmonella Mbandaka		1				1			2	0
Salmonella Montevideo								1	1	0
Salmonella Muenchen			1	1	1	6		1	10	1
Salmonella Newport	1			3					3	4
Salmonella Orion var 15+						1			1	0
Salmonella Oslo							1		1	1
Salmonella Paratyphi B bv Java	1	4	1	1		3	4		13	21
Salmonella Pomona	1								0	0
Salmonella Poona					1				1	2
Salmonella Potsdam		1							1	0
Salmonella Reading	1		1		1				2	0
Salmonella Richmond	1								0	0
Salmonella Rissen		1				1			2	1
Salmonella Saintpaul	2		4		1	3	2	1	11	10
Salmonella Schwarzengrund	2								0	2
Salmonella Singapore			1						1	1
Salmonella Stanley	2	1		1					2	3
Salmonella Thompson							1		1	1
Salmonella Typhimurium	19	18	15	27	25	37	21	4	147	174
Salmonella Virchow		1	2		1				4	4
Salmonella Wandsbek subsp II			1						1	1
Salmonella Waycross			1						1	0
Salmonella Welikade					1		1		2	0



# Weekly Report for period 25-DEC-19 to 18-FEB-20

	31/12	07/01	14/01	21/01	28/01	04/02	11/02	18/02	Cumulative Total to end of Week 7	
									2020	2019
<b>Salmonella Total</b>	<b>35</b>	<b>43</b>	<b>42</b>	<b>46</b>	<b>48</b>	<b>70</b>	<b>46</b>	<b>21</b>	<b>316</b>	<b>308</b>
<b>Serotype/Phage</b>										
Salmonella Weltevreden		2		1		1	1		5	1
Salmonella species	2	5	5	5	1	4	8	11	39	23