



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 02-APR-21 to 27-MAY-21

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

## STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 21			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)			2						5	6	13	0	2.5	0.0
Hepatitis B (unspecified)	5	8	9	8	4	11	13	10	295	175	181	38	45.3	0.8
Hepatitis C (newly acquired)	1	2	2	3		1			25	40	41	1	9.3	0.1
Hepatitis C (unspecified)	7	23	24	11	18	15	17	22	443	319	365	72	73.3	1.0
Hepatitis D					1				3	0	7	1	0.4	2.5
<b>Enteric diseases</b>														
Campylobacteriosis	52	57	63	50	39	41	46	12	1127	1094	1225	138	206.7	0.7
Cryptosporidiosis	1	3	6	8	5	1	2	1	58	453	97	9	18.3	0.5
Hepatitis A		1							1	6	15	0	0.7	0.0
Listeriosis		1							2	1	5	0	0.5	0.0
Rotavirus	3	2	2	3	1	1	3		50	96	132	5	29.2	0.2
STEC/VTEC infection	1	1	1	4	2		1	1	44	59	69	4	5.5	0.7
Salmonellosis	21	21	26	20	14	17	17	5	507	917	965	53	165.3	0.3
Shigellosis		2	1	1	1	2	5		35	139	182	8	14.4	0.6
Typhoid									1	3	12	0	0.6	0.0
Vibrio parahaemolyticus									3	2	12	0	1.3	0.0
Yersiniosis		1	2		1	1	1		16	5	1	3	1.3	2.3
<b>Sexually transmissible infections</b>														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	163	218	206	170	216	224	196	46	4300	4587	4946	682	864.5	0.8
Gonorrhoea	51	55	48	40	54	60	36	6	1059	1665	1688	156	266.7	0.6
Syphilis (congenital)	1		1						3	0	1	0	0.1	0.0
Syphilis - Infectious	11	23	17	11	20	19	21	1	359	282	235	61	33.1	1.8
Syphilis - Non-Infectious	5	3	1	2		5	5	2	69	89	92	12	13.1	0.9
<b>Vaccine preventable diseases</b>														
Influenza		1	1		2		2		16	1161	4884	4	1008.0	0.0
Mumps									1	9	12	0	10.1	0.0
Pertussis	1						2		12	98	284	2	65.2	0.0
Pneumococcal infection	1	2	1	3	1	2	3		30	43	63	6	14.9	0.4
Rubella (non-congenital)									1	0	1	0	0.0	0.0
Varicella (chicken pox)	8	6	9	7	8	5	4		152	163	244	17	40.3	0.4
Varicella (shingles)	61	49	47	43	56	33	31	6	1060	975	892	126	160.1	0.8
Varicella (unspecified)	36	30	24	36	32	28	49	20	702	540	576	129	112.7	1.1
<b>Vector-borne diseases</b>														
Barmah Forest virus	1		1						6	13	6	0	2.1	0.0
Dengue fever		1				1			2	62	165	1	20.9	0.0
Malaria						2			6	24	21	2	3.6	0.6
Ross River virus	14	13	17	19	16	14	21	5	359	158	200	56	45.1	1.2
Typhus							1		7	13	6	1	1.8	0.6
<b>Zoonotic diseases</b>														
Leptospirosis							1		2	1	3	1	0.3	3.8
Q Fever					1			1	2	3	3	2	0.8	2.5
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis		1				1			2	1	4	1	0.4	2.5
COVID-19	8	19	16	17	9	2	1	1	147	583	0	13	8.3	1.6
Creutzfeldt-Jakob disease									2	2	3	0	0.6	0.0
Legionellosis	2	1	1	1	2	1		1	21	34	12	4	4.8	0.8
Leprosy								1	1	0	0	1	0.1	7.5
Melioidosis		1							2	4	4	0	0.5	0.0
Meningococcal infection		2	1						6	4	10	0	1.1	0.0
Tuberculosis	3	4	5	4	1	2	3	2	52	49	39	8	9.1	0.9
<b>Grand Total</b>	<b>457</b>	<b>551</b>	<b>534</b>	<b>461</b>	<b>503</b>	<b>490</b>	<b>481</b>	<b>143</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 21			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)			1						4	4	8	0	1.8	0.0
Hepatitis B (unspecified)	3	8	8	5	4	8	10	8	212	152	158	30	38.5	0.8
Hepatitis C (newly acquired)	1	2	2	2					22	30	31	0	6.9	0.0
Hepatitis C (unspecified)	4	19	14	8	13	11	14	12	314	228	242	50	51.7	1.0
Hepatitis D					1				3	0	7	1	0.3	3.0
<b>Enteric diseases</b>														
Campylobacteriosis	36	40	48	41	30	31	35	11	881	876	1002	107	165.5	0.6
Cryptosporidiosis		2	3	4		1		1	22	396	46	2	11.1	0.2
Hepatitis A		1							1	5	14	0	0.5	0.0
Listeriosis		1							1	0	5	0	0.3	0.0
Rotavirus	2	1	1	3	1	1	3		45	78	111	5	17.5	0.3
STEC/VTEC infection	1	1	1	2	2		1	1	33	47	52	4	4.3	0.9
Salmonellosis	12	10	18	14	11	10	12	5	355	695	759	38	123.5	0.3
Shigellosis		1				1			7	71	122	1	6.4	0.2
Vibrio parahaemolyticus									3	2	9	0	0.9	0.0
Yersiniosis			1		1	1	1		11	5	1	3	1.1	2.8
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	121	178	166	136	156	181	162	37	3420	3553	3865	536	675.3	0.8
Gonorrhoea	33	33	30	23	35	40	29	2	638	1167	1235	106	181.1	0.6
Syphilis (congenital)									0	0	0	0	0.1	0.0
Syphilis - Infectious	6	11	12	7	13	13	15	1	203	180	130	42	22.5	1.9
Syphilis - Non-Infectious	4	1		1		5	3	2	51	76	64	10	10.1	1.0
<b>Vaccine preventable diseases</b>														
Influenza					1				8	932	3477	1	797.4	0.0
Pertussis							2		10	77	220	2	46.2	0.0
Pneumococcal infection	1	2		3	1	1	3		17	16	41	5	8.5	0.6
Rubella (non-congenital)									1	0	1	0	0.0	0.0
Varicella (chicken pox)	5	4	7	4	7	3	4		113	114	171	14	30.4	0.5
Varicella (shingles)	35	40	37	29	39	24	22	4	758	701	634	89	113.6	0.8
Varicella (unspecified)	33	24	20	32	29	25	42	18	652	520	556	114	107.9	1.1
<b>Vector-borne diseases</b>														
Barmah Forest virus									1	3	1	0	0.6	0.0
Malaria						2			5	18	20	2	2.9	0.7
Ross River virus	8	8	8	10	6	7	12	4	190	85	145	29	26.3	1.1
<b>Zoonotic diseases</b>														
Q Fever								1	1	2	0	1	0.3	3.8
<b>Other diseases</b>														
COVID-19	3	5	6	8	2	1			61	376	0	3	3.2	0.9
Creutzfeldt-Jakob disease									2	2	3	0	0.3	0.0
Legionellosis	1		1		2	1			13	18	11	3	3.4	0.9
Leprosy								1	1	0	0	1	0.1	7.5
Melioidosis		1							1	0	2	0	0.1	0.0
Meningococcal infection		1							2	2	3	0	0.7	0.0
Tuberculosis	3	4	5	4	1	2	3	2	49	47	34	8	8.0	1.0
<b>Grand Total</b>	<b>312</b>	<b>398</b>	<b>389</b>	<b>336</b>	<b>354</b>	<b>370</b>	<b>373</b>	<b>110</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)		(1)	0.1		(1)	0.3			0.1
Hepatitis B (unspecified)	2	10 (11)	8.3	1	6 (8)	9.6	5	14 (8)	11.9
Hepatitis C (newly acquired)			0.1		(4)	1.1		(6)	1.9
Hepatitis C (unspecified)	6	10 (14)	7.5	3	15 (14)	16.3	3	25 (17)	20.7
Hepatitis D		1	0.3						0.1
<b>Enteric diseases</b>									
Campylobacteriosis	6	44 (40)	43.4		29 (55)	40.8	5	34 (42)	40.0
Cryptosporidiosis		(2)	0.3		1 (5)	1.5	1	1 (1)	1.4
Hepatitis A									0.1
Listeriosis									0.1
Rotavirus		5 (2)	2.6		(3)	1.2		(6)	2.5
STEC/VTEC infection		(1)	1.4		1 (1)	1.2	1	3 (1)	2.1
Salmonellosis	2	13 (36)	17.6	1	13 (28)	14.5	2	12 (40)	17.8
Shigellosis		1 (3)	0.3			0.5		(2)	0.3
Vibrio parahaemolyticus			0.1			0.2			0.1
Yersiniosis		2	0.5		(1)	0.5		1	0.5
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	15	172 (181)	144.7	8	146 (220)	148.3	14	218 (272)	188.6
Gonorrhoea	1	25 (56)	25.5		30 (50)	25.3	1	51 (82)	38.9
Syphilis (congenital)									
Syphilis - Infectious		10 (18)	4.8		13 (14)	9.9	1	19 (21)	14.0
Syphilis - Non-Infectious		2 (6)	1.6	1	4 (4)	2.6	1	4 (10)	3.0
<b>Vaccine preventable diseases</b>									
Influenza		(3)	0.5		(5)	0.2		1 (2)	0.4
Mumps									
Pertussis		1	0.3		1 (3)	0.9		(2)	0.3
Pneumococcal infection		2 (1)	0.5		1	0.6		2	1.2
Rubella (non-congenital)			0.1						
Varicella (chicken pox)		4 (5)	6.3		3 (7)	5.3		7 (10)	4.4
Varicella (shingles)	3	35 (58)	38.5	1	27 (41)	37.2		27 (44)	31.3
Varicella (unspecified)	4	32 (33)	31.3	9	50 (27)	36.6	5	32 (23)	24.6
<b>Vector-borne diseases</b>									
Barmah Forest virus					(2)	0.2			
Dengue fever									
Malaria		1	0.1			0.2		1	0.4
Ross River virus	2	7 (2)	8.7		11 (18)	10.1	2	11	8.1
Typhus									
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever							1	1	0.1
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		1 (3)	3.7			1.4		2 (2)	3.4
Creutzfeldt-Jakob disease			0.1						0.1
Legionellosis		3 (3)	1.0		(5)	0.5		(1)	0.4
Leprosy							1	1	0.1
Melioidosis									0.1
Meningococcal infection						0.2		(1)	0.1
Tuberculosis	1	5 (2)	1.9		(5)	2.1	1	3	2.9
<b>Grand Total</b>	<b>42</b>	<b>386 (481)</b>		<b>24</b>	<b>351 (521)</b>		<b>44</b>	<b>470 (593)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	3 (1)	6.6		1	4.9		(2)	17.4
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	1	5 (6)	15.3	1	1	27.7	2	4 (4)	25.4
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	1	15 (14)	52.0		1 (3)	45.7		4 (5)	37.4
Cryptosporidiosis		5 (5)	4.4			4.9			
Hepatitis A									
Listeriosis			0.5						
Rotavirus		(1)	0.5			3.3			
STEC/VTEC infection			3.8		(1)	1.6			
Salmonellosis		3 (11)	18.1		(2)	8.2		3 (9)	28.0
Shigellosis		1	0.5					1	1.3
Vibrio parahaemolyticus									
Yersiniosis						1.6			1.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	3	35 (42)	115.0		11 (17)	91.3	1	9 (13)	80.1
Gonorrhoea	1	6 (18)	13.1			3.3		(5)	21.4
Syphilis (congenital)									
Syphilis - Infectious		(3)	3.3		1	6.5			2.7
Syphilis - Non-Infectious			1.1			1.6			5.3
<b>Vaccine preventable diseases</b>									
Influenza		3 (2)	1.6			4.9			
Mumps									
Pertussis			1.1						
Pneumococcal infection			0.5						5.3
Rubella (non-congenital)									
Varicella (chicken pox)		(2)	6.6			14.7			6.7
Varicella (shingles)	2	19 (27)	71.8		3 (5)	78.3		1 (7)	45.4
Varicella (unspecified)		2	3.3	2	5	19.6		1	12.0
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Dengue fever									
Malaria									
Ross River virus	1	8 (1)	34.0		3	79.9		8 (2)	25.4
Typhus			0.5			3.3		(1)	1.3
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever								1	1.3
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis	1	1	1.6			1.6		(1)	1.3
Leprosy									
Melioidosis									
Meningococcal infection			0.5						1.3
Tuberculosis			0.5			1.6			
<b>Grand Total</b>	<b>11</b>	<b>106 (133)</b>		<b>3</b>	<b>26 (28)</b>		<b>3</b>	<b>32 (49)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		2	8.3		(2)	9.7	1	1	28.5
Hepatitis C (newly acquired)			1.7					1 (2)	3.3
Hepatitis C (unspecified)	2	6 (2)	31.5	1 (1)		27.0		1 (2)	21.8
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis		5 (1)	48.1		3 (5)	44.4		2 (2)	40.2
Cryptosporidiosis		(1)	1.7		1	3.9			3.3
Hepatitis A									
Listeriosis								(1)	1.7
Rotavirus						1.9			1.7
STEC/VTEC infection			1.7			1.9			1.7
Salmonellosis		2 (3)	14.9		(3)	17.4		4 (5)	51.9
Shigellosis		1 (2)	13.3		(1)	3.9		2 (2)	8.4
Vibrio parahaemolyticus									
Yersiniosis						1.9			3.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)		10 (26)	179.0	1	14 (20)	198.9	2	20 (25)	195.9
Gonorrhoea	1	1 (9)	46.4	2	11 (9)	187.3		5 (15)	128.9
Syphilis (congenital)						1.9			
Syphilis - Infectious		1 (1)	11.6		1	25.1		11 (2)	102.1
Syphilis - Non-Infectious		2	5.0			7.7			1.7
<b>Vaccine preventable diseases</b>									
Influenza		(2)	1.7						
Mumps						1.9			
Pertussis									
Pneumococcal infection		(2)	1.7		(2)	1.9		1 (1)	5.0
Rubella (non-congenital)									
Varicella (chicken pox)		(1)	3.3		1 (1)	13.5			3.3
Varicella (shingles)		(2)	23.2		4 (6)	50.2		4 (4)	33.5
Varicella (unspecified)		4	21.5			1.9		3	5.0
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Dengue fever			1.7					1	1.7
Malaria									
Ross River virus		4	18.2			32.8		(1)	1.7
Typhus		1	1.7						3.3
<b>Zoonotic diseases</b>									
Leptospirosis		1	1.7						
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis		(1)	3.3						
Leprosy									
Melioidosis									
Meningococcal infection						1.9			
Tuberculosis						1.9			
<b>Grand Total</b>	<b>3</b>	<b>40 (53)</b>		<b>3</b>	<b>36 (50)</b>		<b>3</b>	<b>56 (62)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	0 (2)	0.2
Hepatitis B (unspecified)		1	77.5	10	38 (32)	6.3
Hepatitis C (newly acquired)				0	1 (16)	0.9
Hepatitis C (unspecified)	4	4 (1)	51.7	22	72 (61)	14.4
Hepatitis D				0	1 (0)	0.1
<b>Enteric diseases</b>						
Campylobacteriosis		1 (6)	34.5	12	138 (173)	42.5
Cryptosporidiosis		1	51.7	1	9 (14)	2.2
Hepatitis A				0	0 (0)	0.0
Listeriosis				0	0 (0)	0.1
Rotavirus				0	5 (16)	1.9
STEC/VTEC infection				1	4 (4)	1.7
Salmonellosis		3 (7)	106.3	5	53 (144)	19.1
Shigellosis		2 (7)	31.6	0	8 (17)	1.3
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	3 (1)	0.6
<b>Sexually transmissible infections</b>						
Chlamydia (genital)		39 (48)	554.3	46	682 (870)	162.2
Gonorrhoea		25 (31)	476.8	6	156 (280)	39.9
Syphilis (congenital)			2.9	0	0 (0)	0.1
Syphilis - Infectious		3 (6)	166.6	1	61 (67)	13.5
Syphilis - Non-Infectious			5.7	2	12 (20)	2.4
<b>Vaccine preventable diseases</b>						
Influenza		(1)	2.9	0	4 (18)	0.6
Mumps				0	0 (1)	0.0
Pertussis				0	2 (5)	0.5
Pneumococcal infection		(2)	8.6	0	6 (8)	1.1
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)		1	2.9	0	17 (26)	5.7
Varicella (shingles)		5 (2)	63.2	6	126 (198)	40.0
Varicella (unspecified)			2.9	20	129 (83)	26.5
<b>Vector-borne diseases</b>						
Barmah Forest virus		(1)	14.4	0	0 (4)	0.2
Dengue fever				0	1 (0)	0.1
Malaria				0	2 (0)	0.2
Ross River virus		3 (3)	23.0	5	56 (28)	13.5
Typhus				0	1 (2)	0.3
<b>Zoonotic diseases</b>						
Leptospirosis			2.9	0	1 (1)	0.1
Q Fever				1	2 (1)	0.1
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)		1	5.7	0	1 (0)	0.1
COVID-19				1	13 (31)	6.9
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis			2.9	1	4 (14)	0.8
Leprosy				1	1 (0)	0.0
Melioidosis			2.9	0	0 (0)	0.1
Meningococcal infection			2.9	0	0 (1)	0.2
Tuberculosis				2	8 (7)	1.2
<b>Grand Total</b>	<b>4</b>	<b>89 (115)</b>		<b>143</b>	<b>1617 (2146)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 21	
	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	2021	2020
	<b>Salmonella Total</b>	21	21	26	20	14	17	17	5	507
<b>Serotype/Phage</b>										
Salmonella Aberdeen			1	1					2	0
Salmonella Adelaide									2	2
Salmonella Agona									3	4
Salmonella Anatum			2			1			5	8
Salmonella Bahrenfeld									1	0
Salmonella Ball	1								1	0
Salmonella Bareilly					1				3	3
Salmonella Birkenhead									4	1
Salmonella Bovismorbificans				1					4	5
Salmonella Cannonhill						1			1	0
Salmonella Cerro									2	2
Salmonella Chester		2							5	17
Salmonella Choleraesuis bv Australia						1			4	8
Salmonella Choleraesuis bv Decatur									6	8
Salmonella Corvallis					1				2	3
Salmonella Eastbourne									2	1
Salmonella Emmstad									1	0
Salmonella Enteritidis	1	1					1		6	43
Salmonella Fremantle subsp II			1						3	3
Salmonella Give		1							4	2
Salmonella Havana									1	2
Salmonella Hessarek									1	1
Salmonella Houten subsp IV									2	0
Salmonella Hvittingfoss									2	1
Salmonella Infantis	1	5		2					17	15
Salmonella Irumu		1							1	0
Salmonella Johannesburg						1			2	1
Salmonella Kalumburu			1			1			2	0
Salmonella Kiambu									2	1
Salmonella Kottbus									1	3
Salmonella Lansing									1	1
Salmonella Litchfield									3	4
Salmonella Livingstone									1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	2
Salmonella Meleagridis							1		1	0
Salmonella Mississippi									1	1
Salmonella Muenchen				1		3			9	19
Salmonella Newport	1		1						7	8
Salmonella Oranienburg				1					3	3
Salmonella Orion							2		5	1
Salmonella Paratyphi B bv Java				1					1	21
Salmonella Poona			2						4	1
Salmonella Potsdam					1				7	7
Salmonella Reading		1	1	1					6	2
Salmonella Richmond									1	0
Salmonella Rissen									2	3
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0



# Weekly Report for period 02-APR-21 to 27-MAY-21

	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	Cumulative Total to end of Week 21	
									2021	2020
<b>Salmonella Total</b>	21	21	26	20	14	17	17	5	507	874
<b>Serotype/Phage</b>										
Salmonella Saintpaul	1			1	1				16	25
Salmonella Senftenberg									1	1
Salmonella Singapore						1			2	4
Salmonella Stanley				1					3	7
Salmonella Tennessee									2	0
Salmonella Typhimurium	15	4	15	8	6	7	6		270	556
Salmonella Urbana							1		2	0
Salmonella Virchow		2		1					9	15
Salmonella Wandsbek subsp II									1	4
Salmonella Wandsworth									1	1
Salmonella Weltevreden									2	4
Salmonella Zanzibar									2	1
Salmonella species	1	4	2	1	4	1	6	5	46	47
Salmonella subsp I ser 16:i,v:-									2	1