



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 14-MAY-21 to 08-JUL-21

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

## STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 27			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	20/05	27/05	03/06	10/06	17/06	24/06	01/07	08/07	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)		2							7	7	15	0	1.9	0.0
Hepatitis B (unspecified)	13	11	5	4	6	9	5	7	329	255	226	27	50.0	0.5
Hepatitis C (newly acquired)	2	1	1		2	1			31	57	52	3	8.5	0.4
Hepatitis C (unspecified)	14	21	13	14	9	12	13	16	517	410	471	50	76.0	0.7
Hepatitis D						1			4	0	7	1	0.5	2.1
<b>Enteric diseases</b>														
Campylobacteriosis	52	43	56	36	58	52	55	17	1440	1348	1593	182	235.0	0.8
Cryptosporidiosis	3	4	4	2	2	2	3		76	462	110	7	10.9	0.6
Hepatitis A							1		2	6	18	1	0.7	1.5
Listeriosis			1						3	1	5	0	0.5	0.0
Rotavirus	3	2	2	2	8	7	2	2	75	118	216	19	32.1	0.6
STEC/VTEC infection	2	1	1	2	2	1			53	68	84	3	5.0	0.6
Salmonellosis	22	22	16	14	9	12	12	4	597	1112	1167	37	141.1	0.3
Shigellosis	6	3	3		3	1	1		47	156	214	5	16.1	0.3
Typhoid									1	3	12	0	0.7	0.0
Vibrio parahaemolyticus									3	2	15	0	0.7	0.0
Yersiniosis		1	1						17	8	4	0	1.9	0.0
<b>Sexually transmissible infections</b>														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	207	209	227	200	205	191	208	55	5573	5791	6259	659	865.5	0.8
Gonorrhoea	44	65	58	58	56	50	51	11	1416	2063	2158	168	263.8	0.6
Syphilis (congenital)									3	2	1	0	0.1	0.0
Syphilis - Infectious	16	18	22	21	18	15	18	9	463	381	306	60	37.1	1.6
Syphilis - Non-Infectious	7	4	4	7	5	7	10	5	115	114	122	27	13.2	2.0
<b>Vaccine preventable diseases</b>														
Influenza	3			1	2	2			22	1185	18720	4	1529.1	0.0
Mumps				1					2	9	14	0	5.7	0.0
Pertussis	1		1			1	2		15	102	347	3	70.9	0.0
Pneumococcal infection	3	3	2	7	7	7	7	1	65	74	108	22	22.9	1.0
Rubella (non-congenital)									1	0	1	0	0.1	0.0
Varicella (chicken pox)	6	9	4	8	8	7	3	2	196	231	312	20	51.5	0.4
Varicella (shingles)	48	42	43	45	40	36	16	1	1305	1279	1142	93	160.4	0.6
Varicella (unspecified)	39	25	41	36	31	30	43	31	903	722	746	135	118.1	1.1
<b>Vector-borne diseases</b>														
Barmah Forest virus		1				1			8	14	7	1	1.7	0.6
Dengue fever									1	62	196	0	19.9	0.0
Malaria								1	7	26	32	1	3.9	0.3
Ross River virus	21	18	19	15	14	15	7	3	477	177	250	39	25.1	1.6
Typhus	2		1						9	15	11	0	1.9	0.0
<b>Zoonotic diseases</b>														
Leptospirosis	1								2	1	3	0	0.2	0.0
Q Fever	1	1							3	4	4	0	0.7	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis									2	1	5	0	0.3	0.0
Amoebic meningitis					1				1	0	0	1	0.0	0.0
COVID-19	1	1	1	1	1	3	7	3	162	618	0	14	5.9	2.4
Creutzfeldt-Jakob disease									2	3	4	0	0.4	0.0
Legionellosis	1	4	6		2		1		37	45	17	3	4.3	0.7
Leprosy		1							1	0	0	0	0.2	0.0
Melioidosis	1								3	5	4	0	0.4	0.0
Meningococcal infection									6	7	11	0	1.5	0.0
Tuberculosis	3	2	3	1	2	5	4	6	69	58	58	17	10.7	1.6
<b>Grand Total</b>	<b>522</b>	<b>514</b>	<b>535</b>	<b>475</b>	<b>491</b>	<b>468</b>	<b>469</b>	<b>174</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 27			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	20/05	27/05	03/06	10/06	17/06	24/06	01/07	08/07	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)		2							6	5	10	0	1.3	0.0
Hepatitis B (unspecified)	10	9	3	4	4	8	3	6	240	216	197	21	42.5	0.5
Hepatitis C (newly acquired)	2	1	1		2				27	43	40	2	6.3	0.3
Hepatitis C (unspecified)	11	12	9	12	6	9	12	13	373	290	323	40	53.6	0.7
Hepatitis D						1			4	0	7	1	0.4	2.5
<b>Enteric diseases</b>														
Campylobacteriosis	39	32	44	29	46	40	42	13	1121	1085	1291	141	187.5	0.8
Cryptosporidiosis	1	2	1		2	1	1		29	403	55	4	7.9	0.5
Hepatitis A							1		2	5	16	1	0.5	2.1
Listeriosis									1	0	5	0	0.5	0.0
Rotavirus	3	2	2	2	8	5	2	2	68	94	189	17	21.1	0.8
STEC/VTEC infection	2	1	1	2	2	1			40	53	64	3	3.5	0.9
Salmonellosis	15	19	7	11	8	8	7	4	418	847	904	27	105.9	0.3
Shigellosis			2		1	1			11	77	146	2	8.9	0.2
Vibrio parahaemolyticus									3	2	11	0	0.4	0.0
Yersiniosis		1	1						12	7	3	0	1.6	0.0
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	162	158	170	160	158	141	154	49	4383	4494	4903	502	672.9	0.7
Gonorrhoea	32	42	40	31	32	35	39	9	868	1427	1574	115	178.0	0.6
Syphilis (congenital)									0	2	0	0	0.1	0.0
Syphilis - Infectious	11	10	17	11	13	8	13	9	269	249	165	43	24.4	1.8
Syphilis - Non-Infectious	5	2		3	1	3	6	3	73	97	81	13	9.1	1.4
<b>Vaccine preventable diseases</b>														
Influenza				1	1	2			11	949	14800	3	1236.3	0.0
Pertussis	1		1			1	2		13	81	275	3	52.8	0.1
Pneumococcal infection	3	3	2	5	4	4	4		40	26	68	12	12.7	0.9
Rubella (non-congenital)									1	0	1	0	0.1	0.0
Varicella (chicken pox)	6	8	2	6	7	5	2		145	163	226	14	38.9	0.4
Varicella (shingles)	36	33	28	28	29	27	11		928	924	814	67	113.3	0.6
Varicella (unspecified)	34	21	37	32	30	26	37	22	831	694	717	115	112.5	1.0
<b>Vector-borne diseases</b>														
Barmah Forest virus						1			1	3	2	1	0.3	3.0
Malaria								1	6	20	28	1	3.1	0.3
Ross River virus	10	7	12	8	9	9	2	1	250	100	173	21	15.2	1.4
Typhus	1								1	8	8	0	1.2	0.0
<b>Zoonotic diseases</b>														
Q Fever	1	1							2	2	1	0	0.3	0.0
<b>Other diseases</b>														
COVID-19			1	1	1	2	6	3	74	403	0	12	3.1	3.8
Creutzfeldt-Jakob disease									2	3	3	0	0.3	0.0
Legionellosis		2	4		1		1		22	27	15	2	3.3	0.6
Leprosy		1							1	0	0	0	0.2	0.0
Melioidosis									1	0	2	0	0.1	0.0
Meningococcal infection									2	3	4	0	1.0	0.0
Tuberculosis	3	2	3	1	2	5	3	3	62	56	51	13	9.7	1.3
<b>Grand Total</b>	<b>388</b>	<b>371</b>	<b>388</b>	<b>347</b>	<b>367</b>	<b>343</b>	<b>348</b>	<b>138</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			0.1			0.3		(1)	0.4
Hepatitis B (unspecified)	3	5 (10)	9.1	1	5 (14)	11.0	2	11 (21)	13.7
Hepatitis C (newly acquired)		(3)	0.4		1 (1)	1.4		1 (3)	2.1
Hepatitis C (unspecified)	6	13 (4)	9.4	3	13 (9)	19.6	4	14 (26)	23.9
Hepatitis D			0.3					1	0.3
<b>Enteric diseases</b>									
Campylobacteriosis	6	63 (52)	56.5	2	36 (51)	50.8	5	42 (50)	50.7
Cryptosporidiosis		2 (3)	0.7		2 (2)	2.0		(1)	1.5
Hepatitis A		1	0.1						0.1
Listeriosis									0.1
Rotavirus	1	7 (3)	3.8	1	7 (3)	2.3		3 (5)	3.4
STEC/VTEC infection		2 (3)	2.0			1.5		1 (2)	2.1
Salmonellosis	1	11 (40)	20.3		5 (23)	17.2	3	11 (28)	21.3
Shigellosis			0.4			0.5		2 (1)	0.7
Vibrio parahaemolyticus			0.1			0.2			0.1
Yersiniosis		(1)	0.5			0.5			0.7
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	20	148 (204)	185.2	13	147 (205)	193.0	16	207 (241)	239.2
Gonorrhoea	4	32 (40)	34.5	1	31 (62)	35.4	4	52 (60)	52.2
Syphilis (congenital)									
Syphilis - Infectious	3	14 (17)	7.4	3	9 (12)	13.7	3	20 (19)	17.0
Syphilis - Non-Infectious		3 (5)	2.3		3 (1)	3.0	3	7 (6)	4.9
<b>Vaccine preventable diseases</b>									
Influenza		1 (4)	0.7		2 (4)	0.5		(6)	0.4
Mumps									
Pertussis		1 (1)	0.5		1 (1)	0.9		1	0.4
Pneumococcal infection		4 (3)	1.5		6 (1)	2.3		2 (3)	1.9
Rubella (non-congenital)			0.1						
Varicella (chicken pox)		9 (11)	8.3		3 (10)	7.2		2 (13)	4.9
Varicella (shingles)		23 (52)	46.7		28 (51)	47.6		16 (40)	36.9
Varicella (unspecified)	9	38 (37)	40.3	5	39 (46)	45.5	8	38 (33)	32.0
<b>Vector-borne diseases</b>									
Barmah Forest virus					1	0.2			
Dengue fever									
Malaria		(1)	0.1			0.2	1	1	0.5
Ross River virus		4	10.5		6 (8)	13.1	1	11 (1)	11.8
Typhus						0.2			
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever			0.1						0.1
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19	1	7 (2)	4.5	2	2 (3)	1.8		3 (14)	4.0
Creutzfeldt-Jakob disease			0.1						0.1
Legionellosis		2 (1)	1.8		(1)	0.8		(4)	0.5
Leprosy									0.1
Melioidosis									0.1
Meningococcal infection						0.2		(1)	0.1
Tuberculosis		2 (2)	2.0	2	3 (1)	2.7	1	8 (4)	4.0
<b>Grand Total</b>	<b>54</b>	<b>392 (499)</b>		<b>33</b>	<b>350 (509)</b>		<b>51</b>	<b>454 (583)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		2 (2)	7.7		(1)	4.9		(1)	17.4
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)		(8)	17.5		2 (1)	31.0		(3)	24.0
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	1	14 (17)	64.6	1	10 (2)	66.9	1	4 (3)	46.7
Cryptosporidiosis			6.0		1	8.2		1	1.3
Hepatitis A									
Listeriosis			1.1						
Rotavirus		(3)	0.5			3.3			
STEC/VTEC infection		(1)	4.4			1.6			
Salmonellosis		1 (16)	20.8		(1)	13.0		(1)	32.0
Shigellosis			0.5		1	3.3			2.7
Vibrio parahaemolyticus									
Yersiniosis						1.6			1.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)		42 (45)	153.4		11 (7)	127.2	1	11 (11)	101.5
Gonorrhoea		3 (10)	17.5		2 (2)	6.5		2 (4)	26.7
Syphilis (congenital)									
Syphilis - Infectious		2 (4)	4.4		(1)	6.5		1	5.3
Syphilis - Non-Infectious		1	1.6			1.6	1	2	9.3
<b>Vaccine preventable diseases</b>									
Influenza		(2)	1.6		(1)	4.9		1 (1)	2.7
Mumps									
Pertussis			1.1						
Pneumococcal infection		1	1.1					(1)	5.3
Rubella (non-congenital)									
Varicella (chicken pox)	2	3 (7)	8.8			16.3			6.7
Varicella (shingles)		8 (27)	83.8	1	6 (10)	101.1		3 (2)	61.4
Varicella (unspecified)	2	2	3.3	2	6	31.0		3	16.0
<b>Vector-borne diseases</b>									
Barmah Forest virus			0.5						
Dengue fever									
Malaria									
Ross River virus	1	4	41.6	1	1	81.5		4	44.1
Typhus			0.5			3.3			1.3
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever									1.3
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis		(1)	3.8			1.6		(1)	1.3
Leprosy									
Melioidosis									
Meningococcal infection			0.5						1.3
Tuberculosis	1	2	1.6			1.6			
<b>Grand Total</b>	<b>7</b>	<b>85 (143)</b>		<b>5</b>	<b>40 (26)</b>		<b>3</b>	<b>32 (28)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(1)	11.6		1	11.6		1 (1)	31.8
Hepatitis C (newly acquired)		1	3.3						3.3
Hepatitis C (unspecified)		2 (3)	34.8	1	1 (2)	29.0		(1)	23.4
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	1	5 (5)	61.3		1 (3)	52.1		1 (2)	53.6
Cryptosporidiosis			1.7			3.9			3.3
Hepatitis A									
Listeriosis									
Rotavirus						1.9			1.7
STEC/VTEC infection		(1)	3.3			1.9			1.7
Salmonellosis		(1)	18.2		1 (2)	19.3		2 (5)	60.3
Shigellosis		(1)	13.3			7.7		(3)	8.4
Vibrio parahaemolyticus									
Yersiniosis						1.9			3.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	1	16 (28)	248.6	2	14 (18)	272.3	2	18 (18)	271.3
Gonorrhoea		2 (9)	58.0	1	2 (13)	222.1	1	12 (17)	184.2
Syphilis (congenital)						1.9			
Syphilis - Infectious		1 (1)	13.3		(1)	30.9		6 (6)	127.3
Syphilis - Non-Infectious		1 (1)	6.6		5 (1)	29.0	1	3 (2)	10.0
<b>Vaccine preventable diseases</b>									
Influenza		(2)	1.7						1.7
Mumps						3.9			
Pertussis									
Pneumococcal infection		3 (1)	6.6		1 (4)	3.9		1 (2)	6.7
Rubella (non-congenital)									
Varicella (chicken pox)			3.3		2 (4)	19.3		(1)	5.0
Varicella (shingles)		(2)	31.5		3 (6)	63.7		1 (2)	41.9
Varicella (unspecified)	1	3 (4)	29.8	2	2	5.8			1.7
<b>Vector-borne diseases</b>									
Barmah Forest virus			1.7						
Dengue fever									1.7
Malaria									
Ross River virus		8	44.8			36.7		(1)	11.7
Typhus			1.7						5.0
<b>Zoonotic diseases</b>									
Leptospirosis			1.7						
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis			5.0					1	3.3
Leprosy									
Melioidosis									
Meningococcal infection						1.9			
Tuberculosis	1	1	1.7			1.9			
<b>Grand Total</b>	<b>4</b>	<b>43 (60)</b>		<b>6</b>	<b>33 (54)</b>		<b>4</b>	<b>46 (61)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	0 (1)	0.3
Hepatitis B (unspecified)	1	2 (5)	77.5	7	27 (56)	7.6
Hepatitis C (newly acquired)				0	3 (9)	1.1
Hepatitis C (unspecified)		2 (2)	60.3	16	50 (59)	17.2
Hepatitis D				0	1 (0)	0.2
<b>Enteric diseases</b>						
Campylobacteriosis		3 (1)	48.8	17	182 (186)	54.3
Cryptosporidiosis		1	63.2	0	7 (6)	2.9
Hepatitis A				0	1 (0)	0.1
Listeriosis				0	0 (0)	0.1
Rotavirus				2	19 (16)	2.8
STEC/VTEC infection				0	3 (7)	2.0
Salmonellosis		2 (2)	112.0	4	37 (119)	22.5
Shigellosis		2 (4)	40.2	0	5 (9)	1.8
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	0 (1)	0.6
<b>Sexually transmissible infections</b>						
Chlamydia (genital)		37 (38)	741.0	55	659 (821)	210.2
Gonorrhoea		28 (39)	629.0	11	168 (258)	53.4
Syphilis (congenital)			2.9	0	0 (1)	0.1
Syphilis - Infectious		6 (6)	212.5	9	60 (67)	17.5
Syphilis - Non-Infectious		1	11.5	5	27 (16)	4.1
<b>Vaccine preventable diseases</b>						
Influenza		(1)	2.9	0	4 (21)	0.8
Mumps				0	0 (0)	0.1
Pertussis				0	3 (2)	0.6
Pneumococcal infection	1	4 (4)	25.8	1	22 (19)	2.5
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)		1	11.5	2	20 (46)	7.4
Varicella (shingles)		5 (5)	89.0	1	93 (197)	49.2
Varicella (unspecified)	1	3	11.5	31	135 (121)	34.1
<b>Vector-borne diseases</b>						
Barmah Forest virus			14.4	0	1 (1)	0.3
Dengue fever				0	0 (0)	0.0
Malaria				1	1 (1)	0.3
Ross River virus		(1)	31.6	3	39 (11)	18.0
Typhus				0	0 (0)	0.3
<b>Zoonotic diseases</b>						
Leptospirosis			2.9	0	0 (0)	0.1
Q Fever				0	0 (0)	0.1
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)			5.7	0	0 (0)	0.1
Amoebic meningitis		1	2.9	0	1 (0)	0.0
COVID-19				3	14 (28)	8.0
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis			2.9	0	3 (8)	1.4
Leprosy				0	0 (0)	0.0
Melioidosis		(1)	5.7	0	0 (1)	0.1
Meningococcal infection			2.9	0	0 (2)	0.2
Tuberculosis				6	17 (7)	1.8
<b>Grand Total</b>	<b>3</b>	<b>98 (109)</b>		<b>174</b>	<b>1602 (2097)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 27	
	20/05	27/05	03/06	10/06	17/06	24/06	01/07	08/07	2021	2020
	<b>Salmonella Total</b>	<b>22</b>	<b>22</b>	<b>16</b>	<b>14</b>	<b>9</b>	<b>12</b>	<b>12</b>	<b>4</b>	<b>597</b>
<b>Serotype/Phage</b>										
Salmonella Aberdeen									2	0
Salmonella Adelaide									2	3
Salmonella Agona									3	4
Salmonella Anatum		2							7	10
Salmonella Bahrenfeld							1		2	1
Salmonella Ball									1	0
Salmonella Bareilly									3	3
Salmonella Birkenhead			1						5	2
Salmonella Bovismorbificans	1								5	5
Salmonella Bredeney						1			1	1
Salmonella Cannonhill									1	0
Salmonella Cerro									2	2
Salmonella Chester			1	1					7	19
Salmonella Choleraesuis bv Australia									4	13
Salmonella Choleraesuis bv Decatur									7	8
Salmonella Corvallis									2	3
Salmonella Eastbourne									2	1
Salmonella Emmastad									1	0
Salmonella Enteritidis	1								6	43
Salmonella Fremantle subsp II									3	3
Salmonella Gaminara									1	0
Salmonella Give									4	2
Salmonella Havana									1	3
Salmonella Hessarek									1	1
Salmonella Houten subsp IV									2	0
Salmonella Hvittingfoss									2	4
Salmonella Infantis	1	1							20	17
Salmonella Irumu									1	0
Salmonella Johannesburg									2	1
Salmonella Kalumburu									2	0
Salmonella Kentucky		1							1	3
Salmonella Kiambu									2	1
Salmonella Kirkee								1	1	0
Salmonella Kottbus	1								2	3
Salmonella Lansing									1	1
Salmonella Litchfield									3	4
Salmonella Livingstone									1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	2
Salmonella Meleagridis	1								1	0
Salmonella Mississippi									1	1
Salmonella Montevideo						1			1	1
Salmonella Muenchen		1				2			12	21
Salmonella Newport			1		1	1			10	9
Salmonella Oranienburg		2							5	3
Salmonella Orion	2			1					6	2
Salmonella Paratyphi B bv Java			1		1	1	1		5	22
Salmonella Poona							1		5	1
Salmonella Potsdam									7	8



# Weekly Report for period 14-MAY-21 to 08-JUL-21

	20/05	27/05	03/06	10/06	17/06	24/06	01/07	08/07	Cumulative Total to end of Week 27	
									2021	2020
<b>Salmonella Total</b>	<b>22</b>	<b>22</b>	<b>16</b>	<b>14</b>	<b>9</b>	<b>12</b>	<b>12</b>	<b>4</b>	<b>597</b>	<b>1069</b>
<b>Serotype/Phage</b>										
Salmonella Reading									6	2
Salmonella Richmond									1	0
Salmonella Rissen									2	4
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0
Salmonella Saintpaul	1				1				18	29
Salmonella Senftenberg									2	2
Salmonella Singapore		1							3	4
Salmonella Stanley		1							4	8
Salmonella Tennessee			1						3	0
Salmonella Typhimurium	12	12	8	10	5	2	8	1	324	705
Salmonella Urbana	1								2	1
Salmonella Virchow		1	2			2			14	16
Salmonella Wandsbek subsp II									1	4
Salmonella Wandsworth									1	1
Salmonella Weltevreden									2	5
Salmonella Zanzibar									2	1
Salmonella species	1		1	2	1	2	1	2	40	53
Salmonella subsp I ser 16:l,v:-									2	2