



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 28-MAY-21 to 22-JUL-21

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 29			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	03/06	10/06	17/06	24/06	01/07	08/07	15/07	22/07	2021	2020	2019			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)		1							7	9	15	0	1.8	0.0
Hepatitis B (unspecified)	5	3	6	9	5	8	7	9	346	282	243	29	46.8	0.6
Hepatitis C (newly acquired)	1	1	2	1	1	1			35	59	58	2	8.5	0.2
Hepatitis C (unspecified)	13	13	9	12	12	16	8	19	541	440	505	55	75.5	0.7
Hepatitis D				1					4	0	7	0	0.4	0.0
Enteric diseases														
Campylobacteriosis	56	37	61	55	57	51	56	12	1551	1427	1752	176	248.2	0.7
Cryptosporidiosis	4	2	2	2	4				77	464	113	4	10.0	0.4
Hepatitis A									1	6	18	0	0.6	0.0
Listeriosis	1								3	3	5	0	0.7	0.0
Rotavirus	2	2	8	8	2	7	5	3	89	126	247	17	29.8	0.6
STEC/VTEC infection	1	2	4		1	1	1		57	71	87	3	5.3	0.6
Salmonellosis	16	14	9	13	13	7	7	2	611	1179	1235	29	132.7	0.2
Shigellosis	3		3	1	1		3		50	162	230	4	15.9	0.3
Typhoid									1	3	13	0	0.5	0.0
Vibrio parahaemolyticus									3	2	15	0	0.7	0.0
Yersiniosis	1					1			18	8	5	1	2.3	0.4
Sexually transmissible infections														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	229	202	206	194	219	178	188	66	5971	6218	6653	651	867.7	0.8
Gonorrhoea	58	59	56	50	55	55	50	14	1529	2201	2303	174	267.3	0.7
Syphilis (congenital)									3	2	1	0	0.2	0.0
Syphilis - Infectious	22	19	14	11	14	12	19	7	474	399	325	52	37.4	1.4
Syphilis - Non-Infectious	4	7	6	10	11	5	3	3	130	119	129	22	13.3	1.7
Vaccine preventable diseases														
Diphtheria						1			1	0	0	1	0.0	0.0
Influenza		1	2	2		1	2		25	1190	20718	3	1533.3	0.0
Mumps		1							2	9	14	0	4.2	0.0
Pertussis	2			1	1			1	17	107	361	2	76.6	0.0
Pneumococcal infection	2	7	7	8	8	8	4	2	80	86	127	22	24.7	0.9
Rubella (non-congenital)							1		2	0	1	1	0.1	15.0
Varicella (chicken pox)	4	9	10	8	6	9	5	2	218	260	337	22	55.9	0.4
Varicella (shingles)	43	46	42	48	38	36	30	13	1423	1384	1219	117	162.0	0.7
Varicella (unspecified)	42	35	30	27	26	35	27	25	934	796	806	113	120.5	0.9
Vector-borne diseases														
Barmah Forest virus				1					8	16	8	0	1.3	0.0
Dengue fever									1	62	208	0	18.6	0.0
Malaria						1		1	8	27	38	2	3.9	0.5
Ross River virus	19	16	14	14	9	14	3		497	182	264	26	22.9	1.1
Typhus	1					1			10	15	12	1	2.1	0.5
Zoonotic diseases														
Leptospirosis									2	1	3	0	0.2	0.0
Q Fever									3	4	6	0	0.5	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis						1	1		4	1	5	2	0.5	3.8
Amoebic meningitis			1						1	0	0	0	0.0	0.0
COVID-19	1	1	1	3	7	4	10	4	177	637	0	25	4.8	5.2
Creutzfeldt-Jakob disease									2	3	4	0	0.4	0.0
Legionellosis	6		2		1			1	38	47	18	2	3.6	0.6
Leprosy							1		2	0	0	1	0.3	3.8
Melioidosis									3	5	4	0	0.4	0.0
Meningococcal infection									6	7	13	0	2.2	0.0
Tuberculosis	3	1	2	5	3	6	7	2	77	66	64	18	11.1	1.6
Grand Total	539	479	497	484	494	459	438	186						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 29			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	03/06	10/06	17/06	24/06	01/07	08/07	15/07	22/07	2021	2020	2019			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)		1							6	6	10	0	1.2	0.0
Hepatitis B (unspecified)	3	3	4	8	3	7	6	8	255	239	213	24	39.3	0.6
Hepatitis C (newly acquired)	1	1	2		1	1			31	44	43	2	6.0	0.3
Hepatitis C (unspecified)	9	11	6	9	11	13	7	13	389	311	348	44	52.3	0.8
Hepatitis D				1					4	0	7	0	0.3	0.0
Enteric diseases														
Campylobacteriosis	44	30	49	41	42	42	46	10	1211	1145	1426	140	198.3	0.7
Cryptosporidiosis	1		2	1	1				29	405	57	1	7.7	0.1
Hepatitis A									1	5	16	0	0.5	0.0
Listeriosis									1	2	5	0	0.7	0.0
Rotavirus	2	2	8	6	2	6	4	3	80	102	216	15	20.7	0.7
STEC/VTEC infection	1	2	4		1				42	53	67	1	4.3	0.2
Salmonellosis	7	11	8	10	7	5	6	2	429	894	958	20	101.4	0.2
Shigellosis	2		1	1					11	78	158	0	9.3	0.0
Vibrio parahaemolyticus									3	2	11	0	0.5	0.0
Yersiniosis	1					1			13	7	4	1	2.1	0.5
Sexually transmissible infections														
Chlamydia (genital)	173	162	159	145	162	143	158	59	4712	4839	5204	522	672.4	0.8
Gonorrhoea	40	31	32	35	41	43	35	10	949	1518	1685	129	180.2	0.7
Syphilis (congenital)									0	2	0	0	0.1	0.0
Syphilis - Infectious	17	9	11	5	8	10	8	7	268	260	177	33	24.9	1.3
Syphilis - Non-Infectious		3	2	6	7	4	2	2	87	100	85	15	9.3	1.6
Vaccine preventable diseases														
Influenza		1	1	2			1		12	953	16398	1	1247.0	0.0
Pertussis	2			1	1			1	15	85	287	2	57.3	0.0
Pneumococcal infection	2	5	4	5	4	3	3	2	49	28	79	12	14.0	0.9
Rubella (non-congenital)							1		2	0	1	1	0.1	15.0
Varicella (chicken pox)	2	7	9	6	5	4	5	2	163	184	243	16	41.9	0.4
Varicella (shingles)	28	29	30	36	27	22	23	8	1010	1001	867	80	116.0	0.7
Varicella (unspecified)	37	31	29	25	25	31	25	24	872	764	774	105	114.6	0.9
Vector-borne diseases														
Barmah Forest virus				1					1	3	2	0	0.3	0.0
Malaria						1		1	7	21	32	2	3.1	0.7
Ross River virus	12	8	8	9	3	4	1		256	103	179	8	13.9	0.6
Typhus						1			2	8	8	1	1.2	0.8
Zoonotic diseases														
Q Fever									2	2	2	0	0.4	0.0
Other diseases														
COVID-19	1	1	1	2	6	3	3	1	78	415	0	13	3.6	3.6
Creutzfeldt-Jakob disease									2	3	3	0	0.3	0.0
Legionellosis	4		1		1				22	29	15	1	2.7	0.4
Leprosy							1		2	0	0	1	0.3	3.8
Melioidosis									1	0	2	0	0.1	0.0
Meningococcal infection									2	3	5	0	1.3	0.0
Tuberculosis	3	1	2	5	2	3	7	2	70	64	56	14	10.3	1.4
Grand Total	392	349	373	360	360	347	342	155						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		(1)	0.1			0.5			0.3
Hepatitis B (unspecified)	4	8 (12)	9.8	2	7 (14)	11.5	2	9 (21)	14.7
Hepatitis C (newly acquired)		(2)	0.4		1 (1)	1.7		1 (1)	2.3
Hepatitis C (unspecified)	3	15 (11)	10.1	2	13 (13)	20.0	8	16 (23)	25.0
Hepatitis D			0.3						0.3
Enteric diseases									
Campylobacteriosis	3	47 (52)	60.3	3	40 (36)	55.0	4	53 (49)	55.3
Cryptosporidiosis		(4)	0.7		1 (2)	2.0			1.5
Hepatitis A									0.1
Listeriosis									0.1
Rotavirus	1	6 (3)	4.5		3 (6)	2.4	2	6 (6)	4.3
STEC/VTEC infection		(1)	2.0		1	1.7			2.2
Salmonellosis		8 (29)	20.8	1	2 (29)	17.6	1	10 (28)	21.8
Shigellosis		(1)	0.4			0.5		(2)	0.7
Vibrio parahaemolyticus			0.1			0.2			0.1
Yersiniosis		1	0.7			0.5			0.7
Sexually transmissible infections									
Chlamydia (genital)	17	162 (224)	199.4	18	156 (186)	208.5	24	204 (243)	255.9
Gonorrhoea	3	36 (37)	37.2	2	29 (74)	38.3	5	64 (64)	57.9
Syphilis (congenital)									
Syphilis - Infectious	3	12 (11)	7.9		5 (10)	13.3	4	16 (18)	16.7
Syphilis - Non-Infectious	1	5 (4)	2.7		3 (2)	3.8	1	7 (4)	5.8
Vaccine preventable diseases									
Diphtheria									
Influenza		1 (1)	0.8		(2)	0.5		(4)	0.4
Mumps									
Pertussis		(1)	0.5	1	1 (3)	1.1		1 (1)	0.5
Pneumococcal infection		4 (1)	2.0		3 (1)	2.4	2	5 (3)	2.5
Rubella (non-congenital)			0.1					1	0.1
Varicella (chicken pox)		8 (14)	9.5	1	2 (11)	7.5	1	6 (9)	5.9
Varicella (shingles)	4	29 (52)	50.4	1	29 (57)	52.1	3	22 (32)	40.4
Varicella (unspecified)	8	36 (39)	42.5	9	38 (50)	48.4	7	31 (31)	32.8
Vector-borne diseases									
Barmah Forest virus						0.2			
Dengue fever									
Malaria			0.1			0.2	1	2 (1)	0.7
Ross River virus		4	11.2		(4)	13.1		4 (2)	11.9
Typhus						0.2		1	0.1
Zoonotic diseases									
Leptospirosis									
Q Fever			0.1						0.1
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19		7 (3)	4.8	1	5 (6)	2.3		1 (16)	3.8
Creutzfeldt-Jakob disease			0.1						0.1
Legionellosis		1 (1)	1.8			0.8		(5)	0.5
Leprosy								1	0.3
Melioidosis									0.1
Meningococcal infection						0.2		(1)	0.1
Tuberculosis	1	3 (5)	2.5		4 (3)	2.9	1	7 (5)	4.5
Grand Total	48	393 (509)		41	343 (510)		66	468 (569)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	1 (1)	8.2		(1)	4.9		(2)	17.4
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	3	3 (10)	19.2		(1)	31.0	1	1 (2)	25.4
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	16 (17)	69.6		5 (4)	71.8		5 (4)	52.1
Cryptosporidiosis			6.0			8.2		1	1.3
Hepatitis A									
Listeriosis			1.1						
Rotavirus		(1)	0.5		1 (1)	4.9			
STEC/VTEC infection		1 (2)	4.9			1.6			
Salmonellosis		2 (10)	21.4		(1)	13.0		(1)	32.0
Shigellosis			0.5		1	3.3			2.7
Vibrio parahaemolyticus									
Yersiniosis						1.6			1.3
Sexually transmissible infections									
Chlamydia (genital)	2	25 (44)	159.4	1	8 (10)	133.7	1	10 (14)	108.2
Gonorrhoea		2 (6)	17.5		1 (1)	6.5		2 (5)	26.7
Syphilis (congenital)									
Syphilis - Infectious		1 (4)	4.4		(1)	6.5		3	8.0
Syphilis - Non-Infectious			1.6			1.6	1	1	9.3
Vaccine preventable diseases									
Diphtheria					1	1.6			
Influenza		(2)	1.6			4.9			2.7
Mumps									
Pertussis		(1)	1.1						
Pneumococcal infection		(1)	1.1					1 (3)	6.7
Rubella (non-congenital)									
Varicella (chicken pox)		3 (4)	9.3		(2)	16.3		1	8.0
Varicella (shingles)	2	13 (17)	90.9	1	10 (11)	110.9		2 (4)	66.8
Varicella (unspecified)			2.2		5	32.6			12.0
Vector-borne diseases									
Barmah Forest virus			0.5						
Dengue fever									
Malaria									
Ross River virus		5 (1)	43.3		1	84.8		2	44.1
Typhus			0.5			3.3			1.3
Zoonotic diseases									
Leptospirosis									
Q Fever									1.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis			3.8			1.6		(1)	1.3
Leprosy									
Melioidosis									
Meningococcal infection			0.5						1.3
Tuberculosis		2	1.6			1.6			
Grand Total	9	74 (121)		2	33 (33)		3	29 (36)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(2)	11.6		2 (1)	13.5			31.8
Hepatitis C (newly acquired)			3.3						3.3
Hepatitis C (unspecified)		1 (3)	38.1	1	2	30.9		(2)	23.4
Hepatitis D									
Enteric diseases									
Campylobacteriosis		5 (5)	63.0		2 (2)	56.0		(1)	53.6
Cryptosporidiosis			1.7			3.9			3.3
Hepatitis A									
Listeriosis									
Rotavirus						1.9			1.7
STEC/VTEC infection		(2)	3.3			1.9			1.7
Salmonellosis		(2)	18.2		1 (4)	19.3		4 (10)	65.3
Shigellosis		(3)	13.3			7.7		(1)	8.4
Vibrio parahaemolyticus									
Yersiniosis						1.9			3.3
Sexually transmissible infections									
Chlamydia (genital)		22 (23)	273.5	1	13 (19)	282.0		15 (21)	283.0
Gonorrhoea		3 (6)	63.0	1	8 (6)	235.6	1	11 (14)	197.6
Syphilis (congenital)						1.9			
Syphilis - Infectious		3 (1)	18.2		1 (1)	32.8		6 (5)	134.0
Syphilis - Non-Infectious			6.6		1 (2)	29.0		2 (1)	10.0
Vaccine preventable diseases									
Diphtheria									
Influenza		(1)	1.7					1	3.3
Mumps						3.9			
Pertussis									
Pneumococcal infection		2 (2)	8.3		1 (5)	3.9		4 (2)	13.4
Rubella (non-congenital)									
Varicella (chicken pox)		(1)	3.3		1 (1)	19.3		(2)	6.7
Varicella (shingles)	1	3 (2)	36.5		2 (9)	67.6		(1)	41.9
Varicella (unspecified)		1 (6)	28.2			1.9			
Vector-borne diseases									
Barmah Forest virus			1.7						
Dengue fever									1.7
Malaria									
Ross River virus		7	56.4			36.7		(1)	11.7
Typhus			1.7						5.0
Zoonotic diseases									
Leptospirosis			1.7						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)					1	1.9			
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis	1	1	6.6						3.3
Leprosy									
Melioidosis									
Meningococcal infection						1.9			
Tuberculosis		1	1.7			1.9			
Grand Total	2	49 (59)		3	35 (50)		1	43 (61)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	0 (2)	0.3
Hepatitis B (unspecified)		2 (3)	77.5	9	29 (57)	8.3
Hepatitis C (newly acquired)				0	2 (5)	1.3
Hepatitis C (unspecified)	1	2 (2)	63.2	19	55 (67)	18.1
Hepatitis D				0	0 (0)	0.2
Enteric diseases						
Campylobacteriosis		1	51.7	12	176 (171)	58.5
Cryptosporidiosis		2	66.1	0	4 (6)	2.9
Hepatitis A				0	0 (0)	0.0
Listeriosis				0	0 (2)	0.1
Rotavirus		1	2.9	3	17 (17)	3.4
STEC/VTEC infection		1	2.9	0	3 (6)	2.1
Salmonellosis		(2)	112.0	2	29 (118)	23.0
Shigellosis		3 (3)	48.8	0	4 (11)	1.9
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	1 (0)	0.7
Sexually transmissible infections						
Chlamydia (genital)		25 (44)	786.9	66	651 (835)	225.2
Gonorrhoea	2	18 (47)	669.2	14	174 (262)	57.7
Syphilis (congenital)			2.9	0	0 (1)	0.1
Syphilis - Infectious		5 (5)	224.0	7	52 (56)	17.9
Syphilis - Non-Infectious		1	11.5	3	22 (13)	4.7
Vaccine preventable diseases						
Diphtheria				0	1 (0)	0.0
Influenza		1 (1)	5.7	0	3 (11)	0.9
Mumps				0	0 (0)	0.1
Pertussis				1	2 (6)	0.6
Pneumococcal infection		2 (5)	25.8	2	22 (23)	3.0
Rubella (non-congenital)				0	1 (0)	0.1
Varicella (chicken pox)		1 (2)	14.4	2	22 (46)	8.2
Varicella (shingles)		5 (4)	103.4	13	117 (189)	53.7
Varicella (unspecified)	1	1	8.6	25	113 (127)	35.2
Vector-borne diseases						
Barmah Forest virus		(2)	14.4	0	0 (3)	0.3
Dengue fever				0	0 (0)	0.0
Malaria				1	2 (1)	0.3
Ross River virus		(1)	31.6	0	26 (9)	18.7
Typhus				0	1 (0)	0.4
Zoonotic diseases						
Leptospirosis			2.9	0	0 (0)	0.1
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		1	8.6	0	2 (0)	0.2
Amoebic meningitis			2.9	0	0 (0)	0.0
COVID-19				4	25 (40)	8.6
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis			2.9	1	2 (7)	1.4
Leprosy				0	1 (0)	0.0
Melioidosis		(1)	5.7	0	0 (1)	0.1
Meningococcal infection			2.9	0	0 (2)	0.2
Tuberculosis				2	18 (14)	2.1
Grand Total	4	72 (122)		186	1577 (2110)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 29	
	03/06	10/06	17/06	24/06	01/07	08/07	15/07	22/07	2021	2020
	Salmonella Total	16	14	9	13	13	7	7	2	611
Serotype/Phage										
Salmonella Aberdeen									2	0
Salmonella Adelaide									2	3
Salmonella Agona									3	4
Salmonella Anatum									7	14
Salmonella Bahrenfeld					1				2	1
Salmonella Ball									1	0
Salmonella Bareilly									3	3
Salmonella Birkenhead	1								5	2
Salmonella Bovismorbificans									5	6
Salmonella Bredeney				1					1	1
Salmonella Cannonhill									1	0
Salmonella Cerro									2	2
Salmonella Chester	1	1							7	19
Salmonella Choleraesuis bv Australia									4	13
Salmonella Choleraesuis bv Decatur									7	9
Salmonella Corvallis									2	3
Salmonella Eastbourne									2	1
Salmonella Emmastad									1	0
Salmonella Enteritidis				1		1			8	45
Salmonella Fremantle subsp II									3	3
Salmonella Gaminara									1	0
Salmonella Give									4	3
Salmonella Havana									1	3
Salmonella Hessarek									1	1
Salmonella Houten subsp IV									2	0
Salmonella Hvittingfoss					1				3	4
Salmonella Infantis	1								21	19
Salmonella Irumu									1	0
Salmonella Johannesburg									2	1
Salmonella Kalumburu									2	0
Salmonella Kentucky									1	3
Salmonella Kiambu						1	1		4	2
Salmonella Kirkee						1			1	0
Salmonella Kottbus									2	3
Salmonella Lansing									1	1
Salmonella Litchfield									3	4
Salmonella Liverpool							1		1	0
Salmonella Livingstone									1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	2
Salmonella Meleagridis									1	0
Salmonella Mississippi									1	1
Salmonella Montevideo				1					1	1
Salmonella Muenchen				2	1				13	21
Salmonella Newport	1		1			1			10	9
Salmonella Oranienburg									5	3
Salmonella Orion		1							6	2
Salmonella Paratyphi B bv Java	1		1	1	1				5	22
Salmonella Poona					1				5	1

Weekly Report for period 28-MAY-21 to 22-JUL-21

	03/06	10/06	17/06	24/06	01/07	08/07	15/07	22/07	Cumulative Total to end of Week 29	
									2021	2020
Salmonella Total	16	14	9	13	13	7	7	2	611	1129
Serotype/Phage										
Salmonella Potsdam									7	8
Salmonella Reading									6	2
Salmonella Richmond									1	1
Salmonella Rissen						1			3	4
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0
Salmonella Saintpaul			1						18	31
Salmonella Senftenberg									2	2
Salmonella Singapore									3	4
Salmonella Stanley									4	8
Salmonella Tennessee	1								3	0
Salmonella Typhimurium	8	10	5	3	8	1	3		328	747
Salmonella Urbana									2	1
Salmonella Virchow	2			2					14	16
Salmonella Wandsbek subsp II									1	4
Salmonella Wandsworth									1	1
Salmonella Weltevreden									2	5
Salmonella Zanzibar									2	1
Salmonella species		2	1	2		1	2	2	41	55
Salmonella subsp I ser 16:l,v:-									2	3