



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 25-JUN-21 to 19-AUG-21

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

**[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)**

## STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 33			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	01/07	08/07	15/07	22/07	29/07	05/08	12/08	19/08	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)							1	7	10	16	1	1.5	0.7	
Hepatitis B (unspecified)	5	8	7	9	7	11	8	4	377	324	280	30	43.2	0.7
Hepatitis C (newly acquired)		3	1		2		1		39	65	72	3	8.9	0.3
Hepatitis C (unspecified)	13	14	7	16	15	19	13	18	601	507	579	65	74.1	0.9
Hepatitis D				1					5	2	7	0	0.5	0.0
<b>Enteric diseases</b>														
Campylobacteriosis	56	54	58	75	49	51	54	10	1783	1639	2071	164	271.5	0.6
Cryptosporidiosis	4		1		2	1	5		86	465	123	8	9.4	0.9
Hepatitis A									1	6	19	0	0.7	0.0
Listeriosis									3	3	6	0	0.6	0.0
Rotavirus	2	7	4	10	7	9	2		113	143	309	18	29.0	0.6
STEC/VTEC infection	1	1	1	3	3	2			65	79	97	5	5.9	0.8
Salmonellosis	14	9	7	6	9	8	7	1	643	1257	1362	25	123.3	0.2
Shigellosis	1		4	4	2	3	4	1	65	171	266	10	16.2	0.6
Typhoid			1						2	3	13	0	0.9	0.0
Vibrio parahaemolyticus									3	2	15	0	0.6	0.0
Yersiniosis		1				1	2	1	22	10	15	4	1.5	2.6
<b>Sexually transmissible infections</b>														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	223	182	200	203	249	203	201	63	6847	7054	7592	716	869.0	0.8
Gonorrhoea	56	57	55	62	68	58	38	8	1757	2461	2619	172	264.1	0.7
Syphilis (congenital)									3	2	1	0	0.1	0.0
Syphilis - Infectious	12	10	19	16	17	22	16	3	529	452	378	58	38.5	1.5
Syphilis - Non-Infectious	11	6	6	6	5	11	4	3	165	147	147	23	13.1	1.8
<b>Vaccine preventable diseases</b>														
Influenza			2						22	1199	21974	0	1217.8	0.0
Mumps							1		2	9	17	1	3.5	0.3
Pertussis	1		1	1		1	1	1	22	111	388	3	89.3	0.0
Pneumococcal infection	7	8	4	6	2	4	4	3	96	101	153	13	26.1	0.5
Rubella (non-congenital)									1	0	1	0	0.1	0.0
Varicella (chicken pox)	6	9	8	6	6	9	6		248	312	408	21	59.6	0.4
Varicella (shingles)	38	39	39	56	42	38	34	7	1606	1593	1394	121	162.1	0.7
Varicella (unspecified)	25	35	24	34	43	49	43	23	1094	967	903	158	118.7	1.3
<b>Vector-borne diseases</b>														
Barmah Forest virus					1				9	16	10	1	1.5	0.7
Malaria		1		2	1			1	11	27	41	2	3.9	0.5
Ross River virus	10	11	4	6	2	3	2	2	517	195	287	9	23.2	0.4
Typhus		2				1			12	16	17	1	1.8	0.6
<b>Zoonotic diseases</b>														
Leptospirosis									2	1	3	0	0.2	0.0
Q Fever									2	4	6	0	0.5	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis		1	1			1			5	2	6	1	0.5	2.1
Amoebic meningitis									1	0	0	0	0.0	0.0
COVID-19	7	4	10	8	5	2	1	1	190	651	0	9	4.6	2.0
Creutzfeldt-Jakob disease									2	3	4	0	0.3	0.0
Legionellosis	1			2				1	40	49	19	1	3.4	0.3
Leprosy			1					1	3	1	0	1	0.3	3.8
Melioidosis									3	5	4	0	0.3	0.0
Meningococcal infection									6	7	14	0	2.7	0.0
Tuberculosis	3	6	7	2	1		4	1	83	79	76	6	12.1	0.5
<b>Grand Total</b>	<b>496</b>	<b>468</b>	<b>472</b>	<b>534</b>	<b>538</b>	<b>507</b>	<b>452</b>	<b>153</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 33			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	01/07	08/07	15/07	22/07	29/07	05/08	12/08	19/08	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)							1		6	6	11	1	1.0	1.0
Hepatitis B (unspecified)	3	7	6	8	6	10	3	3	278	274	242	22	36.5	0.6
Hepatitis C (newly acquired)		3	1		2				34	49	51	2	6.5	0.3
Hepatitis C (unspecified)	12	11	6	12	9	18	11	18	444	359	399	56	53.3	1.1
Hepatitis D				1					5	1	7	0	0.4	0.0
<b>Enteric diseases</b>														
Campylobacteriosis	41	45	46	56	38	39	38	6	1381	1312	1683	121	215.3	0.6
Cryptosporidiosis	1					1	2		32	406	67	3	7.5	0.4
Hepatitis A									1	5	17	0	0.6	0.0
Listeriosis									1	2	6	0	0.5	0.0
Rotavirus	2	6	4	9	7	8	1		102	112	263	16	21.9	0.7
STEC/VTEC infection	1			3	3	2			50	60	75	5	4.8	1.0
Salmonellosis	7	7	5	5	7	4	4	1	449	957	1058	16	96.1	0.2
Shigellosis				2	1	1	2		17	82	185	4	9.8	0.4
Typhoid				1					1	3	12	0	0.7	0.0
Vibrio parahaemolyticus									3	2	11	0	0.5	0.0
Yersiniosis		1				1	2	1	17	9	14	4	1.5	2.7
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	166	145	164	159	203	169	156	55	5410	5470	5954	583	669.5	0.9
Gonorrhoea	42	43	37	37	52	42	29	3	1105	1698	1915	126	176.6	0.7
Syphilis (congenital)									0	2	0	0	0.1	0.0
Syphilis - Infectious	7	9	10	10	11	15	10	2	301	296	206	38	26.0	1.5
Syphilis - Non-Infectious	7	4	4	4	2	7	1	2	108	122	92	12	9.7	1.2
<b>Vaccine preventable diseases</b>														
Influenza				1					11	960	17377	0	958.9	0.0
Mumps							1		1	6	12	1	1.3	0.8
Pertussis	1			1		1		1	18	89	311	2	65.2	0.0
Pneumococcal infection	3	3	3	5	1		2	1	55	33	93	4	15.1	0.3
Rubella (non-congenital)									1	0	1	0	0.1	0.0
Varicella (chicken pox)	5	4	7	4	4	7	5		183	226	302	16	44.0	0.4
Varicella (shingles)	27	24	32	36	32	29	24	6	1145	1150	990	91	115.4	0.8
Varicella (unspecified)	24	31	22	31	39	41	40	21	1015	929	863	141	112.9	1.2
<b>Vector-borne diseases</b>														
Malaria		1		1	1			1	9	21	35	2	3.1	0.7
Ross River virus	3	2	1	2	1	1	1	1	265	111	194	4	14.7	0.3
Typhus		2				1			4	8	10	1	1.1	0.9
<b>Zoonotic diseases</b>														
Q Fever									1	2	2	0	0.5	0.0
<b>Other diseases</b>														
COVID-19	6	3	3	1		1	1		80	427	0	2	2.9	0.7
Creutzfeldt-Jakob disease									2	3	3	0	0.3	0.0
Legionellosis	1								23	31	16	0	2.7	0.0
Leprosy				1					2	1	0	0	0.2	0.0
Melioidosis									1	0	2	0	0.1	0.0
Meningococcal infection									2	3	5	0	1.6	0.0
Tuberculosis	2	3	7	2	1		4	1	76	76	68	6	11.2	0.5
<b>Grand Total</b>	<b>361</b>	<b>354</b>	<b>361</b>	<b>389</b>	<b>420</b>	<b>398</b>	<b>338</b>	<b>123</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			0.1		1	0.5			0.3
Hepatitis B (unspecified)	1	8 (9)	10.9		3 (15)	12.1	2	11 (13)	16.2
Hepatitis C (newly acquired)		1	0.7			1.5		1 (5)	2.6
Hepatitis C (unspecified)		8 (9)	11.2	11	26 (16)	24.3	7	22 (20)	27.6
Hepatitis D			0.4					(1)	0.3
<b>Enteric diseases</b>									
Campylobacteriosis	3	39 (58)	67.1		31 (51)	62.7	3	51 (56)	64.8
Cryptosporidiosis		2 (1)	1.0			2.0		1	1.6
Hepatitis A									0.1
Listeriosis									0.1
Rotavirus		7 (3)	5.7		5 (3)	3.5		4 (4)	5.1
STEC/VTEC infection		1 (2)	2.2		(4)	1.8		4 (2)	3.0
Salmonellosis	1	4 (17)	21.7		6 (20)	18.8		6 (28)	22.7
Shigellosis		1 (3)	0.7		2	0.9		1	0.8
Typhoid			0.1						
Vibrio parahaemolyticus			0.1			0.2			0.1
Yersiniosis		2	1.0	1	2 (1)	0.8		(1)	0.7
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	14	182 (208)	229.0	17	177 (198)	241.8	24	224 (243)	291.6
Gonorrhoea	1	36 (55)	42.9		30 (53)	44.4	2	60 (68)	68.0
Syphilis (congenital)									
Syphilis - Infectious	1	8 (10)	8.4		8 (10)	14.5	1	22 (16)	19.6
Syphilis - Non-Infectious	1	5 (11)	3.9	1	4 (2)	4.7		3 (9)	6.6
<b>Vaccine preventable diseases</b>									
Influenza		(1)	0.7			0.5		(5)	0.4
Mumps					1	0.2			
Pertussis		(2)	0.5	1	1 (1)	1.2		1 (1)	0.8
Pneumococcal infection	1	2 (1)	2.2		1 (1)	2.6		1 (3)	3.0
Rubella (non-congenital)			0.1						
Varicella (chicken pox)		4 (16)	10.2		6 (15)	8.6		6 (11)	7.0
Varicella (shingles)	2	30 (62)	56.3		25 (50)	58.5	4	36 (38)	47.2
Varicella (unspecified)	8	48 (50)	49.6	10	59 (68)	57.4	3	34 (46)	37.1
<b>Vector-borne diseases</b>									
Barmah Forest virus						0.2			
Malaria	1	1	0.3			0.2		1	0.8
Ross River virus	1	2 (1)	11.4		2 (8)	13.9			12.2
Typhus			0.1		1	0.3			0.1
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever			0.1						
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19		1 (3)	4.9		(6)	2.3		1 (3)	4.0
Creutzfeldt-Jakob disease			0.1						0.1
Legionellosis		(2)	1.8		(1)	0.9			0.5
Leprosy									0.3
Melioidosis									0.1
Meningococcal infection						0.2			0.1
Tuberculosis		3 (2)	2.9	1	2 (4)	3.2		1 (5)	4.7
<b>Grand Total</b>	<b>35</b>	<b>395 (526)</b>		<b>42</b>	<b>393 (527)</b>		<b>46</b>	<b>491 (578)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		2	9.3	1		6.5	(1)		17.4
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)		2 (5)	19.7	(3)		31.0	2 (1)		28.0
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	4	25 (15)	86.5	7 (6)		86.4	3 (9)		58.8
Cryptosporidiosis			6.0	1		9.8	1		2.7
Hepatitis A									
Listeriosis			1.1						
Rotavirus		2 (1)	2.2			4.9			
STEC/VTEC infection			4.9			1.6			
Salmonellosis		3 (8)	23.0			13.0	(2)		32.0
Shigellosis		(1)	0.5			3.3			2.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			1.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	1	27 (47)	179.7	10 (12)		153.3	10 (14)		124.2
Gonorrhoea		3 (6)	19.7	(3)		8.2	1		29.4
Syphilis (congenital)									
Syphilis - Infectious			4.9	(1)		4.9	(1)		6.7
Syphilis - Non-Infectious		1 (1)	2.2			1.6	(1)		12.0
<b>Vaccine preventable diseases</b>									
Influenza		(1)	1.6			4.9			2.7
Mumps									
Pertussis			1.6						
Pneumococcal infection		1 (1)	1.6						6.7
Rubella (non-congenital)									
Varicella (chicken pox)		2 (2)	10.4	(1)		16.3	(2)		8.0
Varicella (shingles)	1	15 (24)	101.9	1 (11)		117.4	6 (8)		76.1
Varicella (unspecified)	1	5	4.4	1	7	45.7	1		13.4
<b>Vector-borne diseases</b>									
Barmah Forest virus			0.5				1		1.3
Malaria			0.5						
Ross River virus		(4)	44.9	(1)		84.8			44.1
Typhus		(1)	0.5			3.3			1.3
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever									1.3
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis	1	1	4.4			1.6			1.3
Leprosy				1	1	1.6			
Melioidosis									
Meningococcal infection			0.5						1.3
Tuberculosis			1.6			1.6			
<b>Grand Total</b>	<b>8</b>	<b>89 (117)</b>		<b>2</b>	<b>28 (38)</b>		<b>25 (39)</b>		

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	1	13.3		1 (1)	15.4		2 (3)	35.2
Hepatitis C (newly acquired)		1	5.0						3.3
Hepatitis C (unspecified)		2 (5)	41.4		1 (1)	29.0		1 (1)	23.4
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis		3 (4)	71.3		2 (9)	65.7		2 (4)	60.3
Cryptosporidiosis		1	3.3			3.9			3.3
Hepatitis A									
Listeriosis						1.9		(3)	1.7
Rotavirus						1.9			1.7
STEC/VTEC infection		(1)	3.3						
Salmonellosis		2 (3)	21.5		(1)	21.2		1 (1)	68.7
Shigellosis		(3)	14.9		(1)	9.7		1	10.0
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.9			3.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)		15 (23)	305.0	2	17 (17)	330.2	3	19 (30)	328.2
Gonorrhoea		1 (11)	64.6	5	13 (10)	272.3		8 (20)	221.0
Syphilis (congenital)						1.9			
Syphilis - Infectious		1 (2)	16.6		2 (1)	38.6	1	10 (3)	155.7
Syphilis - Non-Infectious			6.6	1	4 (1)	38.6		4 (2)	16.7
<b>Vaccine preventable diseases</b>									
Influenza									1.7
Mumps						1.9			
Pertussis		1	1.7						
Pneumococcal infection	1	1 (1)	9.9		2 (6)	7.7		2 (1)	16.7
Rubella (non-congenital)									
Varicella (chicken pox)			6.6		3 (3)	27.0		(2)	6.7
Varicella (shingles)		2	41.4		4 (5)	81.1		(3)	45.2
Varicella (unspecified)		3 (4)	33.2		1	3.9			
<b>Vector-borne diseases</b>									
Barmah Forest virus			1.7						
Malaria									
Ross River virus	1	4	66.3			36.7			13.4
Typhus			1.7						5.0
<b>Zoonotic diseases</b>									
Leptospirosis			1.7						
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)						1.9			
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis			6.6						1.7
Leprosy									
Melioidosis									
Meningococcal infection						1.9			
Tuberculosis			1.7			1.9			
<b>Grand Total</b>	<b>3</b>	<b>38 (57)</b>		<b>8</b>	<b>50 (56)</b>		<b>4</b>	<b>50 (73)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	1 (2)	0.3
Hepatitis B (unspecified)		(3)	77.5	4	30 (45)	9.4
Hepatitis C (newly acquired)				0	3 (6)	1.4
Hepatitis C (unspecified)		1 (1)	66.1	18	65 (62)	20.4
Hepatitis D				0	0 (2)	0.2
<b>Enteric diseases</b>						
Campylobacteriosis			54.6	10	164 (213)	67.2
Cryptosporidiosis		2	74.7	0	8 (1)	3.2
Hepatitis A				0	0 (0)	0.0
Listeriosis				0	0 (0)	0.1
Rotavirus				0	18 (16)	4.3
STEC/VTEC infection			2.9	0	5 (9)	2.5
Salmonellosis		1	117.8	1	25 (80)	24.2
Shigellosis	1	5 (1)	66.1	1	10 (9)	2.5
Typhoid				0	0 (0)	0.1
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				1	4 (2)	0.8
<b>Sexually transmissible infections</b>						
Chlamydia (genital)		21 (46)	881.7	63	716 (848)	258.2
Gonorrhoea		16 (29)	746.7	8	172 (258)	66.3
Syphilis (congenital)			2.9	0	0 (1)	0.1
Syphilis - Infectious		7 (9)	247.0	3	58 (53)	19.9
Syphilis - Non-Infectious			11.5	3	23 (28)	6.0
<b>Vaccine preventable diseases</b>						
Influenza		(1)	5.7	0	0 (8)	0.8
Mumps				0	1 (0)	0.1
Pertussis				1	3 (4)	0.8
Pneumococcal infection	1	3 (2)	37.3	3	13 (16)	3.6
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)			17.2	0	21 (52)	9.4
Varicella (shingles)		1 (6)	112.0	7	121 (209)	60.6
Varicella (unspecified)			8.6	23	158 (169)	41.3
<b>Vector-borne diseases</b>						
Barmah Forest virus			14.4	0	1 (0)	0.3
Malaria				1	2 (0)	0.4
Ross River virus		1	34.5	2	9 (14)	19.5
Typhus				0	1 (1)	0.5
<b>Zoonotic diseases</b>						
Leptospirosis			2.9	0	0 (0)	0.1
Q Fever				0	0 (0)	0.1
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)		1	11.5	0	1 (1)	0.2
Amoebic meningitis			2.9	0	0 (0)	0.0
COVID-19				1	9 (14)	9.1
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis			2.9	1	1 (3)	1.5
Leprosy				1	1 (1)	0.1
Melioidosis			5.7	0	0 (0)	0.1
Meningococcal infection			2.9	0	0 (0)	0.2
Tuberculosis				1	6 (11)	2.4
<b>Grand Total</b>	<b>2</b>	<b>59 (98)</b>		<b>153</b>	<b>1650 (2138)</b>	

**Statewide Salmonella notifications for past 8 weeks (by date of onset[2])**

	Week Ending								Cumulative Total to end of Week 33	
	01/07	08/07	15/07	22/07	29/07	05/08	12/08	19/08	2021	2020
	<b>Salmonella Total</b>	<b>14</b>	<b>9</b>	<b>7</b>	<b>6</b>	<b>9</b>	<b>8</b>	<b>7</b>	<b>1</b>	<b>643</b>
<b>Serotype/Phage</b>										
Salmonella Aberdeen									2	0
Salmonella Adelaide									2	3
Salmonella Agona									3	5
Salmonella Anatum									7	14
Salmonella Bahrenfeld	1								2	1
Salmonella Ball									1	0
Salmonella Bareilly									3	3
Salmonella Birkenhead									5	2
Salmonella Bovismorbificans									5	8
Salmonella Bredeney									1	1
Salmonella Cannonhill									1	0
Salmonella Cerro									2	2
Salmonella Chailey									1	2
Salmonella Chester					1				8	21
Salmonella Choleraesuis bv Australia									4	13
Salmonella Choleraesuis bv Decatur									7	10
Salmonella Corvallis									2	3
Salmonella Eastbourne							1		3	1
Salmonella Emmastad									1	0
Salmonella Enteritidis		1							8	46
Salmonella Fremantle subsp II									3	3
Salmonella Gaminara									1	0
Salmonella Give									4	3
Salmonella Havana									1	3
Salmonella Hessarek									1	1
Salmonella Houten subsp IV									2	1
Salmonella Hvittingfoss	1								3	4
Salmonella Infantis									23	21
Salmonella Irumu									1	0
Salmonella Johannesburg									2	1
Salmonella Kalumburu									2	0
Salmonella Kentucky									1	3
Salmonella Kiambu		2							4	2
Salmonella Kirkee		1							1	0
Salmonella Kottbus									2	3
Salmonella Lansing									1	1
Salmonella Litchfield									3	4
Salmonella Liverpool		1							1	0
Salmonella Livingstone									1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	2
Salmonella Meleagridis									1	0
Salmonella Mississippi									1	1
Salmonella Montevideo									1	1
Salmonella Muenchen	1								13	21
Salmonella Newport		1		1					11	10
Salmonella Oranienburg									5	4
Salmonella Orion									6	2
Salmonella Oslo						1			1	1



# Weekly Report for period 25-JUN-21 to 19-AUG-21

	01/07	08/07	15/07	22/07	29/07	05/08	12/08	19/08	Cumulative Total to end of Week 33	
									2021	2020
<b>Salmonella Total</b>	<b>14</b>	<b>9</b>	<b>7</b>	<b>6</b>	<b>9</b>	<b>8</b>	<b>7</b>	<b>1</b>	<b>643</b>	<b>1210</b>
<b>Serotype/Phage</b>										
Salmonella Paratyphi B bv Java	1					1			6	22
Salmonella Poona	1								5	1
Salmonella Potsdam									7	8
Salmonella Reading									6	2
Salmonella Richmond									1	1
Salmonella Rissen		1							3	4
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0
Salmonella Saintpaul			2			2			22	34
Salmonella Senftenberg									2	3
Salmonella Singapore									3	4
Salmonella Stanley									4	8
Salmonella Tennessee									3	0
Salmonella Typhimurium	9	1	3	3	7	3	2		344	804
Salmonella Urbana									2	1
Salmonella Virchow			1			1	2		18	18
Salmonella Wandsbek subsp II									1	4
Salmonella Wandsworth									1	1
Salmonella Weltevreden									2	5
Salmonella Zanzibar									2	1
Salmonella species		1	1	2			3	1	41	58
Salmonella subsp I ser 16:l,v:-									2	3