



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 09-JUL-21 to 02-SEP-21

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

## STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 35			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	15/07	22/07	29/07	05/08	12/08	19/08	26/08	02/09	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)					1				7	11	16	1	1.7	0.6
Hepatitis B (unspecified)	7	9	7	11	8	8	7	7	395	344	296	30	40.9	0.7
Hepatitis C (newly acquired)	1		2		2	1	2	1	45	72	77	6	9.2	0.7
Hepatitis C (unspecified)	7	16	15	19	12	19	19	14	632	537	617	64	71.5	0.9
Hepatitis D		1					1		6	2	7	1	0.5	2.1
<b>Enteric diseases</b>														
Campylobacteriosis	59	74	49	56	60	64	41	22	1910	1755	2221	187	278.5	0.7
Cryptosporidiosis	1		2	1	5		2		88	467	130	7	9.4	0.7
Hepatitis A									1	6	20	0	0.7	0.0
Listeriosis									3	3	7	0	0.9	0.0
Rotavirus	6	9	7	9	3	2	10	2	129	152	344	17	27.9	0.6
STEC/VTEC infection	1	3	3	3		2	1		69	83	104	3	5.9	0.5
Salmonellosis	7	6	9	8	8	21	8	1	673	1305	1415	38	122.0	0.3
Shigellosis	3	4	2	3	4	3	1	1	68	177	281	9	16.4	0.5
Typhoid	1								2	3	15	0	0.8	0.0
Vibrio parahaemolyticus									3	2	15	0	0.8	0.0
Yersiniosis				2	1	1		1	23	10	16	3	1.7	1.8
<b>Sexually transmissible infections</b>														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	199	203	250	204	221	223	202	50	7283	7473	8000	696	850.1	0.8
Gonorrhoea	55	62	69	60	47	53	40	3	1857	2607	2740	143	263.2	0.5
Syphilis (congenital)									3	3	1	0	0.1	0.0
Syphilis - Infectious	19	17	15	21	15	20	20	4	565	491	402	59	38.5	1.5
Syphilis - Non-Infectious	6	6	3	11	5	2	6	1	170	152	155	14	13.2	1.1
<b>Vaccine preventable diseases</b>														
Influenza	2								22	1200	22366	0	1034.3	0.0
Mumps									1	9	18	0	3.1	0.0
Pertussis	1	1		2	2		2		25	111	405	4	92.6	0.0
Pneumococcal infection	4	6	2	5	5	9	7	1	112	111	173	22	24.5	0.9
Rubella (non-congenital)									1	0	1	0	0.1	0.0
Varicella (chicken pox)	8	6	6	9	8	6	9	3	269	345	435	26	59.9	0.4
Varicella (shingles)	40	58	45	44	44	52	32	6	1717	1683	1482	134	165.4	0.8
Varicella (unspecified)	23	32	41	45	36	40	29	24	1141	1042	953	129	119.6	1.1
<b>Vector-borne diseases</b>														
Barmah Forest virus			1				1		10	16	11	1	1.6	0.6
Malaria		2	1			1			11	27	41	1	3.9	0.3
Ross River virus	4	6	2	3	3	5	5		526	205	307	13	25.5	0.5
Typhus					1				12	16	18	1	1.9	0.5
<b>Zoonotic diseases</b>														
Leptospirosis									2	1	3	0	0.2	0.0
Q Fever									2	4	6	0	0.5	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis	1			1					5	3	6	0	0.7	0.0
Amoebic meningitis									1	0	0	0	0.0	0.0
COVID-19	10	8	5	2	2	19	6		215	656	0	27	4.7	5.7
Creutzfeldt-Jakob disease									2	3	5	0	0.3	0.0
Legionellosis		2			2	3	1		45	51	20	6	4.4	1.4
Leprosy	1					1			3	1	0	1	0.3	3.8
Melioidosis									3	5	4	0	0.2	0.0
Meningococcal infection								1	7	7	15	1	2.9	0.3
Tuberculosis	7	2	1		4	4	4		90	83	79	12	11.2	1.1
<b>Grand Total</b>	<b>473</b>	<b>533</b>	<b>537</b>	<b>519</b>	<b>499</b>	<b>559</b>	<b>456</b>	<b>142</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 35			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	15/07	22/07	29/07	05/08	12/08	19/08	26/08	02/09	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)					1				6	6	11	1	1.1	0.9
Hepatitis B (unspecified)	6	8	6	10	3	7	7	6	295	291	257	23	34.2	0.7
Hepatitis C (newly acquired)	1		2		1	1	2	1	40	56	55	5	6.9	0.7
Hepatitis C (unspecified)	6	12	9	18	10	18	11	10	462	380	428	49	51.0	1.0
Hepatitis D		1					1		6	1	7	1	0.4	2.5
<b>Enteric diseases</b>														
Campylobacteriosis	47	55	38	42	42	45	35	21	1482	1400	1809	143	222.3	0.6
Cryptosporidiosis				1	2		1		33	407	72	3	7.4	0.4
Hepatitis A									1	5	17	0	0.6	0.0
Listeriosis									1	2	7	0	0.8	0.0
Rotavirus	6	8	7	8	2	2	6	2	114	121	293	12	21.0	0.6
STEC/VTEC infection		3	3	3		2	1		54	64	81	3	4.8	0.6
Salmonellosis	5	5	7	4	5	15	5	1	470	1001	1105	26	95.2	0.3
Shigellosis		2	1	1	2	2	1	1	21	86	197	6	9.9	0.6
Typhoid	1								1	3	13	0	0.6	0.0
Vibrio parahaemolyticus									3	2	11	0	0.7	0.0
Yersiniosis				2	1	1		1	18	9	15	3	1.6	1.9
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	164	159	203	170	170	169	167	42	5751	5800	6288	548	655.8	0.8
Gonorrhoea	37	37	52	42	33	34	27	3	1170	1782	2005	97	174.1	0.6
Syphilis (congenital)									0	2	0	0	0.0	0.0
Syphilis - Infectious	10	11	10	14	9	8	9	2	314	326	223	28	26.5	1.1
Syphilis - Non-Infectious	4	4	1	8	3	2	4		114	126	97	9	10.2	0.9
<b>Vaccine preventable diseases</b>														
Influenza	1								11	961	17643	0	791.0	0.0
Pertussis		1		2	1		1		20	89	325	2	68.1	0.0
Pneumococcal infection	3	5	1	1	2	6	3	1	65	39	107	12	13.9	0.9
Rubella (non-congenital)									1	0	1	0	0.1	0.0
Varicella (chicken pox)	7	4	4	7	6	5	5	3	197	256	321	19	43.1	0.4
Varicella (shingles)	32	36	33	29	31	45	18	5	1216	1214	1055	99	116.5	0.9
Varicella (unspecified)	22	31	38	41	36	35	25	22	1071	1003	910	118	113.1	1.0
<b>Vector-borne diseases</b>														
Barmah Forest virus									1	3	4	0	0.3	0.0
Malaria		1	1			1			9	21	35	1	3.1	0.3
Ross River virus	1	2	1	1	2	2	1		268	116	204	5	16.1	0.3
Typhus									3	8	10	0	1.3	0.0
<b>Zoonotic diseases</b>														
Q Fever									1	2	2	0	0.4	0.0
<b>Other diseases</b>														
COVID-19	3	1		1	1	1	1		82	429	0	3	2.6	1.2
Creutzfeldt-Jakob disease									2	3	4	0	0.3	0.0
Legionellosis					2	1	1		27	33	17	4	3.7	1.1
Leprosy	1								2	1	0	0	0.2	0.0
Melioidosis									1	0	2	0	0.1	0.0
Meningococcal infection								1	3	3	5	1	1.6	0.6
Tuberculosis	7	2	1		4	4	3		82	80	71	11	10.3	1.1
<b>Grand Total</b>	<b>364</b>	<b>388</b>	<b>418</b>	<b>405</b>	<b>369</b>	<b>406</b>	<b>335</b>	<b>122</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			0.1		1	0.5			0.3
Hepatitis B (unspecified)		3 (10)	11.2	2	6 (11)	13.0	4	14 (15)	17.4
Hepatitis C (newly acquired)			0.7		2 (4)	2.0	1	3 (8)	3.0
Hepatitis C (unspecified)	2	6 (8)	11.6	1	19 (17)	24.7	7	24 (17)	29.2
Hepatitis D		1	0.5					(1)	0.3
<b>Enteric diseases</b>									
Campylobacteriosis	8	52 (49)	72.3	7	36 (54)	66.3	6	55 (66)	70.2
Cryptosporidiosis		1 (1)	1.0			2.0		2 (1)	1.8
Hepatitis A									0.1
Listeriosis									0.1
Rotavirus	1	5 (2)	6.3		2 (1)	3.8	1	5 (10)	5.9
STEC/VTEC infection		(3)	2.3		2 (5)	2.1		1 (3)	3.2
Salmonellosis		4 (27)	21.9		8 (17)	19.9	1	14 (27)	24.3
Shigellosis		4 (3)	1.1			0.9	1	2 (3)	1.0
Typhoid			0.1						
Vibrio parahaemolyticus			0.1			0.2			0.1
Yersiniosis		2	1.0			0.8	1	1	0.8
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	15	149 (231)	241.9	12	167 (196)	256.7	15	232 (247)	311.8
Gonorrhoea		32 (58)	45.8	2	24 (44)	47.0	1	41 (71)	71.7
Syphilis (congenital)									
Syphilis - Infectious	1	7 (12)	8.9		7 (9)	15.4	1	14 (27)	20.2
Syphilis - Non-Infectious		3 (5)	3.9		2 (3)	4.7		4 (8)	7.4
<b>Vaccine preventable diseases</b>									
Influenza		(2)	0.7			0.5		(2)	0.4
Mumps									
Pertussis		1 (1)	0.7		1 (1)	1.2			1.0
Pneumococcal infection		2 (4)	2.3		5 (3)	3.2	1	5 (2)	3.7
Rubella (non-congenital)			0.1						
Varicella (chicken pox)		5 (28)	10.8	1	7 (19)	9.2	2	7 (7)	7.8
Varicella (shingles)		41 (58)	60.2	3	24 (51)	61.8	2	34 (38)	50.0
Varicella (unspecified)	9	41 (45)	52.6	6	48 (59)	60.6	7	29 (51)	38.9
<b>Vector-borne diseases</b>									
Barmah Forest virus						0.2			
Malaria		1	0.3			0.2			0.8
Ross River virus		2 (1)	11.6		2 (10)	14.0		1 (1)	12.4
Typhus			0.1			0.2			0.1
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever			0.1						
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19		1 (1)	5.0		1 (7)	2.4		1 (3)	4.0
Creutzfeldt-Jakob disease			0.1						0.1
Legionellosis		1 (2)	1.9		(1)	0.9		3	1.0
Leprosy									0.3
Melioidosis									0.1
Meningococcal infection						0.2	1	1	0.3
Tuberculosis		7 (3)	3.5		3 (4)	3.3		1 (6)	4.7
<b>Grand Total</b>	<b>36</b>	<b>371 (554)</b>		<b>34</b>	<b>367 (516)</b>		<b>52</b>	<b>494 (614)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1	9.3		1	6.5	1	1	18.7
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	1	4 (6)	21.9	1	3 (3)	35.9		1 (1)	28.0
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	1	22 (15)	91.5		8 (12)	97.8		4 (11)	64.1
Cryptosporidiosis		(1)	6.0			9.8			2.7
Hepatitis A									
Listeriosis			1.1						
Rotavirus		1	2.2			4.9	1		1.3
STEC/VTEC infection			4.9			1.6			
Salmonellosis		2 (6)	24.1	1		14.7		(1)	32.0
Shigellosis			0.5			3.3			2.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			1.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	1	30 (34)	192.8		10 (16)	159.8	2	7 (18)	128.2
Gonorrhoea		2 (5)	20.3		(2)	8.2		(3)	29.4
Syphilis (congenital)									
Syphilis - Infectious		1 (1)	5.5		(1)	4.9	1		8.0
Syphilis - Non-Infectious	1	1 (1)	2.7			1.6		(1)	12.0
<b>Vaccine preventable diseases</b>									
Influenza		(1)	1.6			4.9			2.7
Mumps									
Pertussis			1.6						
Pneumococcal infection		1 (1)	2.2	1		1.6			6.7
Rubella (non-congenital)									
Varicella (chicken pox)		2 (3)	11.5		(1)	17.9		1 (1)	9.3
Varicella (shingles)		15 (25)	107.4	1	8 (11)	143.5		6 (4)	82.8
Varicella (unspecified)	1	1	2.7		1	24.5	1	1	14.7
<b>Vector-borne diseases</b>									
Barmah Forest virus			0.5						1.3
Malaria			0.5						
Ross River virus		1 (7)	45.5	1		86.4			44.1
Typhus			0.5			3.3		1	2.7
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever									1.3
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis		2	4.9			1.6			1.3
Leprosy					1	1.6			
Melioidosis									
Meningococcal infection			0.5						1.3
Tuberculosis			1.6			1.6			
<b>Grand Total</b>	<b>5</b>	<b>86 (106)</b>		<b>2</b>	<b>35 (46)</b>		<b>4</b>	<b>24 (40)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1	13.3		1 (2)	15.4		1 (3)	35.2
Hepatitis C (newly acquired)		1	5.0						3.3
Hepatitis C (unspecified)		3 (4)	44.8		(3)	29.0		1	25.1
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis		1 (3)	71.3		5 (4)	71.5		3 (2)	63.6
Cryptosporidiosis		1	3.3			3.9			3.3
Hepatitis A									
Listeriosis									
Rotavirus						1.9			1.7
STEC/VTEC infection			3.3			1.9			1.7
Salmonellosis		1 (1)	21.5		(1)	21.2		4 (2)	73.7
Shigellosis		(2)	14.9		(1)	7.7		(1)	10.0
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.9			3.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	1	11 (25)	316.6	2	22 (23)	357.3	1	25 (25)	350.0
Gonorrhoea		2 (11)	68.0		10 (22)	276.2		12 (21)	242.8
Syphilis (congenital)						1.9			1.7
Syphilis - Infectious		1 (2)	16.6	2	7 (1)	48.3		15 (7)	175.8
Syphilis - Non-Infectious		1 (1)	8.3		(1)	32.8		2	18.4
<b>Vaccine preventable diseases</b>									
Influenza									1.7
Mumps						1.9			
Pertussis		2	3.3						
Pneumococcal infection		2 (1)	11.6		2 (3)	9.7		1 (1)	16.7
Rubella (non-congenital)									
Varicella (chicken pox)			6.6		2 (1)	29.0		1 (2)	8.4
Varicella (shingles)		(1)	43.1		2 (3)	86.9		1 (5)	46.9
Varicella (unspecified)		6 (3)	41.4			1.9		1 (1)	1.7
<b>Vector-borne diseases</b>									
Barmah Forest virus			1.7						
Malaria									
Ross River virus		2	66.3		2	40.6		1	15.1
Typhus			1.7						5.0
<b>Zoonotic diseases</b>									
Leptospirosis			1.7						
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)						1.9			
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis			6.6						1.7
Leprosy									
Melioidosis									
Meningococcal infection						1.9			
Tuberculosis			1.7			1.9		1	1.7
<b>Grand Total</b>	<b>1</b>	<b>35 (54)</b>		<b>4</b>	<b>53 (65)</b>		<b>1</b>	<b>69 (70)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	1 (1)	0.3
Hepatitis B (unspecified)		(1)	77.5	7	30 (42)	10.1
Hepatitis C (newly acquired)				1	6 (12)	1.7
Hepatitis C (unspecified)	2	3 (2)	74.7	14	64 (62)	21.6
Hepatitis D				0	1 (1)	0.2
<b>Enteric diseases</b>						
Campylobacteriosis		(2)	54.6	22	187 (219)	72.0
Cryptosporidiosis		3	77.5	0	7 (3)	3.3
Hepatitis A				0	0 (0)	0.0
Listeriosis				0	0 (0)	0.1
Rotavirus		3	8.6	2	17 (14)	4.9
STEC/VTEC infection			2.9	0	3 (11)	2.6
Salmonellosis		3	126.4	1	38 (82)	25.4
Shigellosis		3	66.1	1	9 (10)	2.6
Typhoid				0	0 (0)	0.1
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				1	3 (0)	0.9
<b>Sexually transmissible infections</b>						
Chlamydia (genital)		27 (50)	942.0	50	696 (872)	274.7
Gonorrhoea		18 (47)	792.7	3	143 (285)	70.0
Syphilis (congenital)			2.9	0	0 (1)	0.1
Syphilis - Infectious		6 (7)	261.4	4	59 (67)	21.3
Syphilis - Non-Infectious			11.5	1	14 (20)	6.2
<b>Vaccine preventable diseases</b>						
Influenza			5.7	0	0 (5)	0.8
Mumps				0	0 (0)	0.0
Pertussis				0	4 (2)	0.9
Pneumococcal infection		2	40.2	1	22 (15)	4.2
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)		(1)	17.2	3	26 (63)	10.1
Varicella (shingles)		3 (3)	123.5	6	134 (199)	64.8
Varicella (unspecified)		1	11.5	24	129 (159)	43.0
<b>Vector-borne diseases</b>						
Barmah Forest virus		1	17.2	0	1 (0)	0.4
Malaria				0	1 (0)	0.4
Ross River virus		1	37.3	0	13 (19)	19.8
Typhus				0	1 (0)	0.5
<b>Zoonotic diseases</b>						
Leptospirosis			2.9	0	0 (0)	0.1
Q Fever				0	0 (0)	0.1
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)		(1)	11.5	0	0 (2)	0.2
Amoebic meningitis			2.9	0	0 (0)	0.0
COVID-19				0	27 (14)	10.0
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis			2.9	0	6 (3)	1.7
Leprosy				0	1 (1)	0.1
Melioidosis			5.7	0	0 (0)	0.1
Meningococcal infection			2.9	1	1 (0)	0.3
Tuberculosis				0	12 (13)	2.6
<b>Grand Total</b>	<b>2</b>	<b>74 (114)</b>		<b>142</b>	<b>1656 (2197)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 35	
	15/07	22/07	29/07	05/08	12/08	19/08	26/08	02/09	2021	2020
	<b>Salmonella Total</b>	<b>7</b>	<b>6</b>	<b>9</b>	<b>8</b>	<b>8</b>	<b>21</b>	<b>8</b>	<b>1</b>	<b>673</b>
<b>Serotype/Phage</b>										
Salmonella Aberdeen									2	0
Salmonella Adelaide									2	3
Salmonella Agona									3	5
Salmonella Anatum						1	1		9	14
Salmonella Bahrenfeld									2	1
Salmonella Ball									1	0
Salmonella Bareilly									3	3
Salmonella Birkenhead									5	2
Salmonella Bovismorbificans									5	9
Salmonella Bredeney									1	1
Salmonella Cannonhill									1	0
Salmonella Cerro									2	2
Salmonella Chailey									1	2
Salmonella Chester			1						8	21
Salmonella Choleraesuis bv Australia									4	13
Salmonella Choleraesuis bv Decatur									7	10
Salmonella Corvallis									2	3
Salmonella Eastbourne				1					3	1
Salmonella Emmastad									1	0
Salmonella Enteritidis									8	46
Salmonella Fremantle subsp II									3	3
Salmonella Gaminara									1	0
Salmonella Give									4	3
Salmonella Havana									1	4
Salmonella Hessarek									1	1
Salmonella Houten subsp IV						1			3	1
Salmonella Hvittingfoss									3	4
Salmonella Infantis					1				24	21
Salmonella Irumu									1	0
Salmonella Johannesburg									2	1
Salmonella Kalumburu									2	0
Salmonella Kentucky									1	3
Salmonella Kiambu									4	3
Salmonella Kirkee									1	0
Salmonella Kottbus									2	4
Salmonella Lansing									1	1
Salmonella Litchfield					1				4	4
Salmonella Liverpool									1	0
Salmonella Livingstone									1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	2
Salmonella Meleagridis									1	0
Salmonella Mississippi									1	1
Salmonella Montevideo									1	1
Salmonella Muenchen									13	21
Salmonella Newport		1							11	10
Salmonella Oranienburg						2			7	5
Salmonella Orion									6	2
Salmonella Oslo			1						1	1



# Weekly Report for period 09-JUL-21 to 02-SEP-21

	15/07	22/07	29/07	05/08	12/08	19/08	26/08	02/09	Cumulative Total to end of Week 35	
									2021	2020
<b>Salmonella Total</b>	<b>7</b>	<b>6</b>	<b>9</b>	<b>8</b>	<b>8</b>	<b>21</b>	<b>8</b>	<b>1</b>	<b>673</b>	<b>1257</b>
<b>Serotype/Phage</b>										
Salmonella Paratyphi B bv Java				1					6	22
Salmonella Poona									5	1
Salmonella Potsdam									7	8
Salmonella Reading									6	3
Salmonella Richmond									1	1
Salmonella Rissen									3	4
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0
Salmonella Saintpaul	2			2		1			23	34
Salmonella Senftenberg									2	3
Salmonella Singapore									3	4
Salmonella Stanley						1			5	9
Salmonella Tennessee							1		4	0
Salmonella Typhimurium	3	3	7	3	2	14	4	1	363	843
Salmonella Urbana									2	1
Salmonella Virchow	1			1	3				19	18
Salmonella Wandsbek subsp II									1	4
Salmonella Wandsworth									1	1
Salmonella Weltevreden									2	5
Salmonella Zanzibar						1			3	1
Salmonella species	1	2			1		2		40	59
Salmonella subsp I ser 16:i,v:-									2	3