



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 23-JUL-21 to 16-SEP-21

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

## STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 37			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	29/07	05/08	12/08	19/08	26/08	02/09	09/09	16/09	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)			1						7	11	18	0	1.7	0.0
Hepatitis B (unspecified)	7	11	8	8	7	10	14	9	421	364	312	40	40.8	1.0
Hepatitis C (newly acquired)	2	1	1	1	4	4	2		52	76	82	10	10.1	1.0
Hepatitis C (unspecified)	15	18	13	19	17	15	16	18	665	572	637	66	72.2	0.9
Hepatitis D					1	1			7	3	8	2	0.5	4.3
<b>Enteric diseases</b>														
Campylobacteriosis	49	57	60	66	45	50	40	18	2003	1889	2394	153	284.1	0.5
Cryptosporidiosis	2	1	5		2	1	2	1	92	470	136	6	9.6	0.6
Hepatitis A									1	6	20	0	1.0	0.0
Listeriosis								1	4	4	7	1	0.7	1.5
Rotavirus	7	9	3	2	12	3	10	1	142	159	376	26	27.3	1.0
STEC/VTEC infection	3	3		3	1		1	1	72	87	108	3	6.2	0.5
Salmonellosis	9	8	8	22	8	8	9	2	692	1356	1470	27	119.6	0.2
Shigellosis	2	3	4	3	2	2	2		72	179	287	6	15.3	0.4
Typhoid									2	3	15	0	1.0	0.0
Vibrio parahaemolyticus									3	2	15	0	0.9	0.0
Yersiniosis		2	1	1		1			23	10	16	1	1.8	0.6
<b>Sexually transmissible infections</b>														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	251	205	222	222	209	202	209	46	7698	7898	8418	666	856.4	0.8
Gonorrhoea	69	66	50	59	54	63	51	12	2009	2739	2872	180	260.7	0.7
Syphilis (congenital)								1	4	3	1	1	0.1	15.0
Syphilis - Infectious	15	20	13	21	18	22	28	3	610	509	420	71	39.7	1.8
Syphilis - Non-Infectious	2	11	6	3	6	2	4	3	179	169	167	15	13.2	1.1
<b>Vaccine preventable diseases</b>														
Influenza								1	23	1202	22579	1	933.9	0.0
Mumps									1	9	20	0	3.1	0.0
Pertussis		3	2		2	1	1	1	29	112	413	5	94.7	0.1
Pneumococcal infection	2	6	5	9	8	2	6	1	122	115	188	17	22.1	0.8
Rubella (non-congenital)								1	2	0	1	1	0.1	7.5
Tetanus								1	1	0	0	1	0.1	15.0
Varicella (chicken pox)	6	11	8	6	12	19	6	1	297	377	471	38	59.8	0.6
Varicella (shingles)	46	47	45	56	42	39	37	8	1822	1781	1565	126	169.9	0.7
Varicella (unspecified)	40	40	35	38	26	27	37	33	1193	1124	995	123	118.6	1.0
<b>Vector-borne diseases</b>														
Barmah Forest virus	1				1				10	18	11	1	1.5	0.7
Malaria	1			1					11	27	42	0	3.7	0.0
Ross River virus	2	3	2	5	4	2	2	2	532	219	320	10	28.9	0.3
Typhus			1						12	16	20	0	1.8	0.0
<b>Zoonotic diseases</b>														
Leptospirosis								1	3	1	3	1	0.1	7.5
Q Fever									2	4	6	0	0.4	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis		1						1	6	3	6	1	0.9	1.2
Amoebic meningitis									1	0	0	0	0.0	0.0
COVID-19	5	2	2	19	6	1	2		218	662	0	9	5.5	1.6
Creutzfeldt-Jakob disease									2	3	5	0	0.5	0.0
Haemolytic Uraemic Syndrome								1	1	4	1	1	0.0	0.0
Invasive Group A Streptococcal (iGAS)					1	1	1		3	0	0	3	0.0	0.0
Legionellosis			2	3	2	1	1		48	53	23	4	4.7	0.8
Leprosy				1					3	1	0	0	0.3	0.0
Melioidosis				1					4	5	4	0	0.2	0.0
Meningococcal infection					1				7	7	16	1	3.2	0.3
Tuberculosis	1		4	4	4		4		94	93	88	8	11.2	0.7
<b>Grand Total</b>	<b>537</b>	<b>528</b>	<b>501</b>	<b>573</b>	<b>495</b>	<b>479</b>	<b>490</b>	<b>161</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 37			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	29/07	05/08	12/08	19/08	26/08	02/09	09/09	16/09	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)			1						6	6	12	0	1.1	0.0
Hepatitis B (unspecified)	6	10	3	7	7	8	10	8	315	310	269	33	34.5	1.0
Hepatitis C (newly acquired)	2	1		1	4	4	2		47	60	59	10	7.7	1.3
Hepatitis C (unspecified)	9	17	11	18	9	10	14	12	486	411	441	45	52.1	0.9
Hepatitis D					1	1			7	2	8	2	0.4	5.0
<b>Enteric diseases</b>														
Campylobacteriosis	38	43	42	47	35	44	31	16	1555	1507	1956	126	222.1	0.6
Cryptosporidiosis		1	2		1			1	34	410	77	2	6.9	0.3
Hepatitis A									1	5	17	0	0.9	0.0
Listeriosis								1	2	3	7	1	0.6	1.7
Rotavirus	7	8	2	2	8		4	1	119	124	322	13	20.7	0.6
STEC/VTEC infection	3	3		3	1			1	56	68	82	2	5.3	0.4
Salmonellosis	7	4	5	16	5	6	5	2	483	1042	1151	18	93.9	0.2
Shigellosis	1	1	2	2	2	2			23	87	203	4	8.6	0.5
Typhoid									1	3	13	0	0.7	0.0
Vibrio parahaemolyticus									3	2	11	0	0.7	0.0
Yersiniosis		2	1	1		1			18	9	15	1	1.7	0.6
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	204	171	170	170	173	168	159	41	6086	6127	6600	541	663.0	0.8
Gonorrhoea	52	47	35	40	33	41	33	10	1270	1844	2106	117	172.3	0.7
Syphilis (congenital)								1	1	2	0	1	0.0	0.0
Syphilis - Infectious	10	13	7	8	8	16	18	1	343	339	233	43	27.1	1.6
Syphilis - Non-Infectious	1	8	4	3	4	1	2	2	121	140	107	9	10.1	0.9
<b>Vaccine preventable diseases</b>														
Influenza								1	12	963	17810	1	705.1	0.0
Pertussis		3	1		1	1		1	23	90	331	3	69.7	0.0
Pneumococcal infection	1	1	2	7	4	1	5	1	73	42	114	11	13.0	0.8
Rubella (non-congenital)									1	0	1	0	0.1	0.0
Tetanus						1			1	0	0	1	0.1	15.0
Varicella (chicken pox)	4	9	6	5	8	19	4	1	223	282	345	32	43.5	0.7
Varicella (shingles)	33	31	32	48	27	27	29	6	1288	1287	1120	89	120.5	0.7
Varicella (unspecified)	38	37	35	34	22	25	35	27	1127	1080	951	109	112.7	1.0
<b>Vector-borne diseases</b>														
Barmah Forest virus									1	3	4	0	0.4	0.0
Malaria	1			1					9	21	36	0	3.0	0.0
Ross River virus	1	1	1	1	1	1		2	271	125	212	4	19.0	0.2
Typhus									3	8	12	0	1.4	0.0
<b>Zoonotic diseases</b>														
Q Fever									1	2	2	0	0.3	0.0
<b>Other diseases</b>														
COVID-19		1	1	1	1		2		84	431	0	3	2.4	1.3
Creutzfeldt-Jakob disease									2	3	4	0	0.5	0.0
Haemolytic Uraemic Syndrome							1		1	0	0	1	0.0	0.0
Invasive Group A Streptococcal (iGA)					1	1	1		3	0	0	3	0.0	0.0
Legionellosis			2	1	2		1		29	35	20	3	4.1	0.7
Leprosy									2	1	0	0	0.2	0.0
Melioidosis									1	0	2	0	0.1	0.0
Meningococcal infection					1				3	3	6	1	1.7	0.6
Tuberculosis	1		4	4	3		4		86	88	80	7	10.1	0.7
<b>Grand Total</b>	<b>419</b>	<b>412</b>	<b>369</b>	<b>420</b>	<b>362</b>	<b>378</b>	<b>362</b>	<b>134</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			0.1			0.5			0.3
Hepatitis B (unspecified)	3	11 (9)	12.4	1	9 (9)	13.7	4	13 (16)	18.3
Hepatitis C (newly acquired)			0.7		4 (5)	2.6		6 (6)	3.4
Hepatitis C (unspecified)	3	8 (13)	12.3	4	17 (20)	26.4	5	20 (18)	30.3
Hepatitis D		2	0.7					(1)	0.3
<b>Enteric diseases</b>									
Campylobacteriosis	7	42 (66)	75.3	5	39 (61)	69.8	4	45 (72)	74.0
Cryptosporidiosis	1	1 (1)	1.1		(1)	2.0		1 (2)	1.8
Hepatitis A									0.1
Listeriosis							1	1	0.3
Rotavirus	1	5 (4)	6.7		4	4.1		4 (8)	5.9
STEC/VTEC infection		(1)	2.3		1 (1)	2.3	1	1 (5)	3.3
Salmonellosis	1	4 (39)	22.5		5 (18)	20.3	1	9 (28)	25.1
Shigellosis		2 (2)	1.2		1	1.1		1 (3)	1.0
Typhoid			0.1						
Vibrio parahaemolyticus			0.1			0.2			0.1
Yersiniosis		1	1.1			0.8			0.7
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	16	151 (216)	254.3	4	162 (190)	272.4	21	228 (239)	331.0
Gonorrhoea	1	29 (42)	48.6	2	26 (41)	50.0	7	62 (67)	79.8
Syphilis (congenital)								1	0.1
Syphilis - Infectious		18 (11)	10.9		5 (10)	15.8	1	20 (22)	21.7
Syphilis - Non-Infectious		1 (6)	3.9		1 (3)	4.7	2	7 (10)	8.4
<b>Vaccine preventable diseases</b>									
Influenza		(1)	0.7		1	0.6		(2)	0.4
Mumps									
Pertussis		2	0.8	1	1	1.5		(1)	1.0
Pneumococcal infection		2 (4)	2.5	1	3 (3)	3.6		6 (2)	4.3
Rubella (non-congenital)			0.1						
Tetanus								1	0.1
Varicella (chicken pox)		1 (30)	10.8	1	21 (18)	12.2		10 (10)	8.6
Varicella (shingles)	2	33 (57)	63.9	2	29 (46)	65.7	2	27 (33)	52.6
Varicella (unspecified)	8	37 (50)	55.3	13	41 (48)	63.3	6	31 (53)	41.3
<b>Vector-borne diseases</b>									
Barmah Forest virus						0.2			
Malaria			0.3			0.2			0.8
Ross River virus			11.4	1	2 (10)	14.3	1	2 (2)	12.6
Typhus			0.1			0.2			0.1
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever			0.1						
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19		1 (1)	5.0		2 (2)	2.7		(1)	4.0
Creutzfeldt-Jakob disease			0.1						0.1
Haemolytic Uraemic Syndrome		1	0.1						
Invasive Group A Streptococcal (iGAS)		2	0.3					1	0.1
Legionellosis		2 (1)	2.2		(2)	0.9		1	1.0
Leprosy									0.3
Melioidosis									0.1
Meningococcal infection						0.2		1	0.3
Tuberculosis		4 (4)	3.8		3 (2)	3.6		(7)	4.7
<b>Grand Total</b>	<b>43</b>	<b>360 (558)</b>		<b>35</b>	<b>377 (490)</b>		<b>56</b>	<b>499 (608)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1	9.9		1	8.2		1	18.7
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)		3 (4)	21.9	5	8 (3)	44.0		1	29.4
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	1	9 (20)	95.3	1	4 (10)	102.7		8 (6)	70.8
Cryptosporidiosis		1 (1)	6.6			9.8			2.7
Hepatitis A									
Listeriosis			1.1						
Rotavirus			2.2		(3)	3.3		1	1.3
STEC/VTEC infection			4.9			1.6		1	1.3
Salmonellosis		3 (8)	24.6	1		16.3		(1)	32.0
Shigellosis			0.5			3.3			2.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			1.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	2	24 (36)	199.4	1	8 (13)	171.2		3 (13)	128.2
Gonorrhoea		5 (2)	22.5		1	9.8		1 (7)	30.7
Syphilis (congenital)									
Syphilis - Infectious		2 (1)	6.0		(1)	6.5		1	8.0
Syphilis - Non-Infectious		1 (1)	2.2			1.6			12.0
<b>Vaccine preventable diseases</b>									
Influenza			1.6			4.9			2.7
Mumps									
Pertussis		1	2.2						
Pneumococcal infection		1	2.2			1.6		1	8.0
Rubella (non-congenital)		1	0.5						
Tetanus									
Varicella (chicken pox)		2 (2)	12.1		(1)	17.9		1 (2)	9.3
Varicella (shingles)		11 (20)	110.6	1	6 (15)	166.3	1	8 (5)	88.1
Varicella (unspecified)	3	6 (1)	5.5			4.9	1	1	14.7
<b>Vector-borne diseases</b>									
Barmah Forest virus		(1)	0.5						1.3
Malaria			0.5						
Ross River virus		2 (7)	46.0			86.4		1 (2)	45.4
Typhus			0.5			3.3			2.7
<b>Zoonotic diseases</b>									
Leptospirosis								1	1.3
Q Fever									1.3
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Invasive Group A Streptococcal (iGAS)									
Legionellosis			4.9			1.6			1.3
Leprosy						1.6			
Melioidosis									
Meningococcal infection			0.5						1.3
Tuberculosis		(1)	1.6			1.6			
<b>Grand Total</b>	<b>6</b>	<b>73 (105)</b>		<b>8</b>	<b>29 (46)</b>		<b>2</b>	<b>30 (36)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	2 (1)	16.6		(1)	15.4	1 (1)		36.8
Hepatitis C (newly acquired)			5.0						3.3
Hepatitis C (unspecified)		2 (2)	44.8		(2)	29.0	3		28.5
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis		1 (4)	72.9		3 (3)	75.3		(4)	63.6
Cryptosporidiosis			3.3			3.9	1		5.0
Hepatitis A									
Listeriosis									
Rotavirus						1.9			1.7
STEC/VTEC infection			3.3			1.9			1.7
Salmonellosis		1	23.2		(5)	21.2		(1)	73.7
Shigellosis			14.9			7.7	1 (1)		11.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.9			3.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)		15 (30)	333.2		21 (27)	380.5		20 (26)	375.1
Gonorrhoea		2 (11)	69.6	2	14 (31)	301.3		18 (26)	266.2
Syphilis (congenital)						1.9			1.7
Syphilis - Infectious		1 (1)	18.2	1	5	46.3	1	12 (8)	189.2
Syphilis - Non-Infectious		1 (1)	8.3		1	34.8	1	2 (1)	20.1
<b>Vaccine preventable diseases</b>									
Influenza									1.7
Mumps						1.9			
Pertussis		1	3.3						
Pneumococcal infection		1 (1)	11.6		1 (2)	11.6		(1)	16.7
Rubella (non-congenital)									
Tetanus									
Varicella (chicken pox)		1	8.3		1 (1)	29.0		1 (2)	8.4
Varicella (shingles)		(1)	43.1		3 (4)	90.8		5 (2)	53.6
Varicella (unspecified)		2 (5)	41.4	2	2	5.8		1	1.7
<b>Vector-borne diseases</b>									
Barmah Forest virus			1.7						
Malaria									
Ross River virus		(1)	66.3		1	40.6			15.1
Typhus			1.7						5.0
<b>Zoonotic diseases</b>									
Leptospirosis			1.7						
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)						1.9			
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Invasive Group A Streptococcal (iGAS)									
Legionellosis			6.6						1.7
Leprosy									
Melioidosis									
Meningococcal infection						1.9			
Tuberculosis			1.7			1.9		1	1.7
<b>Grand Total</b>	<b>1</b>	<b>30 (58)</b>		<b>5</b>	<b>52 (76)</b>		<b>2</b>	<b>66 (73)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	0 (1)	0.3
Hepatitis B (unspecified)			77.5	9	40 (37)	11.1
Hepatitis C (newly acquired)				0	10 (11)	1.9
Hepatitis C (unspecified)		3 (1)	74.7	18	66 (64)	22.8
Hepatitis D				0	2 (1)	0.3
<b>Enteric diseases</b>						
Campylobacteriosis		2 (4)	60.3	18	153 (251)	75.5
Cryptosporidiosis		2	80.4	1	6 (5)	3.5
Hepatitis A				0	0 (0)	0.0
Listeriosis				1	1 (1)	0.2
Rotavirus		12 (1)	34.5	1	26 (16)	5.4
STEC/VTEC infection			2.9	1	3 (7)	2.7
Salmonellosis		4	135.0	2	27 (100)	26.1
Shigellosis		1 (1)	68.9	0	6 (8)	2.7
Typhoid				0	0 (0)	0.1
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	1 (0)	0.9
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	2	26 (39)	1002.3	46	666 (834)	290.3
Gonorrhoea		19 (53)	835.8	12	180 (281)	75.8
Syphilis (congenital)			2.9	0	1 (0)	0.2
Syphilis - Infectious		6 (5)	275.7	3	71 (60)	23.0
Syphilis - Non-Infectious			11.5	3	15 (23)	6.5
<b>Vaccine preventable diseases</b>						
Influenza			5.7	0	1 (3)	0.9
Mumps				0	0 (0)	0.0
Pertussis				1	5 (1)	1.1
Pneumococcal infection		1	40.2	1	17 (13)	4.6
Rubella (non-congenital)				0	1 (0)	0.1
Tetanus				0	1 (0)	0.0
Varicella (chicken pox)		(1)	17.2	1	38 (67)	11.2
Varicella (shingles)		3 (2)	129.2	8	126 (187)	68.7
Varicella (unspecified)		1	11.5	33	123 (157)	45.0
<b>Vector-borne diseases</b>						
Barmah Forest virus		1 (1)	17.2	0	1 (2)	0.4
Malaria				0	0 (0)	0.4
Ross River virus		2	40.2	2	10 (22)	20.1
Typhus				0	0 (0)	0.5
<b>Zoonotic diseases</b>						
Leptospirosis			2.9	0	1 (0)	0.1
Q Fever				0	0 (0)	0.1
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)		1 (1)	14.4	0	1 (1)	0.2
Amoebic meningitis			2.9	0	0 (0)	0.0
COVID-19				0	9 (11)	10.3
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Haemolytic Uraemic Syndrome				0	1 (0)	0.0
Invasive Group A Streptococcal (iGAS)				0	3 (0)	0.1
Legionellosis		1	5.7	0	4 (3)	1.8
Leprosy				0	0 (0)	0.1
Melioidosis			5.7	0	0 (0)	0.2
Meningococcal infection			2.9	0	1 (0)	0.3
Tuberculosis				0	8 (15)	2.8
<b>Grand Total</b>	<b>2</b>	<b>85 (109)</b>		<b>161</b>	<b>1625 (2183)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 37	
	29/07	05/08	12/08	19/08	26/08	02/09	09/09	16/09	2021	2020
	<b>Salmonella Total</b>	<b>9</b>	<b>8</b>	<b>8</b>	<b>22</b>	<b>8</b>	<b>8</b>	<b>9</b>	<b>2</b>	<b>692</b>
<b>Serotype/Phage</b>										
Salmonella Aberdeen									2	0
Salmonella Adelaide									2	3
Salmonella Agona									3	6
Salmonella Anatum				1	1				9	14
Salmonella Bahrenfeld									2	1
Salmonella Ball									1	0
Salmonella Bareilly									3	3
Salmonella Birkenhead									5	2
Salmonella Bovismorbificans									5	9
Salmonella Bredeney									1	1
Salmonella Cerro									2	2
Salmonella Chailey									1	2
Salmonella Chester	1								9	21
Salmonella Choleraesuis bv Australia									4	13
Salmonella Choleraesuis bv Decatur									7	10
Salmonella Corvallis									2	3
Salmonella Eastbourne		1							3	1
Salmonella Emmastad									1	0
Salmonella Enteritidis									8	47
Salmonella Fremantle subsp II									3	4
Salmonella Gaminara									1	0
Salmonella Give									4	3
Salmonella Havana									1	4
Salmonella Hessarek									1	1
Salmonella Houten subsp IV				1					3	1
Salmonella Hvittingfoss									3	4
Salmonella Infantis			1				1		25	24
Salmonella Irumu									1	0
Salmonella Johannesburg									2	1
Salmonella Kalumburu									2	0
Salmonella Kentucky									1	3
Salmonella Kiambu									4	3
Salmonella Kirkee									1	0
Salmonella Kottbus						1			3	4
Salmonella Lansing									1	1
Salmonella Litchfield			1						4	4
Salmonella Liverpool									1	0
Salmonella Livingstone									1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	2
Salmonella Meleagridis									1	0
Salmonella Mississippi									1	1
Salmonella Montevideo									1	1
Salmonella Muenchen						1			14	21
Salmonella Newport									11	10
Salmonella Oranienburg				2			1		8	7
Salmonella Orientalis						1			1	2
Salmonella Orion							1		7	2
Salmonella Oslo	1								1	1



# Weekly Report for period 23-JUL-21 to 16-SEP-21

	29/07	05/08	12/08	19/08	26/08	02/09	09/09	16/09	Cumulative Total to end of Week 37	
									2021	2020
<b>Salmonella Total</b>	<b>9</b>	<b>8</b>	<b>8</b>	<b>22</b>	<b>8</b>	<b>8</b>	<b>9</b>	<b>2</b>	<b>692</b>	<b>1311</b>
<b>Serotype/Phage</b>										
Salmonella Paratyphi B bv Java		1							6	22
Salmonella Poona									5	1
Salmonella Potsdam									7	8
Salmonella Reading									6	3
Salmonella Richmond									1	1
Salmonella Rissen									3	4
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0
Salmonella Saintpaul		2		1	1				24	34
Salmonella Senftenberg									2	3
Salmonella Singapore									3	4
Salmonella Stanley				1					5	9
Salmonella Tennessee					1				4	0
Salmonella Typhimurium	7	3	2	15	4	3	1		367	884
Salmonella Urbana									2	1
Salmonella Virchow		1	3			1	1		21	19
Salmonella Wandsbek subsp II									1	4
Salmonella Wandsworth									1	1
Salmonella Weltevreden									2	6
Salmonella Zanzibar				1					3	1
Salmonella species			1		1	1	4	2	43	60
Salmonella subsp 1 ser rough:-:-									1	0
Salmonella subsp I									1	0
Salmonella subsp I ser 16:l,v:-									2	3
Salmonella subsp IV ser									1	0