



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 06-AUG-21 to 30-SEP-21

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

## STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 39			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	12/08	19/08	26/08	02/09	09/09	16/09	23/09	30/09	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1								7	14	19	0	1.5	0.0
Hepatitis B (unspecified)	8	8	7	10	14	9	7	4	432	379	324	34	39.9	0.9
Hepatitis C (newly acquired)	1	1	4	4	2				53	77	86	2	9.4	0.2
Hepatitis C (unspecified)	13	19	17	15	16	20	24	15	706	595	666	75	72.4	1.0
Hepatitis D			1	1			1		8	3	8	1	0.3	3.0
<b>Enteric diseases</b>														
Campylobacteriosis	60	68	45	50	44	57	51	15	2115	1999	2513	167	281.0	0.6
Cryptosporidiosis	5		2	1	2	2	2		95	473	141	6	9.7	0.6
Hepatitis A								1	2	6	20	1	0.9	1.2
Listeriosis						1			4	5	7	1	0.7	1.4
Rotavirus	3	3	13	4	31	27	28	1	251	165	396	87	26.9	3.2
STEC/VTEC infection		3	1	1	1	1			74	88	110	3	6.1	0.5
Salmonellosis	8	21	8	9	9	17	10	3	721	1414	1540	39	122.4	0.3
Shigellosis	4	3	2	2	2	1	5		78	185	298	8	15.3	0.5
Typhoid									2	3	15	0	0.9	0.0
Vibrio parahaemolyticus						1			4	3	16	1	0.9	1.2
Yersiniosis	1	1		1		1			24	10	17	1	1.5	0.7
<b>Sexually transmissible infections</b>														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	222	222	210	205	217	203	189	34	8090	8259	8765	643	852.6	0.8
Gonorrhoea	50	59	54	64	57	68	43		2116	2855	2990	168	258.1	0.7
Syphilis (congenital)					1				4	3	1	1	0.1	15.0
Syphilis - Infectious	13	20	15	13	24	22	29	6	644	546	445	81	40.9	2.0
Syphilis - Non-Infectious	6	4	8	2	4	8	2	2	194	177	178	16	12.7	1.3
<b>Vaccine preventable diseases</b>														
Influenza					1				23	1202	22719	1	851.3	0.0
Mumps									1	9	23	0	2.7	0.0
Pertussis	2	1	2	1		3	2		33	113	425	5	92.3	0.1
Pneumococcal infection	5	9	8	3	6	5	3		130	121	193	14	21.0	0.7
Rubella (non-congenital)				1					3	0	1	0	0.1	0.0
Tetanus				1					1	0	0	0	0.1	0.0
Varicella (chicken pox)	8	6	12	19	10	10	4		315	403	476	24	61.6	0.4
Varicella (shingles)	45	56	45	40	47	46	17		1891	1880	1645	110	170.2	0.6
Varicella (unspecified)	35	38	24	27	34	29	55	32	1271	1207	1043	150	120.1	1.2
<b>Vector-borne diseases</b>														
Barmah Forest virus			1				1		11	18	11	1	1.4	0.7
Malaria		1							11	28	43	0	3.7	0.0
Ross River virus	3	4	4	1	4	7	2		541	234	331	13	31.1	0.4
Typhus	1					2			14	17	21	2	1.5	1.3
<b>Zoonotic diseases</b>														
Leptospirosis					1				3	1	3	1	0.3	3.8
Q Fever									2	4	6	0	0.5	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis					1				6	4	7	1	1.0	1.0
Amoebic meningitis									1	0	0	0	0.0	0.0
COVID-19	2	19	6	1	2	3	3	1	225	685	0	9	8.6	1.0
Creutzfeldt-Jakob disease									2	3	6	0	0.4	0.0
Haemolytic Uraemic Syndrome					1				1	4	1	1	0.0	0.0
Invasive Group A Streptococcal (iGAS)			1	1	1				3	0	0	1	0.0	0.0
Legionellosis	2	3	2	2	1	2			51	61	24	3	5.1	0.6
Leprosy		1							3	1	0	0	0.5	0.0
Melioidosis		1				1			5	5	4	1	0.1	7.5
Meningococcal infection			1						7	8	18	0	3.7	0.0
Tuberculosis	4	4	4		4	2	2		98	97	93	8	11.1	0.7
<b>Grand Total</b>	<b>502</b>	<b>575</b>	<b>497</b>	<b>479</b>	<b>537</b>	<b>548</b>	<b>480</b>	<b>115</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 39			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	12/08	19/08	26/08	02/09	09/09	16/09	23/09	30/09	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1								6	7	13	0	1.1	0.0
Hepatitis B (unspecified)	3	7	7	8	10	8	7	3	325	324	277	28	33.6	0.8
Hepatitis C (newly acquired)		1	4	4	2				48	61	63	2	7.2	0.3
Hepatitis C (unspecified)	11	18	9	10	14	14	17	10	514	428	460	55	53.2	1.0
Hepatitis D			1	1					7	2	8	0	0.3	0.0
<b>Enteric diseases</b>														
Campylobacteriosis	42	47	36	45	33	43	40	11	1637	1595	2054	127	219.9	0.6
Cryptosporidiosis	2		1			1	2		36	411	81	3	7.1	0.4
Hepatitis A								1	2	5	17	1	0.8	1.3
Listeriosis						1			2	4	7	1	0.7	1.5
Rotavirus	2	3	9		9	9	12	1	175	129	336	31	21.8	1.4
STEC/VTEC infection		3	1	1		1		1	58	68	84	2	5.1	0.4
Salmonellosis	5	16	5	6	5	10	5		496	1087	1208	20	96.6	0.2
Shigellosis	2	2	2	2		1	4		28	88	212	5	8.1	0.6
Typhoid									1	3	13	0	0.7	0.0
Vibrio parahaemolyticus						1			4	3	12	1	0.7	1.4
Yersiniosis	1	1		1		1			19	9	16	1	1.5	0.7
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	170	170	173	170	165	161	155	29	6398	6416	6874	510	662.1	0.8
Gonorrhoea	35	40	33	41	37	48	28		1340	1901	2192	113	169.5	0.7
Syphilis (congenital)					1				1	2	0	1	0.0	0.0
Syphilis - Infectious	7	8	5	8	15	11	22	5	364	366	249	53	27.4	1.9
Syphilis - Non-Infectious	4	4	5	1	2	5	2	1	131	147	115	10	9.9	1.0
<b>Vaccine preventable diseases</b>														
Influenza					1				12	963	17923	1	634.1	0.0
Pertussis	1		1	1		3	1		26	90	340	4	67.7	0.1
Pneumococcal infection	2	7	4	1	6	3	3		79	44	117	12	12.5	1.0
Rubella (non-congenital)									2	0	1	0	0.1	0.0
Tetanus				1					1	0	0	0	0.1	0.0
Varicella (chicken pox)	6	5	8	19	4	7	2		231	301	348	13	45.5	0.3
Varicella (shingles)	32	48	29	28	38	31	2		1327	1344	1175	71	121.5	0.6
Varicella (unspecified)	35	34	21	25	34	26	53	29	1206	1158	999	142	113.3	1.3
<b>Vector-borne diseases</b>														
Barmah Forest virus							1		2	3	4	1	0.3	3.0
Malaria		1							9	22	37	0	3.1	0.0
Ross River virus	1		1	1		3			272	135	223	3	20.3	0.1
Typhus						1			4	9	13	1	1.1	0.9
<b>Zoonotic diseases</b>														
Q Fever									1	2	2	0	0.3	0.0
<b>Other diseases</b>														
COVID-19	1	1	1		2	3	3	1	91	437	0	9	2.8	3.2
Creutzfeldt-Jakob disease									2	3	5	0	0.4	0.0
Haemolytic Uraemic Syndrome					1				1	0	0	1	0.0	0.0
Invasive Group A Streptococcal (iGA)			1	1	1				3	0	0	1	0.0	0.0
Legionellosis	2	1	2	1	1	1			31	43	20	2	4.4	0.5
Leprosy									2	1	0	0	0.3	0.0
Melioidosis						1			2	0	2	1	0.1	15.0
Meningococcal infection			1						3	3	8	0	2.1	0.0
Tuberculosis	4	4	3		4	2	2		90	92	83	8	10.0	0.8
<b>Grand Total</b>	<b>369</b>	<b>421</b>	<b>363</b>	<b>376</b>	<b>385</b>	<b>396</b>	<b>361</b>	<b>92</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			0.1			0.5		(1)	0.3
Hepatitis B (unspecified)		11 (9)	12.7		7 (11)	14.2	3	10 (12)	18.9
Hepatitis C (newly acquired)			0.7		1 (1)	2.4		1 (1)	3.7
Hepatitis C (unspecified)	3	11 (15)	13.1	5	27 (17)	28.5	2	17 (17)	31.4
Hepatitis D			0.7					(1)	0.3
<b>Enteric diseases</b>									
Campylobacteriosis	6	45 (80)	79.7	3	31 (59)	72.3	2	51 (63)	78.5
Cryptosporidiosis		1 (1)	1.1		1 (1)	2.1		1 (2)	1.9
Hepatitis A							1	1	0.3
Listeriosis								1	0.3
Rotavirus	1	9 (5)	8.6		11 (1)	6.2		11 (2)	9.7
STEC/VTEC infection			2.5	1	1	2.4		1 (4)	3.3
Salmonellosis		8 (33)	23.3		6 (20)	20.9		6 (36)	25.5
Shigellosis		3	1.6			1.1		2 (1)	1.2
Typhoid			0.1						
Vibrio parahaemolyticus		1	0.3			0.2		(1)	0.1
Yersiniosis		1	1.2			0.8			0.7
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	10	130 (197)	265.2	9	153 (187)	287.6	10	227 (235)	349.0
Gonorrhoea		20 (25)	50.1		30 (32)	53.6		63 (56)	84.6
Syphilis (congenital)								1	0.1
Syphilis - Infectious	1	13 (7)	10.9		10 (20)	16.9	4	30 (15)	23.6
Syphilis - Non-Infectious	1	2 (9)	4.5		2 (3)	5.0		6 (10)	8.9
<b>Vaccine preventable diseases</b>									
Influenza			0.7		1	0.6		(2)	0.4
Mumps									
Pertussis			0.8		1	1.5		3 (1)	1.4
Pneumococcal infection		3 (2)	2.7		3 (2)	3.8		6 (1)	4.7
Rubella (non-congenital)			0.3						
Tetanus									0.1
Varicella (chicken pox)		1 (21)	10.9		7 (13)	12.8		5 (12)	9.1
Varicella (shingles)		22 (51)	65.5		29 (39)	68.3		20 (38)	54.0
Varicella (unspecified)	14	45 (50)	59.0	10	55 (51)	67.5	5	42 (59)	44.6
<b>Vector-borne diseases</b>									
Barmah Forest virus					1	0.3			
Malaria		(1)	0.3			0.2			0.8
Ross River virus		(2)	11.4		2 (11)	14.5		1 (6)	12.6
Typhus		1	0.3			0.2		(1)	0.1
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever			0.1						
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19		2 (4)	5.3		4 (4)	3.0	1	3 (2)	4.4
Creutzfeldt-Jakob disease			0.1						0.1
Haemolytic Uraemic Syndrome		1	0.1						
Invasive Group A Streptococcal (iGAS)		1	0.3						0.1
Legionellosis		(1)	2.0		(4)	0.9		2 (5)	1.4
Leprosy									0.3
Melioidosis		1	0.1						0.1
Meningococcal infection						0.2			0.3
Tuberculosis		3 (4)	3.9		4 (1)	3.9		1 (6)	4.8
<b>Grand Total</b>	<b>36</b>	<b>335 (517)</b>		<b>28</b>	<b>387 (477)</b>		<b>28</b>	<b>512 (590)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			9.9		1	8.2	1	1	20.0
Hepatitis B (unspecified)									
Hepatitis C (newly acquired)		3 (3)	23.6	2	7	47.3		4 (1)	33.4
Hepatitis C (unspecified)									
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	2	14 (24)	101.3		6 (8)	110.9	2	10 (2)	78.8
Cryptosporidiosis		(1)	6.6			9.8			2.7
Hepatitis A									
Listeriosis			1.1						
Rotavirus		2	3.8		(3)	3.3		3	5.3
STEC/VTEC infection			4.9		(1)	1.6		1	1.3
Salmonellosis		3 (9)	26.3		2 (2)	19.6		(1)	32.0
Shigellosis			0.5			3.3			2.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			1.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	1	24 (35)	206.5	1	12 (10)	184.3	1	6 (9)	136.2
Gonorrhoea		3 (3)	22.5		6	17.9		1 (7)	32.0
Syphilis (congenital)									
Syphilis - Infectious		3	6.6			6.5			8.0
Syphilis - Non-Infectious		1 (1)	2.7			1.6			12.0
<b>Vaccine preventable diseases</b>									
Influenza			1.6			4.9			2.7
Mumps									
Pertussis		(1)	2.2		1	1.6			
Pneumococcal infection			2.2			1.6			8.0
Rubella (non-congenital)			0.5						
Tetanus									
Varicella (chicken pox)		7 (1)	15.3		(2)	17.9		(1)	9.3
Varicella (shingles)		15 (26)	117.8		13 (18)	184.3		3 (7)	89.5
Varicella (unspecified)	1	3 (1)	4.4			4.9		2 (3)	16.0
<b>Vector-borne diseases</b>									
Barmah Forest virus		(1)	0.5						1.3
Malaria			0.5						
Ross River virus		2 (4)	46.6			86.4		2 (3)	46.7
Typhus			0.5			3.3			2.7
<b>Zoonotic diseases</b>									
Leptospirosis								1	1.3
Q Fever									1.3
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Invasive Group A Streptococcal (iGAS)									
Legionellosis		1	5.5			1.6			1.3
Leprosy						1.6			
Melioidosis									
Meningococcal infection			0.5						1.3
Tuberculosis		(1)	1.6			1.6			
<b>Grand Total</b>	<b>4</b>	<b>81 (111)</b>		<b>3</b>	<b>48 (44)</b>		<b>4</b>	<b>34 (34)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		2 (1)	16.6		(1)	15.4		1	36.8
Hepatitis C (newly acquired)			5.0						3.3
Hepatitis C (unspecified)	1	2 (5)	48.1	1	1	32.8	1	2	30.1
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis		3 (3)	76.2		1 (3)	75.3		5 (4)	72.0
Cryptosporidiosis			3.3			3.9		1	5.0
Hepatitis A									
Listeriosis									
Rotavirus					1	3.9		6	11.7
STEC/VTEC infection			3.3			1.9			1.7
Salmonellosis	2	4 (1)	28.2		1 (5)	23.2	1	2 (1)	77.0
Shigellosis		(1)	14.9			7.7		1 (1)	11.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.9			3.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)		10 (28)	343.1		15 (25)	397.8		21 (23)	393.5
Gonorrhoea		1 (11)	69.6		10 (33)	316.7		9 (29)	276.3
Syphilis (congenital)						1.9			1.7
Syphilis - Infectious			14.9	1	2 (1)	46.3		7 (9)	190.9
Syphilis - Non-Infectious	1	2	13.3		1 (1)	34.8		1 (1)	21.8
<b>Vaccine preventable diseases</b>									
Influenza									1.7
Mumps						1.9			
Pertussis			3.3						
Pneumococcal infection		1 (1)	13.3		(2)	11.6		1 (2)	18.4
Rubella (non-congenital)									
Tetanus									
Varicella (chicken pox)		3	13.3		1 (2)	30.9		(8)	8.4
Varicella (shingles)		2 (1)	46.4		2 (4)	92.7		2 (1)	55.3
Varicella (unspecified)	1	1 (6)	43.1			1.9	1	1	1.7
<b>Vector-borne diseases</b>									
Barmah Forest virus			1.7						
Malaria									
Ross River virus		4 (4)	72.9		2	44.4			15.1
Typhus			1.7		1	1.9			5.0
<b>Zoonotic diseases</b>									
Leptospirosis			1.7						
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)						1.9			
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Invasive Group A Streptococcal (iGAS)									
Legionellosis			6.6						1.7
Leprosy									
Melioidosis									
Meningococcal infection						1.9			
Tuberculosis			1.7			1.9			1.7
<b>Grand Total</b>	<b>5</b>	<b>35 (62)</b>		<b>2</b>	<b>38 (77)</b>		<b>3</b>	<b>60 (79)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	0 (4)	0.3
Hepatitis B (unspecified)			77.5	4	34 (34)	11.5
Hepatitis C (newly acquired)				0	2 (2)	2.0
Hepatitis C (unspecified)			74.7	15	75 (58)	24.4
Hepatitis D		1	2.9	0	1 (1)	0.3
<b>Enteric diseases</b>						
Campylobacteriosis		1 (5)	63.2	15	167 (252)	79.8
Cryptosporidiosis		1	80.4	0	6 (6)	3.6
Hepatitis A				1	1 (0)	0.1
Listeriosis				0	1 (2)	0.2
Rotavirus		43 (1)	146.5	1	87 (12)	9.5
STEC/VTEC infection			2.9	1	3 (5)	2.8
Salmonellosis		5 (4)	143.6	3	39 (112)	27.2
Shigellosis		2 (4)	71.8	0	8 (8)	2.9
Typhoid				0	0 (0)	0.1
Vibrio parahaemolyticus				0	1 (1)	0.2
Yersiniosis				0	1 (0)	0.9
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	1	37 (33)	1065.5	34	643 (786)	305.1
Gonorrhoea		22 (48)	878.8	0	168 (246)	79.8
Syphilis (congenital)			2.9	0	1 (0)	0.2
Syphilis - Infectious		14 (4)	307.3	6	81 (57)	24.3
Syphilis - Non-Infectious			11.5	2	16 (26)	7.0
<b>Vaccine preventable diseases</b>						
Influenza			5.7	0	1 (2)	0.9
Mumps				0	0 (0)	0.0
Pertussis				0	5 (2)	1.2
Pneumococcal infection		(2)	40.2	0	14 (12)	4.9
Rubella (non-congenital)				0	0 (0)	0.1
Tetanus				0	0 (0)	0.0
Varicella (chicken pox)			17.2	0	24 (60)	11.9
Varicella (shingles)		2 (7)	132.1	0	110 (195)	71.3
Varicella (unspecified)			11.5	32	150 (170)	47.9
<b>Vector-borne diseases</b>						
Barmah Forest virus		(1)	17.2	0	1 (2)	0.4
Malaria				0	0 (1)	0.4
Ross River virus		(1)	40.2	0	13 (31)	20.4
Typhus				0	2 (1)	0.5
<b>Zoonotic diseases</b>						
Leptospirosis			2.9	0	1 (0)	0.1
Q Fever				0	0 (0)	0.1
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)		1 (1)	14.4	0	1 (1)	0.2
Amoebic meningitis			2.9	0	0 (0)	0.0
COVID-19				1	9 (31)	10.4
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Haemolytic Uraemic Syndrome				0	1 (0)	0.0
Invasive Group A Streptococcal (iGAS)				0	1 (0)	0.1
Legionellosis			5.7	0	3 (10)	1.9
Leprosy				0	0 (0)	0.1
Melioidosis			5.7	0	1 (0)	0.2
Meningococcal infection		(1)	2.9	0	0 (1)	0.3
Tuberculosis				0	8 (13)	2.9
<b>Grand Total</b>	<b>1</b>	<b>129 (112)</b>		<b>115</b>	<b>1680 (2145)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 39	
	12/08	19/08	26/08	02/09	09/09	16/09	23/09	30/09	2021	2020
	<b>Salmonella Total</b>	<b>8</b>	<b>21</b>	<b>8</b>	<b>9</b>	<b>9</b>	<b>17</b>	<b>10</b>	<b>3</b>	<b>721</b>
<b>Serotype/Phage</b>										
Salmonella Aberdeen									2	0
Salmonella Adelaide								1	3	3
Salmonella Agona						1			4	6
Salmonella Anatum		1	1						9	15
Salmonella Bahrenfeld									2	1
Salmonella Ball						1			2	0
Salmonella Bareilly									3	3
Salmonella Birkenhead									5	2
Salmonella Bovismorbificans									5	10
Salmonella Bredeney									1	1
Salmonella Cerro						1			3	2
Salmonella Chailey									1	2
Salmonella Chester									9	22
Salmonella Choleraesuis bv Australia									4	14
Salmonella Choleraesuis bv Decatur									7	10
Salmonella Corvallis									2	3
Salmonella Eastbourne									3	2
Salmonella Emmastad									1	0
Salmonella Enteritidis									8	47
Salmonella Fremantle subsp II									3	4
Salmonella Gaminara									1	0
Salmonella Give									4	4
Salmonella Havana							1		2	4
Salmonella Hessarek									1	1
Salmonella Houten subsp IV		1							3	1
Salmonella Hvittingfoss					1				4	4
Salmonella Infantis	1				1	2			27	24
Salmonella Irumu									1	0
Salmonella Johannesburg									2	1
Salmonella Kalumburu									2	0
Salmonella Kentucky									1	3
Salmonella Kiambu									4	3
Salmonella Kirkee									1	0
Salmonella Kottbus				1					3	4
Salmonella Lansing									1	1
Salmonella Litchfield	1								4	4
Salmonella Liverpool									1	0
Salmonella Livingstone									1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	2
Salmonella Meleagridis									1	0
Salmonella Mississippi									1	1
Salmonella Montevideo						1			2	1
Salmonella Muenchen				1		1			15	21
Salmonella Newport									11	10
Salmonella Ohio				1					1	0
Salmonella Ohlstedt					1				1	0
Salmonella Oranienburg		2			1				8	7
Salmonella Orientalis				1					1	2



# Weekly Report for period 06-AUG-21 to 30-SEP-21

	12/08	19/08	26/08	02/09	09/09	16/09	23/09	30/09	Cumulative Total to end of Week 39	
									2021	2020
<b>Salmonella Total</b>	<b>8</b>	<b>21</b>	<b>8</b>	<b>9</b>	<b>9</b>	<b>17</b>	<b>10</b>	<b>3</b>	<b>721</b>	<b>1367</b>
<b>Serotype/Phage</b>										
Salmonella Orion					1				7	2
Salmonella Oslo									1	1
Salmonella Paratyphi B bv Java									6	22
Salmonella Poona						1			6	1
Salmonella Potsdam									7	10
Salmonella Reading									6	3
Salmonella Richmond									1	1
Salmonella Rissen						1			4	4
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0
Salmonella Saintpaul		1	1			2			26	34
Salmonella Senftenberg									2	5
Salmonella Singapore									3	4
Salmonella Stanley		1							5	9
Salmonella Tennessee			1						4	0
Salmonella Thompson					1				1	3
Salmonella Typhimurium	2	14	4	3	2	6	4		378	925
Salmonella Urbana									2	1
Salmonella Virchow	3			1	1		1		22	19
Salmonella Wandsbek subsp II									1	4
Salmonella Wandsworth									1	1
Salmonella Weltevreden									2	6
Salmonella Zanzibar		1							3	1
Salmonella species	1		1	1			4	2	43	62
Salmonella subsp 1 ser rough:-:-									1	0
Salmonella subsp I									1	0
Salmonella subsp I ser 16:l,v:-									2	3
Salmonella subsp IV ser									1	0