



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 20-AUG-21 to 14-OCT-21

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 41			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	26/08	02/09	09/09	16/09	23/09	30/09	07/10	14/10	2021	2020	2019			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)							1		8	15	20	1	1.4	0.7
Hepatitis B (unspecified)	7	10	14	9	7	5	10	6	449	404	337	28	39.7	0.7
Hepatitis C (newly acquired)	4	2	1	1	1			1	54	79	92	2	9.3	0.2
Hepatitis C (unspecified)	17	17	17	19	22	20	14	26	750	638	694	82	72.5	1.1
Hepatitis D	1	1			1				8	3	9	1	0.3	3.8
Enteric diseases														
Campylobacteriosis	45	50	50	58	49	47	53	18	2224	2122	2685	167	287.0	0.6
Cryptosporidiosis	2	1	2	2	2	1	3		99	481	146	6	10.2	0.6
Hepatitis A									1	6	24	0	1.1	0.0
Listeriosis				1					4	5	7	0	0.5	0.0
Rotavirus	13	4	31	30	36	22	15	9	307	172	417	82	27.5	3.0
STEC/VTEC infection	1	1	1	2	1	3	2	1	81	91	119	7	5.3	1.3
Salmonellosis	9	8	10	19	14	14	16	1	756	1455	1624	45	130.9	0.3
Shigellosis	2	2	2	1	5	3			81	187	306	8	15.9	0.5
Typhoid									2	3	15	0	0.9	0.0
Vibrio parahaemolyticus				1	1	2			7	3	17	3	0.7	4.1
Yersiniosis		1		1		2		3	29	10	19	5	1.0	5.0
Sexually transmissible infections														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	210	206	216	214	201	164	217	45	8504	8668	9197	627	849.1	0.7
Gonorrhoea	54	64	57	72	50	36	62	12	2238	2980	3128	160	256.9	0.6
Syphilis (congenital)			1						4	3	1	0	0.0	0.0
Syphilis - Infectious	15	12	24	18	21	19	22	5	671	574	462	67	40.7	1.6
Syphilis - Non-Infectious	8	2	5	8	4	2	5	1	202	182	185	12	13.7	0.9
Vaccine preventable diseases														
H. influenzae type b								1	1	2	2	1	0.1	7.5
Influenza			1						23	1204	22835	0	720.2	0.0
Mumps									1	10	24	0	2.9	0.0
Pertussis	3	1		3	2	1			35	114	453	3	86.9	0.0
Pneumococcal infection	8	3	6	5	5	4	2		138	130	203	11	19.7	0.6
Rubella (non-congenital)		1							3	0	1	0	0.1	0.0
Tetanus		1							1	0	0	0	0.1	0.0
Varicella (chicken pox)	12	19	10	12	13	14	11	4	355	448	494	42	62.3	0.7
Varicella (shingles)	45	40	47	60	51	49	42	2	2036	1978	1751	144	172.2	0.8
Varicella (unspecified)	24	27	34	21	36	46	49	28	1332	1288	1089	159	119.9	1.3
Vector-borne diseases														
Barmah Forest virus	1				1				11	19	11	1	1.8	0.6
Malaria									11	28	47	0	3.3	0.0
Other flavivirus					1				1	0	0	1	0.0	0.0
Ross River virus	4	1	4	6	3	4	1	3	551	254	350	11	37.3	0.3
Typhus				1		1			14	17	22	1	1.5	0.7
Zoonotic diseases														
Leptospirosis			1						3	1	3	0	0.3	0.0
Q Fever									2	5	6	0	0.7	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis			1					1	7	4	8	1	0.9	1.2
Amoebic meningitis									1	0	0	0	0.0	0.0
COVID-19	6	1	2	3	6	10	2	1	240	714	0	19	9.3	2.1
Creutzfeldt-Jakob disease									2	4	6	0	0.6	0.0
Haemolytic Uraemic Syndrome			1						1	4	1	0	0.0	0.0
Invasive Group A Streptococcal (iGAS)	1	1	1						3	0	0	0	0.0	0.0
Legionellosis	1	2		2		1		1	52	63	25	2	5.5	0.4
Leprosy									3	1	0	0	0.5	0.0
Melioidosis				1					5	5	4	0	0.2	0.0
Meningococcal infection	1								7	8	19	0	3.4	0.0
Tuberculosis	4		4	2	2		3	2	103	102	97	7	11.3	0.6
Grand Total	498	478	543	572	535	470	530	171						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 41			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	26/08	02/09	09/09	16/09	23/09	30/09	07/10	14/10	2021	2020	2019			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)							1		7	7	14	1	1.1	0.9
Hepatitis B (unspecified)	7	8	10	8	7	4	6	5	337	344	287	22	33.5	0.7
Hepatitis C (newly acquired)	4	2	1	1	1			1	49	63	65	2	7.3	0.3
Hepatitis C (unspecified)	9	12	15	13	16	12	13	17	546	465	479	58	54.6	1.1
Hepatitis D	1	1							7	2	9	0	0.3	0.0
Enteric diseases														
Campylobacteriosis	36	45	38	45	37	39	40	13	1723	1683	2189	129	222.9	0.6
Cryptosporidiosis	1			1	2		1		37	416	85	3	6.5	0.5
Hepatitis A									1	5	21	0	1.0	0.0
Listeriosis				1					2	4	7	0	0.5	0.0
Rotavirus	9		9	10	13	12	11	8	207	134	350	44	22.7	1.9
STEC/VTEC infection	1	1		2	1	1	2	1	63	70	93	5	4.3	1.2
Salmonellosis	6	5	6	11	6	11	11		521	1118	1275	28	102.0	0.3
Shigellosis	2	2		1	4				28	88	218	4	8.3	0.5
Typhoid									1	3	13	0	0.7	0.0
Vibrio parahaemolyticus				1	1	2			7	3	12	3	0.6	5.0
Yersiniosis		1		1		2	3		24	9	18	5	0.9	5.4
Sexually transmissible infections														
Chlamydia (genital)	173	171	164	172	164	141	179	40	6748	6725	7222	524	660.2	0.8
Gonorrhoea	33	41	37	51	32	28	50	9	1434	1969	2300	119	169.5	0.7
Syphilis (congenital)			1						1	2	0	0	0.0	0.0
Syphilis - Infectious	5	8	14	8	15	12	14	4	378	379	261	45	27.5	1.6
Syphilis - Non-Infectious	5	1	2	5	4	1	2	1	136	151	121	8	10.8	0.7
Vaccine preventable diseases														
H. influenzae type b								1	1	0	1	1	0.1	15.0
Influenza			1						12	965	18011	0	529.3	0.0
Pertussis	2	1		3	1	1			28	91	363	2	64.3	0.0
Pneumococcal infection	4	1	6	3	5		1		82	47	122	6	11.3	0.5
Rubella (non-congenital)									2	0	1	0	0.1	0.0
Tetanus		1							1	0	0	0	0.1	0.0
Varicella (chicken pox)	8	19	4	9	10	12	9	4	266	339	364	35	46.5	0.8
Varicella (shingles)	29	28	38	42	35	32	27	1	1431	1413	1247	95	121.7	0.8
Varicella (unspecified)	21	25	34	19	36	46	49	23	1271	1237	1044	154	113.6	1.4
Vector-borne diseases														
Barmah Forest virus					1				2	3	4	1	0.3	3.0
Malaria									9	22	41	0	2.6	0.0
Ross River virus	1	1		2		2		3	278	148	234	5	21.9	0.2
Typhus									3	9	14	0	1.3	0.0
Zoonotic diseases														
Q Fever									1	2	2	0	0.4	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis								1	1	0	0	1	0.0	0.0
COVID-19	1		2	3	3	1			91	447	0	4	2.8	1.4
Creutzfeldt-Jakob disease									2	4	5	0	0.5	0.0
Haemolytic Uraemic Syndrome			1						1	0	0	0	0.0	0.0
Invasive Group A Streptococcal (iGAS)	1	1	1						3	0	0	0	0.0	0.0
Legionellosis	1	1		1					30	45	21	0	4.6	0.0
Leprosy									2	1	0	0	0.3	0.0
Melioidosis				1					2	0	2	0	0.1	0.0
Meningococcal infection	1								3	3	8	0	2.1	0.0
Tuberculosis	3		4	2	2		3	2	95	95	87	7	10.0	0.7
Grand Total	364	376	388	416	396	359	419	137						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.1			0.5		1 (1)	0.4
Hepatitis B (unspecified)	2	7 (16)	13.3		4 (10)	14.3	3	11 (9)	19.8
Hepatitis C (newly acquired)		(1)	0.8		1 (1)	2.7	1	1 (2)	3.4
Hepatitis C (unspecified)	2	9 (10)	13.3	9	28 (19)	30.4	6	21 (25)	33.8
Hepatitis D			0.7						0.3
Enteric diseases									
Campylobacteriosis	4	43 (74)	82.9	3	37 (52)	76.4	6	49 (51)	83.3
Cryptosporidiosis		1 (1)	1.2		1 (3)	2.1		1 (2)	1.9
Hepatitis A									0.1
Listeriosis									0.3
Rotavirus	6	18 (5)	10.6	1	13 (3)	7.4	1	13 (2)	11.0
STEC/VTEC infection		1 (1)	2.6	1	2	2.7		2 (1)	3.6
Salmonellosis		13 (22)	24.8		10 (19)	22.3		5 (36)	26.2
Shigellosis		3	1.6			1.1		1 (1)	1.2
Typhoid			0.1						
Vibrio parahaemolyticus		2	0.5			0.2		1 (1)	0.3
Yersiniosis	2	2	1.5		2	1.1	1	1	0.8
Sexually transmissible infections									
Chlamydia (genital)	11	163 (181)	280.7	12	161 (168)	303.1	17	200 (264)	367.2
Gonorrhoea	4	34 (33)	53.7		31 (32)	57.1	5	54 (55)	90.7
Syphilis (congenital)									0.1
Syphilis - Infectious	2	11 (5)	11.2	1	11 (18)	17.9	1	23 (19)	24.3
Syphilis - Non-Infectious		1 (4)	4.5	1	1 (1)	5.0		6 (7)	9.6
Vaccine preventable diseases									
H. influenzae type b	1	1	0.1						
Influenza			0.7		(1)	0.6		(1)	0.4
Mumps									
Pertussis			1.0		1	1.7		1 (1)	1.4
Pneumococcal infection		(3)	2.7		1 (1)	3.9		5 (1)	4.9
Rubella (non-congenital)			0.3						
Tetanus									0.1
Varicella (chicken pox)	2	10 (32)	12.1	2	14 (12)	15.1		11 (13)	10.6
Varicella (shingles)		33 (52)	70.6		33 (41)	73.7	1	29 (37)	58.2
Varicella (unspecified)	5	50 (48)	61.4	9	57 (56)	71.4	9	47 (51)	47.5
Vector-borne diseases									
Barmah Forest virus					1	0.3			
Malaria		(1)	0.3			0.2			0.8
Other flavivirus									
Ross River virus	1	1 (5)	11.6	1	3 (11)	14.9	1	1 (8)	12.9
Typhus			0.1			0.2		(1)	0.1
Zoonotic diseases									
Leptospirosis									
Q Fever			0.1						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)							1	1	0.1
Amoebic meningitis									
COVID-19		(7)	5.3		1 (3)	3.0		3 (6)	4.4
Creutzfeldt-Jakob disease		(1)	0.1						0.1
Haemolytic Uraemic Syndrome			0.1						
Invasive Group A Streptococcal (iGAS)			0.3						0.1
Legionellosis		(1)	2.0		(4)	0.9		(5)	1.2
Leprosy									0.3
Melioidosis			0.1						0.1
Meningococcal infection						0.2			0.3
Tuberculosis		1 (3)	4.1	1	3 (1)	4.2	1	3 (3)	5.1
Grand Total	42	404 (506)		41	416 (456)		54	491 (603)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			9.9			8.2	1 (1)	20.0	
Hepatitis B (unspecified)									
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	4	8 (4)	26.3	2	4 (1)	50.6	3 (1)	33.4	
Hepatitis D									
Enteric diseases									
Campylobacteriosis	3	15 (27)	106.8	1	7 (7)	117.4	6 (5)	80.1	
Cryptosporidiosis		(3)	6.6		1 (1)	11.4		2.7	
Hepatitis A									
Listeriosis			1.1						
Rotavirus		3 (1)	4.9		(1)	3.3	1	5.3	
STEC/VTEC infection		1	5.5		(1)	1.6		1.3	
Salmonellosis		5 (6)	27.9		(3)	19.6	(1)	32.0	
Shigellosis			0.5			3.3		2.7	
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6		1.3	
Sexually transmissible infections									
Chlamydia (genital)	1	17 (31)	212.5	1	10 (16)	194.1	10 (15)	142.9	
Gonorrhoea		1 (7)	23.6		2 (1)	17.9	2 (7)	33.4	
Syphilis (congenital)									
Syphilis - Infectious			6.6			6.5		8.0	
Syphilis - Non-Infectious			2.7			1.6		12.0	
Vaccine preventable diseases									
H. influenzae type b									
Influenza			1.6			4.9		2.7	
Mumps									
Pertussis		(1)	2.2		1	1.6			
Pneumococcal infection		1	2.7			1.6	2	10.7	
Rubella (non-congenital)			0.5						
Tetanus									
Varicella (chicken pox)		3 (3)	16.4		(2)	17.9	(1)	9.3	
Varicella (shingles)		20 (25)	126.5	1	11 (16)	195.7	4 (6)	96.1	
Varicella (unspecified)	3	3	4.4				(4)	14.7	
Vector-borne diseases									
Barmah Forest virus			0.5					1.3	
Malaria			0.5						
Other flavivirus									
Ross River virus		2 (5)	47.7		(2)	86.4	(1)	48.1	
Typhus			0.5		1	4.9		2.7	
Zoonotic diseases									
Leptospirosis								1.3	
Q Fever								1.3	
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Invasive Group A Streptococcal (iGAS)									
Legionellosis	1	1	6.0			1.6		1.3	
Leprosy						1.6			
Melioidosis									
Meningococcal infection			0.5					1.3	
Tuberculosis		(2)	1.6			1.6			
Grand Total	12	80 (115)		5	37 (51)		29 (42)		

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(1)	16.6		(1)	15.4		2 (1)	40.2
Hepatitis C (newly acquired)			5.0						3.3
Hepatitis C (unspecified)	2	4 (5)	51.4	2		34.8	1	2	31.8
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	2 (5)	77.9		1 (5)	77.2		3 (5)	77.0
Cryptosporidiosis			3.3			3.9			5.0
Hepatitis A									
Listeriosis									
Rotavirus		1	1.7			3.9		16	28.5
STEC/VTEC infection		1	5.0		(1)	1.9			1.7
Salmonellosis		3 (4)	28.2	1		25.1		1 (3)	78.7
Shigellosis		1 (3)	16.6			7.7		(1)	11.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.9			3.3
Sexually transmissible infections									
Chlamydia (genital)		10 (28)	354.7	1	8 (25)	407.5	2	15 (23)	413.6
Gonorrhoea		2 (9)	72.9	1	3 (29)	322.5	1	10 (15)	288.0
Syphilis (congenital)						1.9			1.7
Syphilis - Infectious		(4)	14.9	1	8 (3)	57.9		3 (9)	194.2
Syphilis - Non-Infectious		3	16.6		(2)	36.7		1	23.4
Vaccine preventable diseases									
H. influenzae type b									
Influenza									1.7
Mumps						1.9			
Pertussis			3.3						
Pneumococcal infection		1 (1)	14.9		(4)	11.6		1 (2)	20.1
Rubella (non-congenital)									
Tetanus									
Varicella (chicken pox)		4	18.2		(2)	30.9		(7)	8.4
Varicella (shingles)		6 (5)	54.7		2 (7)	96.6		3 (3)	60.3
Varicella (unspecified)	1	1 (3)	43.1	1	1	3.9			
Vector-borne diseases									
Barmah Forest virus			1.7						
Malaria									
Other flavivirus							1		1.7
Ross River virus		3 (5)	74.6		1	44.4			15.1
Typhus			1.7			1.9			5.0
Zoonotic diseases									
Leptospirosis			1.7						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.9			
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Invasive Group A Streptococcal (iGAS)									
Legionellosis			6.6		1	1.9			1.7
Leprosy									
Melioidosis									
Meningococcal infection						1.9			
Tuberculosis			1.7			1.9			1.7
Grand Total	4	42 (73)		4	28 (79)		4	58 (69)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (3)	0.3
Hepatitis B (unspecified)	1	2 (2)	83.3	6	28 (41)	12.1
Hepatitis C (newly acquired)				1	2 (4)	2.0
Hepatitis C (unspecified)		(1)	74.7	26	82 (66)	26.0
Hepatitis D		1	2.9	0	1 (0)	0.3
Enteric diseases						
Campylobacteriosis		4 (5)	71.8	18	167 (236)	83.9
Cryptosporidiosis		2	86.2	0	6 (11)	3.7
Hepatitis A				0	0 (0)	0.0
Listeriosis				0	0 (1)	0.2
Rotavirus	1	16 (1)	175.2	9	82 (13)	11.6
STEC/VTEC infection			2.9	1	7 (4)	3.1
Salmonellosis		4 (7)	152.2	1	45 (101)	28.5
Shigellosis		3 (4)	77.5	0	8 (9)	3.1
Typhoid				0	0 (0)	0.1
Vibrio parahaemolyticus				0	3 (1)	0.3
Yersiniosis				3	5 (0)	1.1
Sexually transmissible infections						
Chlamydia (genital)		25 (32)	1108.6	45	627 (786)	320.7
Gonorrhoea		19 (46)	910.4	12	160 (236)	84.4
Syphilis (congenital)			2.9	0	0 (0)	0.2
Syphilis - Infectious		10 (5)	321.7	5	67 (63)	25.3
Syphilis - Non-Infectious			11.5	1	12 (14)	7.3
Vaccine preventable diseases						
H. influenzae type b				1	1 (0)	0.0
Influenza			5.7	0	0 (2)	0.9
Mumps				0	0 (1)	0.0
Pertussis				0	3 (2)	1.3
Pneumococcal infection		(3)	40.2	0	11 (15)	5.2
Rubella (non-congenital)				0	0 (0)	0.1
Tetanus				0	0 (0)	0.0
Varicella (chicken pox)			17.2	4	42 (72)	13.4
Varicella (shingles)		3 (7)	140.7	2	144 (200)	76.8
Varicella (unspecified)			11.5	28	159 (162)	50.2
Vector-borne diseases						
Barmah Forest virus		(1)	17.2	0	1 (1)	0.4
Malaria				0	0 (1)	0.4
Other flavivirus				0	1 (0)	0.0
Ross River virus		(1)	40.2	3	11 (38)	20.8
Typhus				0	1 (1)	0.5
Zoonotic diseases						
Leptospirosis			2.9	0	0 (0)	0.1
Q Fever				0	0 (1)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		(1)	14.4	1	1 (1)	0.3
Amoebic meningitis			2.9	0	0 (0)	0.0
COVID-19				1	19 (54)	11.2
Creutzfeldt-Jakob disease				0	0 (1)	0.1
Haemolytic Uraemic Syndrome				0	0 (0)	0.0
Invasive Group A Streptococcal (iGAS)				0	0 (0)	0.1
Legionellosis			5.7	1	2 (10)	2.0
Leprosy				0	0 (0)	0.1
Melioidosis			5.7	0	0 (0)	0.2
Meningococcal infection		(1)	2.9	0	0 (1)	0.3
Tuberculosis				2	7 (9)	3.1
Grand Total	2	89 (117)		171	1706 (2161)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 41	
	26/08	02/09	09/09	16/09	23/09	30/09	07/10	14/10	2021	2020
	Salmonella Total	9	8	10	19	14	14	16	1	756
Serotype/Phage										
Salmonella Aberdeen									2	0
Salmonella Adelaide				1	1		4		8	4
Salmonella Agona				1					4	6
Salmonella Anatum	1								9	15
Salmonella Bahrenfeld									2	1
Salmonella Ball				1					2	0
Salmonella Bareilly									3	3
Salmonella Birkenhead									5	2
Salmonella Bonn							1		1	0
Salmonella Bovismorbificans									5	10
Salmonella Bredeney									1	1
Salmonella Cerro				1					3	2
Salmonella Chailey									1	2
Salmonella Chester									9	24
Salmonella Choleraesuis bv Australia									4	14
Salmonella Choleraesuis bv Decatur					1				8	10
Salmonella Corvallis									2	3
Salmonella Eastbourne									3	2
Salmonella Emmastad									1	0
Salmonella Enteritidis									8	47
Salmonella Fremantle subsp II									3	4
Salmonella Gaminara									1	0
Salmonella Give									4	5
Salmonella Havana					1				2	4
Salmonella Hessarek									1	1
Salmonella Houten subsp IV									3	1
Salmonella Hvittingfoss			1						4	4
Salmonella Infantis			1	2			1		28	24
Salmonella Irumu									1	0
Salmonella Johannesburg									2	1
Salmonella Kalumburu									2	0
Salmonella Kentucky									1	3
Salmonella Kiambu									4	3
Salmonella Kirkee									1	0
Salmonella Kottbus		1							3	4
Salmonella Lansing									1	1
Salmonella Litchfield									4	4
Salmonella Liverpool									1	0
Salmonella Livingstone									1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	2
Salmonella Meleagridis									1	0
Salmonella Mississippi									1	1
Salmonella Montevideo				1					2	1
Salmonella Muenchen		1		1		1			16	23
Salmonella Newport						1			12	10
Salmonella Ohio		1							1	0
Salmonella Ohlstedt				1					1	0
Salmonella Oranienburg				1					8	7

Weekly Report for period 20-AUG-21 to 14-OCT-21

	26/08	02/09	09/09	16/09	23/09	30/09	07/10	14/10	Cumulative Total to end of Week 41	
									2021	2020
Salmonella Total	9	8	10	19	14	14	16	1	756	1406
Serotype/Phage										
Salmonella Orientalis		1			1				2	2
Salmonella Orion			1						7	2
Salmonella Oslo									1	1
Salmonella Paratyphi B bv Java						1			7	22
Salmonella Poona				1					6	1
Salmonella Potsdam									7	11
Salmonella Reading									6	3
Salmonella Richmond									1	1
Salmonella Rissen				1					4	4
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0
Salmonella Saintpaul	1			2	1	2			29	36
Salmonella Senftenberg									2	5
Salmonella Singapore									3	4
Salmonella Stanley							1		6	9
Salmonella Tennessee	1								4	0
Salmonella Thompson			1						1	3
Salmonella Typhimurium	5	2	3	6	5	5	5		390	955
Salmonella Urbana									2	1
Salmonella Virchow		1	1		2	2			25	19
Salmonella Wandsbek subsp II									1	4
Salmonella Wandsworth									1	1
Salmonella Weltevreden									2	6
Salmonella Zanzibar									3	1
Salmonella species	1	1		1	2	1	5	1	47	62
Salmonella subsp 1 ser rough:-:-									1	0
Salmonella subsp I									1	0
Salmonella subsp I ser 16:l,v:-									2	3
Salmonella subsp IV ser									1	0