



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 03-SEP-21 to 28-OCT-21

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 43			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	09/09	16/09	23/09	30/09	07/10	14/10	21/10	28/10	2021	2020	2019			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)					1				8	15	21	1	1.7	0.6
Hepatitis B (unspecified)	14	9	7	5	10	10	10	9	472	427	356	39	38.7	1.0
Hepatitis C (newly acquired)		2	1	1	3	1			57	80	97	4	9.2	0.4
Hepatitis C (unspecified)	18	18	22	19	10	28	23	20	791	669	726	81	71.5	1.1
Hepatitis D			1			1			9	3	9	1	0.3	3.0
Enteric diseases														
Campylobacteriosis	50	57	49	49	62	77	61	22	2377	2240	2844	222	292.8	0.8
Cryptosporidiosis	2	2	2	1	3	3	1	1	104	481	153	8	10.7	0.7
Hepatitis A									1	6	24	0	0.8	0.0
Listeriosis		1							4	6	7	0	0.5	0.0
Rotavirus	31	30	38	22	19	27	28	18	378	176	441	92	26.9	3.4
STEC/VTEC infection	1	2	1	3	2	1			81	95	123	3	6.2	0.5
Salmonellosis	10	20	16	12	17	9	7	5	778	1516	1735	38	139.0	0.3
Shigellosis	2	1	5	3		2			83	198	325	2	16.1	0.1
Typhoid									2	3	16	0	1.2	0.0
Vibrio parahaemolyticus		1	1	2		2			9	3	17	2	0.7	2.7
Yersiniosis		1		1	2				26	11	20	2	1.1	1.9
Sexually transmissible infections														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	216	214	202	164	226	234	219	71	8997	9102	9677	750	852.5	0.9
Gonorrhoea	57	72	50	38	69	76	51	5	2367	3110	3260	201	258.0	0.8
Syphilis (congenital)	1								4	3	1	0	0.1	0.0
Syphilis - Infectious	22	18	19	19	17	25	19	8	706	613	485	69	38.3	1.8
Syphilis - Non-Infectious	5	8	4	2	5	1	3	3	209	188	194	12	14.1	0.8
Vaccine preventable diseases														
Influenza						1		1	24	1205	22926	2	555.4	0.0
Mumps									1	10	25	0	2.5	0.0
Pertussis	1	3	2	2			2	1	41	115	469	3	82.0	0.0
Pneumococcal infection	6	5	5	4	4	7	3		150	141	214	14	18.3	0.8
Rubella (non-congenital)									3	0	1	0	0.1	0.0
Tetanus									1	0	0	0	0.1	0.0
Varicella (chicken pox)	10	12	13	17	11	16	6	2	378	500	525	35	60.5	0.6
Varicella (shingles)	47	61	53	50	58	40	26	9	2131	2079	1853	133	175.4	0.8
Varicella (unspecified)	34	21	33	46	43	57	75	63	1489	1374	1140	238	122.1	1.9
Vector-borne diseases														
Barmah Forest virus			1				1		12	19	11	1	1.9	0.5
Malaria									11	28	51	0	2.9	0.0
Ross River virus	4	6	3	5	2	5	5	4	564	290	358	16	41.3	0.4
Typhus		1		1		1			15	17	22	1	1.6	0.6
Zoonotic diseases														
Leptospirosis	1								3	2	3	0	0.3	0.0
Q Fever									2	5	6	0	0.6	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis	1			1					7	4	8	0	0.9	0.0
Amoebic meningitis									1	0	0	0	0.0	0.0
COVID-19	2	3	6	10	2	2			241	767	0	4	11.1	0.4
Creutzfeldt-Jakob disease									2	4	6	0	0.5	0.0
Haemolytic Uraemic Syndrome	1								1	4	1	0	0.0	0.0
Invasive Group A Streptococcal (iGAS)	1								3	0	0	0	0.0	0.0
Legionellosis		2		1		2	2	1	56	65	27	5	5.7	0.9
Leprosy							1		4	1	1	1	0.5	2.1
Melioidosis		1							5	5	4	0	0.2	0.0
Meningococcal infection						1			8	9	19	1	3.3	0.3
Respiratory Syncytial Virus (RSV)					2		1		3	0	0	3	0.0	0.0
Tuberculosis	4	2	2		3	4	1	2	108	114	103	10	10.4	1.0
Grand Total	541	573	536	478	571	633	545	245						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 43			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	09/09	16/09	23/09	30/09	07/10	14/10	21/10	28/10	2021	2020	2019			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)					1				7	7	14	1	1.4	0.7
Hepatitis B (unspecified)	10	8	7	4	6	9	9	7	357	362	302	31	32.3	1.0
Hepatitis C (newly acquired)		2	1	1	3	1			52	64	69	4	7.0	0.6
Hepatitis C (unspecified)	16	12	16	11	9	19	22	14	580	486	499	64	54.1	1.2
Enteric diseases														
Campylobacteriosis	38	44	37	40	47	57	49	18	1842	1774	2318	171	227.7	0.8
Cryptosporidiosis		1	2		1	1		1	39	416	91	3	6.5	0.5
Hepatitis A									1	5	21	0	0.8	0.0
Listeriosis		1							2	5	7	0	0.5	0.0
Rotavirus	9	10	13	12	14	20	21	15	258	139	371	70	22.3	3.1
STEC/VTEC infection		2	1	1	2	1			63	72	97	3	4.9	0.6
Salmonellosis	6	12	8	9	12	4	4	3	534	1166	1366	23	106.7	0.2
Shigellosis		1	4			1			29	89	230	1	7.9	0.1
Typhoid									1	3	14	0	1.1	0.0
Vibrio parahaemolyticus		1	1	2		1			8	3	12	1	0.6	1.7
Yersiniosis		1		1	2				21	10	19	2	1.0	2.0
Sexually transmissible infections														
Chlamydia (genital)	164	172	166	141	182	183	178	57	7135	7054	7620	600	661.7	0.9
Gonorrhoea	37	51	32	28	52	48	29	1	1505	2037	2401	130	169.3	0.8
Syphilis (congenital)	1								1	2	0	0	0.1	0.0
Syphilis - Infectious	12	9	13	14	10	17	13	5	404	396	277	45	25.5	1.8
Syphilis - Non-Infectious	2	5	4	1	2	1	3	1	141	155	128	7	11.1	0.6
Vaccine preventable diseases														
Influenza						1		1	13	966	18084	2	401.5	0.0
Pertussis	1	3	1	2			2	1	34	91	376	3	60.1	0.0
Pneumococcal infection	6	3	5		2	3	1		87	53	129	6	10.2	0.6
Rubella (non-congenital)									2	0	1	0	0.1	0.0
Tetanus									1	0	0	0	0.1	0.0
Varicella (chicken pox)	4	9	10	15	9	12	6	2	285	376	388	29	45.4	0.6
Varicella (shingles)	38	43	37	33	43	23	14	2	1490	1489	1317	82	125.9	0.7
Varicella (unspecified)	34	19	33	46	43	55	73	57	1424	1314	1092	228	115.5	2.0
Vector-borne diseases														
Barmah Forest virus			1				1		3	3	4	1	0.4	2.5
Malaria									9	22	44	0	2.3	0.0
Ross River virus		2		3		3	3	2	284	164	241	8	22.7	0.4
Typhus									3	9	14	0	1.3	0.0
Zoonotic diseases														
Q Fever									1	2	2	0	0.3	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis				1					1	0	0	0	0.0	0.0
COVID-19	2	3	3	1					91	457	0	0	3.7	0.0
Creutzfeldt-Jakob disease									2	4	5	0	0.5	0.0
Haemolytic Uraemic Syndrome	1								1	0	0	0	0.0	0.0
Invasive Group A Streptococcal (iGAS)	1								3	0	0	0	0.0	0.0
Legionellosis		1				1	1	1	33	46	23	3	4.8	0.6
Leprosy							1		3	1	0	1	0.3	3.0
Melioidosis		1							2	0	2	0	0.1	0.0
Meningococcal infection									3	4	8	0	2.1	0.0
Respiratory Syncytial Virus (RSV)					2		1		3	0	0	3	0.0	0.0
Tuberculosis	4	2	2		3	3	1	1	98	107	93	8	9.2	0.9
Grand Total	386	418	397	366	445	464	432	189						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.1			0.5		1	0.4
Hepatitis B (unspecified)	1	8 (12)	13.8	4	9 (13)	15.5	2	14 (13)	21.0
Hepatitis C (newly acquired)		(1)	0.8		1 (1)	2.9		3 (1)	3.7
Hepatitis C (unspecified)	2	10 (8)	14.3	7	25 (23)	32.4	5	29 (27)	35.7
Hepatitis D			0.7						0.3
Enteric diseases									
Campylobacteriosis	11	65 (62)	90.0	4	49 (50)	81.4	3	57 (59)	88.0
Cryptosporidiosis		1 (1)	1.2	1	2 (3)	2.4		(1)	1.9
Hepatitis A									0.1
Listeriosis									0.3
Rotavirus	2	26 (4)	12.7	6	20 (2)	9.6	7	24 (5)	13.9
STEC/VTEC infection		1 (2)	2.6		1 (1)	2.7		1 (2)	3.6
Salmonellosis	3	10 (19)	25.6		10 (23)	23.2		3 (32)	26.4
Shigellosis			1.6		1	1.2		(1)	1.2
Typhoid			0.1						
Vibrio parahaemolyticus			0.5		1	0.3			0.3
Yersiniosis			1.1		1 (1)	1.1		1	0.8
Sexually transmissible infections									
Chlamydia (genital)	20	183 (196)	296.9	15	171 (151)	319.0	22	246 (290)	389.6
Gonorrhoea	1	45 (43)	57.3		31 (39)	59.5		54 (57)	94.6
Syphilis (congenital)									0.1
Syphilis - Infectious		9 (5)	11.4	1	10 (8)	18.7	4	26 (14)	26.9
Syphilis - Non-Infectious		3 (1)	4.8		1 (2)	5.1	1	3 (6)	9.9
Vaccine preventable diseases									
Influenza		1	0.8		(1)	0.5	1	1 (2)	0.5
Mumps									
Pertussis		2	1.5	1	1	2.0		(1)	1.4
Pneumococcal infection		(4)	2.7		2 (2)	4.2		4 (3)	5.4
Rubella (non-congenital)			0.3						
Tetanus									0.1
Varicella (chicken pox)	1	7 (44)	12.5		12 (10)	16.3	1	10 (21)	11.7
Varicella (shingles)	2	21 (57)	73.0		27 (49)	76.5		34 (40)	61.2
Varicella (unspecified)	25	83 (38)	69.5	15	74 (60)	78.2	17	71 (51)	54.2
Vector-borne diseases									
Barmah Forest virus					1	0.5			
Malaria			0.3			0.2			0.8
Ross River virus		2 (7)	11.7	1	3 (16)	15.4	1	3 (5)	13.2
Typhus			0.1			0.2			0.1
Zoonotic diseases									
Leptospirosis									
Q Fever			0.1						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									0.1
Amoebic meningitis									
COVID-19		(8)	5.3			3.0		(10)	4.4
Creutzfeldt-Jakob disease		(1)	0.1						0.1
Haemolytic Uraemic Syndrome			0.1						
Invasive Group A Streptococcal (iGAS)			0.3						0.1
Legionellosis		(2)	2.0	1	1 (1)	1.1		2	1.5
Leprosy								1	0.4
Melioidosis			0.1						0.1
Meningococcal infection					(1)	0.2			0.3
Respiratory Syncytial Virus (RSV)					1	0.2		2	0.3
Tuberculosis		3 (4)	4.4	1	3 (4)	4.4		2 (7)	5.1
Grand Total	68	480 (519)		57	458 (461)		64	592 (648)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			9.9			8.2	1	2 (4)	21.4
Hepatitis B (unspecified)									
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	1	5 (1)	26.8		3 (1)	52.2	3	3 (5)	37.4
Hepatitis D									
Enteric diseases									
Campylobacteriosis		17 (26)	112.3	1	9 (3)	127.2	2	6 (12)	88.1
Cryptosporidiosis		(2)	6.6		1 (1)	11.4			2.7
Hepatitis A									
Listeriosis			1.1						
Rotavirus		1 (1)	5.5		(1)	3.3	3		9.3
STEC/VTEC infection		(1)	5.5			1.6			1.3
Salmonellosis		4 (9)	28.5	1	1 (2)	21.2		2 (1)	34.7
Shigellosis			0.5			3.3		(1)	2.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis						1.6			1.3
Sexually transmissible infections									
Chlamydia (genital)	5	33 (36)	227.3		10 (21)	200.6	1	11 (19)	150.9
Gonorrhoea		2 (8)	24.1		1 (1)	19.6		2 (4)	34.7
Syphilis (congenital)									
Syphilis - Infectious		1 (1)	6.6			6.5		(1)	8.0
Syphilis - Non-Infectious		(1)	2.7			1.6			12.0
Vaccine preventable diseases									
Influenza			1.6			4.9			2.7
Mumps									
Pertussis			2.2			1.6			
Pneumococcal infection			2.7		1 (1)	3.3			10.7
Rubella (non-congenital)			0.5						
Tetanus									
Varicella (chicken pox)		2 (4)	17.5		(1)	17.9		(2)	9.3
Varicella (shingles)	2	25 (21)	136.4	1	10 (11)	207.1	1	2 (3)	100.1
Varicella (unspecified)	2	2	3.8					(3)	13.4
Vector-borne diseases									
Barmah Forest virus			0.5						1.3
Malaria			0.5						
Ross River virus		1 (19)	47.7	1	2 (2)	89.7		1 (1)	49.4
Typhus			0.5		1	6.5			2.7
Zoonotic diseases									
Leptospirosis									1.3
Q Fever									1.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Invasive Group A Streptococcal (iGAS)									
Legionellosis		2	6.6		(1)	1.6			1.3
Leprosy						1.6			
Melioidosis									
Meningococcal infection			0.5						1.3
Respiratory Syncytial Virus (RSV)									
Tuberculosis		(2)	1.6			1.6			
Grand Total	10	95 (132)		4	39 (46)		8	32 (56)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(1)	16.6	1	1 (1)	17.4		3 (2)	41.9
Hepatitis C (newly acquired)			5.0						3.3
Hepatitis C (unspecified)	1	3 (2)	53.0	1	1 (1)	36.7		1 (2)	31.8
Hepatitis D							1		1.7
Enteric diseases									
Campylobacteriosis		5 (7)	84.5	1	2 (6)	79.2		6 (6)	83.7
Cryptosporidiosis			3.3			3.9			5.0
Hepatitis A									
Listeriosis									
Rotavirus	2	6	9.9		2	7.7	1	5	35.2
STEC/VTEC infection			5.0		(1)	1.9			1.7
Salmonellosis		(3)	28.2			25.1	1	3 (3)	83.7
Shigellosis		(3)	16.6			7.7		(1)	11.7
Typhoid									
Vibrio parahaemolyticus					1	1.9			
Yersiniosis						1.9			3.3
Sexually transmissible infections									
Chlamydia (genital)		13 (29)	369.6	2	21 (28)	440.3	4	26 (32)	445.4
Gonorrhoea		5 (7)	77.9	1	12 (25)	343.8		14 (12)	306.4
Syphilis (congenital)						1.9			1.7
Syphilis - Infectious		1 (6)	16.6		6 (6)	52.1		7 (7)	204.3
Syphilis - Non-Infectious		2	16.6	1	1 (1)	38.6	1	2 (1)	25.1
Vaccine preventable diseases									
Influenza									1.7
Mumps						1.9			
Pertussis			3.3						
Pneumococcal infection		1 (1)	14.9		1 (4)	13.5		1 (2)	21.8
Rubella (non-congenital)									
Tetanus									
Varicella (chicken pox)		3 (3)	19.9		(2)	30.9		(10)	8.4
Varicella (shingles)		1 (7)	54.7	1	6 (6)	104.3	1	3 (4)	63.6
Varicella (unspecified)		2 (7)	44.8			1.9	2	4 (1)	6.7
Vector-borne diseases									
Barmah Forest virus			1.7						
Malaria									
Ross River virus		2 (4)	77.9	1	1	46.3			15.1
Typhus			1.7			1.9			5.0
Zoonotic diseases									
Leptospirosis			1.7						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.9			
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Invasive Group A Streptococcal (iGAS)									
Legionellosis			6.6			1.9			1.7
Leprosy									
Melioidosis								1	1.7
Meningococcal infection						1.9			
Respiratory Syncytial Virus (RSV)									
Tuberculosis	1	1	3.3			1.9			1.7
Grand Total	4	45 (80)		9	55 (81)		10	77 (83)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (0)	0.3
Hepatitis B (unspecified)		1 (2)	83.3	9	39 (48)	13.0
Hepatitis C (newly acquired)				0	4 (3)	2.1
Hepatitis C (unspecified)		(2)	74.7	20	81 (72)	27.6
Hepatitis D			2.9	0	1 (0)	0.3
Enteric diseases						
Campylobacteriosis		5 (2)	77.5	22	222 (233)	89.6
Cryptosporidiosis		4	94.8	1	8 (8)	3.9
Hepatitis A				0	0 (0)	0.0
Listeriosis				0	0 (1)	0.2
Rotavirus		4	189.6	18	92 (13)	14.3
STEC/VTEC infection		(1)	2.9	0	3 (8)	3.1
Salmonellosis		3 (5)	158.0	5	38 (97)	29.3
Shigellosis		1 (6)	80.4	0	2 (12)	3.1
Typhoid				0	0 (0)	0.1
Vibrio parahaemolyticus				0	2 (0)	0.3
Yersiniosis				0	2 (1)	1.0
Sexually transmissible infections						
Chlamydia (genital)	2	24 (42)	1157.4	71	750 (848)	339.3
Gonorrhoea	3	31 (61)	990.8	5	201 (258)	89.3
Syphilis (congenital)			2.9	0	0 (0)	0.2
Syphilis - Infectious	2	7 (14)	333.2	8	69 (63)	26.6
Syphilis - Non-Infectious			11.5	3	12 (12)	7.6
Vaccine preventable diseases						
Influenza			5.7	1	2 (3)	0.9
Mumps				0	0 (1)	0.0
Pertussis				1	3 (2)	1.5
Pneumococcal infection		4 (1)	51.7	0	14 (18)	5.7
Rubella (non-congenital)				0	0 (0)	0.1
Tetanus				0	0 (0)	0.0
Varicella (chicken pox)		1 (1)	20.1	2	35 (98)	14.3
Varicella (shingles)	1	4 (3)	146.5	9	133 (201)	80.4
Varicella (unspecified)	1	1	14.4	63	238 (161)	56.2
Vector-borne diseases						
Barmah Forest virus		(1)	17.2	0	1 (1)	0.5
Malaria				0	0 (0)	0.4
Ross River virus		1	43.1	4	16 (54)	21.3
Typhus				0	1 (0)	0.6
Zoonotic diseases						
Leptospirosis			2.9	0	0 (1)	0.1
Q Fever				0	0 (1)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			14.4	0	0 (0)	0.3
Amoebic meningitis			2.9	0	0 (0)	0.0
COVID-19				0	4 (81)	11.3
Creutzfeldt-Jakob disease				0	0 (1)	0.1
Haemolytic Uraemic Syndrome				0	0 (0)	0.0
Invasive Group A Streptococcal (iGAS)				0	0 (0)	0.1
Legionellosis			5.7	1	5 (4)	2.1
Leprosy				0	1 (0)	0.1
Melioidosis			5.7	0	0 (0)	0.2
Meningococcal infection			2.9	0	1 (1)	0.3
Respiratory Syncytial Virus (RSV)				0	3 (0)	0.1
Tuberculosis				2	10 (17)	3.2
Grand Total	9	91 (141)		245	1994 (2322)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 43	
	09/09	16/09	23/09	30/09	07/10	14/10	21/10	28/10	2021	2020
	Salmonella Total	10	20	16	12	17	9	7	5	778
Serotype/Phage										
Salmonella Aberdeen									2	0
Salmonella Adelaide		1	1		5	1	1		11	4
Salmonella Agona		1							4	6
Salmonella Anatum									9	15
Salmonella Bahrenfeld									2	1
Salmonella Ball		1							2	0
Salmonella Bareilly									3	3
Salmonella Birkenhead									5	2
Salmonella Bonn				1					1	0
Salmonella Bovismorbificans									5	11
Salmonella Bredeney									1	1
Salmonella Bukavu			1						1	0
Salmonella Cerro		1							3	2
Salmonella Chailey									1	2
Salmonella Chester					1		1		11	24
Salmonella Choleraesuis bv Australia						1			5	15
Salmonella Choleraesuis bv Decatur			1						8	10
Salmonella Corvallis									2	3
Salmonella Eastbourne					1				4	2
Salmonella Emmastad									1	0
Salmonella Enteritidis									8	47
Salmonella Fremantle subsp II									3	4
Salmonella Gaminara									1	0
Salmonella Give									4	6
Salmonella Havana			1						2	4
Salmonella Hessarek									1	1
Salmonella Houten subsp IV									3	1
Salmonella Hvittingfoss	1								4	6
Salmonella Infantis	1	2			1		2		30	25
Salmonella Irumu									1	0
Salmonella Johannesburg									2	1
Salmonella Kalumburu									2	0
Salmonella Kentucky									1	3
Salmonella Kiambu									4	3
Salmonella Kirkee									1	0
Salmonella Kottbus									3	4
Salmonella Lansing									1	2
Salmonella Litchfield									4	4
Salmonella Liverpool									1	0
Salmonella Livingstone									1	0
Salmonella Lohbruegge subsp IV						1			1	1
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	2
Salmonella Meleagridis									1	0
Salmonella Mississippi									1	1
Salmonella Montevideo		1							2	1
Salmonella Muenchen		1		1					16	24
Salmonella Newport				1					12	11
Salmonella Ohio									1	0

Weekly Report for period 03-SEP-21 to 28-OCT-21

	09/09	16/09	23/09	30/09	07/10	14/10	21/10	28/10	Cumulative Total to end of Week 43	
									2021	2020
Salmonella Total	10	20	16	12	17	9	7	5	778	1460
Serotype/Phage										
Salmonella Ohlstedt	1								1	0
Salmonella Oranienburg	1								8	7
Salmonella Orientalis			1						2	2
Salmonella Orion	1								7	2
Salmonella Oslo									1	1
Salmonella Paratyphi B bv Java				1					7	22
Salmonella Poona		1							6	1
Salmonella Potsdam									7	11
Salmonella Reading									6	3
Salmonella Richmond									1	1
Salmonella Rissen		1							4	4
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0
Salmonella Saintpaul		2	1	2				1	30	36
Salmonella Senftenberg									2	6
Salmonella Singapore									3	4
Salmonella Stanley					1				6	9
Salmonella Tennessee									4	1
Salmonella Thompson	1								1	3
Salmonella Typhimurium	3	6	7	4	5	5	2		398	995
Salmonella Urbana									2	1
Salmonella Virchow	1	1	2	1	2				27	19
Salmonella Wandsbek subsp II						1			2	4
Salmonella Wandsworth									1	1
Salmonella Weltevreden									2	6
Salmonella Zanzibar									3	1
Salmonella species		1	1	1	1		1	4	46	64
Salmonella subsp 1 ser rough:-:-									1	0
Salmonella subsp I									1	0
Salmonella subsp I ser 16:i,v:-									2	3
Salmonella subsp IV ser									1	0