



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 01-OCT-21 to 25-NOV-21

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

**[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)**

**STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])**

Disease Category/Disease	Week Ending								Cumulative Total to end of week 47			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	07/10	14/10	21/10	28/10	04/11	11/11	18/11	25/11	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1								8	20	21	0	1.9	0.0
Hepatitis B (unspecified)	10	10	10	8	16	5	10	10	512	461	391	41	39.3	1.0
Hepatitis C (newly acquired)	4	2	5			2			68	84	105	2	9.9	0.2
Hepatitis C (unspecified)	9	27	18	18	16	26	14	18	854	738	794	74	76.9	1.0
Hepatitis D		1					1		10	3	9	1	0.2	5.0
<b>Enteric diseases</b>														
Campylobacteriosis	66	82	74	68	89	71	76	38	2720	2541	3210	274	299.4	0.9
Cryptosporidiosis	3	3	1	2		3	1		109	487	179	4	11.4	0.4
Hepatitis A									1	6	24	0	0.9	0.0
Listeriosis							1		5	7	7	1	0.2	5.0
Rotavirus	20	28	34	40	47	34	44	19	552	191	490	144	27.7	5.2
STEC/VTEC infection	2	2		7	2		2		93	98	137	4	7.9	0.5
Salmonellosis	18	9	12	13	14	12	14	3	835	1620	1951	43	153.2	0.3
Shigellosis		2		4	1				88	213	355	1	17.2	0.1
Typhoid									2	6	17	0	1.7	0.0
Vibrio parahaemolyticus		2		2	10	9	5	1	36	3	17	25	0.7	34.1
Yersiniosis	1				1	3	1		30	13	21	5	1.2	4.2
<b>Sexually transmissible infections</b>														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	229	240	225	200	216	223	252	58	9893	9924	10633	749	869.0	0.9
Gonorrhoea	71	76	55	59	66	71	52	12	2628	3343	3585	201	265.0	0.8
Syphilis (congenital)									4	4	1	0	0.1	0.0
Syphilis - Infectious	18	18	15	16	27	28	30	18	803	660	532	103	39.1	2.6
Syphilis - Non-Infectious	5	3	4	3	4	4	5	2	231	207	213	15	13.9	1.1
<b>Vaccine preventable diseases</b>														
Influenza		1		2		2		1	28	1208	23091	3	278.9	0.0
Mumps									1	10	31	0	1.8	0.0
Pertussis	1		1	1	1	1			44	119	491	2	73.7	0.0
Pneumococcal infection	4	7	3	1	3	6	3	3	165	160	237	15	15.3	1.0
Rubella (non-congenital)									3	1	1	0	0.1	0.0
Tetanus									1	0	0	0	0.1	0.0
Varicella (chicken pox)	11	16	12	13	10	10	11	1	428	579	562	32	59.7	0.5
Varicella (shingles)	60	44	53	60	60	43	24	3	2350	2308	2044	130	178.4	0.7
Varicella (unspecified)	42	54	55	58	53	53	83	50	1696	1536	1274	239	123.5	1.9
<b>Vector-borne diseases</b>														
Barmah Forest virus			2		2	1			16	21	13	3	1.9	1.6
Malaria									11	28	56	0	3.0	0.0
Ross River virus	4	8	6	5	5	9	5	2	598	419	372	21	50.3	0.4
Typhus		1			1		1		17	17	24	2	2.2	0.9
<b>Zoonotic diseases</b>														
Leptospirosis			1						4	2	3	0	0.7	0.0
Q Fever									2	5	6	0	0.9	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis					2		1		10	5	9	3	0.7	4.1
Amoebic meningitis									1	0	0	0	0.0	0.0
COVID-19	2	2					7	2	250	817	0	9	11.5	0.8
Creutzfeldt-Jakob disease									2	6	9	0	0.5	0.0
Haemolytic Uraemic Syndrome					1				2	4	1	1	0.1	7.5
Legionellosis		2	2	4	4	2	1	2	69	70	31	9	4.5	2.0
Leprosy			1						4	2	1	0	0.3	0.0
Melioidosis									5	5	4	0	0.2	0.0
Meningococcal infection		1							8	9	23	0	3.0	0.0
RSV	2	1	2	1		1			7	0	0	1	0.0	0.0
Tuberculosis	3	4	1	2	7	1	3	6	124	123	118	17	10.3	1.7
iGAS			1	1			1		7	0	0	1	0.0	0.0
<b>Grand Total</b>	<b>586</b>	<b>646</b>	<b>593</b>	<b>588</b>	<b>658</b>	<b>620</b>	<b>648</b>	<b>249</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 47			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	07/10	14/10	21/10	28/10	04/11	11/11	18/11	25/11	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1								7	11	14	0	1.5	0.0
Hepatitis B (unspecified)	6	9	9	7	13	3	5	8	386	391	335	29	32.5	0.9
Hepatitis C (newly acquired)	4	2	5			2			62	68	74	2	7.7	0.3
Hepatitis C (unspecified)	8	18	17	12	13	24	14	16	637	537	546	67	57.0	1.2
Hepatitis D									7	2	9	0	0.2	0.0
<b>Enteric diseases</b>														
Campylobacteriosis	49	62	58	54	56	57	58	31	2097	2015	2598	202	229.9	0.9
Cryptosporidiosis	1	1		2		2			42	420	98	2	6.7	0.3
Hepatitis A									1	5	21	0	0.9	0.0
Listeriosis							1		3	6	7	1	0.2	5.0
Rotavirus	15	21	22	32	35	27	36	18	394	154	414	116	24.0	4.8
STEC/VTEC infection	2	1		6	2		1		72	74	108	3	6.4	0.5
Salmonellosis	12	5	6	7	12	7	5	2	567	1247	1521	26	119.5	0.2
Shigellosis		1		2					31	95	251	0	8.7	0.0
Typhoid									1	6	15	0	1.5	0.0
Vibrio parahaemolyticus		1		2	8	7	4	1	30	3	12	20	0.6	33.3
Yersiniosis	1					3	1		24	11	20	4	1.1	3.5
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	184	189	182	155	173	165	194	43	7823	7670	8360	575	680.6	0.8
Gonorrhoea	53	46	32	35	43	49	32	9	1674	2155	2639	133	178.1	0.7
Syphilis (congenital)									1	3	0	0	0.1	0.0
Syphilis - Infectious	10	11	11	9	16	22	20	13	468	428	307	71	25.7	2.8
Syphilis - Non-Infectious	2	3	4	1	1	2	2	1	152	172	138	6	10.3	0.6
<b>Vaccine preventable diseases</b>														
Influenza		1		2		1		1	16	969	18221	2	202.6	0.0
Pertussis	1		1	1	1	1			37	94	394	2	53.9	0.0
Pneumococcal infection	2	3	1	1		4	3	2	97	61	142	9	8.5	1.1
Rubella (non-congenital)									2	1	1	0	0.1	0.0
Tetanus									1	0	0	0	0.1	0.0
Varicella (chicken pox)	9	12	12	12	6	8	7	1	324	435	416	22	47.1	0.5
Varicella (shingles)	44	29	40	43	42	32	17		1657	1664	1450	91	129.7	0.7
Varicella (unspecified)	42	52	54	52	50	51	71	43	1609	1466	1223	215	118.4	1.8
<b>Vector-borne diseases</b>														
Barmah Forest virus			1						3	3	5	0	0.5	0.0
Malaria									9	22	48	0	2.5	0.0
Ross River virus	1	5	4	4	3	4	3	2	306	206	251	12	24.3	0.5
Typhus					1		1		5	9	15	2	1.5	1.3
<b>Zoonotic diseases</b>														
Q Fever									1	2	2	0	0.5	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis					2		1		4	0	0	3	0.0	0.0
COVID-19							5	2	98	480	0	7	4.1	1.7
Creutzfeldt-Jakob disease									2	5	7	0	0.4	0.0
Haemolytic Uraemic Syndrome					1				2	0	0	1	0.1	7.5
Legionellosis		1	1	3	2	2		1	41	51	25	5	3.8	1.3
Leprosy			1						3	2	0	0	0.2	0.0
Melioidosis									2	0	2	0	0.1	0.0
Meningococcal infection									3	4	11	0	1.7	0.0
RSV		1	2	1		1			7	0	0	1	0.0	0.0
Tuberculosis	3	3	1	1	6		3	6	112	116	108	15	9.1	1.7
iGAS				1			1		5	0	0	1	0.0	0.0
<b>Grand Total</b>	<b>452</b>	<b>477</b>	<b>464</b>	<b>445</b>	<b>486</b>	<b>474</b>	<b>485</b>	<b>200</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			0.1		(3)	0.5		(1)	0.4
Hepatitis B (unspecified)	1	5 (6)	14.4	1	7 (7)	16.6	6	17 (15)	23.3
Hepatitis C (newly acquired)			0.8		1 (3)	3.6		1 (1)	4.4
Hepatitis C (unspecified)	3	12 (8)	15.8	7	28 (20)	35.9	6	27 (24)	38.9
Hepatitis D			0.7						0.3
<b>Enteric diseases</b>									
Campylobacteriosis	13	66 (87)	101.9	6	59 (70)	93.0	12	77 (87)	100.5
Cryptosporidiosis			1.4		2	2.7		(4)	1.9
Hepatitis A									0.1
Listeriosis		1	0.1						0.3
Rotavirus	4	38 (5)	18.8	6	24 (5)	14.3	8	54 (4)	22.1
STEC/VTEC infection		2 (1)	3.1		1	2.9			4.1
Salmonellosis		4 (28)	26.4	1	7 (24)	24.9	1	15 (29)	28.6
Shigellosis		(1)	1.6		(1)	1.2		(4)	1.5
Typhoid		(1)	0.1						
Vibrio parahaemolyticus		10	2.0	1	7	1.5		3	0.7
Yersiniosis		1 (1)	1.2		2	1.2		1	1.0
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	7	173 (189)	324.9	16	179 (212)	352.0	20	223 (218)	425.9
Gonorrhoea	1	30 (42)	62.1		42 (24)	67.6	8	61 (51)	105.6
Syphilis (congenital)								(1)	0.1
Syphilis - Infectious	2	15 (11)	14.0	4	21 (10)	21.5	7	35 (13)	30.5
Syphilis - Non-Infectious		2 (4)	5.3		1 (4)	5.6	1	3 (10)	10.4
<b>Vaccine preventable diseases</b>									
Influenza	1	1 (1)	1.1		1	0.6		(2)	0.5
Mumps									
Pertussis		1 (2)	1.6		1	2.1		(1)	1.5
Pneumococcal infection	1	4 (2)	3.4	1	4 (3)	4.8		1 (3)	5.5
Rubella (non-congenital)			0.3						
Tetanus									0.1
Varicella (chicken pox)		7 (22)	13.8	1	12 (19)	18.8		3 (17)	13.5
Varicella (shingles)		33 (59)	82.4		33 (65)	85.3		25 (49)	66.7
Varicella (unspecified)	18	79 (53)	77.8	13	82 (52)	89.5	12	54 (47)	61.0
<b>Vector-borne diseases</b>									
Barmah Forest virus						0.5			
Malaria			0.3			0.2			0.8
Ross River virus	1	1 (10)	12.3	1	8 (27)	17.8		3 (7)	13.5
Typhus		1	0.3		1	0.3			0.1
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever			0.1						
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)		2	0.3					1	0.3
Amoebic meningitis									
COVID-19	1	2 (10)	5.6	1	3 (7)	3.5		2 (6)	4.7
Creutzfeldt-Jakob disease			0.1						0.1
Haemolytic Uraemic Syndrome			0.1		1	0.2			
Legionellosis		1 (2)	2.2	1	2 (1)	1.8		2 (4)	1.8
Leprosy									0.4
Melioidosis			0.1						0.1
Meningococcal infection						0.2			0.3
RSV		1	0.4			0.2			0.4
Tuberculosis	1	1 (2)	4.5	1	4 (3)	4.8	4	10 (5)	6.5
iGAS		1	0.4			0.2			0.1
<b>Grand Total</b>	<b>54</b>	<b>494 (547)</b>		<b>61</b>	<b>533 (560)</b>		<b>85</b>	<b>618 (603)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1	10.4		2	11.4		4	26.7
Hepatitis C (newly acquired)									1.3
Hepatitis C (unspecified)		1 (5)	27.4		2 (2)	55.4		(2)	36.1
Hepatitis D		1	0.5						
<b>Enteric diseases</b>									
Campylobacteriosis	2	19 (26)	127.1		14 (8)	156.6	2	16 (10)	112.2
Cryptosporidiosis		(1)	6.6			11.4			2.7
Hepatitis A									
Listeriosis			1.1						
Rotavirus	1	7	9.9		2	6.5		1	10.7
STEC/VTEC infection			5.5			1.6			2.7
Salmonellosis	1	3 (4)	31.8		(2)	22.8		1 (4)	36.1
Shigellosis			0.5			3.3			2.7
Typhoid									
Vibrio parahaemolyticus		1	0.5		1	1.6		2	2.7
Yersiniosis		1 (1)	0.5			1.6			1.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	3	32 (44)	248.1		3 (16)	207.1	1	12 (11)	170.9
Gonorrhoea	1	5 (5)	26.8		(3)	19.6		1 (2)	38.7
Syphilis (congenital)									
Syphilis - Infectious	1	2	8.2			6.5			8.0
Syphilis - Non-Infectious		1 (1)	3.3			1.6			12.0
<b>Vaccine preventable diseases</b>									
Influenza		(1)	1.6			4.9			2.7
Mumps									
Pertussis		(1)	2.2			1.6			
Pneumococcal infection		(2)	2.7		(1)	3.3		(1)	10.7
Rubella (non-congenital)			0.5						
Tetanus									
Varicella (chicken pox)		5 (2)	20.3			17.9		1 (2)	10.7
Varicella (shingles)	2	21 (31)	149.0		4 (10)	216.9		3 (1)	106.8
Varicella (unspecified)	3	4 (1)	4.9				3	6 (1)	21.4
<b>Vector-borne diseases</b>									
Barmah Forest virus		(1)	0.5		1	1.6			1.3
Malaria			0.5						
Ross River virus		1 (73)	48.2		1 (7)	91.3		3 (2)	53.4
Typhus			0.5			6.5			2.7
<b>Zoonotic diseases</b>									
Leptospirosis			0.5						1.3
Q Fever									1.3
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis		2	7.7	1	1	3.3			2.7
Leprosy						1.6			
Melioidosis									
Meningococcal infection			0.5						1.3
RSV									
Tuberculosis		1	2.2			1.6			
iGAS									
<b>Grand Total</b>	<b>14</b>	<b>108 (199)</b>		<b>1</b>	<b>31 (49)</b>		<b>6</b>	<b>50 (36)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1 (1)	18.2	1	17.4		1 (2)	43.5	
Hepatitis C (newly acquired)			5.0					3.3	
Hepatitis C (unspecified)	2	3 (2)	58.0	(4)	36.7			31.8	
Hepatitis D								1.7	
<b>Enteric diseases</b>									
Campylobacteriosis	2	7 (7)	96.1	6 (5)	92.7		1	5 (1)	93.8
Cryptosporidiosis			3.3		3.9			(1)	5.0
Hepatitis A									
Listeriosis									
Rotavirus		5	24.9	3	15.4		9	56.9	
STEC/VTEC infection		1 (1)	6.6		3.9			1.7	
Salmonellosis		1 (1)	29.8	1	29.0		3 (1)	88.7	
Shigellosis		(1)	18.2		7.7		(3)	11.7	
Typhoid									
Vibrio parahaemolyticus					1.9				
Yersiniosis					1.9			3.3	
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	3	18 (34)	406.1	1	22 (24)	490.5	3	23 (27)	494.0
Gonorrhoea		2 (7)	82.9	1	12 (19)	374.7	1	20 (20)	350.0
Syphilis (congenital)					1.9			1.7	
Syphilis - Infectious	1	2	19.9		4 (2)	56.0	1	8 (6)	221.0
Syphilis - Non-Infectious			16.6	1	1 (1)	40.6		5	33.5
<b>Vaccine preventable diseases</b>									
Influenza				1	1.9				1.7
Mumps					1.9				
Pertussis			3.3						
Pneumococcal infection		(3)	14.9	3 (4)	17.4		1	23.4	
Rubella (non-congenital)									
Tetanus									
Varicella (chicken pox)		1 (1)	21.5	3	36.7			(13)	8.4
Varicella (shingles)		1	58.0	4 (4)	113.9		1	3 (3)	75.4
Varicella (unspecified)	1	8 (5)	59.7		3.9			3	10.0
<b>Vector-borne diseases</b>									
Barmah Forest virus		2 (1)	5.0		1.9				
Malaria									
Ross River virus		2 (5)	84.5		48.3		1	16.7	
Typhus			1.7		1.9			5.0	
<b>Zoonotic diseases</b>									
Leptospirosis			1.7						
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)					1.9				
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis		1	8.3		1.9			1.7	
Leprosy									
Melioidosis									
Meningococcal infection					1.9			1.7	
RSV									
Tuberculosis			3.3		1.9			1.7	
iGAS			1.7						
<b>Grand Total</b>	<b>9</b>	<b>55 (69)</b>		<b>3</b>	<b>61 (63)</b>		<b>7</b>	<b>82 (77)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	0 (5)	0.3
Hepatitis B (unspecified)	2	2 (2)	89.0	10	41 (33)	14.5
Hepatitis C (newly acquired)				0	2 (4)	2.5
Hepatitis C (unspecified)		(3)	74.7	18	74 (70)	29.9
Hepatitis D			2.9	0	1 (0)	0.4
<b>Enteric diseases</b>						
Campylobacteriosis		1 (3)	80.4	38	274 (304)	102.6
Cryptosporidiosis		2	100.5	0	4 (6)	4.1
Hepatitis A				0	0 (0)	0.0
Listeriosis				0	1 (1)	0.2
Rotavirus			189.6	19	144 (14)	20.8
STEC/VTEC infection			2.9	0	4 (2)	3.5
Salmonellosis		7 (9)	183.8	3	43 (105)	31.5
Shigellosis		1 (5)	86.2	0	1 (15)	3.3
Typhoid				0	0 (3)	0.1
Vibrio parahaemolyticus				1	25 (0)	1.4
Yersiniosis				0	5 (2)	1.1
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	1	47 (49)	1318.2	58	749 (829)	373.1
Gonorrhoea		27 (54)	1094.2	12	201 (228)	99.1
Syphilis (congenital)			2.9	0	0 (1)	0.2
Syphilis - Infectious	2	13 (7)	373.4	18	103 (49)	30.3
Syphilis - Non-Infectious			14.4	2	15 (20)	8.4
<b>Vaccine preventable diseases</b>						
Influenza			5.7	1	3 (4)	1.1
Mumps				0	0 (0)	0.0
Pertussis				0	2 (4)	1.7
Pneumococcal infection	1	2 (1)	57.4	3	15 (20)	6.2
Rubella (non-congenital)				0	0 (1)	0.1
Tetanus				0	0 (0)	0.0
Varicella (chicken pox)			23.0	1	32 (76)	16.1
Varicella (shingles)		3 (4)	155.1	3	130 (226)	88.6
Varicella (unspecified)		1	17.2	50	239 (161)	64.0
<b>Vector-borne diseases</b>						
Barmah Forest virus			17.2	0	3 (2)	0.6
Malaria				0	0 (0)	0.4
Ross River virus		(1)	43.1	2	21 (132)	22.6
Typhus				0	2 (0)	0.6
<b>Zoonotic diseases</b>						
Leptospirosis			2.9	0	0 (0)	0.2
Q Fever				0	0 (0)	0.1
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)		(1)	14.4	0	3 (1)	0.4
Amoebic meningitis			2.9	0	0 (0)	0.0
COVID-19				2	9 (49)	11.8
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Haemolytic Uraemic Syndrome				0	1 (0)	0.1
Legionellosis			5.7	2	9 (7)	2.6
Leprosy				0	0 (1)	0.1
Melioidosis			5.7	0	0 (0)	0.2
Meningococcal infection			2.9	0	0 (0)	0.3
RSV				0	1 (0)	0.3
Tuberculosis				6	17 (10)	3.8
iGAS			2.9	0	1 (0)	0.3
<b>Grand Total</b>	<b>6</b>	<b>106 (139)</b>		<b>249</b>	<b>2175 (2386)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 47	
	07/10	14/10	21/10	28/10	04/11	11/11	18/11	25/11	2021	2020
	<b>Salmonella Total</b>	<b>18</b>	<b>9</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>12</b>	<b>14</b>	<b>3</b>	<b>835</b>
<b>Serotype/Phage</b>										
Salmonella Aberdeen									2	0
Salmonella Adelaide	5	1	1		2				13	4
Salmonella Agona									4	6
Salmonella Anatum									9	15
Salmonella Bahrenfeld									2	1
Salmonella Ball									2	0
Salmonella Bareilly									3	3
Salmonella Birkenhead									5	3
Salmonella Bonn									1	0
Salmonella Bovismorbificans									5	11
Salmonella Bredeney									1	1
Salmonella Bukavu									1	0
Salmonella Cerro									3	2
Salmonella Chailey									1	2
Salmonella Chester	1		1	1		1	2		15	25
Salmonella Choleraesuis bv Australia		1					1		6	18
Salmonella Choleraesuis bv Decatur					1				9	10
Salmonella Corvallis									2	3
Salmonella Eastbourne	1								4	3
Salmonella Emmastad									1	0
Salmonella Enteritidis			1	1					10	47
Salmonella Fremantle subsp II					1				4	5
Salmonella Gaminara									1	0
Salmonella Give				1					5	8
Salmonella Havana						1			3	5
Salmonella Hessarek							1		2	1
Salmonella Houten subsp IV									3	1
Salmonella Hvittingfoss									4	6
Salmonella Infantis	1	1	1		1				31	27
Salmonella Irumu									1	0
Salmonella Johannesburg									2	1
Salmonella Kalumburu									2	0
Salmonella Kentucky									1	3
Salmonella Kiambu									4	4
Salmonella Kirkee									1	0
Salmonella Kottbus									3	4
Salmonella Lansing									1	4
Salmonella Litchfield									4	4
Salmonella Liverpool									1	0
Salmonella Livingstone									1	0
Salmonella Lohbruegge subsp IV	1								1	1
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	2
Salmonella Meleagridis									1	0
Salmonella Mississippi									1	1
Salmonella Montevideo									2	2
Salmonella Muenchen									16	26
Salmonella Newport							1		13	12
Salmonella Ohio									1	0



# Weekly Report for period 01-OCT-21 to 25-NOV-21

	07/10	14/10	21/10	28/10	04/11	11/11	18/11	25/11	Cumulative Total to end of Week 47	
									2021	2020
<b>Salmonella Total</b>	<b>18</b>	<b>9</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>12</b>	<b>14</b>	<b>3</b>	<b>835</b>	<b>1568</b>
<b>Serotype/Phage</b>										
Salmonella Ohlstedt									1	0
Salmonella Onderstepoort									1	0
Salmonella Oranienburg				1			1		10	7
Salmonella Orientalis									2	3
Salmonella Orion									7	3
Salmonella Oslo									1	1
Salmonella Paratyphi B bv Java									7	24
Salmonella Poona									6	2
Salmonella Potsdam								1	8	14
Salmonella Reading									6	5
Salmonella Richmond									1	1
Salmonella Rissen									4	4
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0
Salmonella Saintpaul			1	1	1	1	2		35	40
Salmonella Senftenberg									2	7
Salmonella Singapore									3	4
Salmonella Stanley	1					1	1		8	10
Salmonella Tennessee									4	1
Salmonella Thompson									1	3
Salmonella Typhimurium	5	5	6	7	6	5	3		423	1056
Salmonella Urbana									2	1
Salmonella Virchow	2								27	20
Salmonella Wandsbek subsp II		1		1					3	5
Salmonella Wandsworth							1		2	2
Salmonella Welikade			1			2			3	4
Salmonella Weltevreden									2	6
Salmonella Zanzibar									3	2
Salmonella species	1				2		2	2	46	68
Salmonella subsp 1 ser rough:-:-									1	0
Salmonella subsp I									1	0
Salmonella subsp I ser 16:l,v:-									2	3
Salmonella subsp IV ser									1	0