



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 15-OCT-21 to 09-DEC-21

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 49			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	21/10	28/10	04/11	11/11	18/11	25/11	02/12	09/12	2021	2020	2019			
	Blood-borne diseases[2]													
Hepatitis B (unspecified)	10	8	16	5	10	9	5	6	522	476	406	30	35.8	0.8
Hepatitis C (newly acquired)	5			3			3		72	85	115	3	8.5	0.4
Hepatitis C (unspecified)	18	18	16	25	14	18	14	19	886	784	828	65	71.0	0.9
Hepatitis D					1				10	3	9	1	0.1	7.5
Enteric diseases														
Campylobacteriosis	74	69	91	83	73	98	67	25	2884	2680	3370	263	298.9	0.9
Cryptosporidiosis	1	2	1	3			1	2	112	489	189	3	13.3	0.2
Hepatitis A									1	6	25	0	0.7	0.0
Listeriosis					1		1		6	7	7	2	0.3	7.5
Rotavirus	35	39	47	37	45	45	36	11	629	203	509	137	27.4	5.0
STEC/VTEC infection		8	2	1	1	3	3		100	99	141	7	8.8	0.8
Salmonellosis	12	13	14	13	18	19	14	3	873	1665	2052	54	159.1	0.3
Shigellosis		4	1				1	2	91	218	373	3	19.7	0.2
Typhoid									2	7	17	0	1.6	0.0
Vibrio parahaemolyticus		2	13	9	4	1			38	3	17	5	1.1	4.4
Yersiniosis			1	1		1	3		31	14	23	4	1.1	3.7
Sexually transmissible infections														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	225	200	220	227	257	223	184	72	10327	10304	11044	736	828.0	0.9
Gonorrhoea	55	59	67	71	59	50	50	11	2737	3464	3740	170	261.0	0.7
Syphilis (congenital)									4	4	1	0	0.1	0.0
Syphilis - Infectious	15	14	24	21	16	31	25	9	823	693	554	81	36.7	2.2
Syphilis - Non-Infectious	4	4	6	5	4	3	2		236	211	226	9	14.3	0.6
Vaccine preventable diseases														
Influenza		2		2		2			29	1213	23199	2	220.0	0.0
Mumps									1	10	32	0	1.8	0.0
Pertussis	1	1	1	1				1	45	122	511	1	71.9	0.0
Pneumococcal infection	3	1	3	7	3	5	3	1	172	167	245	12	14.5	0.8
Rubella (non-congenital)									3	1	1	0	0.1	0.0
Tetanus									1	0	0	0	0.1	0.0
Varicella (chicken pox)	12	14	10	11	16	25	12	3	474	620	596	56	57.2	1.0
Varicella (shingles)	54	61	62	49	50	55	34	7	2482	2403	2142	146	174.5	0.8
Varicella (unspecified)	54	55	51	51	64	44	53	69	1784	1603	1318	230	119.9	1.9
Vector-borne diseases														
Barmah Forest virus	2		2	1				1	18	21	14	1	1.6	0.6
Malaria									11	28	58	0	2.9	0.0
Ross River virus	6	5	4	8	8	3	11	7	622	462	379	29	55.7	0.5
Typhus			2		1				18	18	26	1	2.3	0.4
Zoonotic diseases														
Leptospirosis	1								4	2	3	0	0.7	0.0
Q Fever									2	5	7	0	0.9	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis			2		1				10	5	10	1	0.6	1.7
Amoebic meningitis									1	0	0	0	0.0	0.0
COVID-19					7	3	1		251	834	0	11	11.1	1.0
Creutzfeldt-Jakob disease								1	3	6	9	1	0.5	1.9
Haemolytic Uraemic Syndrome			1						2	4	1	0	0.2	0.0
Legionellosis	2	4	4	2		2	2	2	72	77	35	6	4.1	1.5
Leprosy	1								4	2	1	0	0.3	0.0
Melioidosis									5	5	4	0	0.1	0.0
RSV	2	1		2	2	17	67	25	119	0	0	111	0.0	0.0
Tuberculosis	1	2	7	1	3	8		6	132	131	126	17	10.6	1.6
iGAS	1	1			1				8	0	0	2	0.0	0.0
Grand Total	594	587	668	639	659	667	596	278						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 49			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	21/10	28/10	04/11	11/11	18/11	25/11	02/12	09/12	2021	2020	2019			
	Blood-borne diseases[2]													
Hepatitis B (unspecified)	9	7	13	3	5	8	5	6	397	402	347	24	29.3	0.8
Hepatitis C (newly acquired)	5			3			3		66	69	83	3	6.8	0.4
Hepatitis C (unspecified)	17	12	13	23	13	16	11	13	659	575	570	53	52.5	1.0
Hepatitis D									7	2	9	0	0.1	0.0
Enteric diseases														
Campylobacteriosis	58	54	57	68	57	75	55	19	2226	2117	2724	206	233.5	0.9
Cryptosporidiosis		2		2		1			43	421	105	1	8.5	0.1
Hepatitis A									1	5	22	0	0.7	0.0
Listeriosis					1		1		4	6	7	2	0.3	7.5
Rotavirus	23	31	35	28	38	40	31	11	461	164	430	120	24.3	4.9
STEC/VTEC infection		7	2		1	1	2		76	75	110	4	7.1	0.6
Salmonellosis	6	7	12	8	7	15	7	1	591	1284	1603	30	124.3	0.2
Shigellosis		2				1	1		33	98	263	2	9.7	0.2
Typhoid									1	7	15	0	1.5	0.0
Vibrio parahaemolyticus		2	10	8	2	1			31	3	12	3	1.1	2.8
Yersiniosis				1		1	3		25	12	22	4	0.9	4.3
Sexually transmissible infections														
Chlamydia (genital)	182	155	176	170	199	175	143	58	8170	7971	8687	575	648.7	0.9
Gonorrhoea	32	35	44	49	39	32	36	9	1753	2214	2742	116	175.1	0.7
Syphilis (congenital)									1	3	0	0	0.1	0.0
Syphilis - Infectious	12	7	14	15	9	17	15	9	474	446	321	50	23.9	2.1
Syphilis - Non-Infectious	4	1	3	2	2	1	1		154	175	148	4	11.0	0.4
Vaccine preventable diseases														
Influenza		2		1		2			17	971	18319	2	159.0	0.0
Pertussis	1	1	1	1				1	38	96	407	1	52.5	0.0
Pneumococcal infection	1	1		5	3	3		1	100	65	147	7	7.8	0.9
Rubella (non-congenital)									2	1	1	0	0.1	0.0
Tetanus									1	0	0	0	0.1	0.0
Varicella (chicken pox)	12	12	6	9	11	22	8	2	360	469	445	43	44.5	1.0
Varicella (shingles)	40	44	42	37	41	38	16	1	1743	1735	1516	96	126.1	0.8
Varicella (unspecified)	54	51	50	50	55	39	48	67	1701	1532	1265	209	114.7	1.8
Vector-borne diseases														
Barmah Forest virus	1								3	3	5	0	0.5	0.0
Malaria									9	22	50	0	2.5	0.0
Ross River virus	4	4	2	4	4	2	7	6	322	219	257	19	26.4	0.7
Typhus			2						5	9	17	0	1.5	0.0
Zoonotic diseases														
Q Fever									1	2	3	0	0.5	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis			2		1				4	0	0	1	0.0	0.0
COVID-19					5	3	1		99	490	0	9	4.1	2.2
Creutzfeldt-Jakob disease								1	3	5	7	1	0.4	2.5
Haemolytic Uraemic Syndrome			1						2	0	0	0	0.2	0.0
Legionellosis	1	3	2	2		1	2	1	44	57	29	4	3.3	1.2
Leprosy	1								3	2	0	0	0.2	0.0
Melioidosis									2	0	2	0	0.1	0.0
Meningococcal infection									3	4	11	0	1.9	0.0
RSV	2	1		1		9	53	22	91	0	0	84	0.0	0.0
Tuberculosis	1	1	6		3	8		2	116	124	116	13	9.3	1.4
iGAS		1			1				5	0	0	1	0.0	0.0
Grand Total	466	443	493	490	497	511	449	230						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.1		(3)	0.5			0.4
Hepatitis B (unspecified)	2	7 (9)	15.0	2	6 (6)	17.0	2	11 (9)	23.9
Hepatitis C (newly acquired)		(1)	0.8		1 (1)	3.8		2 (1)	4.8
Hepatitis C (unspecified)	4	12 (12)	16.8	6	24 (20)	37.5	3	17 (38)	39.4
Hepatitis D			0.7						0.3
Enteric diseases									
Campylobacteriosis	6	62 (80)	106.1	4	63 (57)	99.6	9	81 (83)	107.9
Cryptosporidiosis			1.4			2.7		1 (4)	2.1
Hepatitis A									0.1
Listeriosis		1	0.1					1	0.4
Rotavirus	5	36 (5)	21.5	1	24 (4)	16.3	5	60 (9)	26.8
STEC/VTEC infection		1 (2)	3.1			3.0		3	4.5
Salmonellosis		10 (23)	27.5	1	8 (16)	25.8		12 (38)	29.9
Shigellosis		(1)	1.6		1	1.4		1 (4)	1.6
Typhoid		(1)	0.1						
Vibrio parahaemolyticus		2	2.2		1	1.5			0.7
Yersiniosis		3 (1)	1.5			0.9		1	1.1
Sexually transmissible infections									
Chlamydia (genital)	11	155 (186)	336.6	19	193 (216)	370.2	28	227 (245)	444.9
Gonorrhoea	2	35 (34)	65.7	5	32 (30)	71.0	2	49 (54)	109.8
Syphilis (congenital)								(1)	0.1
Syphilis - Infectious	4	14 (8)	14.4	2	14 (8)	22.1	3	22 (15)	30.3
Syphilis - Non-Infectious		2 (2)	5.4		1 (2)	5.6		1 (6)	10.6
Vaccine preventable diseases									
Influenza		2 (1)	1.2		(1)	0.6		(1)	0.5
Mumps									
Pertussis	1	1 (1)	1.8		(2)	2.1			1.5
Pneumococcal infection		3 (1)	3.5		1 (2)	4.8	1	3 (5)	5.8
Rubella (non-congenital)			0.3						
Tetanus									0.1
Varicella (chicken pox)		12 (14)	14.8		23 (22)	21.8	2	8 (18)	14.6
Varicella (shingles)		38 (62)	87.2		33 (64)	89.8	1	25 (45)	69.6
Varicella (unspecified)	24	71 (55)	81.6	22	72 (51)	93.4	21	66 (33)	66.2
Vector-borne diseases									
Barmah Forest virus						0.5			
Malaria			0.3			0.2			0.8
Ross River virus	1	3 (11)	12.7	3	13 (21)	19.3	2	3 (6)	13.9
Typhus			0.3			0.3			0.1
Zoonotic diseases									
Leptospirosis									
Q Fever			0.1						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)		1	0.3						0.3
Amoebic meningitis									
COVID-19		2 (11)	5.4		5 (5)	3.8		2 (10)	4.7
Creutzfeldt-Jakob disease			0.1	1	1	0.2			0.1
Haemolytic Uraemic Syndrome			0.1			0.2			
Legionellosis	1	1 (3)	2.3		2 (2)	2.0		1 (6)	1.9
Leprosy									0.4
Melioidosis			0.1						0.1
Meningococcal infection						0.2			0.3
RSV	6	37	5.4	6	22	3.5	10	25	3.8
Tuberculosis		2	4.6	1	3 (6)	5.0	1	8 (7)	6.7
iGAS		1	0.4			0.2			0.1
Grand Total	67	514 (524)		73	543 (539)		90	630 (638)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1	10.4		1	11.4		1	26.7
Hepatitis C (newly acquired)									1.3
Hepatitis C (unspecified)	3	4 (6)	29.6		2 (1)	58.7		(2)	36.1
Hepatitis D		1	0.5						
Enteric diseases									
Campylobacteriosis	3	20 (28)	134.7		5 (8)	163.1	1	14 (9)	121.5
Cryptosporidiosis		(1)	6.6			11.4			2.7
Hepatitis A									
Listeriosis			1.1						
Rotavirus		4	12.1		1 (1)	6.5		1	10.7
STEC/VTEC infection			5.5			1.6		1	4.0
Salmonellosis		7 (3)	34.5		(2)	22.8		2 (2)	37.4
Shigellosis			0.5			3.3			2.7
Typhoid									
Vibrio parahaemolyticus		1	1.1			1.6		1	2.7
Yersiniosis			0.5			1.6			1.3
Sexually transmissible infections									
Chlamydia (genital)	3	31 (42)	255.3		4 (12)	213.6	1	3 (10)	173.6
Gonorrhoea		5 (3)	28.5		1 (2)	22.8	1	1 (1)	40.1
Syphilis (congenital)									
Syphilis - Infectious		1 (1)	8.2			6.5		(1)	8.0
Syphilis - Non-Infectious			3.3			1.6			12.0
Vaccine preventable diseases									
Influenza		(3)	1.6			4.9			2.7
Mumps									
Pertussis		(1)	2.2			1.6			
Pneumococcal infection		(2)	2.7		(1)	3.3		1	12.0
Rubella (non-congenital)			0.5						
Tetanus									
Varicella (chicken pox)	1	9 (1)	23.0		(2)	17.9		(3)	10.7
Varicella (shingles)	4	25 (21)	159.4		7 (8)	226.7		4 (4)	112.2
Varicella (unspecified)	1	1 (1)	3.3		3	4.9		7 (2)	22.7
Vector-borne diseases									
Barmah Forest virus			0.5			1.6			1.3
Malaria			0.5						
Ross River virus	1	3 (59)	49.8		3 (7)	96.2		(2)	53.4
Typhus			0.5			6.5			2.7
Zoonotic diseases									
Leptospirosis			0.5						1.3
Q Fever									1.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis		(1)	7.1		1	3.3	1	1	4.0
Leprosy						1.6			
Melioidosis			0.5						
Meningococcal infection			0.5						1.3
RSV	1	6	3.3		1	1.6			
Tuberculosis			2.2			1.6			
iGAS									
Grand Total	17	119 (173)		29 (44)			4	37 (36)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(2)	18.2	1	17.4		1	43.5	
Hepatitis C (newly acquired)			5.0					3.3	
Hepatitis C (unspecified)	2	4 (2)	61.3	(1)	36.7		1	2 (1)	35.2
Hepatitis D									1.7
Enteric diseases									
Campylobacteriosis	1	5 (8)	99.5	2 (1)	96.6		1	7 (5)	103.8
Cryptosporidiosis			3.3		3.9				5.0
Hepatitis A									
Listeriosis									
Rotavirus		7	33.2	2	17.4		2 (1)	58.6	
STEC/VTEC infection		1 (1)	8.3	1	5.8			1.7	
Salmonellosis		1 (1)	29.8	2 (1)	30.9		2 (3)	90.4	
Shigellosis		(1)	18.2		7.7		1 (2)	13.4	
Typhoid									
Vibrio parahaemolyticus					1.9				
Yersiniosis					1.9				3.3
Sexually transmissible infections									
Chlamydia (genital)	1	21 (37)	429.3	4	26 (17)	525.3	3	27 (16)	522.4
Gonorrhoea		6 (7)	92.8		8 (17)	382.4		13 (26)	358.3
Syphilis (congenital)						1.9			1.7
Syphilis - Infectious		1	19.9		5 (6)	63.7		11 (7)	231.1
Syphilis - Non-Infectious		2	19.9		1 (1)	42.5		2	33.5
Vaccine preventable diseases									
Influenza						1.9			1.7
Mumps						1.9			
Pertussis		(1)	3.3						
Pneumococcal infection		(2)	14.9	(1)	17.4		2 (1)	26.8	
Rubella (non-congenital)									
Tetanus									
Varicella (chicken pox)		(3)	21.5	3 (2)	42.5		(4)	10.0	
Varicella (shingles)	1	1 (1)	61.3	5 (6)	123.6		5 (3)	87.1	
Varicella (unspecified)		8 (2)	61.3		3.9		1	1	1.7
Vector-borne diseases									
Barmah Forest virus		1	6.6			1.9			1.7
Malaria									
Ross River virus		2 (1)	86.2	(1)	48.3				16.7
Typhus		(1)	1.7		1.9				5.0
Zoonotic diseases									
Leptospirosis			1.7						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						1.9			
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis			8.3			1.9			1.7
Leprosy									
Melioidosis									
Meningococcal infection						1.9			1.7
RSV	2	5	8.3	2	5.8		12	20.1	
Tuberculosis	2	2	6.6		1.9		1	1	3.3
iGAS			1.7						
Grand Total	9	67 (70)		4	58 (54)		7	89 (69)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	0 (4)	0.3
Hepatitis B (unspecified)		1 (3)	86.2	6	30 (29)	14.9
Hepatitis C (newly acquired)				0	3 (3)	2.7
Hepatitis C (unspecified)		(2)	74.7	19	65 (86)	31.1
Hepatitis D			2.9	0	1 (0)	0.4
Enteric diseases						
Campylobacteriosis		2 (8)	83.3	25	263 (287)	108.8
Cryptosporidiosis		2	106.3	0	3 (5)	4.2
Hepatitis A				0	0 (0)	0.0
Listeriosis				0	2 (1)	0.2
Rotavirus			189.6	11	137 (20)	23.7
STEC/VTEC infection			2.9	0	7 (3)	3.8
Salmonellosis		6 (4)	192.4	3	54 (96)	32.9
Shigellosis		(5)	86.2	0	3 (13)	3.4
Typhoid				0	0 (3)	0.1
Vibrio parahaemolyticus				0	5 (0)	1.4
Yersiniosis				0	4 (1)	1.2
Sexually transmissible infections						
Chlamydia (genital)	1	39 (52)	1378.6	72	736 (836)	389.4
Gonorrhoea	1	19 (59)	1125.8	11	170 (234)	103.2
Syphilis (congenital)			2.9	0	0 (1)	0.2
Syphilis - Infectious		11 (9)	387.7	9	81 (55)	31.0
Syphilis - Non-Infectious			14.4	0	9 (11)	8.6
Vaccine preventable diseases						
Influenza			5.7	0	2 (6)	1.1
Mumps				0	0 (0)	0.0
Pertussis				1	1 (5)	1.7
Pneumococcal infection		2	60.3	1	12 (15)	6.5
Rubella (non-congenital)				0	0 (1)	0.1
Tetanus				0	0 (0)	0.0
Varicella (chicken pox)			23.0	3	56 (69)	17.9
Varicella (shingles)	1	2 (4)	160.8	7	146 (218)	93.6
Varicella (unspecified)		1	17.2	69	230 (145)	67.3
Vector-borne diseases						
Barmah Forest virus			17.2	0	1 (0)	0.7
Malaria				0	0 (0)	0.4
Ross River virus		1	46.0	7	29 (108)	23.5
Typhus				0	1 (1)	0.7
Zoonotic diseases						
Leptospirosis			2.9	0	0 (0)	0.2
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			14.4	0	1 (0)	0.4
Amoebic meningitis			2.9	0	0 (0)	0.0
COVID-19				0	11 (52)	11.8
Creutzfeldt-Jakob disease				1	1 (0)	0.1
Haemolytic Uraemic Syndrome				0	0 (0)	0.1
Legionellosis			5.7	2	6 (12)	2.7
Leprosy				0	0 (1)	0.1
Melioidosis			5.7	0	0 (0)	0.2
Meningococcal infection			2.9	0	0 (0)	0.3
RSV				25	111 (0)	4.5
Tuberculosis				6	17 (13)	4.1
iGAS		1	5.7	0	2 (0)	0.3
Grand Total	3	87 (146)		278	2200 (2334)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 49	
	21/10	28/10	04/11	11/11	18/11	25/11	02/12	09/12	2021	2020
	Salmonella Total	12	13	14	13	18	19	14	3	873
Serotype/Phage										
Salmonella Aberdeen								1	3	0
Salmonella Adelaide	1		2						13	4
Salmonella Agona						1			5	6
Salmonella Anatum									9	15
Salmonella Bahrenfeld									2	1
Salmonella Ball								1	3	0
Salmonella Bareilly									3	3
Salmonella Birkenhead									5	3
Salmonella Bonn									1	0
Salmonella Bovismorbificans									5	11
Salmonella Bredeney									1	1
Salmonella Bukavu									1	0
Salmonella Cerro									3	2
Salmonella Chailey									1	2
Salmonella Chester	1	1		1	2				15	25
Salmonella Choleraesuis bv Australia					1				6	19
Salmonella Choleraesuis bv Decatur			1						9	10
Salmonella Corvallis									2	3
Salmonella Eastbourne									4	3
Salmonella Emmastad									1	0
Salmonella Enteritidis	1	1							10	47
Salmonella Fremantle subsp II			1						4	5
Salmonella Gaminara									1	0
Salmonella Give		1				1	1		7	8
Salmonella Havana				1					3	5
Salmonella Hessarek					1				2	1
Salmonella Houten subsp IV									3	1
Salmonella Hvittingfoss									4	6
Salmonella Infantis	1		1				1		32	28
Salmonella Irumu									1	0
Salmonella Johannesburg									2	1
Salmonella Kalumburu									2	0
Salmonella Kentucky									1	3
Salmonella Kiambu									4	5
Salmonella Kirkee									1	0
Salmonella Kottbus									3	4
Salmonella Lansing									1	4
Salmonella Litchfield									4	4
Salmonella Liverpool									1	0
Salmonella Livingstone									1	0
Salmonella Lohbruegge subsp IV									1	1
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	2
Salmonella Meleagridis									1	0
Salmonella Mississippi									1	1
Salmonella Montevideo									2	2
Salmonella Muenchen									16	26
Salmonella Newport				1	1				14	14
Salmonella Ohio									1	0

Weekly Report for period 15-OCT-21 to 09-DEC-21

	21/10	28/10	04/11	11/11	18/11	25/11	02/12	09/12	Cumulative Total to end of Week 49	
									2021	2020
Salmonella Total	12	13	14	13	18	19	14	3	873	1615
Serotype/Phage										
Salmonella Ohlstedt									1	0
Salmonella Onderstepoort									1	0
Salmonella Oranienburg		1			1				10	7
Salmonella Orientalis					1				3	3
Salmonella Orion									7	3
Salmonella Oslo									1	1
Salmonella Paratyphi B bv Java						1			8	24
Salmonella Poona						1			7	3
Salmonella Potsdam					1	1			9	15
Salmonella Reading									6	6
Salmonella Richmond									1	1
Salmonella Rissen									4	4
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0
Salmonella Saintpaul	1	1	1	1	5	1	1		40	40
Salmonella Senftenberg									2	8
Salmonella Singapore									3	5
Salmonella Stanley				1	1	3			11	10
Salmonella Tennessee									4	2
Salmonella Thompson									1	3
Salmonella Typhimurium	6	7	6	6	3	8	6		438	1092
Salmonella Urbana									2	1
Salmonella Virchow							1		28	20
Salmonella Wandsbek subsp II		1							3	5
Salmonella Wandsworth					1				2	2
Salmonella Welikade	1			2					3	4
Salmonella Weltevreden									2	6
Salmonella Zanzibar									3	2
Salmonella species			2			2	4	1	49	68
Salmonella subsp 1 ser rough:-:-									1	0
Salmonella subsp I									1	0
Salmonella subsp I ser 16:l,v:-									2	3
Salmonella subsp IV ser									1	0