



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 12-MAR-22 to 06-MAY-22

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

Weekly Report for period 12-MAR-22 to 06-MAY-22

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 18			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	2022	2021	2020			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (unspecified)	4	7	7	5	14	5	4	15	136	260	154	38	36.7	1.0
Hepatitis C (newly acquired)		2				3		2	21	24	25	5	8.3	0.6
Hepatitis C (unspecified)	13	12	17	15	10	9	5	16	244	386	270	40	68.5	0.6
Hepatitis D									1	2	0	0	0.5	0.0
<b>Enteric diseases</b>														
Campylobacteriosis	65	64	41	57	57	54	55	60	1066	1031	964	226	198.1	1.1
Cryptosporidiosis	12	4	8	11	2	2	7	5	135	55	444	16	27.5	0.6
Hepatitis A									2	1	6	0	1.0	0.0
Listeriosis									1	2	1	0	0.3	0.0
Rotavirus	2	6	4	7	3	8	5	4	119	48	83	20	26.0	0.8
STEC/VTEC infection	7	10	6	4	3	4	5	2	75	43	55	14	7.9	1.8
Salmonellosis	18	25	31	27	19	16	14	10	372	467	811	59	170.5	0.3
Shigellosis	1	4	4	2	2	3	3	2	39	28	126	10	15.4	0.6
Typhoid		1							5	1	3	0	0.5	0.0
Vibrio parahaemolyticus								1	3	3	2	1	1.0	1.0
Yersiniosis	1	2	1				1		8	13	4	1	1.4	0.7
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	217	193	162	174	158	139	165	185	3595	3842	3945	647	848.3	0.8
Gonorrhoea	53	51	44	51	43	41	56	59	973	963	1458	199	260.3	0.8
Syphilis (congenital)									2	3	0	0	0.3	0.0
Syphilis - Infectious	14	13	9	16	13	13	18	31	300	301	225	75	43.3	1.7
Syphilis - Non-Infectious	7	6	6	2	4	3	1	3	72	64	69	11	16.3	0.7
<b>Vaccine preventable diseases</b>														
Influenza	1	1	3	1	1	7	8	17	44	11	1150	33	437.9	0.1
Mumps			1						1	1	8	0	1.6	0.0
Pertussis	1		3		1	1		2	16	11	93	4	47.3	0.1
Pneumococcal infection	1		4	2	2	1	4	3	41	25	37	10	11.5	0.9
Varicella (chicken pox)	6	4	6	8	2	3	3	2	108	146	144	10	35.4	0.3
Varicella (shingles)	52	59	58	36	36	32	9	5	792	1007	831	82	174.3	0.5
Varicella (unspecified)	53	52	48	46	47	41	49	68	913	591	467	205	117.3	1.7
<b>Vector-borne diseases</b>														
Barmah Forest virus	1						1		8	6	9	1	3.0	0.3
Chikungunya	1								1	0	6	0	0.3	0.0
Dengue fever	1						1		3	0	62	1	11.9	0.1
Malaria	1	1		1	1			1	8	4	24	2	3.0	0.7
Ross River virus	17	14	12	11	5	3	5	4	368	355	137	17	66.5	0.3
Typhus				1		1		1	4	6	11	2	1.3	1.5
<b>Zoonotic diseases</b>														
Q Fever									1	1	2	0	0.7	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis	1	1				2		1	9	1	1	3	0.4	7.5
COVID-19	103	62	50	26	29	13	9		647	143	552	51	47.3	1.1
Creutzfeldt-Jakob disease									1	3	2	0	0.7	0.0
Legionellosis	1	1			2	4	1	1	20	19	22	8	4.9	1.6
Leprosy									1	0	0	0	0.2	0.0
Melioidosis			1						1	3	4	0	0.7	0.0
Meningococcal infection						1			5	6	4	1	1.1	0.9
RSV	31	43	32	16	17	10	6	5	909	2	0	38	0.0	0.0
Tuberculosis	4		3	1	1	3	3		30	41	43	7	9.9	0.7
iGAS	2	5	3	1	5	5	3	5	67	0	0	18	0.0	0.0
<b>Grand Total</b>	<b>691</b>	<b>643</b>	<b>564</b>	<b>521</b>	<b>477</b>	<b>427</b>	<b>441</b>	<b>510</b>						

**METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])**

Disease Category/Disease	Week Ending								Cumulative Total to end of week 18			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	2022	2021	2020			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (unspecified)	3	5	5	3	11	4	3	13	107	186	132	31	30.7	1.0
Hepatitis C (newly acquired)		2				1		2	16	21	21	3	6.5	0.5
Hepatitis C (unspecified)	9	8	12	12	10	9	4	12	181	276	193	35	47.9	0.7
Hepatitis D									1	2	0	0	0.3	0.0
<b>Enteric diseases</b>														
Campylobacteriosis	49	49	33	41	45	46	43	44	846	805	773	178	156.3	1.1
Cryptosporidiosis	8	4	6	9	2	2	2	3	101	20	391	9	16.5	0.5
Hepatitis A									1	1	5	0	0.7	0.0
Listeriosis									1	1	0	0	0.1	0.0
Rotavirus	1	5	3	7	2	6	5	3	100	43	69	16	15.4	1.0
STEC/VTEC infection	4	5	3		1	4	4	2	50	31	44	11	6.1	1.8
Salmonellosis	14	16	23	19	15	9	9	7	263	328	620	40	127.5	0.3
Shigellosis	1	1	1	1	1	1	1	1	16	6	68	4	6.2	0.6
Typhoid		1							5	0	3	0	0.4	0.0
Vibrio parahaemolyticus								1	3	3	2	1	0.7	1.4
Yersiniosis	1	1	1				1		7	8	4	1	1.0	1.0
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	164	159	130	149	132	111	135	135	2848	3045	3059	513	664.7	0.8
Gonorrhoea	31	31	31	35	29	23	37	33	615	568	1026	122	177.6	0.7
Syphilis - Infectious	9	10	6	15	10	10	12	25	219	160	136	57	26.8	2.1
Syphilis - Non-Infectious	5	3	6	2	1	2		2	45	48	56	5	12.2	0.4
<b>Vaccine preventable diseases</b>														
Influenza	1	1	1	1	1	4	6	11	30	6	924	22	322.6	0.1
Pertussis	1		3		1	1		2	14	9	72	4	31.9	0.1
Pneumococcal infection	1		1	2				1	16	13	15	1	6.7	0.1
Varicella (chicken pox)	3	3	4	5	1	2	2	2	78	106	97	7	25.7	0.3
Varicella (shingles)	30	39	41	28	27	22	4	1	543	711	598	54	123.1	0.4
Varicella (unspecified)	48	48	45	42	43	39	45	59	839	567	447	186	113.3	1.6
<b>Vector-borne diseases</b>														
Chikungunya	1								1	0	2	0	0.3	0.0
Dengue fever	1						1		3	0	48	1	9.3	0.1
Malaria	1	1		1	1				7	3	18	1	2.7	0.4
Ross River virus	11	7	5	6	4	1	3	2	246	193	68	10	36.1	0.3
Typhus				1					1	0	6	0	0.7	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis								1	1	0	0	1	0.0	0.0
COVID-19	92	53	42	16	23	12	8		522	59	370	43	28.3	1.5
Creutzfeldt-Jakob disease									1	3	2	0	0.5	0.0
Legionellosis		1				4		1	12	12	10	5	3.3	1.5
Leprosy									1	0	0	0	0.2	0.0
Meningococcal infection						1			5	2	2	1	0.5	1.9
RSV	8	10	12	8	9	7	4	2	436	0	0	22	0.0	0.0
Tuberculosis	4		3	1		3	3		24	38	41	6	8.6	0.7
iGAS	2	3	2	1	2	1	2	3	39	0	0	8	0.0	0.0
<b>Grand Total</b>	<b>503</b>	<b>466</b>	<b>419</b>	<b>405</b>	<b>371</b>	<b>325</b>	<b>334</b>	<b>368</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (unspecified)	1	7 (6)	3.4	3	7 (7)	3.9	9	17 (12)	7.6
Hepatitis C (newly acquired)				1	1 (2)	0.7	1	2 (2)	1.5
Hepatitis C (unspecified)	2	6 (8)	3.7	5	14 (18)	10.6	5	15 (29)	11.2
Hepatitis D			0.1						
<b>Enteric diseases</b>									
Campylobacteriosis	18	57 (51)	39.1	12	57 (46)	42.8	14	64 (64)	36.6
Cryptosporidiosis	3	5 (1)	3.4		(4)	1.9		4 (4)	8.5
Hepatitis A						0.1			
Listeriosis			0.1						
Rotavirus	2	4 (5)	3.5	1	6 (1)	4.9		6 (5)	5.6
STEC/VTEC infection	1	2 (1)	1.4		5 (1)	2.4	1	4 (4)	3.3
Salmonellosis	1	21 (20)	11.9	3	8 (16)	10.7	3	11 (16)	14.0
Shigellosis		1	0.7		1 (1)	0.6	1	2	0.9
Typhoid									0.7
Vibrio parahaemolyticus							1	1	0.4
Yersiniosis			0.4		1 (1)	0.4			0.1
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	39	138 (195)	114.8	40	154 (196)	127.4	56	221 (249)	155.2
Gonorrhoea	12	30 (34)	22.1	6	31 (31)	26.8	15	61 (56)	36.8
Syphilis (congenital)									
Syphilis - Infectious	4	16 (8)	7.7	4	10 (12)	7.2	17	31 (17)	15.4
Syphilis - Non-Infectious	1	1 (1)	1.6	1	2 (1)	1.9		2 (1)	2.7
<b>Vaccine preventable diseases</b>									
Influenza	5	11	2.0	1	4	0.6	5	7 (1)	1.5
Mumps									
Pertussis	1	1	0.7	1	2	0.7		1 (1)	0.5
Pneumococcal infection	1	1 (1)	0.5		(2)	1.0		(3)	0.7
Varicella (chicken pox)		2 (9)	4.3	1	3 (9)	4.0	1	2 (4)	2.6
Varicella (shingles)		14 (45)	25.7	1	27 (57)	30.0		13 (44)	20.6
Varicella (unspecified)	21	63 (26)	37.4	15	57 (40)	42.8	23	66 (39)	37.4
<b>Vector-borne diseases</b>									
Barmah Forest virus									0.1
Chikungunya						0.1			
Dengue fever		1	0.1			0.3			
Malaria			0.5		1	0.3			0.1
Ross River virus		1 (12)	5.7	1	4 (14)	16.6	1	5 (18)	12.6
Typhus						0.1			
<b>Zoonotic diseases</b>									
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)				1	1	0.1			
COVID-19		17 (11)	24.5		10 (2)	18.3		16 (7)	29.5
Creutzfeldt-Jakob disease						0.1			
Legionellosis		1 (3)	0.8	1	3	0.4		1	0.4
Leprosy									0.1
Melioidosis									
Meningococcal infection			0.3		(1)	0.1		1	0.3
RSV		5	16.9	2	8	22.5		9	21.7
Tuberculosis		1 (1)	1.1		1 (5)	0.4		4 (6)	1.8
iGAS			1.4	1	4	2.2	2	4	1.9
<b>Grand Total</b>	<b>112</b>	<b>406 (438)</b>		<b>101</b>	<b>422 (467)</b>		<b>155</b>	<b>570 (582)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (unspecified)		2	4.3				1 (1)	4.0	
Hepatitis C (newly acquired)			1.6		2	3.3			
Hepatitis C (unspecified)		(6)	7.6	1	1 (4)	19.5	(2)	10.8	
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	5	17 (22)	47.8	5	12 (6)	70.0	3 (7)	26.9	
Cryptosporidiosis	1	1 (5)	2.7		1 (1)	6.5		1.3	
Hepatitis A			0.5						
Listeriosis									
Rotavirus			2.2		(1)	3.3	2	5.4	
STEC/VTEC infection		(2)	3.3		1	4.9		6.7	
Salmonellosis	1	5 (3)	19.6		2 (2)	9.8	(4)	12.1	
Shigellosis									
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis							(1)	1.3	
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	4	17 (40)	79.4	4	12 (12)	61.8	4	6 (10)	71.4
Gonorrhoea	1	3 (6)	12.0	2	2 (1)	9.8	1	3 (4)	16.2
Syphilis (congenital)									
Syphilis - Infectious		(1)	1.1		(3)	3.3		5.4	
Syphilis - Non-Infectious		1 (1)	2.2			1.6		1.3	
<b>Vaccine preventable diseases</b>									
Influenza		3 (1)	2.2	1	1 (2)	1.6			
Mumps									
Pertussis									
Pneumococcal infection			0.5		1	3.3	1 (1)	1.3	
Varicella (chicken pox)		1 (4)	7.6		(3)	1.6	1	2.7	
Varicella (shingles)	3	20 (28)	67.4		2 (10)	42.3	2 (4)	39.0	
Varicella (unspecified)				5	7	34.2	2	6 (3)	25.6
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Chikungunya									
Dengue fever									
Malaria									
Ross River virus		2 (9)	25.0		(3)	39.0	(8)	14.8	
Typhus		1	1.1	1	1	1.6			
<b>Zoonotic diseases</b>									
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)			4.3			9.8	2	24.2	
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis		1 (2)	1.6		1	1.6		1.3	
Leprosy									
Melioidosis									
Meningococcal infection									
RSV	2	3	39.7			43.9		18.8	
Tuberculosis			1.1						
iGAS			2.7			3.3	1	1.3	
<b>Grand Total</b>	<b>17</b>	<b>77 (130)</b>		<b>19</b>	<b>46 (48)</b>		<b>7</b>	<b>28 (45)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (unspecified)	1	1 (1)	6.7	1	1 (1)	5.9			8.5
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	1	1 (6)	8.4		1 (1)	9.9		(2)	15.2
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	1	6 (5)	30.3	1	3 (9)	27.7	2	4 (1)	42.3
Cryptosporidiosis			1.7	1	2 (1)	4.0		1 (1)	15.2
Hepatitis A									
Listeriosis									
Rotavirus							1	2 (1)	5.1
STEC/VTEC infection		(1)	8.4		1	4.0		1	5.1
Salmonellosis	1	3 (3)	23.6			5.9		4 (8)	32.1
Shigellosis		1	6.7		3 (1)	9.9		1 (1)	6.8
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	8	16 (17)	165.0	12	21 (23)	203.8	6	26 (21)	192.9
Gonorrhoea		2 (5)	33.7	2	11 (21)	104.9	13	29 (15)	165.8
Syphilis (congenital)					(1)	2.0			1.7
Syphilis - Infectious	2	2 (1)	15.2	1	2 (2)	15.8	2	7 (9)	44.0
Syphilis - Non-Infectious		1	8.4	1	3 (1)	9.9		1	11.8
<b>Vaccine preventable diseases</b>									
Influenza	2	2	3.4				1	1	1.7
Mumps						2.0			
Pertussis			1.7			2.0			
Pneumococcal infection			3.4	1	3	17.8	1	3	8.5
Varicella (chicken pox)		(1)	8.4		(2)	5.9			6.8
Varicella (shingles)		1 (5)	18.5		1 (4)	45.5	1	1 (4)	16.9
Varicella (unspecified)		3 (4)	42.1	1	1 (1)	4.0	1	1	1.7
<b>Vector-borne diseases</b>									
Barmah Forest virus						2.0			1.7
Chikungunya									
Dengue fever									
Malaria									
Ross River virus	1	1 (9)	10.1		1 (4)	4.0		(1)	15.2
Typhus									
<b>Zoonotic diseases</b>									
Q Fever			1.7						
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		1	37.0		1	19.8		2	11.8
Creutzfeldt-Jakob disease									
Legionellosis		1	1.7			2.0			
Leprosy									
Melioidosis									
Meningococcal infection									
RSV	1	1	133.0			11.9			162.4
Tuberculosis			1.7		1	2.0			
iGAS			5.1	1	1	5.9	1	3	10.2
<b>Grand Total</b>	<b>18</b>	<b>43 (58)</b>		<b>22</b>	<b>57 (72)</b>		<b>29</b>	<b>87 (64)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (unspecified)		1 (1)	11.6	15	38 (29)	5.1
Hepatitis C (newly acquired)				2	5 (6)	0.8
Hepatitis C (unspecified)	1	1	20.3	16	40 (77)	9.2
Hepatitis D				0	0 (0)	0.0
<b>Enteric diseases</b>						
Campylobacteriosis		1 (2)	20.3	60	226 (213)	39.9
Cryptosporidiosis		1 (4)	29.1	5	16 (22)	5.1
Hepatitis A				0	0 (1)	0.1
Listeriosis				0	0 (1)	0.0
Rotavirus			17.4	4	20 (13)	4.5
STEC/VTEC infection			2.9	2	14 (9)	2.8
Salmonellosis	1	4 (5)	52.3	10	59 (79)	13.9
Shigellosis	1	1 (2)	26.1	2	10 (5)	1.5
Typhoid				0	0 (0)	0.2
Vibrio parahaemolyticus				1	1 (0)	0.1
Yersiniosis				0	1 (3)	0.3
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	7	24 (45)	459.0	185	647 (816)	134.6
Gonorrhoea	7	25 (28)	412.5	59	199 (202)	36.4
Syphilis (congenital)				0	0 (1)	0.1
Syphilis - Infectious	1	6 (11)	84.3	31	75 (64)	11.2
Syphilis - Non-Infectious		(1)	8.7	3	11 (7)	2.7
<b>Vaccine preventable diseases</b>						
Influenza				17	33 (4)	1.6
Mumps				0	0 (0)	0.0
Pertussis				2	4 (1)	0.6
Pneumococcal infection			11.6	3	10 (7)	1.5
Varicella (chicken pox)				2	10 (32)	4.0
Varicella (shingles)		(5)	55.2	5	82 (206)	29.7
Varicella (unspecified)		1	8.7	68	205 (113)	34.2
<b>Vector-borne diseases</b>						
Barmah Forest virus		1 (1)	11.6	0	1 (2)	0.3
Chikungunya				0	0 (0)	0.0
Dengue fever				0	1 (0)	0.1
Malaria				1	2 (0)	0.3
Ross River virus	1	3 (4)	66.8	4	17 (82)	13.8
Typhus				1	2 (0)	0.1
<b>Zoonotic diseases</b>						
Q Fever				0	0 (1)	0.0
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)		2 (1)	23.2	1	3 (1)	0.3
COVID-19		1	14.5	0	51 (60)	7774.7
Creutzfeldt-Jakob disease				0	0 (1)	0.0
Legionellosis			2.9	1	8 (5)	0.7
Leprosy				0	0 (0)	0.0
Melioidosis			2.9	0	0 (1)	0.0
Meningococcal infection				0	1 (3)	0.2
RSV		10	491.0	5	38 (0)	34.0
Tuberculosis				0	7 (12)	0.9
iGAS		5	23.2	5	18 (0)	2.5
<b>Grand Total</b>	<b>19</b>	<b>87 (110)</b>		<b>510</b>	<b>1855 (2081)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 18	
	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	2022	2021
	<b>Salmonella Total</b>	<b>18</b>	<b>25</b>	<b>31</b>	<b>27</b>	<b>19</b>	<b>16</b>	<b>14</b>	<b>10</b>	<b>372</b>
<b>Serotype/Phage</b>										
Salmonella Agona									6	3
Salmonella Amsterdam				1					1	0
Salmonella Anatum								1	5	4
Salmonella Anatum var 15+						1			1	0
Salmonella Bareilly									0	3
Salmonella Bleadon subsp II			1						1	0
Salmonella Bovismorbificans				1	1				5	4
Salmonella Braenderup									1	0
Salmonella Cerro									1	2
Salmonella Chester		1	1	1		1	1		6	5
Salmonella Choleraesuis bv Australia	1					1			5	3
Salmonella Choleraesuis bv Decatur		2		1					6	7
Salmonella Corvallis				1					1	2
Salmonella Eastbourne									2	2
Salmonella Enteritidis				1				1	3	6
Salmonella Essen									0	0
Salmonella Fremantle subsp II					1				1	3
Salmonella Give									3	4
Salmonella Give var 15+									0	0
Salmonella Havana		1							2	1
Salmonella Houten subsp IV									1	2
Salmonella Hvittingfoss									1	2
Salmonella Infantis					1		1		6	20
Salmonella Irumu									1	1
Salmonella Johannesburg		2							2	1
Salmonella Kiambu				1	1		1		7	2
Salmonella Litchfield									3	3
Salmonella Mgulani			1						2	0
Salmonella Muenchen	2	1				1	1		10	6
Salmonella Newport									2	7
Salmonella Ohlstedt									2	0
Salmonella Oranienburg	1	1			1				13	3
Salmonella Orion					1		1		5	3
Salmonella Orion var 15+									1	0
Salmonella Paratyphi B bv Java			1				1		3	1
Salmonella Poona									0	4
Salmonella Potsdam		1		1					4	7
Salmonella Reading			1						6	6
Salmonella Rissen									1	2
Salmonella Rubislaw									3	1
Salmonella Ruiru									1	0
Salmonella Saintpaul	2	2	1	1		2	1	1	16	16
Salmonella Schwarzengrund							1		1	0
Salmonella Senftenberg		1				1			2	2
Salmonella Stanley		1							10	3
Salmonella Tennessee				1	1				3	2
Salmonella Thompson									1	0
Salmonella Typhimurium	7	8	22	12	8	7	6	2	162	257
Salmonella Virchow				1					3	9



# Weekly Report for period 12-MAR-22 to 06-MAY-22

	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	Cumulative Total to end of Week 18	
									2022	2021
<b>Salmonella Total</b>	<b>18</b>	<b>25</b>	<b>31</b>	<b>27</b>	<b>19</b>	<b>16</b>	<b>14</b>	<b>10</b>	<b>372</b>	<b>441</b>
<b>Serotype/Phage</b>										
Salmonella Wandsbek subsp II									0	1
Salmonella Wandsworth									1	1
Salmonella Welikade									2	0
Salmonella Weltevreden		1							2	2
Salmonella species	4	2	2	3	4	2		5	40	26
Salmonella subsp 1 ser 4,5:d:-		1	1	1					3	0
Salmonella subsp I ser 16:l,v:-	1								1	2
Salmonella subsp IIIb 61:l,v:z35									1	0