



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 18-JUN-22 to 12-AUG-22

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

Weekly Report for period 18-JUN-22 to 12-AUG-22

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 32			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	24/06	01/07	08/07	15/07	22/07	29/07	05/08	12/08	2022	2021	2020			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)								1	2	7	10	1	1.3	0.8
Hepatitis B (unspecified)	10	10	14	10	9	11	6	9	262	370	314	35	41.1	0.9
Hepatitis C (newly acquired)	1	4		1	2	1			38	42	64	3	8.0	0.4
Hepatitis C (unspecified)	19	8	26	15	11	21	18	21	459	579	493	71	69.0	1.0
Hepatitis D						1			4	5	2	1	0.7	1.5
<b>Enteric diseases</b>														
Campylobacteriosis	77	91	80	65	82	85	73	72	2113	1787	1581	312	252.8	1.2
Cryptosporidiosis	4	3	4	1	3		3	9	199	86	465	15	7.7	2.0
Hepatitis A									4	1	6	0	0.6	0.0
Listeriosis		1				1			3	3	3	1	0.7	1.5
Rotavirus	2	4	4	3	4	6	5	5	177	128	129	20	33.4	0.6
STEC/VTEC infection	3	5	11	3	3	4	4		130	66	75	11	6.4	1.7
Salmonellosis	10	14	18	11	10	7	10	10	539	644	1240	37	110.5	0.3
Shigellosis	3	6	5	1	6	3	4	4	92	63	170	17	16.6	1.0
Typhoid					1		1		8	2	3	2	0.6	3.3
Vibrio parahaemolyticus									3	3	2	0	0.6	0.0
Yersiniosis	1	2	1	2		2	2	1	23	21	10	5	1.7	3.0
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	244	214	215	210	199	228	226	197	6720	6815	6822	850	865.0	1.0
Gonorrhoea	66	64	71	57	66	63	73	56	1904	1782	2384	258	260.0	1.0
Syphilis (congenital)									2	3	2	0	0.2	0.0
Syphilis - Infectious	14	18	18	14	13	13	10	9	472	509	434	45	43.5	1.0
Syphilis - Non-Infectious	6	9	5	1	2	2	5	2	132	163	140	11	18.0	0.6
<b>Vaccine preventable diseases</b>														
H. influenzae type b				1					1	0	1	0	0.1	0.0
Influenza	1077	1418	2124	1801	1147	857	645	476	11688	23	1197	3125	1030.6	3.0
Mumps									1	1	9	0	1.1	0.0
Pertussis	1						1		18	24	110	1	61.2	0.0
Pneumococcal infection	7	10	8	12	5	7	5	5	134	96	98	22	24.6	0.9
Varicella (chicken pox)	8	5	5	9	6	6	10	2	205	254	299	24	54.1	0.4
Varicella (shingles)	38	48	39	43	28	42	37	16	1394	1651	1539	123	173.4	0.7
Varicella (unspecified)	51	29	27	51	39	62	55	77	1529	1022	921	233	119.5	1.9
<b>Vector-borne diseases</b>														
Barmah Forest virus									12	10	16	0	1.5	0.0
Chikungunya							1		4	0	7	1	0.5	1.9
Dengue fever	1	2	1		2	1			16	0	62	3	9.3	0.3
Malaria		1	3						16	10	27	0	3.1	0.0
Murray Valley encephalitis virus			1						1	0	0	0	0.1	0.0
Ross River virus	1	1		1	1	2			393	521	189	3	24.7	0.1
Typhus		1	1			1			9	11	16	1	1.5	0.7
<b>Zoonotic diseases</b>														
Q Fever		1					1		5	2	4	1	0.5	2.1
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis	1								13	5	2	0	0.8	0.0
COVID-19	11198	11248	14491	16048	14384	10819	7862	5536	443296	205	648	38601	8.9	4321.0
Legionellosis		3	2	2		1	1		39	38	47	2	3.1	0.7
Leprosy									1	2	1	0	0.1	0.0
Melioidosis									3	4	5	0	0.5	0.0
Meningococcal infection			1						11	6	7	0	2.2	0.0
Monkeypox virus						1		2	3	0	0	3	0.0	0.0
RSV	41	65	107	185	225	295	363	455	3005	2	0	1338	0.0	0.0
Tuberculosis	2	3	1	2	1	1	1		51	81	76	3	10.9	0.3
iGAS	2	6	6	7	3	3	4	2	117	0	0	12	0.3	45.0
<b>Grand Total</b>	<b>12888</b>	<b>13294</b>	<b>17289</b>	<b>18556</b>	<b>16252</b>	<b>12546</b>	<b>9426</b>	<b>6967</b>						

**METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])**

Disease Category/Disease	Week Ending								Cumulative Total to end of week 32			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	24/06	01/07	08/07	15/07	22/07	29/07	05/08	12/08	2022	2021	2020			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)								1	2	6	6	1	0.8	1.3
Hepatitis B (unspecified)	8	9	12	8	9	10	6	9	217	273	266	34	34.3	1.0
Hepatitis C (newly acquired)	1	3		1	2	1			30	37	48	3	6.0	0.5
Hepatitis C (unspecified)	11	5	19	11	9	15	16	15	337	421	348	55	49.8	1.1
Hepatitis D						1			3	5	1	1	0.6	1.7
<b>Enteric diseases</b>														
Campylobacteriosis	61	75	61	45	67	64	56	59	1659	1383	1262	246	198.5	1.2
Cryptosporidiosis	3	3	2	1	2		2	8	149	32	406	12	5.3	2.3
Hepatitis A									3	1	5	0	0.4	0.0
Listeriosis		1				1			3	1	2	1	0.6	1.7
Rotavirus	1	4	3	3	2	4	5	4	151	116	102	15	24.2	0.6
STEC/VTEC infection	1	3	6	2	2		2		77	51	56	4	5.4	0.7
Salmonellosis	7	9	13	9	7	6	5	7	377	449	942	25	85.1	0.3
Shigellosis	3	5	2	1	3	2	4	2	48	17	82	11	9.4	1.2
Typhoid					1				6	1	3	1	0.5	1.9
Vibrio parahaemolyticus									3	3	2	0	0.5	0.0
Yersiniosis	1	2	1	2		2	2	1	22	16	9	5	1.7	3.0
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	179	163	156	166	163	185	179	150	5291	5377	5291	677	672.2	1.0
Gonorrhoea	39	45	49	35	44	35	47	40	1219	1116	1649	166	175.7	0.9
Syphilis - Infectious	5	7	11	10	6	7	5	6	307	287	283	24	27.6	0.9
Syphilis - Non-Infectious	3	5	4		1	2	2		74	112	116	5	12.9	0.4
<b>Vaccine preventable diseases</b>														
Influenza	613	928	1652	1389	929	721	558	401	8531	12	957	2609	831.1	3.1
Pertussis	1						1		15	20	88	1	41.9	0.0
Pneumococcal infection	3	5	4	7	2	3	3	3	68	55	31	11	14.0	0.8
Varicella (chicken pox)	7	4	3	9	4	6	10		154	186	216	20	39.1	0.5
Varicella (shingles)	29	29	30	34	19	31	20	6	963	1156	1107	76	122.7	0.6
Varicella (unspecified)	49	24	25	45	38	59	48	70	1413	983	883	215	115.4	1.9
<b>Vector-borne diseases</b>														
Barmah Forest virus									3	1	3	0	0.3	0.0
Chikungunya							1		4	0	3	1	0.5	2.1
Dengue fever	1	1	1		2	1			13	0	48	3	7.5	0.4
Malaria		1	3						15	8	21	0	2.6	0.0
Ross River virus	1	1		1	1	2			263	269	107	3	14.3	0.2
Typhus			1						3	3	8	0	0.8	0.0
<b>Zoonotic diseases</b>														
Q Fever		1							3	1	2	0	0.4	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis	1								3	0	0	0	0.0	0.0
COVID-19	9969	10011	12920	14165	12668	9467	6909	4869	391412	90	420	33913	4.3	7948.4
Legionellosis		1	2	2		1	1		30	23	30	2	2.4	0.8
Leprosy									1	2	1	0	0.1	0.0
Meningococcal infection			1						11	2	3	0	1.4	0.0
Monkeypox virus						1		2	3	0	0	3	0.0	0.0
RSV	29	41	87	156	201	269	320	418	2274	0	0	1208	0.0	0.0
Tuberculosis	1	3	1	2	1		1		40	75	73	2	10.3	0.2
iGAS	1	3	3	4	1	2	2		57	0	0	5	0.2	25.0
<b>Grand Total</b>	<b>11028</b>	<b>11392</b>	<b>15072</b>	<b>16108</b>	<b>14184</b>	<b>10898</b>	<b>8205</b>	<b>6071</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)				1	1 (1)	0.1			0.1
Hepatitis B (unspecified)	4	8 (11)	7.7	2	6 (5)	8.1	3	20 (11)	14.4
Hepatitis C (newly acquired)		(1)	0.5		1 (1)	1.8		2 (2)	1.9
Hepatitis C (unspecified)	5	14 (11)	7.7	7	22 (16)	19.5	3	19 (21)	20.2
Hepatitis D		(1)	0.3		1	0.1			
<b>Enteric diseases</b>									
Campylobacteriosis	19	95 (52)	78.0	18	70 (53)	81.7	22	81 (74)	72.5
Cryptosporidiosis	4	6 (2)	5.8		1	4.3	4	5 (1)	10.4
Hepatitis A						0.1			0.3
Listeriosis		1	0.4						
Rotavirus	1	4 (11)	5.7	1	5 (8)	7.0	2	6 (10)	8.4
STEC/VTEC infection		1 (2)	2.4		1 (1)	3.4		2 (6)	4.9
Salmonellosis	2	9 (5)	16.9	5	14 (7)	16.9		2 (8)	18.8
Shigellosis		1 (2)	2.0	1	3 (3)	1.6	1	7 (1)	3.0
Typhoid					1	0.1			0.7
Vibrio parahaemolyticus									0.4
Yersiniosis	1	1 (1)	1.2		1 (2)	1.2		3	0.7
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	49	227 (218)	218.8	46	190 (227)	233.9	55	260 (261)	285.1
Gonorrhoea	15	41 (47)	42.7	14	44 (42)	49.2	11	81 (83)	77.8
Syphilis (congenital)									
Syphilis - Infectious	2	4 (8)	11.2	2	5 (13)	10.0	2	15 (16)	21.3
Syphilis - Non-Infectious		1 (5)	2.8		1 (4)	2.5		3 (11)	4.9
<b>Vaccine preventable diseases</b>									
Influenza	148	828	406.4	96	779	369.0	157	1002	413.9
Mumps									
Pertussis			0.7		(3)	0.7		1 (2)	0.7
Pneumococcal infection	1	3 (1)	2.4		1 (1)	3.4	2	7 (7)	3.7
Varicella (chicken pox)		7 (6)	8.0		6 (10)	7.9		7 (7)	5.7
Varicella (shingles)	1	29 (45)	46.3	3	28 (41)	50.3	2	19 (48)	38.5
Varicella (unspecified)	30	92 (50)	67.8	19	58 (56)	69.6	21	65 (34)	60.3
<b>Vector-borne diseases</b>									
Barmah Forest virus						0.1			0.3
Chikungunya			0.3			0.1		1	0.1
Dengue fever		1	0.7		1	0.7		1	0.4
Malaria			0.9			0.7		(2)	0.4
Murray Valley encephalitis virus									
Ross River virus		1 (2)	6.2		2 (2)	17.2		(2)	13.8
Typhus						0.3			0.1
<b>Zoonotic diseases</b>									
Q Fever						0.1			0.3
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)			0.1			0.1			0.1
COVID-19	1851	12377	19007.9	1407	9759 (1)	17148.6	1611	11777 (1)	18429.2
Creutzfeldt-Jakob disease						0.1			0.1
Legionellosis		1	2.3			0.7		1 (3)	1.1
Leprosy									0.1
Melioidosis									
Meningococcal infection			0.5			0.7			0.3
Monkeypox virus							2	3	0.4
RSV	128	395	104.4	150	421	117.1	140	392	97.3
Tuberculosis		2 (4)	1.9			0.6		(2)	3.0
iGAS		3	2.3		1	2.4		1	3.3
<b>Grand Total</b>	<b>2261</b>	<b>14152 (485)</b>		<b>1772</b>	<b>11423 (497)</b>		<b>2038</b>	<b>13783 (613)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(3)	4.9		(1)	3.3			5.4
Hepatitis C (newly acquired)			1.6			6.5			
Hepatitis C (unspecified)	1	3 (4)	17.9		2	26.0		(3)	16.2
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	3	25 (27)	88.6		3 (10)	109.0	5	10 (6)	79.4
Cryptosporidiosis		1	5.4		1 (1)	9.8		(1)	2.7
Hepatitis A			0.5						
Listeriosis									
Rotavirus		2 (3)	3.8			3.3			5.4
STEC/VTEC infection		1	8.7			9.8			10.8
Salmonellosis	1	2 (3)	22.8		2 (1)	19.5	1	1	18.8
Shigellosis			1.1						
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									1.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	8	36 (36)	149.0	3	9 (14)	115.5	5	16 (13)	141.4
Gonorrhoea	2	3 (4)	17.4	1	1	13.0		3 (2)	25.6
Syphilis (congenital)									
Syphilis - Infectious			1.1		1	4.9		(1)	6.7
Syphilis - Non-Infectious		1	3.3			1.6	1	1 (2)	6.7
<b>Vaccine preventable diseases</b>									
Influenza	13	113	268.6	27	142	445.8	11	34	177.7
Mumps									
Pertussis									
Pneumococcal infection		1 (1)	2.7			3.3			4.0
Varicella (chicken pox)	2	3 (3)	11.4			8.1			6.7
Varicella (shingles)	7	30 (24)	118.0		2 (11)	81.3	1	3 (8)	59.2
Varicella (unspecified)			2.2	1	2	42.3	2	4 (1)	33.7
<b>Vector-borne diseases</b>									
Barmah Forest virus			1.1						
Chikungunya									
Dengue fever									1.3
Malaria									
Murray Valley encephalitis virus									
Ross River virus		(2)	27.2			34.2			18.8
Typhus		1	2.2			3.3			
<b>Zoonotic diseases</b>									
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	316	2213	11470.0	64	306	6250.6	61	366	5483.9
Creutzfeldt-Jakob disease									
Legionellosis			2.2						
Leprosy									
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV	10	33	66.3	9	17	92.7	2	11	44.4
Tuberculosis		1	1.6			3.3			
iGAS			3.8		1	4.9			4.0
<b>Grand Total</b>	<b>363</b>	<b>2469 (110)</b>		<b>105</b>	<b>489 (38)</b>		<b>89</b>	<b>449 (37)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			10.1		(1)	9.9		(2)	13.5
Hepatitis B (unspecified)									1.7
Hepatitis C (newly acquired)									23.7
Hepatitis C (unspecified)	1	3 (2)	37.0		(2)	17.8	1	2 (1)	
Hepatitis D			1.7						
<b>Enteric diseases</b>									
Campylobacteriosis	2	9 (5)	90.9		6 (5)	63.3	1	7 (4)	72.8
Cryptosporidiosis		(1)	3.4	1	1	11.9			16.9
Hepatitis A									
Listeriosis									
Rotavirus			3.4		1	4.0			6.8
STEC/VTEC infection		4	16.8			4.0			5.1
Salmonellosis		2 (2)	32.0			5.9		(2)	47.4
Shigellosis		(1)	6.7		1	15.8	1	2 (1)	16.9
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	6	14 (19)	267.7	7	17 (25)	352.2	9	25 (22)	395.9
Gonorrhoea		6 (1)	58.9	4	15 (20)	211.7	2	13 (18)	267.3
Syphilis (congenital)						2.0			1.7
Syphilis - Infectious	1	3 (1)	30.3		1 (2)	25.7	2	7 (12)	93.1
Syphilis - Non-Infectious			13.5		1	17.8	1	2 (4)	27.1
<b>Vaccine preventable diseases</b>									
Influenza	7	44	658.4	6	41	589.6	8	70	974.6
Mumps						2.0			
Pertussis		(1)	3.4			2.0			
Pneumococcal infection		1 (1)	11.8	1	4 (3)	37.6	1	3 (2)	20.3
Varicella (chicken pox)		(1)	10.1		(3)	7.9			13.5
Varicella (shingles)		1 (4)	35.4	1	2 (9)	75.2		3 (2)	32.1
Varicella (unspecified)	4	7 (3)	74.1		1	4.0			
<b>Vector-borne diseases</b>									
Barmah Forest virus						4.0			
Chikungunya									
Dengue fever									
Malaria									
Murray Valley encephalitis virus									
Ross River virus		(4)	10.1			4.0		(1)	15.2
Typhus									
<b>Zoonotic diseases</b>									
Q Fever			1.7		1	2.0			
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)						2.0			
COVID-19	61	344	7417.8	23	172	5247.0	56	544	9881.7
Creutzfeldt-Jakob disease									
Legionellosis		(1)	1.7			2.0			1.7
Leprosy									
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV	3	9	165.0	6	34	132.6	6	15	201.4
Tuberculosis			1.7			2.0			
iGAS	1	1	13.5		1	9.9	1	3	27.1
<b>Grand Total</b>	<b>86</b>	<b>448 (47)</b>		<b>49</b>	<b>299 (70)</b>		<b>89</b>	<b>696 (71)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				1	1 (1)	0.1
Hepatitis B (unspecified)		1	20.3	9	35 (35)	9.8
Hepatitis C (newly acquired)				0	3 (5)	1.4
Hepatitis C (unspecified)	2	4 (2)	29.1	21	71 (62)	17.3
Hepatitis D				0	1 (1)	0.1
<b>Enteric diseases</b>						
Campylobacteriosis	1	5 (2)	58.1	72	312 (242)	79.1
Cryptosporidiosis		(2)	34.9	9	15 (8)	7.5
Hepatitis A				0	0 (0)	0.1
Listeriosis				0	1 (0)	0.1
Rotavirus	2	3	17.4	6	21 (32)	6.7
STEC/VTEC infection		2	17.4	0	11 (9)	4.9
Salmonellosis	1	3 (1)	93.0	10	37 (31)	20.2
Shigellosis		2 (5)	49.4	4	17 (13)	3.4
Typhoid				0	2 (0)	0.3
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				1	5 (3)	0.9
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	7	44 (35)	990.7	197	850 (885)	251.6
Gonorrhoea	7	48 (32)	891.9	56	258 (253)	71.3
Syphilis (congenital)				0	0 (0)	0.1
Syphilis - Infectious		9 (7)	188.8	9	45 (60)	17.7
Syphilis - Non-Infectious		1	29.1	2	11 (26)	4.8
<b>Vaccine preventable diseases</b>						
Influenza	1	51	2460.7	476	3125 (0)	437.7
Mumps				0	0 (0)	0.0
Pertussis				0	1 (6)	0.7
Pneumococcal infection		2 (3)	40.7	5	22 (19)	5.0
Varicella (chicken pox)				2	24 (32)	7.7
Varicella (shingles)	1	6 (4)	87.2	16	123 (199)	52.2
Varicella (unspecified)		2 (1)	11.6	77	233 (145)	57.3
<b>Vector-borne diseases</b>						
Barmah Forest virus			11.6	0	0 (1)	0.4
Chikungunya				0	1 (0)	0.1
Dengue fever				0	3 (0)	0.6
Malaria				0	0 (3)	0.6
Murray Valley encephalitis virus			2.9	0	0 (0)	0.0
Ross River virus		(2)	72.6	0	3 (15)	14.7
Typhus				0	1 (1)	0.3
<b>Zoonotic diseases</b>						
Q Fever				0	1 (0)	0.2
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)		(1)	26.1	0	0 (1)	0.5
COVID-19	30	268	13596.4	5536	38601 (16)	16600.5
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis			2.9	0	2 (5)	1.5
Leprosy				0	0 (0)	0.0
Melioidosis			8.7	0	0 (0)	0.1
Meningococcal infection				0	0 (0)	0.4
Monkeypox virus				2	3 (0)	0.1
RSV		2	534.6	455	1338 (0)	112.5
Tuberculosis				0	3 (6)	1.4
iGAS		1	46.5	2	12 (0)	4.4
<b>Grand Total</b>	<b>52</b>	<b>454 (97)</b>		<b>6968</b>	<b>45192 (2115)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 32	
	24/06	01/07	08/07	15/07	22/07	29/07	05/08	12/08	2022	2021
	<b>Salmonella Total</b>	<b>10</b>	<b>14</b>	<b>18</b>	<b>11</b>	<b>10</b>	<b>7</b>	<b>10</b>	<b>10</b>	<b>539</b>
<b>Serotype/Phage</b>										
Salmonella Aberdeen		1							1	2
Salmonella Agona			1				1		8	3
Salmonella Amsterdam									1	0
Salmonella Anatum									8	7
Salmonella Anatum var 15+									1	0
Salmonella Bareilly									0	3
Salmonella Bleadon subsp II									1	0
Salmonella Blukwa									1	0
Salmonella Bovismorbificans		1							7	5
Salmonella Braenderup									1	0
Salmonella Brandenburg		1							1	0
Salmonella Bredeney		1							1	1
Salmonella Cerro									1	2
Salmonella Chester		1				1	1		12	9
Salmonella Choleraesuis bv Australia									6	4
Salmonella Choleraesuis bv Decatur									6	7
Salmonella Corvallis	1							1	4	2
Salmonella Eastbourne									3	3
Salmonella Enteritidis		1		2	2				11	9
Salmonella Essen									0	0
Salmonella Fremantle subsp II									1	3
Salmonella Give		1							5	4
Salmonella Give var 15+									0	0
Salmonella Havana									3	1
Salmonella Hessarek				1					1	1
Salmonella Houten subsp IV									1	2
Salmonella Hvittingfoss	1		1		1				5	3
Salmonella Infantis									9	24
Salmonella Irumu									1	1
Salmonella Javiana			1	1					2	0
Salmonella Johannesburg									2	2
Salmonella Kentucky									3	1
Salmonella Kiambu									9	4
Salmonella Litchfield									3	4
Salmonella Mgulani									2	0
Salmonella Mississippi									1	1
Salmonella Montevideo	1								1	1
Salmonella Muenchen									12	13
Salmonella Newport			3						6	11
Salmonella Ohlstedt									2	0
Salmonella Oranienburg				1					16	5
Salmonella Orientalis									1	0
Salmonella Orion									7	6
Salmonella Orion var 15+									1	0
Salmonella Paratyphi B bv Java			4	1	1				15	6
Salmonella Poona									2	5
Salmonella Potsdam									4	7
Salmonella Reading									7	6
Salmonella Rissen		1	1						3	3



# Weekly Report for period 18-JUN-22 to 12-AUG-22

	24/06	01/07	08/07	15/07	22/07	29/07	05/08	12/08	Cumulative Total to end of Week 32	
									2022	2021
<b>Salmonella Total</b>	<b>10</b>	<b>14</b>	<b>18</b>	<b>11</b>	<b>10</b>	<b>7</b>	<b>10</b>	<b>10</b>	<b>539</b>	<b>610</b>
<b>Serotype/Phage</b>										
Salmonella Rubislaw	1								4	1
Salmonella Ruiru									1	0
Salmonella Saintpaul	2	1		1	1				28	22
Salmonella Schwarzengrund									1	0
Salmonella Senftenberg	1								3	2
Salmonella Stanley							1		15	4
Salmonella Tennessee									3	3
Salmonella Thompson									1	0
Salmonella Typhimurium	3	3	3	2		2	3	2	189	345
Salmonella Virchow		1			2	1	2	1	15	19
Salmonella Wandsbek subsp II									2	1
Salmonella Wandsworth									1	1
Salmonella Welikade									3	0
Salmonella Weltevreden						1	1		5	2
Salmonella Zanzibar									1	2
Salmonella species		1	4	2	3	1	1	6	56	34
Salmonella subsp 1 ser 4,5:d:-						1			4	0
Salmonella subsp I									1	1
Salmonella subsp I ser 16:l,v:-									2	2
Salmonella subsp IIIb 61:l,v:z35									2	0
Salmonella subsp IIIb 61:z52:z53									2	0
Salmonella subsp IIIb ser									1	0