



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 17-SEP-22 to 11-NOV-22

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 45			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	23/09	30/09	07/10	14/10	21/10	28/10	04/11	11/11	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1			1					5	8	15	0	1.5	0.0
Hepatitis B (unspecified)	6	7	12	12	6	9	5	12	385	486	447	32	36.1	0.9
Hepatitis C (newly acquired)				1		1	1	1	43	72	82	3	9.4	0.3
Hepatitis C (unspecified)	17	12	11	20	26	16	14	21	700	817	701	77	72.7	1.1
Hepatitis D				1					7	9	3	0	0.5	0.0
Enteric diseases														
Campylobacteriosis	90	60	99	104	108	88	94	101	3367	2624	2390	391	299.3	1.3
Cryptosporidiosis	5	1	5	2	4	4	2	5	253	109	485	15	10.2	1.5
Hepatitis A	1			1					11	1	6	0	0.7	0.0
Listeriosis			1						6	4	6	0	0.4	0.0
Rotavirus	6	3	10	10	11	7	8	6	267	474	157	32	52.7	0.6
STEC/VTEC infection	5	2	3	4	4	3	3	4	176	93	96	14	8.2	1.7
Salmonellosis	17	12	15	24	24	20	17	21	769	821	1571	82	133.5	0.6
Shigellosis	3	3	6	4	3	6	5	4	153	88	204	18	17.5	1.0
Typhoid	1			1			1	1	14	2	4	2	1.3	1.6
Vibrio parahaemolyticus									4	34	3	0	2.7	0.0
Yersiniosis	1	3	1	1	1	1	2	3	36	30	13	7	1.9	3.7
Sexually transmissible infections														
Chlamydia (genital)	183	202	242	223	248	229	223	178	9661	9605	9480	878	855.5	1.0
Gonorrhoea	64	56	65	66	71	69	70	41	2783	2579	3225	251	254.9	1.0
Syphilis (congenital)							1		3	4	3	1	0.1	7.5
Syphilis - Infectious	12	27	15	18	13	13	15	6	709	717	638	47	48.3	1.0
Syphilis - Non-Infectious	8	2	2	3	6	4	1	2	191	225	198	13	15.9	0.8
Vaccine preventable diseases														
Diphtheria		1							1	0	0	0	0.0	0.0
H. influenzae type b									1	0	3	0	0.1	0.0
Influenza	75	80	101	70	73	78	107	58	13489	29	1208	316	284.0	1.1
Mumps									1	1	10	0	0.9	0.0
Pertussis		1	1		1				24	45	117	1	53.7	0.0
Pneumococcal infection	2	7	6	7	6	7	4	4	206	160	152	21	16.4	1.3
Rubella (non-congenital)									1	3	0	0	0.1	0.0
Varicella (chicken pox)	13	9	8	15	5	11	9	2	352	420	550	27	60.8	0.4
Varicella (shingles)	39	41	43	45	67	40	54	21	2011	2351	2183	182	194.1	0.9
Varicella (unspecified)	58	51	54	57	49	52	63	70	2193	1511	1460	234	139.1	1.7
Vector-borne diseases														
Barmah Forest virus					2		2		21	17	21	4	2.1	1.9
Chikungunya			1						8	0	7	0	0.3	0.0
Dengue fever	3	1	3		6	3	1		51	0	62	10	9.3	1.1
Malaria		1		1	1	2	2	2	30	11	28	7	2.5	2.8
Murray Valley encephalitis virus									1	0	0	0	0.0	0.0
Ross River virus		5	2	1	4	2	2	2	426	606	358	10	44.9	0.2
Typhus		1	1				1		15	16	17	1	1.3	0.8
Zoonotic diseases														
Q Fever									4	2	5	0	0.4	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis									13	8	5	0	1.1	0.0
COVID-19	1271	1163	942	1055	1197	1374	1468	251	465141	259	787	4290	13.9	309.4
Creutzfeldt-Jakob disease									2	3	6	0	0.6	0.0
Legionellosis	1		2	1		1	1	1	52	60	64	3	5.6	0.5
Leprosy	1								2	4	1	0	0.3	0.0
Melioidosis									4	6	5	0	0.2	0.0
Meningococcal infection	1		1						15	8	9	0	2.7	0.0
Monkeypox virus									7	0	0	0	0.0	0.0
RSV	780	629	455	377	285	248	215	187	9949	9	0	935	10.3	90.5
Tuberculosis	1	1	2	5	3	3	2	5	85	113	119	13	9.9	1.3
iGAS	3	4	4	2	4	5	6	1	171	6	0	16	0.4	40.0
Grand Total	2668	2385	2113	2132	2228	2296	2399	1010						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 45			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	23/09	30/09	07/10	14/10	21/10	28/10	04/11	11/11	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1			1					4	7	7	0	1.2	0.0
Hepatitis B (unspecified)	5	6	12	9	4	8	5	12	320	368	378	29	28.9	1.0
Hepatitis C (newly acquired)						1	1		33	67	66	2	7.7	0.3
Hepatitis C (unspecified)	13	9	9	14	21	9	9	14	515	601	508	53	54.1	1.0
Hepatitis D									5	7	2	0	0.3	0.0
Enteric diseases														
Campylobacteriosis	70	46	80	75	76	64	70	62	2594	2022	1895	272	231.9	1.2
Cryptosporidiosis	2	1	3	1	3	3	1	3	185	42	418	10	5.7	1.7
Hepatitis A	1			1					10	1	5	0	0.7	0.0
Listeriosis			1						6	2	5	0	0.4	0.0
Rotavirus	3	2	8	8	8	5	5	4	214	324	125	22	41.5	0.5
STEC/VTEC infection	3			2	3	2	1	1	99	72	73	7	6.5	1.1
Salmonellosis	13	10	13	16	16	16	13	17	555	562	1208	62	101.4	0.6
Shigellosis	2	1	1	1	1	4	2	2	76	31	93	9	8.8	1.0
Typhoid	1			1			1	1	12	1	4	2	1.1	1.8
Vibrio parahaemolyticus									4	29	3	0	2.1	0.0
Yersiniosis	1	3			1	1	2	1	30	24	11	5	1.7	2.9
Sexually transmissible infections														
Chlamydia (genital)	132	146	187	156	195	163	164	138	7489	7602	7341	660	669.5	1.0
Gonorrhoea	45	31	41	42	42	43	43	31	1786	1640	2094	159	167.1	1.0
Syphilis - Infectious	4	16	7	12	8	5	9	5	450	405	417	27	31.4	0.9
Syphilis - Non-Infectious	4	1	1	1	4	2		1	106	149	162	7	11.9	0.6
Vaccine preventable diseases														
Diphtheria		1							1	0	0	0	0.0	0.0
Influenza	60	56	92	59	62	63	93	54	10017	17	968	272	206.8	1.3
Pertussis		1	1		1				19	38	93	1	39.2	0.0
Pneumococcal infection		5	2	4	5	5	4	1	110	93	58	15	9.1	1.7
Rubella (non-congenital)									1	2	0	0	0.1	0.0
Varicella (chicken pox)	10	8	5	12	3	7	8	2	269	317	413	20	46.7	0.4
Varicella (shingles)	28	26	32	29	38	23	37	6	1359	1655	1563	104	137.8	0.8
Varicella (unspecified)	49	49	54	55	48	50	57	68	2042	1488	1396	223	134.5	1.7
Vector-borne diseases														
Barmah Forest virus					1		1		8	3	3	2	0.5	3.8
Chikungunya									6	0	3	0	0.3	0.0
Dengue fever	2	1	2		3	3	1		42	0	48	7	8.0	0.9
Malaria		1		1	1	2	1	2	27	9	22	6	2.0	3.0
Ross River virus		2	1	1	2		2	2	279	313	184	6	24.7	0.2
Typhus		1					1		6	6	9	1	1.0	1.0
Zoonotic diseases														
Q Fever									3	1	2	0	0.2	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis									3	2	0	0	0.1	0.0
COVID-19	1098	1012	834	939	1041	1209	1277	223	410488	104	463	3750	5.0	750.0
Creutzfeldt-Jakob disease									2	3	5	0	0.5	0.0
Legionellosis			1	1		1	1	1	39	37	46	3	4.6	0.7
Leprosy									1	3	1	0	0.3	0.0
Meningococcal infection									11	3	4	0	1.5	0.0
Monkeypox virus									7	0	0	0	0.0	0.0
RSV	636	515	339	293	206	183	146	131	7933	7	0	666	7.3	90.8
Tuberculosis	1	1	2	4	3	3	1	3	69	104	112	10	8.9	1.1
iGAS	2	4	3	2	3	5	5		98	4	0	13	0.1	97.5
Grand Total	2186	1955	1731	1740	1799	1880	1961	785						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.1						0.4
Hepatitis B (unspecified)	2	6 (5)	11.4	4	9 (12)	11.3	6	14 (14)	21.7
Hepatitis C (newly acquired)			0.5		1 (5)	2.1		1 (6)	2.0
Hepatitis C (unspecified)	3	9 (11)	12.6	5	16 (26)	28.6	6	28 (25)	31.2
Hepatitis D			0.4			0.3			
Enteric diseases									
Campylobacteriosis	21	93 (85)	117.4	19	87 (74)	126.0	22	92 (80)	119.5
Cryptosporidiosis		3 (1)	9.2		2 (3)	4.8	3	5	11.5
Hepatitis A			0.1			0.1			1.1
Listeriosis			0.5			0.1			0.1
Rotavirus	1	4 (37)	7.6	1	6 (31)	10.4	2	12 (49)	11.9
STEC/VTEC infection	1	2 (3)	3.2		3 (2)	4.8		2 (4)	5.8
Salmonellosis	6	23 (9)	25.3	4	19 (11)	26.0	7	20 (15)	26.3
Shigellosis	1	3	3.4		3	3.1	1	3 (2)	4.1
Typhoid	1	1	0.1			0.7		1	0.8
Vibrio parahaemolyticus								(3)	0.5
Yersiniosis		1	1.4	1	4 (1)	2.2		(1)	0.7
Sexually transmissible infections									
Chlamydia (genital)	47	195 (217)	311.6	39	217 (203)	326.6	52	248 (268)	406.1
Gonorrhoea	15	50 (36)	62.7	4	36 (51)	71.7	12	73 (74)	114.1
Syphilis (congenital)									
Syphilis - Infectious	1	7 (10)	14.5		4 (12)	16.4	4	16 (12)	31.6
Syphilis - Non-Infectious		2 (2)	4.3		1 (3)	3.6	1	4 (4)	6.8
Vaccine preventable diseases									
Diphtheria						0.1			
H. influenzae type b									
Influenza	19	90 (1)	477.3	19	105 (1)	433.4	16	77 (1)	485.7
Mumps									
Pertussis		(2)	0.9		1 (1)	1.0		(2)	0.7
Pneumococcal infection	1	6 (3)	3.9		3 (4)	5.4		6	6.1
Rubella (non-congenital)									0.1
Varicella (chicken pox)	1	6 (6)	14.2	1	7 (17)	14.0		7 (16)	9.5
Varicella (shingles)		34 (64)	65.1	3	34 (60)	68.3	3	36 (41)	56.9
Varicella (unspecified)	21	89 (74)	96.4	26	65 (72)	101.7	21	69 (58)	87.8
Vector-borne diseases									
Barmah Forest virus			0.1		2 (1)	0.7			0.3
Chikungunya			0.4			0.3			0.1
Dengue fever		1	2.2			1.5		6	2.2
Malaria	2	2	1.8			0.9		4	1.1
Murray Valley encephalitis virus									
Ross River virus		1 (3)	6.5	1	4 (15)	18.6	1	1 (5)	14.4
Typhus					(1)	0.1		1	0.7
Zoonotic diseases									
Q Fever						0.1			0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			0.1			0.1		(1)	0.1
COVID-19	80	1335 (1)	19945.6	73	1307	17998.8	70	1108	19302.8
Creutzfeldt-Jakob disease						0.1			0.1
Legionellosis	1	1 (1)	3.1		1 (5)	0.9		1 (2)	1.4
Leprosy								(1)	0.1
Melioidosis									
Meningococcal infection			0.5			0.7			0.3
Monkeypox virus			0.3						0.7
RSV	56	260 (3)	382.9	35	181	379.1	40	225 (1)	347.2
Tuberculosis	2	5 (1)	3.5		3 (1)	1.6	1	2 (5)	4.3
iGAS		4	4.5		3 (1)	4.0		6	5.1
Grand Total	282	2233 (575)		235	2124 (613)		268	2068 (690)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			5.4		(1)	4.9		(4)	5.4
Hepatitis B (unspecified)			1.6			6.5			1.3
Hepatitis C (newly acquired)		5 (2)	24.5	3	6 (3)	48.8		2 (3)	20.2
Hepatitis C (unspecified)									1.3
Hepatitis D									
Enteric diseases									
Campylobacteriosis	14	34 (25)	147.9	4	12 (19)	159.4	7	19 (13)	141.4
Cryptosporidiosis		2	10.9	1	1	14.6			2.7
Hepatitis A			0.5						
Listeriosis									
Rotavirus	1	2 (9)	6.0		(1)	4.9		2 (1)	9.4
STEC/VTEC infection	2	3	12.0	1	1	13.0		(1)	16.2
Salmonellosis	1	8 (5)	30.4		(2)	19.5		2 (1)	22.9
Shigellosis			1.1			1.6			
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis	1	1 (1)	0.5	1	1	3.3			4.0
Sexually transmissible infections									
Chlamydia (genital)	12	50 (33)	230.0	4	13 (4)	193.6	3	18 (16)	203.3
Gonorrhoea		4 (3)	23.4		1 (1)	29.3		2 (2)	39.0
Syphilis (congenital)									
Syphilis - Infectious	1	3 (1)	6.5		1	11.4			6.7
Syphilis - Non-Infectious		(1)	4.9		1	8.1			9.4
Vaccine preventable diseases									
Diphtheria									
H. influenzae type b									
Influenza	1	20	326.7	1	5	602.0		1	197.9
Mumps									
Pertussis						1.6			1.3
Pneumococcal infection			3.8			4.9			6.7
Rubella (non-congenital)									
Varicella (chicken pox)		1 (1)	16.3			8.1		1 (1)	13.5
Varicella (shingles)	10	37 (27)	178.3		6 (8)	115.5	1	8 (6)	92.9
Varicella (unspecified)		1	0.5	2	5	81.3		1	33.7
Vector-borne diseases									
Barmah Forest virus			1.1		1 (1)	3.3			
Chikungunya			1.1						
Dengue fever		1	1.6						1.3
Malaria			0.5						
Murray Valley encephalitis virus									
Ross River virus		(2)	29.9		(2)	34.2		1 (3)	20.2
Typhus			2.2			8.1			
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	12	149	12099.1	3	52	6725.7	2	63	5820.5
Creutzfeldt-Jakob disease									
Legionellosis		(1)	2.2			3.3			
Leprosy									1.3
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV	13	86	259.9	7	38	621.5	3	19	150.8
Tuberculosis		(1)	2.2			3.3			
iGAS			3.8			6.5			5.4
Grand Total	68	407 (112)		27	144 (42)		16	139 (51)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									1.7
Hepatitis B (unspecified)		2 (1)	21.9			17.8		(1)	15.2
Hepatitis C (newly acquired)	1	1	1.7						1.7
Hepatitis C (unspecified)	1	2 (2)	55.6	1	2 (1)	27.7			33.8
Hepatitis D			1.7						
Enteric diseases									
Campylobacteriosis	5	14 (6)	149.9	3	7 (8)	106.8	3	15 (5)	123.5
Cryptosporidiosis		1	8.4			11.9			18.6
Hepatitis A									
Listeriosis									
Rotavirus		1 (10)	5.1		1 (3)	15.8		2 (14)	13.5
STEC/VTEC infection		2 (1)	21.9			7.9			5.1
Salmonellosis		1	40.4		(2)	7.9	2	2 (4)	57.5
Shigellosis		1 (1)	13.5		1	25.7		1	22.0
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	3	16 (18)	397.4	8	32 (30)	522.3	2	29 (28)	544.8
Gonorrhoea		3 (4)	96.0	4	15 (17)	280.9	1	23 (22)	370.6
Syphilis (congenital)						2.0		1	3.4
Syphilis - Infectious		1 (1)	38.7		2 (1)	37.6		6 (8)	133.7
Syphilis - Non-Infectious		2	23.6	1	2 (1)	33.6		1 (4)	30.5
Vaccine preventable diseases									
Diphtheria									
H. influenzae type b									1.7
Influenza		2	710.6	2	3 (1)	641.0		4	994.9
Mumps						2.0			
Pertussis			3.4			2.0			
Pneumococcal infection		1	13.5	1	3 (4)	53.4	2	2 (1)	37.2
Rubella (non-congenital)									
Varicella (chicken pox)		(2)	10.1		(3)	11.9		1 (1)	25.4
Varicella (shingles)	2	8 (2)	50.5	1	7 (6)	110.8	1	2 (9)	40.6
Varicella (unspecified)		1	92.6			4.0			
Vector-borne diseases									
Barmah Forest virus					(1)	4.0			1.7
Chikungunya									
Dengue fever									
Malaria									
Murray Valley encephalitis virus									
Ross River virus		(3)	13.5		(2)	5.9		1	18.6
Typhus									
Zoonotic diseases									
Q Fever			1.7						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						2.0			
COVID-19	2	58	7897.8	2	43	5492.4	2	69	10294.6
Creutzfeldt-Jakob disease									
Legionellosis		(1)	1.7			2.0			3.4
Leprosy									
Melioidosis									
Meningococcal infection									1.7
Monkeypox virus									
RSV	12	46	368.8	4	21 (1)	587.6	7	26	313.0
Tuberculosis		(1)	1.7	1	2	5.9			
iGAS		1	15.2			13.8	1	1	32.1
Grand Total	26	164 (53)		28	141 (81)		21	186 (97)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	0 (0)	0.2
Hepatitis B (unspecified)			34.9	12	32 (38)	14.4
Hepatitis C (newly acquired)				1	3 (11)	1.6
Hepatitis C (unspecified)	2	6	61.0	21	77 (74)	26.5
Hepatitis D				0	0 (0)	0.3
Enteric diseases						
Campylobacteriosis	1	7 (1)	113.3	101	391 (319)	126.1
Cryptosporidiosis	1	1 (3)	37.8	5	15 (7)	9.5
Hepatitis A				0	0 (0)	0.4
Listeriosis				0	0 (0)	0.2
Rotavirus	1	1 (2)	32.0	6	32 (157)	10.0
STEC/VTEC infection		1	32.0	4	14 (11)	6.6
Salmonellosis		6 (6)	142.4	21	82 (55)	28.8
Shigellosis	2	6 (2)	107.5	4	18 (5)	5.7
Typhoid				1	2 (0)	0.5
Vibrio parahaemolyticus				0	0 (25)	0.1
Yersiniosis				3	7 (3)	1.3
Sexually transmissible infections						
Chlamydia (genital)	7	44 (48)	1589.1	178	878 (877)	361.8
Gonorrhoea	4	42 (41)	1342.2	41	251 (253)	104.2
Syphilis (congenital)				0	1 (0)	0.1
Syphilis - Infectious		7 (14)	308.0	6	47 (59)	26.6
Syphilis - Non-Infectious			34.9	2	13 (18)	7.0
Vaccine preventable diseases						
Diphtheria				0	0 (0)	0.0
H. influenzae type b				0	0 (0)	0.0
Influenza		3	2504.3	58	316 (4)	505.1
Mumps				0	0 (0)	0.0
Pertussis				0	1 (5)	0.9
Pneumococcal infection		(2)	49.4	4	21 (14)	7.7
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)		4 (2)	20.3	2	27 (49)	13.2
Varicella (shingles)		7 (5)	162.7	21	182 (228)	75.3
Varicella (unspecified)			2.9	70	234 (206)	82.1
Vector-borne diseases						
Barmah Forest virus		1	14.5	0	4 (5)	0.8
Chikungunya				0	0 (0)	0.3
Dengue fever				0	10 (0)	1.9
Malaria				2	7 (0)	1.1
Murray Valley encephalitis virus			2.9	0	0 (0)	0.0
Ross River virus		2	84.3	2	10 (35)	16.0
Typhus				0	1 (2)	0.6
Zoonotic diseases						
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			26.1	0	0 (1)	0.5
COVID-19	1	16	13959.5	251	4290 (1)	17418.5
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis			5.8	1	3 (11)	1.9
Leprosy				0	0 (1)	0.1
Melioidosis			11.6	0	0 (0)	0.1
Meningococcal infection			8.7	0	0 (0)	0.6
Monkeypox virus				0	0 (0)	0.3
RSV	10	25	720.5	187	935 (5)	372.6
Tuberculosis				5	13 (9)	2.7
iGAS		1 (1)	61.0	1	16 (2)	6.4
Grand Total	29	180 (127)		1010	7933 (2492)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 45	
	23/09	30/09	07/10	14/10	21/10	28/10	04/11	11/11	2022	2021
	Salmonella Total	17	12	15	24	24	20	17	21	769
Serotype/Phage										
Salmonella Aberdeen									1	2
Salmonella Agona	1						1		11	4
Salmonella Amsterdam									1	0
Salmonella Anatum									8	9
Salmonella Anatum var 15+					1				2	0
Salmonella Bareilly									2	3
Salmonella Bispebjerg									1	0
Salmonella Bleadon subsp II									1	0
Salmonella Blukwa									1	0
Salmonella Bovismorbificans									7	5
Salmonella Braenderup									1	0
Salmonella Brandenburg									1	0
Salmonella Bredeney									1	1
Salmonella Cerro									1	3
Salmonella Chailey				1					1	1
Salmonella Chester					1	2		1	19	13
Salmonella Choleraesuis bv Australia		1							7	5
Salmonella Choleraesuis bv Decatur									7	9
Salmonella Corvallis	1								5	2
Salmonella Eastbourne									5	4
Salmonella Enteritidis			3	5	3	1	4		35	11
Salmonella Essen									0	0
Salmonella Fremantle subsp II									1	4
Salmonella Give									7	5
Salmonella Give var 15+			1						1	0
Salmonella Havana									3	3
Salmonella Hessarek									1	1
Salmonella Houten subsp IV									1	3
Salmonella Hvittingfoss				1					7	4
Salmonella Infantis			1				1		12	31
Salmonella Irumu									1	1
Salmonella Javiana									4	0
Salmonella Johannesburg	1								4	2
Salmonella Kentucky		1					2		6	1
Salmonella Kiambu			2						11	4
Salmonella Litchfield									3	4
Salmonella Mbandaka		1							1	1
Salmonella Mgulani									2	0
Salmonella Mississippi									1	1
Salmonella Montevideo									2	2
Salmonella Muenchen					1	1		1	17	16
Salmonella Newport			1	1					10	13
Salmonella Ohio									1	1
Salmonella Ohlstedt									3	1
Salmonella Oranienburg			1						17	9
Salmonella Orientalis									1	2
Salmonella Orion									8	9
Salmonella Orion var 15+									1	0
Salmonella Paratyphi B bv Java	1		1	4	2	4	1		32	8

Weekly Report for period 17-SEP-22 to 11-NOV-22

	23/09	30/09	07/10	14/10	21/10	28/10	04/11	11/11	Cumulative Total to end of Week 45	
									2022	2021
Salmonella Total	17	12	15	24	24	20	17	21	769	775
Serotype/Phage										
Salmonella Poona									3	6
Salmonella Potsdam	1			1					6	7
Salmonella Reading	2				1		1		13	6
Salmonella Rissen									3	4
Salmonella Rubislaw									4	1
Salmonella Ruiru									1	0
Salmonella Saintpaul		1			2				35	33
Salmonella Schwarzengrund									1	0
Salmonella Senftenberg	1								4	2
Salmonella Singapore									1	3
Salmonella Stanley	1					1			18	9
Salmonella Tennessee									3	4
Salmonella Thompson									1	1
Salmonella Typhimurium	6	3	1	3	10	8	3	2	240	421
Salmonella Virchow				1					20	27
Salmonella Wandsbek subsp II									2	3
Salmonella Wandsworth									1	1
Salmonella Welikade									3	3
Salmonella Weltevreden		1	1						10	2
Salmonella Worthington									2	0
Salmonella Zanzibar									1	3
Salmonella species	2	4	3	7	3	3	4	17	107	38
Salmonella subsp 1 ser 4,5:d:-									5	0
Salmonella subsp I									1	1
Salmonella subsp I ser 16:l,v:-									2	2
Salmonella subsp IIIb 61:l,v:z35									2	0
Salmonella subsp IIIb 61:z52:z53									3	0
Salmonella subsp IIIb ser									1	0